CCH® Tagetik | **ACADEMY**

Process Governance and User Rights




Wolters Kluwer

Before starting


Strigo platform - “How to”



Strigo overview (for Instructor-led classes)



Strigo left toolbar




Strigo right window panel

Hide/show window panel

Web cam presenter & who's talking


Off/On microphone and camera



A/V Troubleshoot

Open chat menu to switch between public chat and private chat


Strigo Lab (Virtual Machine)




Agenda

- Application Process
- Process Cockpit
- Budget Process set up
- Multidimensional Process
- Consolidation Process set up
- Dimension Restrictions
- Other Restrictions





Disclosure
Reporting
Analytic Information Hub
• Financial and Non-financial data
Financial Workspace
• Financial data
• Built-in data processing
Loading and Integration tools
External data sources
• Operational planning
• Pre-package solutions
• Big volume data calculation
• Granular detail level management
• Artificial Intelligence
• Actual closing
• Consolidation
• Financial Planning
• Cash flow planning


Process definition




Let’s talk about: Application Process




What is it?


Business Process
CCH Tagetik language
Application Process


Tagetik Application Process



Let’s focus on the process ingredients



User roles



Administrators




End users

User roles and Interfaces

	Activity	Admin User	End User
WEB	Process definition	✓	✗
	Task execution	✗	✓
	Data entry	✗	✓
ADD-IN	Form design	✓	✗
	Data entry	✗	✓


Let’s talk about: Process Cockpit



What is it?



Process cockpit tabs and Actions




Detail summary




Entities	Step 1	Step 2	Step 3	Step 4
Entity 1				
Entity 2				
Entity 3				
Entity 4				
Entity 5				


Step tabs

Entities	Step 1	Step 2	Step 3	Step 4
Entity 1				
Entity 2				
Entity 3				
Entity 4				
Entity 5				

Performance dashboard




Actions


ETL
Form
Snapshot
Reject
QDL
IC Cockpit
Edit windows
Submit
DTP
Diagnostics
Utility
Others

End user types



Contributor



Consolidator

User roles and Process Cockpit


Contributor cockpit

- Data entry
- Entity journals
- Data processing
- Diagnostic on entities
- Data submission/rejection on entities

Consolidator cockpit


- Data entry monitoring
- Entity/consolidator journals
- Consolidation data processing
- Diagnostic on entity/nodes
- Data submission/rejection on nodes

Let’s talk about: Budget Process Set up




Business workflow and Tasklists


- Business Workflow specifies in how many Steps data collection will be performed
- Within Steps, Tasklists includes tasks – activities needed to perform data collection



Business Workflow Design



Business workflow – Step type



Tasklist types

Custom tasklist



Default tasklist



Empty tasklist

$$ - Empty

Task types

Start icon



Custom tasks

- Data integration
- Data entry & reporting
- Other data processing
- Other activities

Submission



Submission

Approval




Approval

Workflow task structure


Parallel tasks



Grouping



Business Workflow, Tasklists and Tasks




Now it’s your turn

Exercise # 1

Business workflow, Tasklist and Tasks




Business Cycles



Budget

Business Cycles


Actual



Organization hierarchy


Flat hierarchy

Single level of approval given by **Entity manager**



Multilevel hierarchy

Multiple levels of approval given by **Entity manager** and **Country manager**



Organization hierarchy –Mapping

General rule

- Tasklist: TL1
- Hierarchy: $

Organization hierarchy –Mapping

General rule

- Tasklist: TL1
- Hierarchy: $

Exception

- Tasklist: TL2
- Hierarchy: SLS - Sales Cost Center

Organization hierarchy –Deployment

Definition

General rule

- Tasklist: TL1
- Hierarchy: $

Exception

- Tasklist: TL2
- Hierarchy: SLS

Definition results

SLS: TL2
SLS_UK: TL1
SLS_US: TL1
MRK: TL1
IT: TL1
HR: TL1


Now it’s your turn

Exercise # 2

Business cycle, Organization & Workflow




Let’s talk about: Multidimensional Process




Multidimensional Process

A process including several steps where each step can be associated to a different dimension that serves as Organization hierarchy.



Process Data Model


It allows the user to enable the collection of Accounts, Forms and AW measures in the different Steps of the Business Workflow.



Accounts

Accounts to be collected must be:

- Enabled
- Editable for a given step
- Available for data processing



Form enablement

When

- The form is an Analytical Workspace form
- The form is a Financial Workspace form that **includes dynamic accounts**

Where

- In the **Form Exceptions** tab

Why

- Enablement is required to be able to collect data by **Data Entry form**

How

- **Punctual definition:** enable each single form
- **Dynamic definition:** enable form nodes

Enablement of measure fields

When

- The dataset refers to **Entity/Scenario/Period** (fields or partitions)

Where

- In the **Analytical workspace measures** tab

Which tool

- Enablement is required to collect data by **Data Entry form** and **QDL (Reporting layer)**

How

- **Punctual definition:** enable each single measure
- **Dynamic definition:** enable each measure of a dataset or of the AW

Measure enablement: Examples

Dataset structure	Partitioning	Enablement of PRICE into PDM
ENTITY | SCENARIO | PERIOD | PRICE A01 | 2050BDG | 03 | 5 A02 | 2050BDG | 06 | 10	None	Required
ENTITY | PRODUCT | PRICE A02- | Mouse | 10 A03 | Antivirus | 20	None	Not required
ENTITY | PRODUCT | PRICE A02 | Mouse | 10 A03 | Antivirus | 20	By business cycle	Required

Now it’s your turn

Exercise # 3


Process Data Model by Account




Troubleshooting

Problem	Solution
AW forms are not visible in the DE form list	Forms must be enabled in Form Exceptions tabs
FW forms are not visible in the DE form list	• All dimension must be defined in the form • Editability must be correctly defined • Missing process deployment
Cells are not editable in AW forms	• AW measures must be enabled for the given step • Accounts must be enabled • Dataset must have been properly designed
Cells are not editable in FW forms	All dimensions must be defined in the form as lowest level elements

Let’s talk about: Consolidation Process



Consolidator Business Workflow



Now it’s your turn


Exercise # 4

Consolidation
Business
Workflow




Business Cycles

Actual



Period Status Management



In single-cycle processes all periods are archived at once. It is not possible to select specific periods.


Now it’s your turn

Exercise # 5


Business Cycle and Period Status Management




Organization and Workflow – Mapping




Organization Hierarchy




Contributor/Consolidator node types





Journals



Now it’s your turn


Exercise # 6

Contributor/ Consolidator nodes, Organization & Workflow




Process Data Model

It allows the user to define the editability of the enabled accounts/categories, the IC cockpits, and the Control groups that will be diagnosed the different Steps of the Business Workflow.




Multiple Process Data Models




Custom Process Data Model

The system generates custom process data models by combining the settings of the $PDM with the exceptions that have been defined by the user.



Process Data Model / Entity Relationship



Now it’s your turn

Exercise # 7

Process Data Model by Account/category



Data entry rules


Gross amounts & IC

Journals

Override entity parameter on original scenarios

Submission

Data Processing



Calculation logics

What is it?

- High performance tool for complex calculations.
- It can be enabled for both original and consolidation scenarios.

Calculation logic type

Standard

- Used to value an account as sum (or difference) of other accounts.

Custom


- Used when advanced operations must be performed.

Carry forward


It allows for the carry forward of the final balances from the previous year to the new fiscal year.

	Jan	Feb	Mar	...	Dec
Int. Asset	130	110	240	...	180


	Jan	Feb	Mar	...	Dec
Int. Asset	180				



Consolidation



Event Scenario



Map of Group ownership

Maps the ownership among all entities	Structured by Events	Contains Events information	NOT a hierarchy


Now it’s your turn

Exercise # 8

Data Entry & Submission Rules, Data Processing



Let’s talk about: Dimensions restrictions



User Attributes

Attributes

- Code
- Description

Reference Management

- Reference user for other users
- Area profile
- Inherit Area profile from another user


How this is used

- Set user rights that are inherited by other users
- Receive user rights from an Area profiles

Default User Rights

	Default User Rights for New Users
All Dimensions Excluding: - Entity, - Consolidation Scenario, - Category	New Tagetik users have **read and write** access to all dimensions excluding the Entity, Consolidation Scenarios, and Categories. Default rights can be manually modified to limit editability and visibility.
Entity	New users have restricted access to the Entity dimension. The Administrator provides definitions for the individual user may also use a Reference User or Area Profile. Reference and Area profiles help to minimize user maintenance.
Category	New users are restricted to the Contributor Categories. Access can be specified at the lowest-level elements or node level. Rights must be marked as read-only (as necessary) else both read and write access is granted.
If a user has edit (write) access they automatically inherit view (read) access.	


Access Levels



Entity and Task

Restricted	Unrestricted	By Area Profile
Restricted in insertion, submission but not restricted in display	Unrestricted in insertion, submission and display	Restricted in insertion, submission, or display by Area Profile

Entity dimension




Insert data	Run submission tasks	Run operational tasks


Filter	North America	Europe	Asia
Include North America Include Europe Include Asia	USA Canada	Northern Europe Southern Europe	Japan
Include North America Include Europe Include Asia Exclude USA			
Exclude USA Include North America Include Europe Include Asia			

Entity: Generic Task List


By Step




By Task



By Label



Let’s talk about: Other restrictions



Other restrictions

	Default User Rights for New Users
ETL	Can be applied to single domains.
Collaborative Office	Ability to administer documents versus contribute by providing content.
Analytical Workspace	List of visible workspaces
Dataset	Dataset visibility

Form Restrictions

Select Nodes & Forms	Result
• Select Form(s) • Select Node(s)	• Report gallery is restricted to the specified Node(s) and Form(s).

Now it’s your turn

Exercise # 9

Assigning Entity and Reference User setting.




Reference user


- Reference user can be used as a template.
- Merge the restrictions defined on Reference user with the one defined on Target User.
- Reference user serves as a base and the target user's specific requirements can be built on it. So, the result of the target user's restrictions will be the combination of the two.

Reference user


Restrictions on Reference user



Restrictions on Target user



Result on Target user



Now it’s your turn

Exercise # 10


Reference user




Area Profile

- Gives a maximum limit of possible authorizations for the associated users.
- Can be used by peripherical administrators to control authorizations for specific groups.
- Necessary deployment after definition of a user that inherit area profile.
- Not available for analytical dimensions.

Area Profile versus Target User Restrictions




Inheriting rights using an Area Profile




Summary: Inheriting user rights

Minimize user maintenance by assigning rights using Reference User or Area Profiles.

- **Reference User** produces a **merge** (union) of rights between the reference and target users.



- **Area Profile** results with an **intersection** of the Area Profile and target user rights. Most restrictive.



Now it’s your turn

Exercise # 11

Area profile





Takeaways

Give us your feedback

Only with your feedback, we can improve this course.

We really appreciate any comments and suggestions!



Click Here

Thanks for sharing your experience with us!

Join the Community

Community is the central location for all CCH Tagetik information and it is **free** to access!



Library

Browse our resources to enhance your understanding of Tagetik



Q&A

Ask your questions and interact with your peers



Favorite Assets

Access all the library assets you have selected as your favorites

Click Here

Please remember that you have to **request access** to the Community.

Join Loyalty Connect Program

Loyalty Connect Program is a decidated CMS with InTouch tickets and training class **free** to access!

Connect member benefit	Connect member contribution
1 Academy training class	Customer quote
2 tickets CCH Tagetik inTouch	4 or more reference calls
Dedicated Customer Success Manager	2 analyst reviews
	Feedback loop

Click Here


Join CCH Tagetik Insider's Hub!

On the Insider's Hub you can find updates, events and rewards with a **free** access!

1. Log into the CCH Tagetik Community and click on the Insiders tab
2. Poke around and complete challenges earning points to redeem rewards
3. Get recognized for all the support you give CCH Tagetik

Click Here

Gain your first reward points in CCH Tagetik Insider's Hub!




Complete your CCH Tagetik Academy course survey and receive 200 points!

Click Here

To complete this challenge card, you must have participated in a CCH Tagetik Academy course in the last 2 months. It can be completed only once for each training course attended.

Other available learning assets



What's next?

Visit the Academy webpage and see the next training and/or assessment

Click Here



Mail to

info.academy@wolterskluwer.com

Thank you



Wolters Kluwer

CCH® Tagetik | ACADEMY