

Analytical Workspace Designer

This training course covers the skills necessary to discuss, evaluate and choose among different design solution for AIH, including also technical considerations and advanced features to apply in project implementation. In the hands-on workshop all advanced configurations of datasets and DTP will be reviewed.

Software version: 5.3.SP28

Last update: 5/31/2024

© 2024 Tagetik Software - All Rights Reserved

Table of contents

EXERCISE 1 - Advanced use with dictionaries 4
EXERCISE 2 - Virtual Dataset Advanced Usage 6
EXERCISE 3 - Grouping functions 8
EXERCISE 4 - Use of Parameters and Special Methods 10
EXERCISE 5 - Insert with reference dataset and reporting with custom filters 13
EXERCISE 6 - Allocations of costs and results 15

Need some help? **18**

EXERCISE 1 - Advanced use with dictionaries

Objective

Learn how to feed a dataset with dictionary using fields from AW tables. Create dependent dictionaries.

Tasks

Perform the following tasks:

1. Login in the web application:
   - Username: **Jabba**
   - Password: **tgk**
2. Access **1 - Forecast profitability** AW.
3. Click **Dictionary** hyperlink.
4. Define a dictionary that hold all Premium Dataset's fields name.
   - Dictionary: **01**
   - Description: **Exclusion fields**
   - Type: **Query**
   - Query Postgres body : Create the query retrieving data from **ows_tabella_campo**
5. In dataset **User Exclusions** restrict the range of the values for field **EXCL_FIELD** to the values of **Exclusion fields** dictionary
6. Run (**data entry** mode) the related line by line web form for process **FORECAST**
7. Insert a row:
   - Entity: **B00**
   - Exclusion field: **REINSURANCE**
   - Exclusion value: ='**C**' (suitable with Postgres Database)
8. Insert a second row:
   - Entity: **B00**
   - Exclusion field: **Premium**
   - Exclusion value: **<0**
9. Save.
10. Add a new dictionary to create a dependency between 2 fields of **Premium** dataset the following dictionary
11.
    - Dictionary: **02**
    - Description: **Dependent dictionary**
    - Type: **Query**
    - Query Postgres body: Create a query retrieving

Line of Business and Risk from dataset LOB-Risk relationship

12. Open **Premium** dataset and set the dependency between **Line of business** and **Risk** setting correctly the Field values
13. Run form **Premium** in Data Entry mode for **FORECAST** Process.
14. Select the following parameters:
    - Scenario: **2050FCT**
    - Period: **06**
15. Try to add a new row and check the dependency between **Risk** and **Line of Business**

Need any help? Here are some hints

- To create an AW dictionary, access AW main page and click on hyperlink **Dictionary**
  - Query:
    - **Select label, desc_campo0**

      From ows_tabella:campo

      Where id_tabella='X'
- To retrieve string X open Premium Dataset and in URL copy the string after last /
- In **EXCL_FIELD** of User exclusions set Field values as **Exclusion fields**
- Query 02:

  Select lob,risk

  From ${DATASETPARTITION("001","000006")}
- To set dependence in Premium dataset select field **LINEOFBUSINESS**, set **Dependent dictionary** as Field Values and **LOB** as Query field code. Then, in Premium Dataset select field **RISK**, set **Dependent dictionary** as Field Values and **RISK** as Query field code.

EXERCISE 2 - Virtual Dataset Advanced Usage

Objective

Learn the advanced usage of a Virtual dataset into a DTP operation **Insert from other dataset**

Tasks

Perform the following tasks:

1. Create Virtual Dataset **Virtual exclusions** joining by entity field dataset **Premium** and **User Exclusions**
2. Insert the following fields:
   - **Entity**
   - **Region**
   - **Line of Business**
   - **Channel**
   - **Risk**
   - **Reinsurance**
   - **Premium**
   - **Exclusion field**
   - **Exclusion value**
   - **Expiring month**
   - **Expiring year**
3. Add a Formula field with the same label of Premium's User exclusion formula field and create the formula to perform the exclusion
4. Create the DTP **01 - Loss ratio**
5. Create an activity
   - Activity: **01**
   - Description: **Reading User Exclusions**
   - Target Dataset: **Premium**
   - Target Typology: **User Exclusions**
   - Tick **Empty Dataset**
   - Level: **1**
6. Add an "Insert from other dataset" as first operation
   - Operation: **01**
   - Operation type: **Insert from other dataset**
   - Description: **Insert from virtual exclusions**
   - Source dataset: **Virtual exclusions**
   - Source typology: **Reporting layer**

   📄 **Note:** Matching fields are not specified.
7. As second operation define **Enrichment with Formula Field**
   - Operation: **02**
   - Operation type: **Enrichment with Formula Field**



- Description: **Exclusions calculation**
- Target field: **EXCLUSION - Exclusion flag**
- Formula field: **USER_EXCL – Exclusion formula**

8. Save.
9. Access **FORECAST** business workflow.
10. Reach Profitability task list.
11. I Insert a DTP execution task after "**Upload Premium**" task. The DTP to be related is **Loss ratio**
    - Code: **2**
    - Description: **DTP Loss ratio**
    - Analytical workspace: **Forecast-Profitability**
    - Data Transformation Package: **Loss ratio**
12. Switch to the User interface.
13. Enter Process cockpit of **FORECAST** process. Run by
    - Scenario: **2050FCT**
    - Period: **06**
    - Entity: **B00**
14. Run DTP from Actions menu
15. Check result stored on partition related to Typology **T01 – User Exclusions** of dataset **Premium** .

Need any help? Here are some hints

- To create a virtual dataset click on hyperlink **Virtual datasets** from main page of AW
- Attribute for Formula field:
    - Label: **USER_EXCL**
    - Decription: **User exclusion formula**
    - **Formula: concat('case when ',EXCL_FIELD ,EXCL_ VALUE,' then 1 else 0 end')**
- The dataset partitions can be accessed from the related dataset tile clicking on 
- From the list of dataset partitions, access values clicking on

EXERCISE 3 - Grouping functions

Objective	Learn usage of grouping functions

Tasks

Perform the following tasks:

1. Add a new activity in DTP **Loss ratio**:
   - Activity: **02**
   - Description: **Grouping exclusions**
   - Target dataset: **Premium**
   - Typology: **Grouping**
   - Tick: **Empty dataset**
   - Level: **2**
2. Add an operation
   - Operation: **1**
   - Operation type: **Insert from other dataset**
   - Description: **Insert and group exclusions**
   - Source dataset: **Premium**
   - Typology: **User exclusions**
   - Matching fields: Sum up the **EXCLUSION** field, set field **USER_EXCL** to null and Group by the remaining fields
3. Save.
4. Switch to user interface
5. Access process cockpit of **FORECAST** process. Run by Scenario: **2050FCT** Period: **06** Entity: **B00**
6. Run the only Activity **Grouping exclusions** of DTP from menu Actions -> Activity cockpit
7. Check result stored on partition related to Typology **T02 - Grouping** of dataset **Premium** (only 40 rows should remain)
8. Note the value of field **EXCLUSION,** realizing which are the rows that should be discarded in next activity
9. Results can be checked also on DTP running window clicking on "i" of related DTP activity

Need any help? Here are some hints

- It is possible to run only a specific activity of DTP. Activity can be run from action menu of process cockpit and ticking the activity that has to be run

EXERCISE 4 - Use of Parameters and Special Methods

Objective

Learn the usage of parameters and special methods

Tasks

Perform the following tasks:

1. Create a Numeric reporting parameter that will be used to store the value that will decide for Exclusions of rows in a Special method.
2. Define the following Special method using reporting parameters and cell fields
   - Special method: **INS1**
   - Description: **Insert not excluded**
   - In tab **PostgreSql** write the following script:

```
Insert into
    ${DATASETPARTITION( "001", "000001",
    PROCESS( $Scenario.code,
    $Period.code).code,
    $Scenario.code,
    $Period.code,
    $Entity.code, “T03” )}
Select * From
    ${DATASETPARTITION( "001", "000001",
    PROCESS( $Scenario.code,
    $Period.code).code,
    $Scenario.code,
    $Period.code,
    $Entity.code,“T02” )}
    Where EXCLUSION = ${@EXCL_V};
```

3. Add a new activity into **DTP** :
   - Activity: **03**

- Description: **Apply User exclusions**
- Target dataset: **Premium**
- Typology: **Deletion/Enrichments**
- Tick **Empty Dataset**
- Level: **3**

4. Add Special method as new operation into activity **Apply user exclusions**
   - Operation: **1**
   - Operation type: **Special method**
   - Description: **Apply Exclusions**
   - Special method: **INS1 – Insert not excluded**
5. Add a new operation Enrichment with formula to calculate lag fields in months
   - Operation: **2**
   - Description: **Lag calculation**
   - Operation type: **Enrichment with formula**
   - save, then access matching fields and insert a new row
   - Target field: **LAG**
   - SQLformula: **(EXP_YEAR - ${$Scenario.year})*12 + (EXP_MONTH - ${$Period.code})**
6. We need to enrich field **AVG_CLAIMS – Average Claims** . Data are held in Tagetik table called **AW_004_000004_000001** . Data can be retrieved with a Datasource.
7. Define a new datasource with description **Average claims**
8. Access the definition and type the custom query in Postgres body to retrieve all fields of table **aw_avg_claims**
9. In Fields tab relate **RISK** and **REGION** fields with the related dimensions
10. Now access again Apply user exclusion Activity and add a new operation
    - Operation type: **Enrichment from another dataset**
    - Operation: **3**

- Description: **Average claims**
- Source dataset: **Average claims**
- In matching fields define **RISK** and **REGION** as Condition and **AVG_CLAIMS** as attribute. Source fields are coded like the related targets

11. Access Process cockpit of **FORECAST** process. Run by
    - Scenario: **2050FCT**
    - Period: **06**
    - Entity: **B00**
12. Run only **Apply user exclusions** Activity of DTP from Action menu of the Process cockpit
    - Select **0** as **Exclusion value** parameter
    - Check result stored on partition related to Typology **T02 – Apply User Exclusions of dataset Premium** (34 rows should remain).
13. Check Alternative method using Insert from other dataset with Origin condition EXCLUSION=0

Need any help? Here are some hints

- Access Excel Tagetik-Addin and access parameters definition clicking on “Parameters Definition” icon
- Create a parameter:
  - Code: **EXCL_V**
  - Description: **Exclusion value**
  - Data type: **Numeric**
- To access Special methods definition page, click on “Data Transformation Package” hyperlink from main AW page, then click on hyperlink “Special methods”
- To access Datasources click on "Virtual datasets and datasources"from main AW window
- Datasource definition:
  - MsSQL body: **select risk, region, avg_claims from AW_004_000004_000001**
  - Fields:
    - Risk dimension: **RISK**
    - Region dimension: **REGION**

EXERCISE 5 - Insert with reference dataset and reporting with custom filters

Objective	Learn to use operation Insert with reference dataset and to report data using custom filters
Tasks	Perform the following tasks:

1. Add a new activity in DTP **Loss Ratio**:
    - Activity: **04**
    - Description: **Expected claims**
    - Target dataset: **Premium**
    - Typology: **Exp Claims calculation**
    - Tick **Empty dataset**
    - Tick **Update Reporting Layer**
    - Level: **4**
2. Add the operation Insert with reference dataset
    - Operation: **1**
    - Description: **Insert expected claims**
    - Operation type: **Insert with reference dataset**
    - Source dataset: **Premium**
    - Source typology: **Deletion-Enrichments**
    - Reference dataset: **Prob. Factor (IELR)**
3. Access Matching fields and perform the following definitions:
    - Target fields: **Expected claims**
    - Source: **source.AVG_CLAIMS * ref.IELR**
4. Relate automatically the remaining fields
5. Access Process cockpit of **FORECAST** process. Run by Scenario: **2050FCT**, Period: **06**, Entity: **B00**
6. Run only Expected claims Activity of DTP from menu

Actions of Process cockpit

7. Check result on form **Premium**
8. Define 2 Reporting parameters:
    1. Code: **EXP_YEAR**

       Description: **Expiring Year**

       Type: **Numeric**
    2. Code: **EXP_MONTH**

       Description: **Expiring Month**

       Type: **Numeric**
9. Access the matrix present in **Premium** dataset.
10. Access **Custom filters** tab from matrix wizard.
11. Add a custom filter:
    - Measure: **Expiring year**
    - Ask at runtime: **Ticked**
    - Parameter: **Expiring year**
12. Add another custom filter:
    - Measure: **Expiring month**
    - Ask at runtime: **Ticked**
    - Parameter: **Expiring month**
13. Save the form.
14.
15. Run the report and check again the result selecting the filters.

EXERCISE 6 - Allocations of costs and results

Objective	Learn how to use Allocation operation. Check results on output form and learn how to create a similar report using datasource.
Setup DTP for Allocations and results	Perform the following tasks: 1. Data to allocate are held in dataset **Shared services** and are related to Cost Center **CC01-Information technology, CC02-Marketing, CC03-General services** check them on existing **partition of the dataset** 2. Create a new DTP **02 – Allocations** and add a new activity **01 – Allocations and results** to calculate allocations. 3. Target will be typology **Allocations** of **Profit & Loss** dataset 4. Before running target dataset should be emptied and at the end of activity data should be loaded to Reporting layer 5. Insert this operation to perform the allocation: • Operation: **1** • Operation type: **Allocations** • Description: **Allocations** • Dataset to be allocated: **Shared service** • Typology: **Reporting layer** • Driver dataset: **Premium** • Driver typology: **Reporting layer** • Details: • Data to allocate: • Code: **1** • Description: **Allocate amount** • Measure to allocate: **AMOUNT** • Driver: • Driver measure: **Premium** • Allocate on: **Tick all checkboxes** • Other filters based on data to allocate: **None (all measures)** 6. Insert in dataset Profit & Loss, Premium and Claims data because they have to be shown on output report **521 - Profit & Loss.** Notice that measure **PREMIUM** will

be mapped to account **v 00010-Premium** and measure **EXP_CLAIMS** to account **00020-Claims**

7.
   - Operation: **2**
   - Operation type: **Insert from other dataset**
   - Description: **Copy Premium**
   - Source dataset: **Premium**
   - Typology: **Reporting layer**
   - Matching fields:
     - Target field: **ACCOUNT** ; Source: **'00010'**
     - Target field: **AMOUNT** ; Source: **PREMIUM**
     - Target field: **CC** ; Source: **'GEN_CC'**
     - Target field: **PERIOD** ; Source: **${$Period.code}**
     - Target field: **SCENARIO** ; Source: **${$Scenario.code}**
     - Relate automatically the remaining fields
   - Operation **3**
   - Operation type: **Insert from other dataset**
   - Description: **Copy Claims**
   - Source dataset: **Premium**
   - Typology: **Reporting layer**
   - Matching fields:
     - Target field: **ACCOUNT** ; Source: **'00020'**
     - Target field: **AMOUNT** ; Source: **EXP_CLAIMS**
     - Target field: CC; Source: **'GEN_CC'**
     - Target field: **PERIOD** ; Source: **${$Period.code}**
     - Target field: **SCENARIO** ; Source: **${$Scenario.code}**
     - Relate automatically the remaining fields

Setup and run workflow

Perform the following tasks:

1. Access Business workflow **Forecast** and in **Profitability calculation** insert a new DTP task after DTP-Loss Ratio
   - Code: **3**
   - Description: **Allocations**
   - Analytical workspace: **Forecast-Profitability**
   - Data Transformation Package: **Allocations**

---

2. Switch to the user interface.
3. Run the process **FORECAST** user interface for period **06** , Scenario **2050FCT** , Entity **B00 – Monster Inc**

   and run the just created DTP Task to calculate Allocations
   .

Report check and matrix derived from datasource

Perform the following tasks:

1. Access Excel addin
2. Reach the form **521 - Profit & Loss** in design mode
3. Open the wizard matrix and check its structure
4. Navigate the form and check the results (don't select any parameter to have a global view of results)
5. Access on web application and check the definition of Datasource **P&L**
6. Reach fields and match all the dimensional fields with the related dimension
7. Reach, again, the form **521 - Profit & Loss** in design mode and in tab **Datasource** replicate the matrix included in tab **Dataset** using the fields of the Datasource **P&L.** Datasource must be defined in tab postgres body

Need any help? Here are some hints

- To create a matrix derived by a datasource add a matrix and select the preferred datasource from the folder **Datasources** of the related workspace

---

Need some help?



Here you can find the solutions to the most frequent

technical issues you may get stuck with during the course.

I can't login to the training environment

Make sure you are using the access link provided by the trainer (with the proper 4 digits token if needed!). Events have a starting and ending date/time.

Make sure you are not trying to access the training course too early or too late!

My machine is slow

- Keep in mind that lab configuration may require up to 20 minutes to start from the moment you click on the CCH Tagetik Chrome icon! 


- The local connection's bandwidth is not sufficient for the number of connections currently in place (performance issues on the server side are very rare).

  Solution: ask the IT services to reboot the access point and prefer connection via cable if available.


Audio/Video Troubleshooting


In case you are having problems with audio and video try the following:

1. Make sure you are running a compatible browser (Google Chrome, Mozilla Firefox).
2. Make sure your media devices are connected and are not muted or set to very low volume.
3. Make sure the browser you are in is allowed to use your laptop audio and video




4. Make sure no other applications are running that use your media devices (microphone, camera or speakers).
5. Prevent any ad-blockers or script blockers running on the classroom's tab.
6. Refresh the page.
7. From the right communication panel, click on the settings icon and change the camera/video options selected





Check if there are any errors: if so, they will appear in red.

In addition, you can run a troubleshoot by clicking on: "Let's try and get it fixed" and then on "Run Troubleshoot"



If you still have problems, it could depend on network restrictions.


Resolution issues: if you see CCH Tagetik application masks too big in the machine even if I didn't change browser zoom.
Remember, Strigo adapts the machine to your computer resolution. Try to change your resolution or use a different monitor!

⚠ Important: Scaling setting recommended = 100% (max 125%).

Lab troubleshooting while practicing

If you are in your Virtual Machine and you are experiencing a black screen with your lab not starting:

1. Try restarting the machine by clicking on the wheel icon and then on "Restart workspace machine"



2. Try logging out and then log in again after few minutes

⚠ Important:


Your machine will be rebooted, but do not panic! No data will be lost. You will need to wait for the OS to restart and CCH® Tagetik to be reloaded though.

3. A pause > restart of the lab should work as well. The pause option is on the top right-hand corner of the screen. The workspace will switch to **Paused** mode, and then you want to really just give it around two minutes. This is usually enough time to let the lab machine be actually stopped, before you go and hit **Resume** again.
4. Try to open the browser in incognito/private mode.
5. Reach out to Strigo support through this link and then click start live chat

I can't copy/paste any content to the virtual machine


Direct copy/paste is not allowed.

Solution: Use the clipboard icon to copy and paste from the desktop to the virtual machine and viceversa.



I cannot change language in my machine

Solution: Change the language both by desktop bar and by Settings.



MS Excel: I can't select a given form or an object of a form.

This issue happens pretty often and is due to some wizard (e.g. Matrix Wizard, Cell Fields wizard) already open but not currently diplayed on the screen. **When any wizard is open and running, you can't work anywhere else**.


Solution: check if you have any of the wizard open and running (most common: Matrix Wizard, Tab Filters, Form Filters, Cell Fields wizards). If this is the case, be sure to have finished your work on that wizard and close it with OK to confirm. Then go on with your work.

MS Excel: the Tagetik menu is no longer available on the ribbon bar.

Solution1: this probably means the CCH Tagetik add-in has been disabled by MS Excel due to a crash or some errors and has to be enabled again.

Follow the path **File > Options**. Click "**Add-Ins**" on the "**Excel Options**" pane and expand the drop-down menu "**Manage**" on the bottom. Try to select:

1. "**COM Add-Ins**" > "**Go...**". If unticked, tick the "**Tagetik Excel NET Client**" Add-in and click OK
2. "**Disabled items**" > "**Go...**". If you find there the "**Tagetik Excel NET Client**" Add-in, enable it. Close and start Excel.



Solution2: should solution1 not solve the issue, disinstall and reinstall the CCH® Tagetik add-in. Ask the trainer for some help in case.

If you use a 4K resolution monitor, there's a chance you will see far too little

Solution: Low the resolution before the training, then set it back to the original value after the training

My problem is not listed here.



If even this can't solve your problem, please refer to your trainer (and if you are a trainer to your training manager).