

# Planning & Forecasting

Gain the skills necessary to implement different planning and forecasting approaches, using the most common calculation and tools available for the projects of this area. Topic such as Introduction to planning and forecasting, Data model trends, DTP Operations, Virtual datasets and various business cases.

Software version: 5.3.SP24

Last update: 8/21/2023

© 2023 Tagetik Software - All Rights Reserved

# Table of contents


EXERCISE 1 - DTP allocations ..... 4
EXERCISE 2 - Monthly splitting ..... 7
EXERCISE 3 - Reference dataset for driver based planning ..... 11
EXERCISE 4 - Driver based calculation with DTP ..... 13
EXERCISE 5 - Virtual dataset for data preparation (1) ..... 16
EXERCISE 6 - Calculation rules with DTP ..... 18
EXERCISE 7 - Asset definition ..... 20
EXERCISE 8 - Virtual dataset for data preparation (2) ..... 22
EXERCISE 9 - Depreciation calculation ..... 24
EXERCISE 10 - Reporting structure ..... 27
EXERCISE 11 - Snapshot scenarios ..... 29
EXERCISE 12 - Forecast models ..... 31

Need some help? ..... 33

## EXERCISE 1 - DTP allocations

**Objective**

To distribute amounts through DTP allocations operation.

**Tasks**

Perform the following tasks:

**Define Sales drivers for Sales target DTP**

Log in the web application:

- User: **emperor**
- password: **tgk**

1. Open Analytical Workspace **PLF - Planning.**
2. Check the structure of datasets:
3. - 10 Global target
   - 12 Detailed target
4. Access the structure of DTP **1 Sales target**.
5. Access the Activity **0 Sales driver**.
6. Add an operation:
   - Operation type: **Insert from other dataset**
   - Operation: **1**
   - Description: **Insert actual drivers**
   - Source dataset: **11 Actual sales**
   - Typology: **Reporting layer**
7. Access matching fields:
8. 

| Target field | Source | Grouping mode |
|---|---|---|
| Relate remaining fields automatically | | GROUP BY |
| AMOUNT | AMOUNT | SUM |
| PERIOD | '12' | |
| SCENARIO | ${$Scenario.code} | |

9. Add an operation:
    - Operation type: **Enrichment from another dataset**
    - Operation: **2**
    - Description: **Retrieve product node**
    - Source dataset: **13 Product hierarchy**
    - Typology: **Reporting layer**
10. Access matching fields:
11.

| Target field | Source | Relationship type |
|---|---|---|
| PRODUCT | PRODUCT | Condition |
| PRODUCT_TYP | PRODUCT_TYP | Attribute |
| | | |
| | | |

---

**Tasks**

Perform the following tasks:

**Define Sales breakdown for Sales target DTP**

1. Access the Activity **1 Sales breakdown**.
2. Add an operation:
    - Operation type: **Allocations**
    - Operation: **1**
    - Description: **Sales breakdown**
    - Dataset to be allocated: **10 Global target**
    - Typology: **Reporting layer**
    - Driver dataset: **12 Detailed target**
    - Driver typology: **Sales driver**
3. Access details and add a row:
    - Data to allocate:
        - Code: **0**
        - Description: **Breakdown**

---

- Measure: **AMOUNT**

- Driver:
  - Driver measure: **AMOUNT**
  - | Allocate on | Filters | Other filters based on data to allocate |
    |---|---|---|
    | Sales rep: **flag** | | None |
    | Line of business | | Filter |
    | Product: **flag** | | None |

---

**Tasks**

Perform the following tasks:

**Run the Sales target DTP**

1. Access **2058BDG - 2058 Budget** process cockpit from user interface.
2. Select **A00 - Stark Industries** in **Sales** collection step.
3. Open form Insert sales target and check data
4. Run **Calculate sales target** task
5. Check the result in the Reporting layer partition of 12 Detailed target dataset or in form **PLF_EX01 - Sales target** in the tab Detailed target.

---

## EXERCISE 2 - Monthly splitting

| | |
|---|---|
| Objective | To distribute amounts on months through DTP operations |

**Tasks**

Perform the following tasks:

**Define monthly splitting DTP**

1. Check the structure of datasets:
   - 20 Annual sales planning
   - 21 Monthly sales planning
2. Access the structure of DTP **2 Monthly splitting**.
3. Access the Activity **0 Monthly split**.
4. Add an operation:
   - Operation type: **Insert from other dataset**
   - Operation: **1**
   - Description: **Open rows to split**
   - Source dataset: **20 Annual sales planning**
   - Typology: **Reporting layer**
5. Access matching fields

| Target field | Grouping mode |
|---|---|
| Relate remaining fields automatically | GROUP |

6. Add an operation:
   - Operation type: **Enrichment from another dataset**
   - Operation: **2**
   - Description: **Copy actual sales**
   - Source dataset: **00 Reporting**
   - Typology: **Reporting layer**
   - Source filter: **SCENARIO=${$Scenario.ref1.code} and ACCOUNT='50010'**





7. Access matching fields.
8. Click on Export for import to download the excel file to upload the matching field
9. Open the file and paste the elements present in file "**Matching fields 220**". File is stored below **Workshops\Operational planning and forecasting**
10. Save and Import from excel.
11. Add an operation:
    - Operation type: **Enrichment with formula**
    - Operation: **3**
    - Description: **Calculate %**
12. Access matching fields.
13. Click on Export for import.
14. Open the file and paste the elements present in file "**Matching fields 230**". File is stored below **Workshops\Operational planning and forecasting**
15. Save and Import from excel.
16. Add an operation:
    - Operation type: **Enrichment from another dataset**
    - Operation: **4**
    - Description: **Add annual sales**
    - Source dataset: **20 Annual sales planning**
    - Typology: **Reporting layer**
17. Access matching fields

| Target fields | Source | Relationship type | Grouping mode |
|---|---|---|---|
| SCENARIO | SCENARIO | Condition | GROUP BY |
| PERIOD | PERIOD | Condition | GROUP BY |
| ENTITY | ENTITY | Condition | GROUP BY |
| SALES | SALES | Condition | GROUP BY |

| | | | |
|---|---|---|---|
| PRODUCT TOTAL | PRODUCT AMOUNT | Condition Attribute | GROUP BY SUM |

18. Add an operation:
    - Operation type: **Enrichment with formula**
    - Operation: **5**
    - Description: **Calculate monthly amounts**
19. Access matching fields.
20. Click on export for import.
21. Open the file and paste the elements present in file "**Matching fields 250**". File is stored below **Workshops\Operational planning and forecasting**
22. Save and Import from excel.

---

**Tasks**

Perform the following tasks:

**Run the monthly splitting DTP**

1. Access **2058BDG - 2058 Budget** process cockpit from user interface.
2. Select **A00 - Stark Industries** in Sales collection step.
3. Open form **Insert annual sales planning** and select the following parameters:
    - Sales rep: **SR001 - Baggio**
    - Scenario: **2058BDG - 2058 Budget**
    - Product by types: **X02 - Hardware**
4. Check that annual sales planning meets the target.
5. Run **Monthly splitting** task.
6. Open form **Adjust monthly sales planning** to check the result of monthly splitting calcualtion:
    - Scenario: **2058BDG - 2058 Budget**
    - Sales rep: **SR001 - Baggio**.

---

## EXERCISE 3 - Reference dataset for driver based planning

**Objective**

To define a dataset structure usable for driver based planning calculation

**Tasks**

Perform the following tasks:

**Define a reference dataset and input a driver based cost planning**

1. Set offline dataset **32 Cost planning definition**.
2. Drag and drop the following dimensions to the reference dataset:

| Label | Description | Reference type |
|---|---|---|
| SCENARIO | Scenario | Condition |
| PERIOD | Period | Condition |
| ENTITY | Entity | Condition |

3. Add the following elements to the reference dataset:

| Label | Description | Field type | Field values | Out of dictionary values allowed | Display mode | Reference type |
|---|---|---|---|---|---|---|
| ACCOUNT | Account | Text | 05 - Cost account | Yes | Code & desc. | Condition |
| CC | Cost center | Text | 01 - Cost centers list | Yes | Code & desc. | Condition |
| SEQ | Sequence | Number | | | | Level |
| MUP | Mark up | Number | | | | Attribute |
| DRIVER1 | Driver 1 | Text | D1 - Driver | | Code | Attribute |
| DRIVER2 | Driver 2 | Text | D1 - Driver | | Code | Attribute |
| AMOUNT | Amount | Number | | | | Attribute |

4. Click on action and run in **data entry** mode the dataset selecting the following parameters:
   - Process: **2058BDG - 2058 Budget**
   - Scenario: **2058BDG - 2058 Budget**

- Period: **12 - December**

5. Open 3 rows:
   - with the same following shared definition:
     - Scenario: **2058BDG**
     - Period: **12**
     - Entity: **A00**
     - Account: **50330 - Insurances**
   - each of them with the specific following definition:

| Cost center | Sequence | Mark up | Driver 1 | Driver 2 | Amount |
|---|---|---|---|---|---|
| | 1 | 0.2 (20%) | | | |
| CC01 | 2 | | Manufacturing cost effect | Sales volume effect | |
| CC02 | 2 | | | | 5000 |

6. Save

## EXERCISE 4 - Driver based calculation with DTP

| | |
|---|---|
| Objective | To apply driver based logics defined to calculate baseline budget |
| Tasks | Perform the following tasks: |
| Define Cost planning DTP | |

1. Check the structure of datasets:
   - 30 Drivers
   - 33 Cost planning
2. Check the definition of datasource:
   - 31 Actual costs
3. Access the structure of DTP **3 Costs**
4. Access the Activity **0 Cost baseline**
5. Add an operation:
   - Operation type: **Insert from other dataset**
   - Operation: **1**
   - Description: **Insert actual costs**
   - Source dataset: **31 Actual costs**
   - Typology: **Reporting layer**
6. Access matching fields:

| Target field | Source | Grouping mode |
|---|---|---|
| AMOUNT_PY | AMOUNT | SUM |
| AMOUNT | null | |
| SCENARIO | ${$Scenario.code} | |
| Relate remaining fields automatically | | GROUP BY |

7. Add an operation:
   - Operation type: **Enrichment with reference dataset**

- Operation: **2**
- Description: **Enrich with planning definition**
- Reference dataset: **32 Cost planning definition**

8. Add an operation:
   - Operation type: **Enrichment from another dataset**
   - Operation: **3A**
   - Description: **Enrich with driver 1**
   - Source dataset: **30 Driver**
   - Typology: **Reporting layer**
9. Access matching fields:

| Target field | Source | Relationship type |
|---|---|---|
| DRIVER1 | DRIVER | Condition |
| PERC1 | PERCENTAGE | Attribute |

10. Add an operation:
    - Operation type: **Enrichment from another dataset**
    - Operation: **3B**
    - Description: **Enrich with driver 2**
    - Source dataset: **30 Driver**
    - Typology: **Reporting layer**
11. Access matching fields:

| Target field | Source | Relationship type |
|---|---|---|
| DRIVER2 | DRIVER | Condition |
| PERC2 | PERCENTAGE | Attribute |

12. Add an operation:
    - Operation type: **Enrichment with formula**
    - Operation: **4**
    - Description: **Add markup**
    - Target filter: **AMOUNT is null or AMOUNT=0**

13. Access matching fields:

| Target field | SQL formula |
| --- | --- |
| AMOUNT | AMOUNT_PY * (1+MUP) * (1+PERC1) * (1+PERC2) |

**Tasks**

Perform the following tasks:

**Run the DTP to calculate costs**

1. Access **2058BDG - 2058 Budget** process cockpit from user interface.
2. Select **A00 - Stark Industries** in **OPEX** collection step.
3. Run Calculate costs task.
4. Check the result in the Reporting layer partition of dataset **33 Cost planning** or in form **PLF_EX03 - Driver based cost planning** in the tab Cost planning.

## EXERCISE 5 - Virtual dataset for data preparation (1)

| | |
|---|---|
| Objective | To use a virtual data to retrieve, join data, assumptions and calculation rules and prepare data to process |
| Tasks<br>Define a Virtual dataset for personnel costs | Perform the following tasks: |

1. Check the structure of datasets:
    - 40 Personnel assumptions
    - 41 Headcount by position
    - 42 Personnel calc. rules
2. Access **2058BDG - 2058 Budget** process cockpit from user interface.
3. Select **A00 - Stark Industries** in **OPEX** collection step.
4. Open Insert personnel planning and check data in tab Assumptions and calc rules.
5. Access Virtual dataset **43 Personnel costs**.
6. Add the relationship between:
    - Dataset 1: **40 Personnel assumptions**
    - Dataset 2: **41 Headcount by position**
7. Add the following field relationships:

| Dataset 1 | Dataset 2 |
|---|---|
| SCENARIO | SCENARIO |
| PERIOD | PERIOD |
| ENTITY | ENTITY |
| GRADE | GRADE |

8. Add the relationship between:
    - Dataset 1: **40 Personnel assumptions**
    - Dataset 2: **42 Personnel calc. rules**
9. Add the following field relationships:

| Dataset 1 | Dataset 2 |
| --- | --- |
| PERIOD | PERIN |

10. Drag and drop in the field list the following dataset fields:
    - from **40 Personnel assumption:**
        - Scenario
        - Period
        - Entity
        - Grade
        - Wages and salary
        - Contributions
        - Bonus
        - Benefits
    - from **41 Headcount by position:**
        - Cost center
        - P01, P02, P03, P04, P05, P06, P07, P08, P09, P10, P11, P12
    - from **42 Personnel calc. rules**
        - Period
        - Account
11. Add a formula field:
    - Label: **FORMULA**
    - Description: **Formula**
    - Formula: **concat(PER,'*',ACC)**

## EXERCISE 6 - Calculation rules with DTP

**Objective**

To apply assumptions and unpivot data thrugh enrichment with formula field operation

**Tasks**
**Define a DTP to calculate personnel costs**

Perform the following tasks:

1. Access the structure of DTP **4 Personnel**.
2. Access the Activity **0 Verticalization**.
3. Add an operation:
   - Operation type: **Insert from other dataset**
   - Operation: **1**
   - Description: **Insert virtual cost**
   - Source dataset: **43 Personnel costs**
   - Typology: **Reporting layer**
4. Access matching fields:

| Target field | Source |
|---|---|
| ACCOUNT | right(ACC,5) |
| PERIOD | right(PER,2) |

   Relate remaining fields automatically

5. Add an operation:
   - Operation type: **Enrichment with formula field**
   - Operation: **2**
   - Description: **Calculate amounts**
   - Target field: **AMOUNT**
   - Formula field: **FORMULA**

**Tasks**

Perform the following tasks:



**Define a DTP operation to remove unnecessary rows**

1. Access the Activity **1 Delete/Group**.
2. Add an operation:
    - Operation type: **Insert from other dataset**
    - Operation: **1**
    - Description: **Insert with delete/group**
    - Source dataset: **41 Headcount by position**
    - Typology: **Verticalization**
    - Source filter: **AMOUNT<>0**
3. Access matching fields:

| Target field | Source | Grouping mode |
|---|---|---|
| SCENARIO | SCENARIO | GROUP BY |
| PERIOD | PERIOD | GROUP BY |
| ENTITY | ENTITY | GROUP BY |
| ACCOUNT | ACCOUNT | GROUP BY |
| CC | CC | GROUP BY |
| GRADE | GRADE | GROUP BY |
| AMOUNT | AMOUNT | SUM |

**Tasks**

Perform the following tasks:

**Run the personnel cost DTP**

1. Access **2058BDG - 2058 Budget** process cockpit from user interface.
2. Select **A00 - Stark Industries** in **OPEX** collection step.
3. Run **Calculate cost of personnel** DTP.
4. Check the result in Grouping calculation typology partition of 41 Headcount by position dataset.

## EXERCISE 7 - Asset definition

| | |
|---|---|
| Objective | To write a datasourse to calculate amortization percentages for each asset class |
| Tasks | Perform the following tasks: |
| Create a datasource for asset definition | 1. Check the structure and data of datasets:<br>• 50 Asset definition<br>• 51 Period deployment<br>2. Access datasource **52 Depreciation %**.<br>3. Write a query on the suitable body space to retrieve necessary data from 50 Asset defintion and 51 Period deployment to calculate a flat amortization percentage for each amortization period and for each asset class. Specifically:<br>• join Asset definition and Period deployoment<br>• select Asset code, Depreciation periods and Period<br>• calculate Depreciation % in a field named as DEPR_PERC<br>• filter where Depreciation periods is greater than or equal to Period<br>• you can refer directly to table code<br>4. Run the preview and check the result.<br><br>A<br><br>**Need any help? Here are some hints**<br><br>• A possible solution could be<br>select A.ASSET, A.DEPR_PER, P.PER,<br>1/A.DEPR_PER as DEPR_PERC<br>from AW_PLN_000017_000001 A |



```
CROSS JOIN AW_PLN_000018_000001 P
where A.DEPR_PER>=P.PER
```

| | |
|---|---|
| **Tasks** | Perform the following tasks: |
| **Run the CAPEX definition DTP** | 1. Access **2058BDG - 2058 Budget** process cockpit from user interface.<br>2. Select **A00 - Stark Industries** in **CAPEX** collection step.<br>3. Run **Calculate depreciation definition** task.<br>4. Open Insert asset definition and check the result in the tab Depreciation definition. |

## EXERCISE 8 - Virtual dataset for data preparation (2)

| | |
|---|---|
| Objective | To use a virtual data to retrieve, join data of purchases and depreciation definition and to map operational data into financial accounts |

| | |
|---|---|
| Tasks | Perform the following tasks: |

**Define a virtual dataset for depreciation calculation**

1. Check the structure of datasets:
   - 50 Asset definition
   - 53 Depreciation def. result
   - 60 Asset purchase
2. Access **2058BDG - 2058 Budget** process cockpit from user interface.
3. Select **A00 - Stark Industries** in **CAPEX** collection step.
4. Open Insert asset purchase and check data in tab Asset purchase.
5. Access Virtual dataset **61 Depreciation calculation**.
6. Add the relationship between:
   - Dataset 1: **60 Asset purchase**
   - Dataset 2. **53 Depreciation def. result**
7. Add the following field relationship:

| Dataset 1 | Dataset 2 |
|---|---|
| ASSET | ASSET |

8. Add the relationship between:
   - Dataset 1: **60 Asset purchase**
   - Dataset 2: **50 Asset definition**
9. Add the following field relationship:

| Dataset 1 | Dataset 2 |
|---|---|
| ASSET | ASSET |

10. Drag and drop in the field list the following dataset fields:
    - from **50 Asset definition**:
        - Asset code
        - Asset description
        - Asset addition
        - Depreciation fund
        - Depreciation PL
    - from **53 Depreciation def. result**:
        - Depreciation periods
        - Period of depreciation
        - Depreciation percentage
    - from **60 Asset purchase**:
        - Asset name
        - Purchase year
        - Purchase month
        - Purchase price
11. Add a formula field:
    - Label: **PERIOD**
    - Description: **Depreciation month**
    - Formula: **${MM}+${PER}**
12. Add a formula field:
    - Label: **AMOUNT**
    - Description: **Amount**
    - Formula: **${PRICE}*${DEPR_PERC}**

## EXERCISE 9 - Depreciation calculation

**Objective**

To . Use filters, parameters and transformation to calculate and store depreciation data and metadata.

**Tasks**

Perform the following tasks:

**Define a DTP to store depreciation**

1. Access the structure of DTP **6 CAPEX** calculation.
2. Access the activity **0 Asset report**.
3. Add an operation:
   - Operation type: **Insert from other dataset**
   - Operation: **1**
   - Description: **Insert investment**
   - Source dataset: **61 Depreciation calculation**
   - Typology: **Reporting layer**
   - Source filter: **PER=1**
4. Access matching fields:

| Target field | Source |
|---|---|
| SCENARIO | ${$Scenario.code} |
| PERIOD | right(concat ('0',MM),2) |
| ACCOUNT | ACC_ADD |
| AMOUNT | PRICE |
| Relate remaining fields automatically | |

5. Add an operation:
   - Operation type: **Insert from other dataset**
   - Operation: **2**
   - Description: **Insert depreciation fund**
   - Source dataset: **61 Depreciation calculation**
   - Typology: **Reporting layer**

- Source filter: **PERIOD<=12**

6. Access matching fields:

| Target field | Source |
|---|---|
| SCENARIO | ${$Scenario.code} |
| PERIOD | right(concat('0',floor (PERIOD)),2) |
| ACCOUNT | ACC_DF |
| AMOUNT | -AMOUNT |
| Relate remaining fields automatically | |

7. Add an operation:
   - Operation type: **Insert from other dataset**
   - Operation: **3**
   - Description: **Insert depreciation**
   - Source dataset: **61 Depreciation calculation**
   - Typology: **Reporting layer**
   - Source filter: **PERIOD<=12**
8. Access matching fields:

| Target field | Source |
|---|---|
| SCENARIO | ${$Scenario.code} |
| PERIOD | right(concat('0',floor (PERIOD)),2) |
| ACCOUNT | ACC_DEPR |
| Relate remaining fields automatically | |

| | |
|---|---|
| **Tasks** | Perform the following tasks: |
| **Run asset depreciation DTP** | 1. Access **2058BDG - 2058 Budget** process cockpit from user interface.<br>2. Select **A00 - Stark industries** in **CAPEX** collection steps. |

3. Run **Calculate asset depreciation** DTP.
4. Check the result in the Reporting layer partition of dataset 62 Asset report or in form PLF_EX08 - Asset purchase in the tab Asset depreciation report.

## EXERCISE 10 - Reporting structure

| | |
|---|---|
| Objective | To . Use reporting layer filter and run condition and execute DTP when saving a form to move data onto a dataset specifically for reporting. |

| | |
|---|---|
| Tasks | Perform the following tasks: |
| Define a DTP to make data suitable for reporting | 1. Access the structure of DTP **Reporting**.<br>2. Access the Activity **4 Cost of personnel**.<br>3. Check the configuration of the operation and the matching fields present.<br>4. Add the reporting layer filter to update only the account involved in personnel cost.<br>5. Add a run condition to run only the calculation layer typology used in the current Activity. The selection should be done through the reporting parameter coded PLN04 based on the dictionary recalling all the calculation layer typologies available for this target dataset.<br><br>Need any help? Here are some hints<br><br>• To find out the list of accounts related to cost of personnel you can check in dataset 41 Headcount by position. The accounts are 50300, 50310, 50325, 50326. |

| | |
|---|---|
| Tasks | Perform the following tasks: |
| Link the DTP execution to the data entry form for cost of personnel | 1. Access the form **PLF_EX05 - Personnel planning** in design mode.<br>2. Add a data processing:<br>• Type: **Data transformation** |

- Analytical Workspace: **AW_PLN - PLF Planning**

3. Select the DTP **4 Personnel** and let it run only for entity **A00 - Stark Industries**.
4. Run data processing when saving data.
5. Add a data processing:
    - Type: **Data transformation**
    - Analytical Workspace: **AW_PLN - PLF Planning**
6. Select the **DTP Reporting** and let it run only for entity **A00 - Stark Industries**.
7. Insert the following parameters:
    - Entity: **A00 - Stark Industries**
    - Reporting dataset calculation tipology (use **Insert**, not Select): **T041**.
8. Run data processing when saving data and force refresh of form.
9. Save
10. Run the same form **PLF_EX05 - Personnel planning** in data entry mode.
11. Change a number and save.
12. Check the result in tab Cost of Personnel or in Reporting layer typology of dataset 00 Reporting.

## EXERCISE 11 - Snapshot scenarios

| | |
|---|---|
| Objective | To . Define a snapshot scenario, enable data processing, create and restore snapshot |
| Tasks | Perform the following tasks: |
| Setup and use snapshot scenario | 1. Set the scenarios **2058BDG_V01 - 2058 Budget version 01** and **2058BDG_V02 - 2058 Budget version 02** as Snapshot scenario **Version 001** and **Version 002** of scenario **2058BDG - 2058 Budget**.<br>2. Access the process **2058BDG - 2058 Budget** from the admin interface and enable the use of snapshot.<br>3. Reach the user interface of the same process.<br>4. Select **A00 - Stark Industries**.<br>5. Select tab **Detail summary** and from action menu select **Snapshot** and **Create** to create the snapshot.<br>6. Select version number **001**, add a description and a comment and run.<br>7. Open form **Cost of personnel report** and check that data has been copied.<br>8. Open form **Insert personnel planning**, change some assumptions and save.<br>9. Create another version of Snapshot selecting version number **002**.<br>10. Compare different snapshot versions in form Cost of personnel report and decide which is the best.<br>11. **Restore** the favourite version on scenario 2058BDG (e.g. **2058BDG_V01**)<br>12. Open form Cost of personnel report and check that the required values has been copied from the snapshot to the original scenario. |

Need any help? Here are some hints

- Set a snapshot selecting the related scenario, then click on Snapshot from the menue and finally select the Version and the Snapshot scenario.
- In Process unlock Data Processing frame, tick Snapshot scenario.

## EXERCISE 12 - Forecast models

| | |
|---|---|
| Objective | To prefill forecast scenario copying data from two source scenarios (actual and budget or latest forecast), by using datasources and DTP operations. |

| | |
|---|---|
| Tasks | Perform the following tasks: |
| Define a datasource to retrieve forecast source data | 1. Open analytical workspace PLF - Forecasting.<br>2. Check the structure of datasets.<br>3. Check the dictionaries and the reporting parameters based on the same dictionaries<br>4. Check datasource 81 Actual selection.<br>5. Write a query on the suitable body space to retrieve forecast source data from 80 Reporting data. Specifically:<br>• source partition should be identified dinamically with datasetpartition function using the required source scenario selected through parameter SCE_FCTS - Forecast source<br>• Scenario field should be manipulated to retrieve the target scenario through a dimensional attribute derived from context.<br>6. Save<br><br>Need any help? Here are some hints<br><br>• To write the datasource query you can take insipiration from the 81 Actual selection datasource. |

| | |
|---|---|
| Tasks | Perform the following tasks: |
| Define a DTP to populate | |

forecast scenario

1. Access the structure of DTP Forecast model
2. Access the Activity 0 Forecast.
3. In operation 2 - Insert forecast add:
    - A source filter to retrieve only data from period greater than or equal to the period selected as first forecast period through the parameter PER_FCT - 1st forecast period
    - A run condition to execute the activity only if the model selected through the parameter FCT - Forecast model is 'Hold to-year'.
4. Save

---

Tasks

Perform the following tasks:

Run the Forecast DTP

1. Access 2058FCT - 2058 Forecast process cockpit from user interface.
2. Select A00 - Stark Industries in Forecast collection step.
3. Run Prepopulate forecast task.
4. Select the following parameters:
    - 1st forecast period: April
    - Actual scenario: 2058ACT
    - Forecast model: Hold to-year
    - Forecast source: 2058BDG
5. Open the form Adjust forecast and check the result.

---



# Need some help?



Here you can find the solutions to the most frequent

technical issues you may get stuck with during the course.

### I can't login to the training environment

Make sure you are using the access link provided by the trainer (with the proper 4 digits token if needed!). Events have a starting and ending date/time.

Make sure you are not trying to access the training course too early or too late!

### My machine is slow

- Keep in mind that lab configuration may require up to 20 minutes to start from the moment you click on the CCH Tagetik Chrome icon! 


- The local connection's bandwidth is not sufficient for the number of connections currently in place (performance issues on the server side are very rare).

  Solution: ask the IT services to reboot the access point and prefer connection via cable if available.


### Audio/Video Troubleshooting


In case you are having problems with audio and video try the following:

1. Make sure you are running a compatible browser (Google Chrome, Mozilla Firefox).
2. Make sure your media devices are connected and are not muted or set to very low volume.
3. Make sure the browser you are in is allowed to use your laptop audio and video





4. Make sure no other applications are running that use your media devices (microphone, camera or speakers).
5. Prevent any ad-blockers or script blockers running on the classroom's tab.
6. Refresh the page.
7. From the right communication panel, click on the settings icon and change the camera/video options selected




Check if there are any errors: if so, they will appear in red.

In addition, you can run a troubleshoot by clicking on: "Let's try and get it fixed" and then on "Run Troubleshoot"




If you still have problems, it could depend on network restrictions.


Resolution issues: if you see CCH Tagetik application masks too big in the machine even if I didn't change browser zoom.
Remember, Strigo adapts the machine to your computer resolution. Try to change your resolution or use a different monitor!

⚠ Important: Scaling setting recommended = 100% (max 125%).

### Lab troubleshooting while practicing

If you are in your Virtual Machine and you are experiencing a black screen with your lab not starting:

1. Try restarting the machine by clicking on the wheel icon and then on "Restart workspace machine"




2. Try logging out and then log in again after few minutes

⚠ Important:


Your machine will be rebooted, but do not panic! No data will be lost. You will need to wait for the OS to restart and CCH® Tagetik to be reloaded though.

3. A pause > restart of the lab should work as well. The pause option is on the top right-hand corner of the screen. The workspace will switch to **Paused** mode, and then you want to really just give it around two minutes. This is usually enough time to let the lab machine be actually stopped, before you go and hit **Resume** again.
4. Try to open the browser in incognito/private mode.
5. Reach out to Strigo support through this link and then click start live chat

I can't copy/paste any content to the virtual machine


Direct copy/paste is not allowed.

**Solution**: Use the clipboard icon to copy and paste from the desktop to the virtual machine and viceversa.




I cannot change language in my machine

**Solution**: Change the language both by desktop bar and by Settings.



MS Excel: I can't select a given form or an object of a form.

This issue happens pretty often and is due to some wizard (e.g. Matrix Wizard, Cell Fields wizard) already open but not currently diplayed on the screen. **When any wizard is open and running, you can't work anywhere else**.


**Solution**: check if you have any of the wizard open and running (most common: Matrix Wizard, Tab Filters, Form Filters, Cell Fields wizards). If this is the case, be sure to have finished your work on that wizard and close it with OK to confirm. Then go on with your work.

MS Excel: the Tagetik menu is no longer available on the ribbon bar.

**Solution1:** this probably means the CCH Tagetik add-in has been disabled by MS Excel due to a crash or some errors and has to be enabled again.

Follow the path **File > Options**. Click "**Add-Ins**" on the "**Excel Options**" pane and expand the drop-down menu "**Manage**" on the bottom. Try to select:

1. "**COM Add-Ins**" > "**Go...**". If unticked, tick the "**Tagetik Excel NET Client**" Add-in and click OK
2. "**Disabled items**" > "**Go...**". If you find there the "**Tagetik Excel NET Client**" Add-in, enable it. Close and start Excel.




**Solution2:** should solution1 not solve the issue, disinstall and reinstall the CCH® Tagetik add-in. Ask the trainer for some help in case.

If you use a 4K resolution monitor, there's a chance you will see far too little

**Solution**: Low the resolution before the training, then set it back to the original value after the training

My problem is not listed here.




If even this can't solve your problem, please refer to your trainer (and if you are a trainer to your training manager).