Wolters Kluwer

Intelligent Disclosure
How to Guide for the first set-up

Wolters Kluwer

Table of Contents

1. Architecture Design, Installation Requirements and How To 3
2. What is the New Intelligent Disclosure? 3
3. Where do I Find the Add-in? 4
4. What do I Need to Use the New Intelligent Disclosure? 4
5. How do I Set Up the New Intelligent Disclosure? 5
    1. CCH Tagetik Admin Setup 5
    2. Microsoft Office 365 Admin Setup 6
6. How to Deploy and Publish Office Add-ins as Administrator 7
7. How to Update the Manifest as Administrator 13
8. How to Retrieve the Organization's Microsoft 365 Tenant ID 13
    1. Microsoft 365 tenant ID in the Azure AD Administration Interface 13
    2. The Microsoft 365 tenant ID in the Share Point site of your organization 15

1. Architecture Design, Installation Requirements and How To

This brief guide contains information on the new Intelligent Disclosure solution, where to find the add-in, and how to set it up.

2. What is the New Intelligent Disclosure?

The new Intelligent Disclosure solution is a Microsoft Office 365 add-in that is completely integrated with the Microsoft Office 365 suite.


This new solution addresses business users who need to disclose, comment, or distribute data either internally or externally. It is a native Microsoft Office 365 application, which integrates with CCH Tagetik to manage document creation, to collect and automatically update data from different sources, and to manage the full workflow from document creation to final publication.

From a technical perspective, the new Microsoft Office 365 add-in differs from the former CCH Tagetik Intelligent Disclosure add-in (based on VSTO technology) for the following reasons:

- Office add-ins are similar to a webpage embedded in an Office application;
- Office add-ins are web add-ins and do not involve code running on the user's device or in the Office client. For an Office add-in, the application – Word for example – reads the add-in manifest and hooks up the add-in custom ribbon buttons and menu commands in the UI. When needed, it loads the add-in's JavaScript and HTML code, which executes in the context of a browser in a sandbox;
- Office add-ins also run in the Office web interface, so they are also available for Apple OS systems; and
- Office Admins can deploy the Office add-in centrally across an organization.

Related Microsoft documentation available here : https://learn.microsoft.com/en-us/office/dev/add-ins/overview/office-add-ins

Since the new add-in is completely integrated with Microsoft 365 suite, documents are no longer saved in the CCH Tagetik Database but instead they are saved in a dedicated SharePoint site.



3. Where do I Find the Add-in?

The new Intelligent Disclosure add-in can be obtained via the Microsoft 365 Admin center: Microsoft 365 Admin user chooses “Provide link to manifest filet” and inserts the link https://addin.co2.saastagetik.com/manifest.prod.xml for the deployment using integrated apps or centralized deployment. With this approach, Microsoft 365 Admins can decide to make the add-in available to a defined list of users.

Related Microsoft documentation available here:
https://learn.microsoft.com/en-us/microsoft-365/admin/manage/test-and-deploy-microsoft-365-apps?view=o365-worldwide and
https://learn.microsoft.com/en-us/microsoft-365/admin/manage/centralized-deployment-of-add-ins?view=o365-worldwide

4. What do I Need to Use the New Intelligent Disclosure?

Here are the mandatory technical requirements to use the new Intelligent Disclosure:

- user must have a Microsoft Office 365 account;
- Microsoft Office 365 account must include Sharepoint Online; and
- CCH Tagetik must be deployed on Cloud (AWS).

Note:
Sharepoint Server is not supported https://learn.microsoft.com/en-us/sharepoint/sharepoint-server

5. How do I Set Up the New Intelligent Disclosure?

There are two steps to follow to set up the new Intelligent Disclosure solution:

1. a CCH Tagetik Admin must define the settings in the CCH Tagetik repository; and
2. a Microsoft 365 Admin must define the settings on the Microsoft side.


After these steps, the new Intelligent Disclosure solution will be able to integrate with your CCH Tagetik solution and your Microsoft 365 suite.

1. CCH Tagetik Admin Setup

The CCH Tagetik Admin should check these global CCH Tagetik setting before starting to use the new solution:

- Enable public REST Apis in the Repository > System Administration > Security
- Enable the function R000026 for Admin
- Enable the function 0004158 to all Users
- Enable the “beta” flag in all DB if you are on SP27 (Settings > General > Security > Enable beta features)


Then the CCH Tagetik Admin must define the SharePoint settings in the CCH Tagetik web application, opening the tile "Intelligent Disclosure settings 2.0 (demo)” available in the Repository.



A dedicated Intelligent Disclosure setup page will display, where the administrator must:

- insert your organization’s Microsoft 365 tenant ID (see How to Retrieve the Organization’s Microsoft 365 Tenant ID chapter);
- insert the SharePoint Host Name: Admin users can copy your organization’s SharePoint Host Name from the web address. The text displayed between “https://” and “/sites/” is the text that Admin users must add in the CCH Tagetik Admin settings;
- insert the site where Intelligent Disclosure will save the documents. This site could be a SharePoint site or a Teams site: Administrators can copy the site name from the web address. The text that the Administrator needs to add in the CCH Tagetik Admin settings is:
  - the text displayed in the web address immediately after “…sites/” in case of SharePoint site
  - the text displayed in the web address immediately after “…teams/” in case of Teams site


  This will be the site dedicated to Intelligent Disclosure, where the new solution will have the rights to write and read documents, our suggestion is to have a dedicated site to use only for the Intelligent Disclosure solution.



2. Microsoft Office 365 Admin Setup

Microsoft 365 Admin users can deploy the add-in to all their users through the Microsoft 365 Admin center through the insertion of the Add-in manifest link (see “How to Deploy and Publish Office Add-ins as Administrator Users” chapter).

Once the deployment is complete, the add-in will be available in the “Admin managed” section in Word desktop and web apps for the chosen users:




The chosen users can now use this “Office Add-ins" dialog to add, refresh or delete the addin from the Word ribbon bar.

6. How to Deploy and Publish Office Add-ins as Administrator


The following section shows the necessary steps to deploy the add-in as an administrator to a group of users:

1. open the Microsoft 365 home page and sign in;
2. choose the App Launcher and Admin;




The Microsoft 365 Admin Center opens.

3. From the navigation menu, choose “Settings > Integrated apps”;



The integrated apps page opens.

4. Choose “Upload custom apps” at the bottom of the page;




The Deploy New App page opens.

5. Use the “Upload Apps to deploy” section to:


- choose “Office Add-in” in App type menu;

- choose Provide link to manifest file and insert the link https://addin.co2.saastagetik.com/manifest.prod.xml ;
- click the Validate button.




The manifest file is validated.

6. Click the “Next” button and the “Add users” section is shown.




7. Use this section to choose which users to assign the application and click “Next”.


The permission section is shown.




8. Use this section to give all required permissions to the Intelligent Disclosure solution by clicking the “Accept permission” button. After accepting permissions, click “Next” to go to the final section. All permissions we ask are “delegated”, meaning that the application itself does not have any admin permission but we use the permission assigned to the user logged in. For example if the user logged in does not have the permissions to see a document, then neither the application will have the permissions for the document.



9. By clicking the “Finish deployment” button, the app deploys.





10. Click “Done” to finish the deployment of the add-in.

Users may need to relaunch Office to see the add-in in the ribbon. No further client configuration is required.

7. How to Update the Manifest as Administrator

For some specific development it may happen that we require an update of the manifest file.

This section shows how to update the manifest of your addin:

1. Open the Microsoft 365 Admin center
2. Go to Settings > Integrated apps
3. Search for the CCH Tagetik Intelligent Disclosure application among the list and select it
4. Click on “Update add-in” option



5. Choose the “Provide link to manifest” option and fill the URL: https://addin.co2.saastagetik.com/manifest.prod.xml
6. Follow the process as described in the “How to Deploy and Publish Office Add-ins as Administrator Users”


8. How to Retrieve the Organization’s Microsoft 365 Tenant ID

This section shows two ways for Administrators to retrieve the organization’s Microsoft 365 Tenant ID.


1. Microsoft 365 tenant ID in the Azure AD Administration Interface

To find the Microsoft 365 tenant ID in the Azure AD administration interface, Administrators must:


1. open the Microsoft 365 home page and sign in;
2. choose the App Launcher and Admin and log in with your account;



The Microsoft 365 administration interface opens.



3. In the left panel, choose Azure Admin Directory and log in with your account. The Azure Active Directory admin center interface opens.




In the Overview section of this page, the organization's Microsoft 365 Tenant ID is shown.


2. The Microsoft 365 tenant ID in the Share Point site of your organization

To find the Microsoft 365 tenant ID in the SharePoint site, Administrators must:


1. open the Microsoft 365 home page and sign in;
2. choose the App Launcher and SharePoint;




3. in the SharePoint home page, select "Settings > Site settings";



The SharePoint settings page opens.



4. in the Users and Permissions section, select “Site app permission”



In the Site App Permission, in the App Identifier section, the organization’s Microsoft 365 Tenant ID is shown after the “@” symbol.