Step-by-Step Guide to Designing a Consolidated Balance Sheet in CCH Tagetik Add-in

Raymond Chabot Grant Thornton

⚠ Consolidated Balance Sheet

1 From mode "Admin" in our CCH Tagetik Add-in in excel, please Click on "Design"



2 If more databases exist, please select the one you wish to use. For this Click "PELCA"



3 Scroll down the list until you find the path to the Report.



Context of the report;
It is important to maintain the format, structure and size of reports. The logo should also respect its size in all reports so that they are evenly sized.

4 To enable the cell where the name will be included, click on the Cell Field icon in the design panel.

5 Click on "C2" where the name of the report will be displayed.
Keep the format Calibri 14, bold and black font color.



6 Two columns are displayed in this window. In the left column you can scroll down to find the one called report.desc and scroll it to the right as shown in the picture.



7 Click on "C3" where the name of the user will be displayed.
Keep the format Calibri 14, Italic and White (background 1, Darker 50%) font color.



8 Two columns are displayed in this window. In the left column you can scroll down to find the one called user.desc and scroll it to the right as shown in the picture.



9 Click on "C4" where the name of the report date will be displayed.
Keep the format Calibri 14, Italic and White (background 1, Darker 50%) font color.



10 Two columns are displayed in this window. In the left column you can scroll down to find the one called report.runDate and scroll it to the right as shown in the picture.



11 In cell "B6" you can type directly in excel "Consolidation Scenario". Keep the format Calibri 11, bold and black font color.

Click on "C6" where the Consolidation Scenario of the report will be displayed. Select the "Slicer" option in the "Layout" toolbar. Keep the formatting Calibri 11 and font colour black.



12 When you first create a "Slicer". It will open a window that will show you the codes defined as filters.



13 In order to display the elements shown in the previous point, it is necessary to go to "design mode" and click on the "Manually manage" icon where the defined parameters appear.

Remember that the order that the parameters must be in is "Scenario, Period and Entity" in all cases.



14 In cell "B7" you can type directly in excel "Period". Keep the format Calibri 11, bold and black font color.

Click on "C7" where the Period of the report will be displayed. Select the "Slicer" option in the "Layout" toolbar. Keep the formatting Calibri 11 and font colour black.



15 In cell "B8" you can type directly in excel "Holding". Keep the format Calibri 11, bold and black font color.

Click on "C8" where the holding of the group will be displayed.
Keep the format Calibri 14, bold and black font color. Remember to first select the cell and then select the icon "Cell Field".



16 Two columns are displayed in this window. In the left column you can scroll down until you find the so-called holding - code and move it to the right as shown in the picture. The same is done with holding - desc. The code is separated from the text by placing + " " +.



17 In cell "B9" you can type directly in excel "Consolidation Currency". Keep the format Calibri 11, bold and black font color.

Click on "C9" where the Consolidation currency of the group will be displayed. Keep the format Calibri 14, bold and black font color. Remember to first select the cell and then select the icon "Cell Field".



18 Two columns are displayed in this window. In the left column you can scroll down until you find the so-called currencyScenario- code and move it to the right as shown in the picture. The same is done with currencyScenario - desc.

19 Select Ctrl+F3 to check if there are defined areas in the report.



20 Now we see if it has been configured at the level of the "Form filters" icon.



21 This option allows us to enable selection filters when opening the report. It can also be done from the Matrix.



22 Now we check from the "Tab filters"



23 Here we can see that this option is enabled. This means that when opening the report, the sheets will be displayed under the names BS, IS, IS_DEPT, CF, RE, CA, FX.



Matrix of the report BS; is used in reports to display data in a structured and flexible way. A matrix in Tagetik reports is a tool that allows information to be presented in the form of rows and columns, similar to a table, but with the ability to display dynamic data and specific breakdowns.

24 Double click inside to open the Matrix.



			$AZI_GEO_P,Geographic	$AZI_GEO_P,Geographi
7	Period	Period		
8	Holding	$Scenario.holding.code+" "+$Scenario.holding.desc		
9	Consolidation Currency	$Scenario.currencyScenario.code		
10				
11				
12			$AMOUNT	$AMOUNT
13			Entity Currency	||
14				
15	FST01|0010	Assets		
16	FST01|0020	Current assets		
17	10000	Petty cash	1 000,00	1 000,
18	10100	Bank accounts (CAD)	1 000,00	1 000,
19	10200	Bank accounts (USD)	1 000,00	1 000,
20	10300	Bank accounts (EUR)	1 000,00	1 000,
21	10900	Temporary investments	1 000,00	1 000,
22	FST01|0030	Cash and cash equivalents	5 000,00	5 000,
23	11000	Trade receivables	1 000,00	1 000,
24	11010	Trade receivables - in dispute	1 000,00	1 000,
25	11020	Trade receivables - programs	1 000,00	1 000,
26	11100	ICO - Trade receivables	1 000,00	1 000,
27	11115	ICO - Advances - affiliated companie	1 000,00	1 000,
28	11120	Advances to shareholders	1 000,00	1 000,

25 Rows:
To have the view of all the items of our FST in order, we can make use of one of the features of the system by using the "Advanced Financial Statement Template". To do so, we must select the Balance FST in this case and then select it from the icon shown in the following image. This will show all the items at row level in order and will help us to visualise the report correctly.



26 Columns:
The first thing we are going to look at is the Consolidation Scenario "SCENARIO_C - Scenario-Consolidation" as a selection parameter (you can see this because the icon is blue). This type of scenario represents the financial results after applying the consolidation process to the individual entities.



27 When we are in "SCENARIO_C - Scenario-Consolidation" and in the list of options below, we display the option "advanced selection".

Basically, here we can set if there are parameters that should be included in the report, such as prunning, dictionary, formula, add low level elements.



28 Once the list fields have been verified, if there is room to change, we do so and click on ok.



29 Next to "Scenario Consolidation" we include the Entity "$AZI_GEO_P - Geographic" as a selection filter. This is to allow that when launching the report, you can visualise the information for each of the entities, according to the consolidation perimeter.



30 Go to the bottom of the list of options and expand "Advanced selection"



31 In the option "Selection type" select "Insert lowest level elements". This option is used to fetch all child elements of a hierarchy.



32 Look at each item in the list of options and check if there is a need to include anything additional.



33 Now, include the amount type "TIP_O - Original in Entity currency". This indicates that the financial data identified with this amount type represents the original financial values as recorded in the original currency of the entity. In other words, this data has not been translated into the currency of consolidation at this stage of the process.



34 Go to the bottom of the list of options and expand "Advanced selection"



35 When expanding "Advanced selection" check if anything additional needs to be included.



36 Look at each item in the list of options and check if there is a need to include anything additional.



37 Now, we need to include the categoria "$AMOUNT". This identifies the original data, gross amounts and intercompany entries. Generally speaking, only one amount category is necessary, but it is possible to create more in the following cases:

• when it is necessary to manage adjustments as amounts and therefore to be able to modify them from the forms

• when it is necessary to store data coming from different information systems, for example, the general ledger, analytical accounts, etc.



38 Go to the bottom of the list of options and expand "Advanced selection"



39 In the option "Selection type" select "Insert lowest level elements". This option is used to fetch all child elements of a hierarchy.



40 Look at each item in the list of options and check if there is a need to include anything additional.



41 Then include the currency element Currency - "Entity Currency".



42 Go to the bottom of the list of options and expand "Advanced selection"



43 Look at each item in the list of options and check if there is a need to include anything additional.



44 Now, include the amount type "TIP_CV- Consolidable in Consolidation currency". This indicates that the financial data identified with this amount type represents the financial values as showed in the consolidation currency. In other words, this data has been translated into the currency of consolidation at this stage of the process.



45 Go to the bottom of the list of options and expand "Advanced selection"



46 Look at each item in the list of options and check if there is a need to include anything additional.



47 Now, we need to include the categoria "$AMOUNT". This identifies the original data, gross amounts and intercompany entries.



48 Go to the bottom of the list of options and expand "Advanced selection"



49 In the option "Selection type" select "Insert lowest level elements". This option is used to fetch all child elements of a hierarchy.



50 Look at each item in the list of options and check if there is a need to include anything additional. In this case click on "Hide" and select "Ignore Matrix headers".



51 Include the "currency" again



52 Go to the bottom of the list of options and expand "Advanced selection"



53 Click "Script"



54 In this section we will use a script to say;

a := $Scenario.currencyScenario.code;: In this line, you are assigning the code of the current currency scenario to a variable called "a".

b := $Currency.GETLEAF(a);: Then, the result of an operation that seems to be related to the currency is assigned to the variable "b". "$Currency.GETLEAF(a)" could be a call or function that uses the currency scenario code "a" to get some currency information, possibly related to the exchange rate or other currency-specific data.

Result := b;: Finally, the value of variable "b" is assigned to another variable called "result". This indicate that the value obtained from the currency is stored in "result" for later use in the code or process in which this fragment is located.



55 Look at each item in the list of options and check if there is a need to include anything additional. In this case click on "Hide" and select "Ignore Matrix headers".



56 Add 3 folders and the placeholder. There are no changes in the bottom list of options.



57 Next to "Placeholder" we include the Entity "$AZI_GEO_P - Geographic" as a selection filter.



58 Go to the bottom of the list of options and expand "Advanced selection"



59 Check if any changes are required and scroll down



60 None of the items in the options list are modified.



61 Now, include the amount type "TIP_CV- Consolidable in Consolidation currency". This indicates that the financial data identified with this amount type represents the financial values as showed in the consolidation currency. In other words, this data has been translated into the currency of consolidation at this stage of the process.



62 Go to the bottom of the list of options and expand "Advanced selection"



63 Check if any changes are required and scroll down



64 Look at each item in the list of options and check if there is a need to include anything additional.



65 Now, add the category with the name "$PRECO - Entity journals category, $CONSO - Consolidation journals category".

This allows to identify that everything contained in the node named $PRECO will be shown in columns, i.e. all transactions that are adjustments such as (ENT_ADJ, IFRS_ADJ, PPA, PROFIT_ELIM, RECLASS... etc) this is defined during the workshops phase.

Additionally, the contents of the $CONSO category will be displayed. That is, all operations that are subject to the consolidation rules, such as (FI_ELIM, IC_ELIM, etc).



66 Go to the bottom of the list of options and expand "Advanced selection"



67 Check if any changes are required and scroll down. In this case click "Selection type" and chose "Insert lowest level elements"



68 Look at each item in the list of options and check if there is a need to include anything additional.



69 Include the "currency" again



70 Go to the bottom of the list of options and expand "Advanced selection"



71 Click "Script"



72 Click "Parcourir..."



73 Click "OK"



74 Click "Position"



75 Click "Reference FX rates"



76 Click "$AZI_GEO_P - Geographic"



77 Click "Advanced selection"



78 Click "Subtotals"



79 Click "Position"



80 Click "Segment"



81 Click "TIP_CV - Consolidable in Consolidation currency"



82 Click "Advanced selection"



83 Click "Script"



84 Click "Position"



85 Click "Tagetik style"



86 Click "$AMOUNT - Default Original Amount, $CONSO - Consolidation journals category, $PRECO - Entity journals category "Total Consolidation""



87 Click "Advanced selection"



88 Click "Selection type"



89 Click "Position"



90 Click "Reference FX rates"



91 Click "5) Currency"



92 Click "Advanced selection"



93 Click "Script"



94 Click "Parcourir..."



95 Click "OK"



96 Click "Position"



97 Click "Tagetik style"



98 Click "Matrix Filters"



99 Click "Headers"



100 Click "1) Code ($Account.code)"



101 Click "1) Code ($Entity(HIERARCHY("GEO")).code), Description ($Entity(HIERARCHY("GEO")).desc)"



102 Click "Matrix options"



103 Click "Apply Tagetik style"



104 Click "Group subtotals"



105 Click "Group subtotals"



106 Click "Calculation options"



107 Click "Unspecified"



108 Click "Edit Amounts"



109 Click "Form - Break Back"



110 Click "Overrides"



111 Click "Row/column filters"



112 Click "OK"



113 Click "scribe_grabber_elevated.exe - 1 fenêtre ouverte"



114 Click "scribe_grabber_elevated.exe - 1 fenêtre ouverte"



115 Click "scribe_grabber_elevated.exe - 1 fenêtre ouverte"



116 Click "scribe_grabber_elevated.exe - 1 fenêtre ouverte"



117 Click "scribe_grabber_elevated.exe - 1 fenêtre ouverte"



118 Click "scribe_grabber_elevated.exe - 1 fenêtre ouverte"



119 Click "Page 2 content"



120 Click "scribe_grabber_elevated.exe - 1 fenêtre ouverte"



121 Click "scribe_grabber_elevated.exe - 1 fenêtre ouverte"



122 Click "scribe_grabber_elevated.exe - 1 fenêtre ouverte"



123 Click "scribe_grabber_elevated.exe - 1 fenêtre ouverte"



124 Click "Page 2 content"

125 Click "Taper ici pour rechercher"



126 Type "REMOT **enter**"



127 Click "Connexion Bureau à distance"



128 Click "Connexion"



129 Type "remoto22 **enter**"



130 Click "Footer -Section 1-"



131 Type "^"