

Sprawozdanie 3

Kacper Dusza 131427

Na początku pobrałem z repozytorium bionic-server-cloudimg-amd64.img

```
kd131427@devstack:~$ sudo su - stack
[sudo] password for kd131427:
stack@devstack:~$ wget https://cloud-images.ubuntu.com/bionic/
ver-cloudimg-amd64.img
--2026-05-18 23:26:08-- https://cloud-images.ubuntu.com/bioni
server-cloudimg-amd64.img
Resolving cloud-images.ubuntu.com (cloud-images.ubuntu.com)...
85.125.190.37, 2620:2d:4000:1::1a, ...
Connecting to cloud-images.ubuntu.com (cloud-images.ubuntu.com
443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 405667840 (387M) [application/octet-stream]
Saving to: 'bionic-server-cloudimg-amd64.img'

bionic-server-cloud 100%[=====>] 386.88M 19.5MB
```

Używając virt-cusotmize instaluję wymagane w zadaniu pakiety, tworzę nowe konto c_KD oraz dodaje dla tego usera i ubuntu klucze SSH

```
stack@devstack:~/devstack$ ssh-keygen -y -f klucz_KD.pem > klucz_KD.pub
stack@devstack:~/devstack$ virt-customize -a bionic-server-cloudimg-amd64.im
--update \ --install screen,links,lynx,mc
--run-command 'useradd -m -s /bin/bash c_KD' 'useradd -m -s /bin/bash c_KD
--ssh-inject ubuntu:file:klucz_KD.pub \ intalls ubuntu:file:klucz_KD.pu
--ssh-inject c_KD:file:klucz_KD.pub |
```

```
stack@devstack:~/devstack$ virt-customize -a bionic-server-cloudimg-amd64.img \
--install screen,links,lynx, mc \
--run-command 'useradd -m -s /bin/bash c_KD' \
--ssh-inject ubuntu:file:klucz_KD.pub
[ 102.3] Setting a random seed
virt-customize: warning: random seed could not be set for this type of guest
[ 103.8] Setting the machine ID in /etc/machine-id
[ 104.1] Installing packages: screen links lynx mc
[ 522.6] Running: useradd -m -s /bin/bash c_KD
[ 530.1] SSH key inject: ubuntu
[ 567.4] SSH key inject: c_KD
[ 598.9] Finishing off
```

Teraz tworzę nowy obraz w chmurze o nazwie obraz_KD, a następnie tworzę nową maszynę wirtualna o nazwie maszyna_KD. Ostatnim krokiem jest wyświetlenie URLa, którego przekopiowanie do przeglądarki spowoduje połączenie się z pulpitem maszyny

```

stack@devstack1:~/devstack$ openstack image create "obraz_KD" --file bionic-server-cloudimg-amd64.img --md --image cow2 --container-formant bare --public
+-----+-----+
| Field | Value |
+-----+-----+
| container_format | bare |
| created_at | 2026-05-19T12:08:25Z |
| disk_format | qcow2 |
| file | /v2/images/06e7a912-26d4-4ead-98ac-31b6677f7eac/file |
| id | 06e7a912-26d4-4ead-98ac-31b6677f7eac |
| min_disk | 0 |
| min_ram | 0 |
| name | obraz_KD |
| owner | 8635e959a98148d6abff3fb8b7f8427f |
| properties | os_hidden='False', owner_specified.openstack.md5='', owner_specified.openstack.object='/images/obraz_KD', owner_specified.openstack.sha256='' |
| protected | False |
| schema | /v2/schemas/image |
| status | queued |
| tags | |
| updated_at | 2026-05-19T12:08:25Z |
| visibility | public |
+-----+-----+

stack@devstack1:~/devstack$ openstack server create --flavor ml.small --image obraz_KD --network private maszyna_KD
+-----+-----+
| Field | Value |
+-----+-----+
| OS-DCF:diskConfig | MANUAL |
| OS-EXT-AZ:availability_zone | |
| OS-EXT-SRV-ATTR:host | None |
| OS-EXT-SRV-ATTR:hypervisor_hostname | None |
| OS-EXT-SRV-ATTR:instance_name | |
| OS-EXT-STS:power_state | NOSTATE |
| OS-EXT-STS:task_state | scheduling |
| OS-EXT-STS:vm_state | building |
| OS-SRV-USG:launched_at | None |
| OS-SRV-USG:terminated_at | None |
| accessIPv4 | |
| accessIPv6 | |
| addresses | |
| adminPass | oBs6pQ3cn5VZ |
| config_drive | |
| created | 2026-05-19T12:08:39Z |
| flavor | ml.small (2) |
| hostId | |
| id | cf4ffc62-4do5-4d71-bdfa-148ee538ec0d |
| image | maszyna_KD (06e7a912-26d4-4ead-98ac-31b6677f7eac) |
| key_name | None |
| name | Maszyna_Sprawozdanie3 |
| os-extended-volumes:volumes_attached | [] |
| progress | 0 |
| project_id | 8635e959a98140d6abff3fb8b7f8427f |
| properties | |
| security_groups | name='default' |
| status | BUILD |
| updated | 2026-05-19T12:08:38Z |
| user_id | 03736bcc913c4a3cbeb480cCb0db5264 |
+-----+-----+

stack@devstack1:~/devstack$ openstack console url show maszyna_KD
+-----+-----+
| Field | Value |
+-----+-----+
| protocol | vnc |
| type | novnc |
| url | http://10.0.2.15:6080/vnc_lite.html?path=$3Ftoken$3D45c1eb19-e159-485e-8e14-580971ac6ed1 |
+-----+-----+

```

Z poziomu przeglądarki widać terminal

```

Ubuntu 18.04.6 LTS maszyna_KD tty1
maszyna_KD login:

```

Loguję się na konto c_KD

```
c_KD@maszyna_KD:~$ whoami  
c_KD
```

I analogicznie na konto ubuntu.

Po wpisaniu komendy mc --version widać że pakiet GNU Midnight Commander jest dostępny

```
ubuntu@ubuntu:~$ mc --version  
GNU Midnight Commander 4.8.19
```

Po wpisaniu screen -version z poziomu konta c_KD widzimy że pakiet Screen działa

```
Screen version 4.06.02 (GNU) 23-Oct-17
```