## Reto F3001C

Max Eduardo Garcia Esquivel - A01236070.

## Waveguide selector:

Selected waveguide:

Size: 930x235

Mode: 9

## **Waveguide Summary:**

Waveguide: 930x930, mode: 9

## Fundamental Mode Data (1596nm):

### Ranges:

Lambda Ranges: 1.53-1.596


Omega Ranges: 1181049869.7706-1231997119.0548

#### Neff vs $\omega/\lambda$

Function  $neff(\lambda)$ :

 $0.000030705937210545883396094896*1.^30-0.000238501771845040964285106222*1.^29+0.000498347405939057221113674956*1.^29+0.00049849856*1.^29+0.00049856*1.000498$ 

8.502026705724635180928932788110e-273\*w.^30-1.173671773238715913640420574474e-262\*w.^29+4.6150751111664728138346912




### Subfunctions (k, dw, Vg, d2w, D)

Function  $k(\omega)$ :

 $\text{w.*} (8.502026705724635180928932788110e-273*\text{w.}^30-1.173671773238715913640420574474e-262*\text{w.}^29+4.615075111166472813834) } \\ \text{Function } dk(\omega)/d\omega;$ 

 $(8.502026705724635180928932788110e-273*w.^30*(31)-1.173671773238715913640420574474e-262*w.^229*(30)+4.61507511116647.$  Function  $Vg(\omega)$ :

 $(3*10^8)./(8.502026705724635180928932788110e-273*w.^30*(31)-1.173671773238715913640420574474e-262*w.^29*(30)+4.61507$  Function d2k( $\omega$ )/d $\omega$ :



## Superior Mode Data (530nm):


### Ranges:

Lambda Ranges: 0.51-0.532

Omega Ranges: 3543149609.3118-3695991357.1645

#### Neff vs ω/λ


Function  $neff(\lambda)$ :



### Subfunctions (k, dw, Vg, d2w, D)


Function  $k(\omega)$ :

 $(3*10^8)./(4.015345414268300587716790703345e-283*w.^30*(31)-3.327695710241664041153433773091e-273*w.^29*(30)+3.9115$  Function d2k( $\omega$ )/d $\omega$ 2:




# **Load Waveguide Simple:**

# K's comparing



Find degenerate photon that allow momentum and energy conservation

Ningun modo con dK=0



## **Phase Matching**

Pump wavelength: 0.51-0.532

Photon wavelength: 1.53-1.596

# Waveguide 930x235 with $\lambda_{\rm i}$ = 1.53

