### Reto F3001C

Max Eduardo Garcia Esquivel - A01236070.

Convinaciones con condicion:

Wg 1 - Modo 14, Modo 15

Wg 3 - Modo 15

### Waveguide selector:


Selected waveguide:

Size: 1000x325


Mode: 14

### **Phase Matching**

Pump wavelength: 0.51-0.532 Photon wavelength: 1.53-1.596




### **Phase Matching (Zoomed)**




# Comprobation of $\Delta k=0$ at degenerancy

Mode with dK=0



## Obtain wavelengths for energy and momentum conservation

Value with dk=0, Pump: w=3616651941.6293, l=0.52119, dk=-3.8399e-06



#### **Data for photons**

Wg1, M14: lp = 0.52119, lisr=1.56357. ( $\sigma$ =2e12, L=300 $\mu$ m)


Wg1, M15: lp = 0.51189, lisr=1.53567.

Wg3, M15: lp = 0.51971, lisr=1.55913.

### **Phase Matching Function**


$$\phi(\omega_r, \omega_s, \omega_i) = \operatorname{sinc}\left[L\frac{\Delta k(\omega_r, \omega_s, \omega_i)}{2}\right] \exp\left[iL\frac{\Delta k(\omega_r, \omega_s, \omega_i)}{2}\right]$$

$$\Delta k(\omega_r, \omega_s, \omega_i) = k_p(\omega_r + \omega_s + \omega_i) - k_r(\omega_r) - k_s(\omega_s) - k_i(\omega_i) - \Phi_{NL}$$




# **Pump Spectral Amplitude Function**

$$\alpha(\omega_p) = \frac{2^{\frac{1}{4}}}{\pi^{\frac{1}{4}} \sqrt{\sigma}} e^{-\frac{(\omega_p - \omega_{p0})^2}{\sigma^2}}$$



# Joint Spectral Intensity (JSI) (Zoomed)

 $F(\omega_r, \omega_s, \omega_i) = \alpha(\omega_r + \omega_s + \omega_i)\phi(\omega_r, \omega_s, \omega_i)$ 



# **Intensities Proyected**

$$I_2(\omega_r,\omega_s) = \int d\omega_i \left| F(\omega_r,\omega_s,\omega_i) \right|^2$$

$$I_1(\omega_r) = \int d\omega_s \int d\omega_i |F(\omega_r, \omega_s, \omega_i)|^2$$

