

.2. If there are 2 users, User A and User B in the organization and we want in Account object that User A should not see the User B Record and user B should not see User A record then apply the Security for the users.

Solution:

Step 1: Create two separate custom profiles, one for User A and one for User B.

The screenshot shows the Salesforce Setup Profiles page. The left sidebar is titled 'Users' and includes 'Profiles' under the 'Profiles' section. The main content area is titled 'Profiles' and shows a table of existing profiles. The table columns are 'Action', 'Profile Name', 'User License', and 'Custom'. The 'Custom' column contains checkboxes. The 'Chatter External' profile is selected, indicated by a blue highlight. Other profiles listed include 'Analytics Cloud Integration User', 'Analytics Cloud Security User', 'Authenticated Website', 'Authenticated Website', 'Chatter Free', 'Chatter Free', 'Salesforce', 'XOrg Proxy User', 'Salesforce', 'Salesforce', 'Customer Community Login', 'Customer Community Plus Login', 'Customer Community Plus', 'Customer Community', and 'Customer Portal Manager Custom'. The bottom of the page shows pagination from '1-25 of 41' to 'Page 1 of 2'.

The screenshot shows the Salesforce Setup Profiles page. The left sidebar is titled 'Users' and includes 'Profiles' under the 'Profiles' section. The main content area is titled 'Profiles' and shows a table of existing profiles. The table columns are 'Action', 'Profile Name', 'User License', and 'Custom'. The 'Custom' column contains checkboxes. The 'System Administrator' profile is selected, indicated by a blue highlight. Other profiles listed include 'Salesforce Integration', 'Silver Partner', 'Salesforce', 'Salesforce Platform', 'Salesforce', and 'Salesforce'. The bottom of the page shows pagination from '1-7 of 7' to 'Page 1 of 1'.

Salesforce Developer Session | 0:28 Top Hits 2023 | Object Manager | Salesforce | Profiles | Salesforce | Downloads | Finish update

Profiles

Manager

Set the permissions and page layouts for this profile.

Profile Edit

| | |
|----------------------------------------------------|---------------------|
| Name | Manager |
| User License | Salesforce Platform |
| Description | [Empty Text Area] |
| Custom Profile <input checked="" type="checkbox"/> | |

Custom App Settings

| | | | | | |
|--------------------------------------|-------------------------------------|-------------------------------|------------------------------|----------------------------------|------------------------------------------|
| Analytics Studio (standard_Insights) | Visible <input type="checkbox"/> | Default <input type="radio"/> | Platform (standard_Platform) | Visible <input type="checkbox"/> | Default <input checked="" type="radio"/> |
| App Launcher (standard_AppLauncher) | Visible <input type="checkbox"/> | Default <input type="radio"/> | WDC (standard_Work) | Visible <input type="checkbox"/> | Default <input type="radio"/> |
| Not (Not) | <input checked="" type="checkbox"/> | <input type="radio"/> | | | |

Service Provider Access

Tab Settings

Overwrite users' personal tab customizations

| | | |
|---------------------------|-------------------------------------|-----------------------|
| Standard Tab Settings | Home Default On | Leaving Default On |
| Accounts | <input checked="" type="checkbox"/> | <input type="radio"/> |
| Alert Settings | <input checked="" type="checkbox"/> | <input type="radio"/> |
| Unleashing Bolt Solutions | <input checked="" type="checkbox"/> | <input type="radio"/> |

Save **Cancel**

https://eu19.salesforce.com/lightning/setup/EnhancedProfiles/page?address=%2F00e5j000000WQBz%2Fe63FreURL%3D%252F00e5j0...

Salesforce Developer Session | 0:28 Top Hits 2023 | Object Manager | Salesforce | Profiles | Salesforce | Downloads | Finish update

Profiles

Communication Subscription Channel Types

| | | | | | | |
|------------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|--------------------------|--------------------------|
| Communication Subscription Conversations | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Communication Subscription Timings | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Contacts | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Contact Point Addresses | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Contact Point Comments | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Contact Point Emails | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

Individuals

| | | | | | |
|---------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| Locations | <input type="checkbox"/> |
| Party Consents | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Push Topics | <input checked="" type="checkbox"/> |
| Sellers | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Streaming Channels | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| User External Credentials | <input type="checkbox"/> |

Custom Object Permissions

| | Basic Access | Create | Edit | Delete | Data Administration | |
|-----------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------------------|--------------------------|
| | Read | Create | Edit | Delete | View All | Modify All |
| Bank | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| customers | <input type="checkbox"/> | <input type="checkbox"/> |

Enhancement Requests

| | | |
|------------------|----------------------------------------------------------------------------|----------------------------------------------------------------------------|
| Session Settings | Session Times Out After <input type="text" value="2 hours of inactivity"/> | Session Security Level Required at Login <input type="text" value="None"/> |
|------------------|----------------------------------------------------------------------------|----------------------------------------------------------------------------|

Custom Object Permissions

| | Basic Access | Create | Edit | Delete | Data Administration | |
|-----------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------------------|--------------------------|
| | Read | Create | Edit | Delete | View All | Modify All |
| Bank | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| customers | <input type="checkbox"/> | <input type="checkbox"/> |

Session Settings

Session Times Out After

Session Security Level Required at Login

Custom Object Permissions

| | Basic Access | Create | Edit | Delete | Data Administration | |
|-----------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------------------|--------------------------|
| | Read | Create | Edit | Delete | View All | Modify All |
| Bank | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| customers | <input type="checkbox"/> | <input type="checkbox"/> |

Session Settings

Session Times Out After

Session Security Level Required at Login

Custom Object Permissions

| | Basic Access | Create | Edit | Delete | Data Administration | |
|-----------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------------------|--------------------------|
| | Read | Create | Edit | Delete | View All | Modify All |
| Bank | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| customers | <input type="checkbox"/> | <input type="checkbox"/> |

Session Settings

Session Times Out After

Session Security Level Required at Login

Custom Object Permissions

| | Basic Access | Create | Edit | Delete | Data Administration | |
|-----------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------------------|--------------------------|
| | Read | Create | Edit | Delete | View All | Modify All |
| Bank | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| customers | <input type="checkbox"/> | <input type="checkbox"/> |

Session Settings

Session Times Out After

Session Security Level Required at Login

Custom Object Permissions

| | Basic Access | Create | Edit | Delete | Data Administration | |
|-----------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------------------|--------------------------|
| | Read | Create | Edit | Delete | View All | Modify All |
| Bank | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| customers | <input type="checkbox"/> | <input type="checkbox"/> |

Session Settings

Session Times Out After

Session Security Level Required at Login

Custom Object Permissions

| | Basic Access | Create | Edit | Delete | Data Administration | |
|-----------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------------------|--------------------------|
| | Read | Create | Edit | Delete | View All | Modify All |
| Bank | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| customers | <input type="checkbox"/> | <input type="checkbox"/> |

Session Settings

Session Times Out After

Session Security Level Required at Login

Custom Object Permissions

| | Basic Access | Create | Edit | Delete | Data Administration | |
|-----------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------------------|--------------------------|
| | Read | Create | Edit | Delete | View All | Modify All |
| Bank | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| customers | <input type="checkbox"/> | <input type="checkbox"/> |

Session Settings

Session Times Out After

Session Security Level Required at Login

Custom Object Permissions

| | Basic Access | Create | Edit | Delete | Data Administration | |
|-----------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------------------|--------------------------|
| | Read | Create | Edit | Delete | View All | Modify All |
| Bank | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| customers | <input type="checkbox"/> | <input type="checkbox"/> |

Session Settings

Session Times Out After

Session Security Level Required at Login

Custom Object Permissions

| | Basic Access | Create | Edit | Delete | Data Administration | |
|-----------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------------------|--------------------------|
| | Read | Create | Edit | Delete | View All | Modify All |
| Bank | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| customers | <input type="checkbox"/> | <input type="checkbox"/> |

Session Settings

Session Times Out After

Session Security Level Required at Login

Custom Object Permissions

| | Basic Access | Create | Edit | Delete | Data Administration | |
|-----------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------------------|--------------------------|
| | Read | Create | Edit | Delete | View All | Modify All |
| Bank | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| customers | <input type="checkbox"/> | <input type="checkbox"/> |

Session Settings

Session Times Out After

Session Security Level Required at Login

Custom Object Permissions

| | Basic Access | Create | Edit | Delete | Data Administration | |
|-----------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------------------|--------------------------|
| | Read | Create | Edit | Delete | View All | Modify All |
| Bank | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| customers | <input type="checkbox"/> | <input type="checkbox"/> |

Session Settings

Session Times Out After

Session Security Level Required at Login

Custom Object Permissions

| | Basic Access | Create | Edit | Delete | Data Administration | |
|-----------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------------------|--------------------------|
| | Read | Create | Edit | Delete | View All | Modify All |
| Bank | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| customers | <input type="checkbox"/> | <input type="checkbox"/> |

Session Settings

Session Times Out After

Session Security Level Required at Login

Custom Object Permissions

| | Basic Access | Create | Edit | Delete | Data Administration | |
|-----------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------------------|--------------------------|
| | Read | Create | Edit | Delete | View All | Modify All |
| Bank | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| customers | <input type="checkbox"/> | <input type="checkbox"/> |

Session Settings

Session Times Out After

Session Security Level Required at Login

Custom Object Permissions

| | Basic Access | Create | Edit | Delete | Data Administration | |
|-----------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------------------|--------------------------|
| | Read | Create | Edit | Delete | View All | Modify All |
| Bank | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| customers | <input type="checkbox"/> | <input type="checkbox"/> |

Session Settings

Session Times Out After

Session Security Level Required at Login

Custom Object Permissions

| | Basic Access | Create | Edit | Delete | Data Administration | |
|-----------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------------------|--------------------------|
| | Read | Create | Edit | Delete | View All | Modify All |
| Bank | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| customers | <input type="checkbox"/> | <input type="checkbox"/> |

Session Settings

Session Times Out After

Session Security Level Required at Login

Custom Object Permissions

| | Basic Access | Create | Edit | Delete | Data Administration | |
|-----------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------------------|--------------------------|
| | Read | Create | Edit | Delete | View All | Modify All |
| Bank | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| customers | <input type="checkbox"/> | <input type="checkbox"/> |

Session Settings

Session Times Out After

Session Security Level Required at Login

Custom Object Permissions

| | Basic Access | Create | Edit | Delete | Data Administration | |
|-----------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------------------|--------------------------|
| | Read | Create | Edit | Delete | View All | Modify All |
| Bank | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| customers | <input type="checkbox"/> | <input type="checkbox"/> |

Session Settings

Session Times Out After

Session Security Level Required at Login

Custom Object Permissions

| | Basic Access | Create | Edit | Delete | Data Administration | |
|-----------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------------------|--------------------------|
| | Read | Create | Edit | Delete | View All | Modify All |
| Bank | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| customers | <input type="checkbox"/> | <input type="checkbox"/> |

Session Settings

Session Times Out After

Session Security Level Required at Login

Custom Object Permissions

| | Basic Access | Create | Edit | Delete | Data Administration | |
|-----------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------------------|--------------------------|
| | Read | Create | Edit | Delete | View All | Modify All |
| Bank | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| customers | <input type="checkbox"/> | <input type="checkbox"/> |

Session Settings

Session Times Out After

Session Security Level Required at Login

Custom Object Permissions

| | Basic Access | Create | Edit | Delete | Data Administration | |
|-----------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------------------|--------------------------|
| | Read | Create | Edit | Delete | View All | Modify All |
| Bank | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| customers | <input type="checkbox"/> | <input type="checkbox"/> |

Session Settings

Session Times Out After

Session Security Level Required at Login

Custom Object Permissions

| | Basic Access | Create | Edit | Delete | Data Administration | |
|-----------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------------------|--------------------------|
| | Read | Create | Edit | Delete | View All | Modify All |
| Bank | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| customers | <input type="checkbox"/> | <input type="checkbox"/> |

Session Settings

Session Times Out After <input

Salesforce Developer Services | Object Manager | Salesforce | Profiles | Salesforce | Downloads

artificialintelligence-d-dev-ed.develop.lightning.force.com/lightning/setup/EnhancedProfiles/page?address=%2F00e5j00000WQBz%2Fe%63FreURL%3D%252F00e5j0...

Setup Home Service Setup Assistant Multi-Factor Authentication Assistant Hyperforce Assistant Release Updates Lightning Experience Transition Assistant

Setup Home Service Setup Assistant Multi-Factor Authentication Assistant Hyperforce Assistant Release Updates Lightning Experience Transition Assistant Salesforce Mobile App Lightning Usage Optimizer

ADMINISTRATION

Users

- Permission Set Groups
- Permission Sets
- Profiles**
- Public Groups
- Queues
- Roles
- User Management Settings
- Users

SETUP Profiles

Custom Object Permissions

| | Bank | customers | Enhancement Requests |
|----------------------|--------------------------|--------------------------|--------------------------|
| | Basic Access | Basic Access | Basic Access |
| | Read | Create | Edit |
| | Delete | View All | Modify All |
| | | | |
| Bank | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| customers | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Enhancement Requests | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

Session Settings

Session Times Out After: 2 hours of inactivity

Session Security Level Required at Login: None

Password Policies

| | |
|-----------------------------------------------------------|-------------------------------------------|
| User passwords expire in: | 90 days |
| Enforce password history: | 3 passwords remembered |
| Minimum password length: | 8 |
| Password complexity requirement: | Must include alpha and numeric characters |
| Password question requirement: | Cannot contain password |
| Maximum invalid login attempts: | 10 |
| Lockout effective period: | 15 minutes |
| Obfuscate secret answers for password resets: | <input type="checkbox"/> |
| Require a minimum 1 day password lifetime: | <input type="checkbox"/> |
| Don't immediately expire links in forgot password emails: | <input type="checkbox"/> ⓘ |

The screenshot shows the Salesforce Setup interface under the Profiles section. On the left, the navigation menu includes Setup Home, Service Setup Assistant, Multi-Factor Authentication Assistant, Hyperforce Assistant, Release Updates, Lightning Experience Transition Assistant, Salesforce Mobile App, Lightning Usage, Optimizer, and ADMINISTRATION (with sub-options like Users, Permission Set Groups, Permission Sets, Profiles, Public Groups, Queues, Roles, User Management Settings, and Users). The main content area displays the 'Custom Object Permissions' and 'Session Settings' sections. Under 'Custom Object Permissions', there are two tables for 'Bank' and 'customers'. The 'Bank' table has checkboxes for Read, Create, Edit, Delete, View All, and Modify All. The 'customers' table has checkboxes for Read, Create, Edit, Delete, View All, and Modify All. Under 'Session Settings', the 'Session Times Out After' is set to '2 hours of inactivity' and the 'Session Security Level Required at Login' is set to 'None'. The 'Password Policies' section includes fields for User passwords expire in (90 days), Enforce password history (3 passwords remembered), Minimum password length (8), Password complexity requirement (Must include alpha and numeric characters), Password question requirement (Cannot contain password), Maximum invalid login attempts (10), Lockout effective period (15 minutes), and other options like Obscure secret answer for password resets, Require a minimum 1 day password lifetime, and Don't immediately expire links in forgot password emails.

The screenshot shows the Salesforce Setup interface under the Users section. The left navigation menu is identical to the previous screenshot. The main content area displays the 'User Detail' for a user named 'sowmiya bala'. The 'User Detail' section includes fields for Name (sowmiya bala), Alias (sbala), Email (2k20cse179@kct.ac.in [Verify]), Username (2k21b@kct.ac.in), Nickname (User16961677128256452616), Title (worker), Company (kict bank), Department (Division), Address, Time Zone (GMT+05:30) India Standard Time (Asia/Kolkata), Locale (English (India)), Language (English), Delegated Approver (Manager), Receive Approval Request Emails (Only if I am an approver), Federation ID, App Registration: One-Time Password Authenticator, App Registration: Salesforce Authenticator, Role (User License Profile: Manager, Active checked, Marketing User, Offline User, Knowledge User, Flow User, Service Cloud User, Site.com Contributor User, Site.com Publisher User, WDC User, Mobile Push Registrations: Yes, Data.com User Type: 1, Accessibility Mode (Classic Only), Debug Mode, High-Contrast Palette on Charts, Load Lightning Pages While Scrolling checked, Salesforce CRM Content User checked), and Salesforce Platform (Manager).

Salesforce Change Your Password

Enter a new password for 2k21it@kiot.ac.in. Make sure to include at least:

- 8 characters
- 1 letter
- 1 number

* New Password
***** Good

* Confirm New Password
***** Match

Security Question
In what city were you born?

* Answer
salem

Change Password

Password was last changed on 01/10/2023, 7:13 pm.

Login | Salesforce

Username: 2k21it@kiot.ac.in

Password: *****

Log In

Remember me


Forgot Your Password?

Join us for the future of trusted enterprise AI, streaming on Salesforce+.

WATCH ON DEMAND

AIDay

© 2023 Salesforce, Inc. All rights reserved.



The screenshot shows the Salesforce Setup interface. The left sidebar is titled 'Setup' and includes sections for 'Service Setup Assistant', 'Hyperforce Assistant', 'Release Updates', 'Lightning Experience Transition Assistant', 'Salesforce Mobile App', 'Lightning Usage', 'Optimizer', 'ADMINISTRATION', and 'Users' (with sub-options like 'Permission Set Groups', 'Permission Sets', 'Profiles', 'Public Groups', 'Queues', 'Roles', and 'User Management Settings'). The 'Profiles' option is currently selected. The main content area is titled 'Profiles' and shows a table of existing profiles. The table columns are 'Action', 'Profile Name', 'User License', and 'Custom'. The profiles listed are:

| Action | Profile Name | User License | Custom |
|-------------------------------|-----------------------------------------|------------------------|-------------------------------------|
| Edit Clone | Salesforce API Only System Integrations | Salesforce Integration | <input type="checkbox"/> |
| Edit Delete | salesmanager | Salesforce | <input checked="" type="checkbox"/> |
| Edit Clone | Silver Partner User | Silver Partner | <input type="checkbox"/> |
| Edit Clone | Solution Manager | Salesforce | <input type="checkbox"/> |
| Edit Clone | Standard Platform User | Salesforce Platform | <input type="checkbox"/> |
| Edit Clone | Standard User | Salesforce | <input type="checkbox"/> |
| Edit Clone | System Administrator | Salesforce | <input type="checkbox"/> |



At the bottom of the page, there are navigation links for 'Previous' and 'Next', and a page number indicator 'Page 1 of 1'.


The screenshot shows the Salesforce Setup interface with the Profiles page open. The profile being viewed is named "salesmanage". The "Profile Detail" section shows the profile name, user license (Salesforce Platform), and creation date (01/10/2023). The "Page Layouts" section displays various standard object layouts and their assignments across different objects like Global, Email Application, Home Page Layout, Account, Alternative Payment Method, Appointment Invitation, and Asset. The "Operating Hours" and "Payment" sections also show assignments for these layouts.

The screenshot shows the Salesforce Setup interface with the Profile Edit page open for the "salesmanage" profile. The "Profile Edit" section includes fields for Name (salesmanage), User License (Salesforce Platform), and Description. The "Custom App Settings" section lists various apps with checkboxes for visibility and default status. The "Service Provider Access" section includes "Tab Settings" with options for Overwrite users' personal tab customizations and Standard Tab Settings for Home and Accounts tabs. The "Learning" section shows settings for Default On and Effective.

The screenshot shows the Salesforce Setup interface with the 'Users' page open. The left sidebar navigation includes 'Setup', 'Home', 'Object Manager', and sections for 'Users', 'Feature Settings', 'Service', 'User Interface', and 'App Menu'. Under 'Users', there are links for 'Permission Set Groups', 'Permission Sets', 'Profiles', 'Public Groups', 'Queues', 'Roles', 'User Management Settings', and 'Prospector Users'. The main content area displays the 'Users' setup page with fields for 'Mailing Address' (Street, City, Zip/Postal Code, State/Province, Country), 'Single Sign On Information' (Federation ID), 'Locale Settings' (Time Zone set to '(GMT+05:30) India Standard Time (Asia/Kolkata)', Locale set to 'English (India)', Language set to 'English'), and 'Approver Settings' (Delegated Approver, Manager, 'Receive Approval Request Emails' dropdown set to 'Only if I am an approver', and a checked checkbox for 'Generate new password and notify user immediately').

This screenshot is identical to the one above, but the 'Street' field in the 'Mailing Address' section now contains the value '4/194 , ariyampalayam, utthamasolaipuram ..'. All other fields in the 'Mailing Address' section remain the same as in the first screenshot.





Step 2:

Permission Sets:

- Create two permission sets, one for User A and one for User B.

Object-Level Security:

- In each profile and permission set, set the object-level security for the Account object to “ Read” to ensure that both User A and User B can view Account records.

Record-Level Security:

- Implement record-level security using Criteria-Based Sharing Rules.
- Create a sharing rule that shares Account records owned by User A with User A and Records owned by User B with user B.
- For the sharing rule criteria, specify that records owned by User A are shared with user A, and records owned by User B are shared with User B.

Ownership:


- Ensure that the Account records are owned by the respective users, with User A owning Their records and User B owning their records.

Organization-Wide Defaults:

- Set the organization-wide defaults for the Account object to “ Private” to ensure that Records are private by default.

Testing:

- Test the setup by logging in as User A and User B separately to verify that they cannot Access each other’ s records.



The screenshot shows the Salesforce Setup interface with the 'Permission Sets' page open. The permission set is named 'salesmanager'. The 'Permission Set Overview' section displays basic information: API Name 'salesmanager', Namespace Prefix 'Phok', and Created By 'GOPAL S.' on 01/10/2023, 7:29 pm. The 'Description' field is empty, and the 'License' and 'Session Activation Required' fields are not specified. The 'Last Modified By' field shows 'GOPAL S.' on the same date and time. The 'Apps' section lists various permissions grouped under 'Assigned Apps', 'Assigned Connected Apps', 'Object Settings', 'App Permissions', 'Apex Class Access', 'Visualforce Page Access', 'External Data Source Access', and 'Flow Access'. The 'Object Settings' section is expanded, showing detailed permissions for various objects like Accounts, AI Insight Reasons, AI Record Insights, etc.

This screenshot is identical to the one above, but the 'Object Settings' tab is selected in the 'Permission Set Overview' navigation bar. The rest of the page content is the same, displaying the detailed object permissions for the 'salesmanager' permission set.

The screenshot shows the Salesforce Setup interface for managing Permission Sets. The left sidebar is expanded, showing categories like Users, Feature Settings, and User Interface. Under the Users section, 'Permission Sets' is selected. The main content area displays the 'Permission Sets' page for the 'salesmanager' permission set. The page includes tabs for 'Object Settings' (selected), 'Bank', 'Tab Settings', 'Object Permissions', and 'Field Permissions'. The 'Object Permissions' section shows permissions for the 'Bank' object, with 'Read' and 'View All' checked. The 'Field Permissions' section shows permissions for fields like 'Bank Name', 'Created By', and 'Last Modified By'. Buttons for 'Save' and 'Cancel' are at the bottom right.

The screenshot shows the 'Select Users to Assign' dialog box. The left sidebar is identical to the previous screenshot. The main area is titled 'Select Users to Assign' and shows a list of users under the heading 'All Users'. The user 'madhu b' is selected, indicated by a blue checkmark in the checkbox column. Other users listed include Amelia Ellington, Chatter Expert, Diya Adanna, GOPAL S, Integration User, Security User, and sowmiya bala. Each user row includes columns for Full Name, Username, Role, and Profile. A 'Next' button is visible at the bottom right of the dialog.

The screenshot shows a web browser window with multiple tabs open. The active tab is a Salesforce Lightning component titled "Recently Viewed" under the "customers" category. The page displays a list view with one column header: "customer Name". A message in the center states: "You haven't viewed any customers recently. Try switching list views." To the right of the list, there is a "LIST VIEW CONTROLS" sidebar with options: New, Clone, Rename, Sharing Settings, Show List Filters, Select Fields to Display, Delete, and Reset Column Widths. At the bottom of the page, there is a navigation bar with links: Action Link Templates, Actions & Recommendations, App Menu, Cancel, Back, and Assign.