Assistant map Progresses PersonatzationResources Associated Locations Price Books Async Operation Loge Process Exceptions Authorization Forms Products Authorization Form Consents Product Attributes Authorization Form Data Uses Product Attribute Set Products Authorization Form Taxts **Product Category Products Business Brands** Product Consumption Schedules Buyer Groups Promoted Search Terms Cadence Async Jobs Promotions Calendars Prompt Actions Calendar Models Prompt Errors Campaign Members Queues **Card Payment Methods** Queued Parties Carts Queue Messaging Template Cart Adjustment Bases Quick Text Usages **Cart Adjustment Groups** Quip Documents from List View **Cart Checkout Sessions** Recommendations Cart Delivery Groups Recommendation Reactions **Cart Delivery Group Methods** Recommendation Responses Cart Items Recommendation Strategy Metrics Cart Item Price Adjustments RecordActions Carf Related Herne Record Marge History Cart Taxes Record Ongine Cart Validation Outputs Refunds Catalogs Refund Line Payments Categories Release Update Steps Collaboration Document Metrics Ralesse Update Step History Collaboration Document Metric Records Report Result Blobs Collaboration Template Metrics Request Access to SIQ Objects Collaboration Tempiate Metric Records Resource Absences Collaboration User Engagement Metrics Return Orders Company to a Resonant Secreta



User Bhuvaneshwari V



Permission Set License Assignments [0] Personal Groups [0] Permission Set Assignments [1] Permission Set Assignments: Activation Required [0] Permission Set Group Assignments [0] OAuth Ages [1] | Third-Party Account Links [0] | Installed Mobile Agos [0] Team [0] | Managers in the Role Hierarchy [0] Public Group Membership [0] Queue Membership (0) Authentication Settings for External Systems [0] | Login History [10+] | User Provisioning Accounts [0]

User Detail Edit Sharing Change Password

Name Bhuvaneshwari V Alias bhuvanarishi98@omail.com [Verified] Email

bhuvanarishi98@gmail.com Username

Nickname User16984734827854990418

Title

Company **AVS Engineering College**

Department

English

Division

Address Time Zone (GMT+05:30) India Standard Time (Asia/Kolkata)

Locale English (India) Role

Profile System Administrator Active Marketing User

User License

Offline User Knowledge User

Flow User

WDC User

Service Cloud User

Site.com Contributor User

Mobile Push Registrations

Data.com User Type

Site.com Publisher User

Salesforce

View

Language Delegated Approver

Accounts

, , , ,

Profiles													
The State of the S		A Second		2	STATE OF THE PARTY.		The Mary of the	V-111		The State of the S	-		
Access Activities	1						Manage Bots						-
Access Custom Mobile Apps	1						Manage Bots Training Data						•
Allow Access to Customized Actions	1						Manage Content Permissions						•
Allow sending of Lief Emails	✓						Manage Public Lightning Email Templates						7
Allow user to access privacy data							Mass Edits from Lists	1					7
Allow View Knowledge	1						Mass Email	✓					
Assign Topics	1						Merge Topica						7
Connect Organization to Environment Hub							Modify Data Classification						7
Create Folders for Lightning Email Templates							Multi-Factor Authentication for API Logine						7
Create Libraries							Multi-Factor Authentication for User Interface Logine						1
Create Topice	1						Remain in Salesforce Classic						7
Desets Topics							Report Builder						•
Drag-and-Drop Deenboard Builder							Run Flows						•
Edit Events	✓						Run Reports	✓					•
Edit Tasks	1						Send Email	1					•
Edit Topics	1						Send Non-Commercial Email	✓					
Email-Based Identity Ventication Option							Show Custom Sidebar On All Pages						
Enable WDC Calibration							Skip Device Activation at Login						
Exempt from Transaction Security							Update Consent Preferences Using REST API						
Export Reports	1						View Developersame	1					
Import Personal Contacts	1						View Encrypted Data						
Knowledge One	1						View My Team's Dashboards						
Lighthing Login User							Waive Multi-Factor Authentication for Exempt Users						-
Manage Articles													
Standard Object Permissions													
	Basic Acces	Create	Edit	Delete	Data Admini	Modify All	A	Tienic Account	Create	Edit	Delete	Data American View All	Modify All

Contact Point Phones

, , , ,

Custom Tabs

Custom Object Tabe

Heate for this Place 😜

You can create new custom tabs to extend Salesforce functionality or to build new application functionality

Custom Oligical lates took and behave like the standard lates provided with Salesforce. Web tabs allow you to embed esternal web applications and content within the Salesforce window. Visualized lates show you to embed Visualized provided with Salesforce. Web tabs allow you to embed esternal web applications and content within the Salesforce window. na waster menu in Lightning Experience and the mobile app. Lightning Page tabs allow you to add Lightning Pages to Lightning Experience and the mobile app.

Man What to This?

New What is This?

Custom Co	ect labs	Mark Average Lines	
Auton	Lene	To the	Decorption
Edi / Del	Colleges		
Esit Del	Consumers	Credi card	
Edi Del	Departments	g Lightning	
Edit Del	Details	Cert	
Edit Det	Marsagerterita	(Garbar	
Edit Del	provides	· first	
Web Tabs		New What is This?	
No Web Tabs	have been defined		
Visualforce	Tabs	New What is This?	
No Visualford	Tabs have been defined		
Lightning Co	emponent Tabs	New What is This?	

No Lightning Page Tabs have been defined

Lightning Page Tabs

	44-245							5 115					-
Standard Object Permissions													
	Banks Assemb	07.18	100		Deta Adminis			Basic Access				Dafa Administra	ration
	Read	Create	Edit	Delete	View All.	Modify Alt		Reed	Create	East	Denets	View All	Modif
Accounts	✓	1	1	1			Contact Point Phones	1	1	1	1		
Accets							Contact Point Type Consents	1		-			
Authorization Forms	1	1	1	1			Customers	1	1	1	1		
Authorization Form Consents	1	1	1	1			D&B Companies	1					
Authorization Form Data Uses	1	1	1	1			Cota Use Legal Bases	1	1	1	1		
Authorization Form Texts	1	1	1	1			Data Use Purposes	1	1	1	1		
Background Operations							Documents	1	1	1	1		
Business Brands	· •	1	1	1			Engagement Channel Types	1	1	1	~		

Authorization Forms	✓.	1	1	✓	Customers	1	✓	1	1	
Authorization Form Consents	1	1	1	1	D&B Companies	1				
Authorization Form Data Uses	1	1	1	1	Data Use Legal Bases	1	1	1	1	
Authorization Form Texts	1	1	1	1	Data Use Purposes	1	1	1	1	
Background Operations					Documents	1	1	1	1	
Business Brands	1	1	1	1	Engagement Channel Types	1	1	1	~	
Communication Subscriptions	4	1	1	1	10444	1	1			
Communication Subscription Channel Types	1	1	1	1	individuals	1	1	1	1	

Communication Subscription Channel Types	1	1	1	1		Individuals	1	1	1	1	
Communication Subscription Consents	1	1	1	1		Locatione					
Communication Subscription Timings	1	1	1	1		Party Consents	1		1		
Contacts	1	1	1	1		Push Topics	1	1	1	1	
Contact Point Addresses						Sellers	1	1	1	1	
Contact Point Consents	1	1	1	1		Streaming Channels	1	1	1	1	
Contact Point Emaile	1	1	1	1		User External Credentials					
Custom Object Permissions											
	SANG ACCASE				Clafa Administration		Earlic Access			Dela Attentiti	Araban ()


	Collegee						тападее							
		Read	Create	Est	Detete	View All Modify All		Reed Reed	Create	East	Derete	View All	Modify All	1
Custom Object Perm	issions													Ì
	Contact Point Emails	1	1	1	1		User External Credentials							
	Contact Point Consents	1	1	1	1		Streaming Channels	1	1	1	1			
	Contact Point Addresses						Sellers	1	1	1	1			
	Contacts	1	1	1	1		Puen ropica	✓	✓	1	<			

	Contact Point Emails	1	1	1	1		User External Credentials						
Custom Object Permis	isions												
		HANC Access				Cola Administration		Elanic Access				Data Attended	franco ()
		Read	Create	Est	Delete	View All Modify All		Reed	Create	Eart	Delete	VIPW All	Modify All
	Collegee						managee						
	Consumers						Managements						
	Departments						providers						



License

--None--



v

Salestone XDrg Proxy User Salesforce Saineforce

Customer Community

External Apps Login

External Identity

Force com - Free

Customer Portal Manager Custom

Customer Portal Manager Standard

Force com - App Subscription

Salesforce Customer Community Login Customer Community Plus Login Customer Community Plus

Edit | Clare | Customer Community User

Edit | Clone | Cross Org Data Proxy User

Cdt | Del J... Custom: Marketing Profile

C Edit | Del J ... Custom: Sales Profile

Citi Clare External Identity User

Citt | Clare Force com - Free User

City Clare Force.com App Subscription User

-dev-ed.develop.lightning.force.com/one/one.ap.

☐ Edit | Del |... Quesam Support Profile

☐ Edit | Clare Customer Portal Manager Custom Edit | Clare | Customer Portel Manager Standard Call | Clare | External Apple Logar Uner

☐ Edit | Clone | <u>Customer Community Plus User</u>

Call Clane Customer Community Plus Losin User

☐ Edit | Clare Customer Continuesty Login User

Page 1


66 4 Physican Next > 30







Custom Object Permissions													
	Basic Accises				Data Admini		B .	Deut Access	-		- Commission	Data Administrati	
	Reed	Create	Eat	Delete	View All	Modify All		Read	Create	Edit	Delete	View All	Modify All
Cotteges							manages						
Consumers							Managements						
Departments							providers						
Detaile													
Session Settings													
Session Times Out After	2 hours of inactive	ty					Session Security Level Required at Login						
Password Policies													
User passwords expire in	90 days												
Enforce password history	3 passwords reme	beredme											
Minimum paseword langth	8												
Password complexity requirement	Must include alpha	and numeric cha	eracters										
Password question requirement	Cannot contain pa	browea											
Maximum invalid login attempts	10												
Lockout effective period	15 minutes												
Obscure secret answer for password resets													
Require a minimum 1 day password lifetime													
Don't immediately expire links in forgot password emails													
			Edit Cione	View Use	n								
Login Hours		. [Eat									Login Pla	urs PMp (T)
No login hours specified													
Login IP Ranges		[New									Login (P-flung	pra Help (2)



Communication Subscription Channel Type	[Vew]	Resource Preference	[View]	
Communication Subscription Consent	[Vest]	Return Order	[View]	
Communication Subscription Timing	[View]	Return Order Item Adjustment	[Very]	
Contact	[Vew]	Return Order Item Tax	[Vew]	
Contact Point Address	[Vew]	Return Order Line Item	[Vew]	
Contact Point Consent	[Ver]	Setter	[Vew]	
Contact Point Email	[View]	Service Appointment	[Vew]	
Contact Point Phone	[View]	Service Resource	[View]	
Contact Point Type Consent	[View]	Service Resource Skill	[Vew]	
Contract	[Mew]	Service Territory	[View]	
Credit Memo	[Vest]	Service Territory Member	[View]	
Credit Memo Involce Application	[Vew]	Service Territory Work Type	[View]	
Credit Memo Line	[Verr]	shift .	[View]	
Customer	[Veter]	Shift Engagement Channel	[Views]	
Date Use Legal Basis	[Ver]	Shiff Work Topic	[Views]	
Data Use Purpose	[Vent]	Skill Requirement	[View]	
Digital Wallet	[View]	Social Persona	[View]	
Email Message	[View]	Store	[View]	
Engagement Channel Type	[View]	ttore Buyer Group	[Vew]	
Engagement Channel Work Type	[Vew]	ttore Catalog	[View]	
Event	[Ven]	Date 1	[Vew]	
idee	(Menr)	Time Slot	[View]	
Image	[Yeter]	User	[View]	
Individual	[Meter]	User Provisioning Request	[Veny]	
Inventory Reservation	[Ver]	Waittret	[Very]	
Involce	[Vew]	Waitlist Participant	[View]	
Invoice Line	[Vew]	Walttel Service Resource	[Vater]	
Location	[View]	Wartiset Work Type	[Meny]	
Location Group	[<u>Ven</u>]	Web Store inventory Source	[Very]	
Location Group Assignment	[Verr]	Work Type	[Vew]	
Object Milestone	[Ver	Work Type Group	[Vew]	
Operating Hours	[<u>Verr</u>]	Work Type Group Member	[View]	,
Management and American Statement				

	222			
Card Payment Methods	Tab Hidden	Payment Gateway Logs	Tab Hidden	
Catarogs	Tab Hidden	Payment Gatewaye	Tab Hidden	
Categoriee	Tab Hidden	Payment Line involces	Tab Hidden	
Chaffer	Default On	Paymenta	Tab Hidden	
Chatter	Default On	People	Default On	
CMS Channels	Tab Hidden	Person Educations	Tab Hidden	
CMS Workspaces	Tab Hidden	Person Employments	Tab Hidden	
Communication Subscription Channel Types	Tab Hidden	Price Books	Tab Hidden	
Communication Subscription Consents	Tab Hidden	Process Exceptions	Tab Hidden	
Communication Subscriptions	Tab Hidden	Products	Tab Hidden	
Communication Subscription Timings	Tab Hidden	Profile	Default On	
Contact Point Consent	Tab Hidden	Profile Feed	Default On	
Contact Point Type Consent	Default On	Profite Overview	Default On	
Contacts	Default On	Promotion Workspace	Tab Hidden	
Content	Tab Hidden	Quip Documents from List View	Default On	
Contant	Tab Hidden	Recommendations	Tab Hidden	
Contracts	Tab Hidden	Recycle Sin	Default On	
Credit Memos	Tab Hidden	Refund Line Payments	Tab Hidden	
Customers	Tab Hidden	Refunds	Tab Hidden	
D&B Companies	Tab Hidden	Maporta	Default On	
Dashboards	Default On	Return Orders	Tab Hidden	
Data.com	Tab Hidden	Salesforce Scheduler Setup Assistant	Tab Hidden	
Data Use Legal Basis	Default On	Security Policies	Default On	
Data Use Purpose	Default On	Sellers	Tab Hidden	
Olgital Experiences Home	Tab Hidden	Service Appointments	Tab Hidden	
Digital Wallets	Tab Hidden	Service Resources	Tab Hidden	
Documents	Default On	Service Territories	Tab Hidden	
Email Templates	Default On	Shiffa	Tab Hidden	
Engagement Channel Types	Default Off	\$fa.com	Default On	
Enhanced Letterheads	Default On	Streaming Channels	Tab Hidden	
Files	Default On	Subscriptions	Tab Hidden	
Forecasts	Tab Hidden	Tanks	Default On	

Edit My Reports

BUILDING AUTY FATHERS AND Access Conversation Entries Manage Public Classic Email Templates Access Experience Management Manage Public Documents Access Libraries Manage Public List Views Add People to Direct Messages Manage Reports in Public Folders Allow inclusion of Code Snippets from Ut Manage Security Center Allows users to modify Named Credentials and Manage Uniteted Groups External Credentials Allow user to modify Private Connections Moderate Chatter Apex REST Services Moderate Experience Cloud Site Users API Enabled Password Never Expires Can Approve Feed Post and Comment Pin Poets in Feeds Change Dashboard Colors **Quip Metrics** Chatter Internal User Quip User Engagement Metrics Close Conversation Threads Ramove People from Direct Messages Configure Custom Recommendations Report Builder (Lightning Experience) Create and Customize Destrocards Salesforce Anywhere in Lightning Experience Create and Customize List Views Salesforce Anywhere on Mobile Create and Customize Reports Salesforce Mobile App: Native scrolling on webviews Create and Own New Chatter Groups Select Files from Salesforce Create Contant Deliveries Send announcement emails Create Dashboard Folders Send Custom Notifications Create Public Links Send Outbound Messages Create Report Folders Share internal Knowledge articles externally Download Package Version Zip Files Show App Launcher in Experience Cloud Sites Edit HTML Templates Show Company Name as Site Rose Edit My Dashboards Subscribe to Deshboards Edit My Own Poets

Subscribe to Dashboards: Add Recipients

Subscribe to Dashboards: Send to Groups and

Standard Field-Level Security Orchestration Run [Vevr] Account [View] Atternative Payment Method [View] Orchestration Stage Run [View] Orchestration Step Run [Vew] Appointment Category [View] Orchestration Work flam [Vew] Appointment invitation [Vew] Appointment Invitee

View Order [Vew] Order Product [View] [View] [View Party Consent [View] Payment

Appointment Topic Time Slot [Vew] [View] Asset Relationship [Vew] Payment Authorization [Vew] Assigned Resource [View]

[Veter] Payment Authorization Adjustment Associated Location Authorization Form [Very

Authorization Form Consent [View Authorization Form Data Use [Votor Authorization Form Text

Freitz-Cever Security

Dusiness Brand

Cart Delivery Group

Cart flam

Cart Tax

Catalog

[View

[Ven]

Category

Cart Delivery Group Method

Cart Item Price Adjustment

Communication Subscription

Communication Subscription Channel Type

[Ven [Ven] (Ven) [Vew]

Buyer Group [Vew Ven

Campaign Member Card Payment Method Cart Cart Adjustment Basis [Verr] Cart Adjustment Group

[View

[View]

[View] [Vew

[Vent

[View]

[Very

[View] [Vew] [View]

Payment Gateway

Payment Line Involce

Payment Group

Price Book Entry

Process Exception

Product Attribute

Product Attribute Set Product

Product Consumption Schedule

Product Category Product

Queue Messaging Template

Price Sook

Product

Promotion

Queued Party

Recommendation

Resource Absence

Resource Preference

Queue

Refund Refund Line Payment [View]

[Vew]

[Vew]

[Vew]

[Vew]

[View]

[Vew] [Vew]

[View]

[Very]

[Vew] [View]

[View]

[View]

[Very]

[View]

[View]

Custom Tabs

New What is This?

New What is This?

New What is This?

You can create new bustom tabs to extend Salesforce functionality or to build new application functionality. Custom Object tabs took and behave like the standard labs provided with Salesforce. Web labs allow you to embed external web applications and content within the Salesforce window. Visualizate tabs allow you to add Lightner component tabs allow you to add Lightner components to the

navigation menu in Lightning Expenence and the mobile app. Lightning Page tabs allow you to add Lightning Pages to Lightning Expenence and the mobile app.

Holy for this Place Qu

Custom Object Tabs New What is This? Too Hyle Description Jones Credit cost Edit | Del Consumers

Coars Citates Managements

New What Is This?

No Web Tabs have been defined

Departments

Visualforce Tabs

Web Tabs


No Visualforce Tabs have been defined


Lightning Component Tabs

No Lightning component tabs have been defined

Lightning Page Tabs

No Lightning Page Tabs have been defined.





Details	Department	
Fields & Relationships	Custom Object Definition Edit have have have Carrel	
Page Layouts	Custom Object Information	I - Segund Information
ightning Record Pages	The singular and plural labels are used in tabs, page layout Be careful when changing the name or label as it may affe	s, and reports. ct existing integrations and men
Buttons, Links, and Actions	templates.	
Compact Layouts	Copartment Example: Account	
	Label Departments Example Accounts	
iekt Sets	Strarts with second	
bject Limits	med .	
ecord Types	The Object Name is used when referencing the object via to	he API.
tetated Lookup Filters		
estriction Rules	Bearquine	
coping Hules		
riggers		
low Triggers	Coestest- Servative Stella Copen the standard Salesforce com Help & Training Window Help Deling Copen a window using a Visualizace page setting	
alidation Rules	Confined States	
	Enter Record Name Label and Format	
	The Record Name appears in page layouts, key lists, relate results. For example, the Record Name for Account is "Acc	d lists, lookups, and search
	'Case Number'. Note that the Record Name field is always	
	referenced via the API. Department Name Example: Account	tore
	men type Text	
	Optional Frentzen	
	Alow Reports	
	Allow Activities	
	Track Field History	
	Allow is Chatter Groups	
	Enable Licensing 1	
	Object Classification	
	When these settings are enabled, this object is classified a object. When these settings are disabled, this object is class object. Learn more.	
	Allow Sharing	
	Altow Study API Access Altow Study API Access	
	and are any are all the	11/4/700
	Deployment Status	What is Bio?
	In Development Deproyed	
	Search Status	
	When this setting is enabled, your users can find records o search. Learn more.	f this object type when they
	Allow Search	
	Soon Soon & New Concel	




Help for this Page 😥 New Custom Object Permissions for this object are disabled for all profiles by default. You can enable object permissions in permission sets or by editing custom profiles. House less Sant Stew Count Custom Object Definition Edit 1 - Required refureation **Custom Object Information** The singular and plural labels are used in tabs, page layouts, and reports. Management Plant Label | Managements Starts with open mand The Object Name is used when referencing the staject via the API. Management 💼 Open the standard Salesforce.com Help & Training window Open a window uping a Visualforce page Comband Name Record Name Label and Format The Record Name appears in page layouts, key loss, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case 6 is "Case Number". Note that the Record Name feld is always called "Name" when referenced via the API. Record Name | Management Name Example: Account No Date Type | Tast Optional Features Allow Reports Allow Activities Track Field History Allow in Chatter Groups Erable Lownung : Object Classification When these settings are enabled, this object is classified as an Enterprise Application object. When these setti ign are theabled, this object is classified as a Light Applicatio styect Learn ma Allow Sharing Allow Bulk ADI Access Allow Streaming API Access Deployment Status What is this? to Development Deployed Search Status When this setting is enabled, your users can find records of this object type when they seatch. Learn more Allow Search Object Creation Options (Assitable only when custom object is first created) Add Notes and Attachments related list to default page layout Launch New Custom Tab Waard after saving this custom object Sert Sert & Sen Co.

Custom Object before the same and states and	Details .	consumer
The singular and plural labels are used in tabs, page layouts, and reports. Be careful when changing the name or label as it may affect existing integrations and templates. Label Consumers Example Assessed Secretary Rules The Object Name is used when referencing the object via the API. Consumer Consumer Label and Farmat The Record Name spears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it "Case Number". Note that the Record Name feel is always called "Name" when referenced via the API. The record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it "Case Number". Note that the Record Name feel is always called "Name" when referenced via the API. The same table later to the API Consult of States of the API Consult of States of State	lekts & Relationships	Custom Object Definition Edit Sizes Serri à term Connel
Be careful when changing the name or label as it may affect existing integrations and templates. Label	Page Layouts	Custom Object Information I required information
Consumer	ightning Record Pages	The singular and plural labels are used in tabs, page layouts, and reports. Be careful when changing the name or label as it may affect existing integrations and mer
Consumers Cons	Auttons, Links, and Actions	templates.
Serve Consumer C	Compact Layouts	COMMISSION NO.
The Object Name is used when referencing the object via the API. Comment		
The Object Name is used when referencing the object via the API. Consultiver	ield Sets	Sharts with the second to the
Assert Lockup Filters Bestruction Rules Corpan But standard Salestron con Help & Transing sendow Bestruction Rules Comment C	bject Limits	
The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name Record Name field is always called "Name" when referenced via the API. **The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name field is always called "Name" when referenced via the API. **The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name field is always called "Name" when referenced via the API. **The Record Name of Name of Name is "Account Name" when referenced via the API. **The Name of Name of Name of Name of Name is "Account Name" when referenced via the API. **The Name of	lecont Types	
Comments Interest Class Trace Open to standard Sales force page	lelated Lockup Filters	
Tone Triggers Comment	lestriction Rules	Description
Committee Commit	coping Hules	
Copen a weetow using a Visualitation page salidation Rules Copen a weetow using a Visualitation page Copen a weetow using a Visualitation page Copen a weetow using a Visualitation page Copen a weetow using a Visualitation page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it "Case Number" Note that the Record Name field is always called "Name" when referenced visa the API.	riggers	
Get Record Name Label and Format The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it "Case Number". Note that the Record Name field is always called "Name" when referenced via the API. Consulter Name Text Consulter Name	low Triggers	Help Ciper a emotive using a Visualiforce page
The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it "Case Number". Note that the Record Name field is always called "Name" when referenced via the API. Record Name Consulter Name Example: Account Name	aliciation Rules	Control
The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it "Case Number". Note that the Record Name field is always called "Name" when referenced via the API. Record Name Consulter Name Example: Account Name		Enter Record Hame Label and Format
results. For example, the Record Name for Account is "Account Name" and for Case it "Case Number". Note that the Record Name field is always called "Name" when referenced via the API.		
Optional Features Tool		results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Number". Note that the Record Name field is always called "Name" when
Optional Features Allow According Allow According Allow on Charter Groups Enable Licensing 4 Object Classification When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. Learn more. Allow Strang Allow Strang Allow Strang Allow Strang API Access Allow Strang API Access In Development Status In Development Deployed Search Status When this setting is enabled, your users can find records of this object type when they search. Learn more.		
Optional Features Allow Reports Allow Activities Track First History Allow in Charter Groups Enable Licertorys Enable Licertorys Enable Licertorys Enable Licertorys Enable Allow Straing Allow Sharing Allow Straining Allow Straining Deployed Search Status When this setting is enabled, your users can find records of this object type when they search. Learn more.		
Allow Actions Allow Actions Track Field History Allow in Charter Groups Enable Licensing + Chiest Classification When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. Learn more Allow Sharing Allow Sharing Allow Sharing API Access Deployment Status In Development In Development Deployed Search Status When this setting is enabled, your users can find records of this object type when they search. Learn more.		toric Toot
Allow Actions Allow Actions Track Field History Allow in Charter Groups Enable Licensing + Chiest Classification When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. Learn more Allow Sharing Allow Sharing Allow Sharing API Access Deployment Status In Development In Development Deployed Search Status When this setting is enabled, your users can find records of this object type when they search. Learn more.		Online of Feetbarns
Allow Activities Track Field History Allow in Charter Groups Enable Licensing Charter Classification When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. Learn more. When Sharing Allow Sharing Allow Sharing Allow Sharing Allow Sharing Allow Sharing Allow Sharing Allow Sharing Allow Sharing Allow Sharing Allow Sharing Allow Sharing Allow Sharing Allow Sharing Allow Sharing Allow Sharing Allow Sharing Allow Sharing Allow Sharing Allow Sharing Allow Sharing Allow Sharing Allow Sharing Allow Sharing Allow Sharing Allow Sharing Allow Sharing Allow Sharing Allow Sharing Allow Sharing Allow Sharing		10 V 11 CHO CHI CO
Altine in Charter Groups Enable Licensing + Object Classification When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. Learn more Altine Sharing Altine Sharing API Access Deployment Status In Development Deployed Search Status When this setting is enabled, your users can find records of this object type when they search. Learn more.		
Chiest Classification When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. Learn more. Altern Status Altern Streaming API Access In Development Status In Development Enabled, your users can find records of this object type when they search. Learn more.		Track Field History
When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. Learn more. Altern Sharing Altern Status In Development Status Deployed Search Status When this setting is enabled, your users can find records of this object type when they search. Learn more.		Allow is Chatter Groups
When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. Learn more. Alter Sharing Alter Sharing API Access Deployment Status In Development Deployed Search Status When this setting is enabled, your users can find records of this object type when they search. Learn more.		Enable Leversing +
object. When these settings are disabled, this object is classified as a Light Application object. Learn more. Altern Status Deployment Status In Development Deployed Search Status When this setting is enabled, your users can find records of this object type when they search. Learn more.		Object Classification
Alters Streaming API Access Deployment Status In Development Deployed Search Status When this setting is enabled, your users can find records of this object type when they search. Learn more.		object. When these settings are disabled, this object is classified as a Light Application
Deployment Status In Development Deployed Search Status When this setting is enabled, your users can find records of this object type when they search. Learn more.		
Deployment Status in Development Deployed Search Status When this setting is enabled, your users can find records of this object type when they search. Learn more.		
In Development Deployed Search Status When this setting is enabled, your users can find records of this object type when they search. Learn more.		Altow Streaming API Access
Search Status When this setting is enabled, your users can find records of this object type when they search. Learn more.		Deployment Status What is Not
When this setting is enabled, your users can find records of this object type when they search. Learn more.		is Development
When this setting is enabled, your users can find records of this object type when they search. Learn more.		Deployed
search. Learn more.		Search Status
Altow Search		When this setting is enabled, your users can find records of this object type when they search. Learn more.
		Altow Search
have have been Carroll		Asset Store & Nove Control

Jetain.	provider	
leids & Relationships	Custom Object Definition Edit Same Serr & term Cannot	
Page Layouts	Custom Object Information 1 Required Inform	witten.
ightning Record Pages	The singular and plural labels are used in tabs, page layouts, and reports. Be careful when changing the name or label as it may affect existing integrations and	me
Suttons, Links, and Actions	templates.	
Compact Layouts	Example: Account	
reld Sets	Burts off	
	sand	
bject Limits	The Object Name is used when referencing the object via the API.	
lecont Types	Chart provider Example: Account	
felated Lockup Filters		
lestriction Rules	Description	
icoping Hules		
, ²⁰²		
riggers	connect Open the standard Salesforce corn Help & Training sindow	
toe Triggers	Comment Securities Copen a semblue using a Visualitimo page betting	
widation Hules	Current States	
	Enter Record Name Label and Format	
	The Record Name appears in page layouts, key lists, related lists, lookups, and search	
	"Case Number". Note that the Record Name field is always called "Name" when referenced via the API. provider Name	
	Continued Facilities	
	Optional Features	
	Optional Features Alon Reports Alon Activities	
	Allow Reports	
	Allow Reports Allow Activities Track Field History Allow in Charter Groups	
	Allow Reports Allow Activities Track Field History	
	Allow Reports Allow Activities Track Field History Allow in Charter Groups	
	Allow Reports Allow Activities Track Field History Allow in Charter Groups Enable Lownsing	n
	Alian Activities Thack Field History Alian in Charter Groups Enable Learning a Chiest Classification When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. Learn more	n
	Allow Reports Allow Activities Track Field History Allow in Charter Groups Enable Learning a Chipet Classification When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. Learn more.	n
	Allow Reports Allow Activities Track Field History Allow in Charter Groups Enable Learning a Chiper Classification When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. Learn more. Allow Sharry Allow Sharry	
	Allow Reports Allow Activities Track Field History Allow in Characterism Chiper Classification When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. Learn more. Allow Sharing Allow Sharing API Access Allow Steaming API Access In Development Status	
	Allow Reports Allow Activities Thack Field History Allow in Characterism Chiest Classification When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. Learn more. Allow Starring Allow Streaming API Access Allow Streaming API Access	
	Allow Reports Allow Activities Track Field History Allow in Characterism Chiper Classification When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. Learn more. Allow Sharing Allow Sharing API Access Allow Steaming API Access In Development Status	
	Allow Activities Nack Field History Allow in Charter Groups Enable Learning Chiest Classification When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. Learn more. Allow Sharing Allow Sharing API Access Allow Sharing API Access In Development Status In Development Status In Development Status Deployed	fine
	Allow Reports Allow Activities Track Field History Allow in Characterism When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. Learn more. Allow Sharing Allow Sharing Allow Streaming API Access In Development Status In Development Deployed Search Status When this setting is enabled, your users can find records of this object type when they	fine
	Allow Activities Nack Field History Allow in Charter Groups Enable Learning Chiest Classification When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. Learn more. Allow Sharing Allow Sharing API Access Allow Sharing API Access In Development Status In Development Status When this setting is enabled, your users can find records of this object type when they search. Learn more.	fine

Ŋ





When these settings are enut street. Learn incre. Allow Sharreg Allow Bulk API Access Allow Streaming API Access Deployment Status What is fruit ○ In Development Deployed Search Status When this setting is enabled, your users can find records of this object type when they search. Learn more

Object Creation Options (Analishin only when custom object in first creat

Add Notes and Attachments related list to default page layout Laurich New Custom Tab Wilzord after saving this custom object

m have & been Can

Details	Detail	
Fields & Relationships	Custom Object Definition Edit Same Sent à tere Connel	_
Page Layouts	Custom Object Information	-
Lightning Record Pages	The singular and plural labels are used in tabs, page layouts, and reports. Be careful when changing the name or label as it may affect existing integrations and	me
Buttons, Links, and Actions	templates.	
Compact Layouts	Cotal Example: Account	
	Morei Details Example: Accounts	
Field Sets	theris with	
Object Limits	and .	
Second Types	The Object Name is used when referencing the object via the API.	
	Name Detail Example: Account	
Related Lookup Filters		
Testriction Rules	Bescription	
(contra Webs		
Scoping Hules		
nggers		
low Triggers	Control Copen the standard Salesforce com Help & Training window state Cipen a window yorkg a Visualiforce page	
alidation Rules	Current form	
	Name	
	Cirter Record Name Label and Format	
	The Record Name appears in page layouts, key lists, related lists, lookups, and search	
	results. For example, the Record Name for Account is "Account Name" and for Case it is	5
	"Case Number". Note that the Record Name field is always called "Name" when	
	referenced via the API. Record Name Detail Name Example: Account Name	
	Detail runs	
	tode Test	
	Optional Features	
	Allow Reports	
	Allow Activities	
	Track Field History	
	Allow in Charter Groups	
	Enable Licensing 4	
	Object Classification	
	When these settings are enabled, this object is classified as an Enterprise Application	
	object. When these settings are disabled, this object is classified as a Light Application object. Learn more	
	Allow Sharing	
	Allow Sharing	
	Allow Sulh API Access	int.
	Allow Streaming API Access Allow Streaming API Access	int.
	Allow Sharing Allow Sulk API Access Allow Streaming API Access Deployment Status	lint.
	Allow Sharing Allow Streaming API Access Deployment Status In Development Deployed	test.
	Allow Straining Allow Straining API Access Allow Straining API Access Deployment Status Is Development Deployed Search Status	test.
	Allow Sharing Allow Streaming API Access Deployment Status In Development Deployed	e c
	Allow Sharing Allow Streaming API Access Allow Streaming API Access Deployment Status In Development Deployed Search Status When this setting is enabled, your users can find records of this object type when they	Sec.
	Allow Sharing Allow Streaming API Access Allow Streaming API Access Deployment Status In Development Deployed Search Status When this setting is enabled, your users can find records of this object type when they search. Learn more.	
	Allow Status Allow Status Deployment Status In Development Deployed Search Status When this setting is enabled, your users can find records of this object type when they search. Learn more. Allow Search	Sec.