Module Interface Specification for Software Engineering

Team 11, technically functional
Matthew Huynh
Cieran Diebolt
Vaisnavi Shanthamoorthy
Maham Siddiqui
Eman Ashraf

November 10, 2025

1 Revision History

Date	Version	Notes
Date 1	1.0	Notes
Date 2	1.1	Notes

2 Symbols, Abbreviations and Acronyms

See SRS Documentation at [https://github.com/M9Huynh/technically-functional/blob/main/docs/SRS/S
—SS]

[Also add any additional symbols, abbreviations or acronyms —SS]

Contents

3 Introduction

The following document details the Module Interface Specifications for a Physiotherapy Companion app. The application is designed to identify users using computer vision for their prescribed physiotherapy exercise. In addition, an analysis will be performed on the user's movement and, after completion, the app will provide metrics to the user on their performance.

This tool utilizes OpenCV and MediaPipe for image recognition and then performs measurements on the number of repetitions, range of motion and perceived exertion.

Complementary documents include the System Requirement Specifications and Module Guide. The full documentation and implementation can be found at https://github.com/M9Huynh/technically-functional.

4 Notation

[You should describe your notation. You can use what is below as a starting point. —SS]

The structure of the MIS for modules comes from Hoffman and Strooper (1995), with the addition that template modules have been adapted from Ghezzi et al. (2003). The mathematical notation comes from Chapter 3 of Hoffman and Strooper (1995). For instance, the symbol := is used for a multiple assignment statement and conditional rules follow the form $(c_1 \Rightarrow r_1|c_2 \Rightarrow r_2|...|c_n \Rightarrow r_n)$.

The following table summarizes the primitive data types used by Software Engineering.

Data Type	Notation	Description
character	char	a single symbol or digit
integer	$\mathbb{Z}$	a number without a fractional component in (-∞, ∞)
natural number	$\mathbb{N}$	a number without a fractional component in [1, ∞)
real	$\mathbb{R}$	any number in (-∞, ∞)

The specification of Software Engineering uses some derived data types: sequences, strings, and tuples. Sequences are lists filled with elements of the same data type. Strings are sequences of characters. Tuples contain a list of values, potentially of different types. In addition, Software Engineering uses functions, which are defined by the data types of their inputs and outputs. Local functions are described by giving their type signature followed by their specification.

5 Module Decomposition

The following table is taken directly from the Module Guide document for this project.

Level 1	**Level 2**
Hardware-Hiding	
Behaviour-Hiding	Input Parameters Output Format Output Verification Temperature ODEs Energy Equations Control Module Specification Parameters Module
Software Decision	Sequence Data Structure ODE Solver Plotting

Table 1: Module Hierarchy

6 Variables

Table 2: User Account Data Fields

Name	Type	Description	Used in sections
Name	String	Name of the user	7.1
Role	String	Values can be PT or patient	7.1
email	String	Used as login ID	7.1
password	String	Set by user for login purposes	7.1
birthday	String	User's birthday for verification	7.1
license_no	Int	Verification of PT	7.1
invite_code	String	Given by PT to patient for registration	7.1
Date	String	Date selected by user	7.1
Time	String	Time selected by user	7.2
Recent_analysis	ADT	Most recently generated analysis	7.1
Recent_report	Record	Generated report of recent_video	TBD
Recent_video	String (JSON)	Last video recorded by patient	TBD
Video	String (JSON)	A video in the user database	TBD
Report	Record	Report(s) sent to Generator module for analysis OR requested by patient	TBD
Ex_instruct	String	Performance instructions of requested exercise	TBD
Sets	String	Number of sets given by PT	7.1
Repetitions	String	Repetitions of exercise per set	7.1
Rest_time	String	Rest time between sets	7.1

7 MIS

7.1 Module - Database Management

ADT

This module creates an instance of UserAccount_P/PT and is an adapter that connects to the user database. This database consists of these tables:

1. User data: this consists of information such as name, role, email, password, birthday, and license_no/invite_code.
2. Exercise data: this table consists of exercise nstructions, maximum height (the highest point their leg can lift up to), minimum height (starting point) and UserAccount_P['Name'].
3. User activity: This will contain information about a specific patient's exercise activity. Data such as exercise duration, maximum height, number of repetitions, target area, the date the exercise was performed and its time, rest time, number of sets and analysis. Additionally, it will include a column for the patient's feedback on their exercise performance.

7.1.1 Uses

- name
- role
- email
- password
- birthday
- license_no
- invite_code
- exercise
- time
- date
- duration
- Recent_video

- Recent_ analysis
- Sets
- repetitions
- rest_time

7.1.2 Syntax

Exported Constants

- *UserAccount_P*: ADT
- *UserAccount_PT*: ADT

Exported Access Programs

7.1.3 Semantics

State Variables
A: an instance of a patient UserAccount
B: an instance of a patient UserAccount
C: an instance of a PT UserAccount

State Invariant
$\forall A, B, C \in UserDatabase : A[i] \neq B[j] \neq C[k]$
$0 < A < length(A) \cap A[i] \notin \emptyset$

7.1.4 Environment Variables

Screen: The application's display to the user
Touchscreen: Users will click on the screen to select their desired functionality

7.1.5 Assumptions

NA.

7.1.6 Access Routine Semantics

get_userdb_info():
NA *(There is no transition taking place)*

PTaccount_delete():

Access Routine Name	Input	Output	Exceptions
get_userdb_info	*NA*	UserAccount_P OR UserAccount_PT	User_not_found Download_error
PTaccount_delete	*Name email*	NA	required_field_empty patient_not_found
username_pw_match	*Email Password*	NA	wrong_email_ password
add_analysis_to_ user_act	*UserAccount_P Recent_analysis*	NA	User_not_found Upload_error
save_video	*UserAccount_P Recent_video*	NA	User_not_found Upload_error Video_too_short
get_analysis	*UserAccount_P Date*	Recent_analysis	User_not_found Download_error Analysis_not_found
exerc_instruct	*UserAccount_P Exercise*	*Ex_instruct*	User_not_found Download_error exercise_not_in_list
PT_modifies_exercise	*UserAccount_P Sets Repetitions Rest_time*	*Ex_instruct*	User_not_found Download_error exercise_not_in_list

Table 3: Exported Access Routines

1. From the home screen, PT accesses their patient list
2. PT selects the desired patient's name
3. PT is directed to profile of patient
4. PT selects *'Delete Patient'*
5. The selected patient is deleted from the user database

7.1.7 Local Functions

Access Routine Name	Input	Output	Exceptions
account_create	*Name* *Role* *Birthday* *License_no/* *Invite_code* *Email* *Password*	UserAccount_P or UserAccount_PT	Input_format_invalid Required_field_empty Account_already_ exists Incorrect_creds Invite_code_expired
set_user_info	*Name* *Role* *Birthday* *License_no/* *Invite_code* *Email* *Password*	NA	Input_format_invalid Required_field_empty Account_already_ exists Incorrect_creds Invite_code_expired
send_db_analysis	*UserAccount_P*	Recent_analysis	User_not_found Download_error
send_db_video	*UserAccount_P*	Recent_video	User_not_found Download_error
set_analysis_ report	*UserAccount_P*	Recent_analysis	User_not_found Download_error

Table 4: Account Management Access Routines

7.2 Module - Generator

This module's purpose is to display the most recent report, an overall analysis of progress, and rehabilitation insights.

7.2.1 Uses

- Recent_report
- Report_db
- UserAccount_P

7.2.2 Syntax

Exported Constants

Exported Access Programs

Access Routine Name	Input	Output	Exceptions
generate_insights	*NA*	NA	*No_activity_history* *Cannot_connect_API*
generate_report	*Date* *Time*	*Recent_report*	NA
get_report	*Date* *Time*	*Report*	NA

Table 5: Generator Access Routines

7.2.3 Semantics

State Variables
A: an instance of UserAccount_P
E: an instance of Recent_analysis
V: video
R: report
RR: recent_report

State Invariant
$\forall RR, \exists(A \cap V)$
$\forall R, \exists(A \cap V_i | i \geq 1..n, n \in 1..\mathbb{N})$

7.2.4 Environment Variables

NA

7.2.5 Assumptions

7.2.6 Access Routine Semantics

[accessProg —SS]():

- transition: [if appropriate —SS]
- output: [if appropriate —SS]
- exception: [if appropriate —SS]

7.3 Module - Home

This module displays past exercises, allows viewing of user profile, and directs to the Generator module.

7.3.1 Uses

7.3.2 Syntax

Exported Constants
NA

Exported Access Programs

Access Routine Name	Input	Output	Exceptions
view_profile	*Name*	UserAccount_P OR UserAccount_PT	User_not_found Download_error
display_report	*Name* *email*	NA	required_field_empty patient_not_found
display_summary	*Email* *Password*	NA	wrong_email_ password
p_past_exercises	*NA*	NA	no_activity

Table 6: Home Exported Access Routines

7.3.3 Semantics

State Variables
A: an instance of UserAccount
B: an instance of UserAccount

State Invariant
$\forall A, B \in UserDatabase : A[i] \neq B[j]$
$0 < A < length(A) \cap A[i] \notin \emptyset$

7.3.4 Environment Variables

NA

7.3.5 Assumptions

7.3.6 Access Routine Semantics

[accessProg —SS]():

- transition: [if appropriate —SS]
- output: [if appropriate —SS]
- exception: [if appropriate —SS]

[A module without environment variables or state variables is unlikely to have a state transition. In this case a state transition can only occur if the module is changing the state of another module. —SS]

[Modules rarely have both a transition and an output. In most cases you will have one or the other. —SS]

7.3.7 Local Functions

Access Routine Name	Input	Output	Exceptions
account_create	*Name* *Role* *Birthday* *License_no/* *Invite_code* *Email* *Password*	UserAccount_P or UserAccount_PT	Input_format_invalid Required_field_empty Account_already_ exists Incorrect_creds Invite_code_expired

Table 7: Account Management Access Routines

[As appropriate —SS] [These functions are for the purpose of specification. They are not necessarily something that is going to be implemented explicitly. Even if they are implemented, they are not exported; they only have local scope. —SS]

7.4 Module - Analyze

NA

7.4.1 Uses

7.4.2 Syntax

Exported Constants
Exported Access Programs

Access Routine Name	Input	Output	Exceptions
get_metrics	*NA*	UserAccount_P OR UserAccount_PT	User_not_found Download_error
send_analysis_to _feedback	*NA*	UserAccount_P OR UserAccount_PT	User_not_found Download_error
analysis_rt	*NA*	UserAccount_P OR UserAccount_PT	User_not_found Download_error
analysis_overall	*NA*	UserAccount_P OR UserAccount_PT	User_not_found Download_error
adjust_metrics	*NA*	UserAccount_P OR UserAccount_PT	User_not_found Download_error
update_metrics	*NA*	UserAccount_P OR UserAccount_PT	User_not_found Download_error
send_analysis_to_db	*NA*	UserAccount_P OR UserAccount_PT	User_not_found Download_error

7.4.3 Semantics

State Variables

State Invariant

7.4.4 Assumptions

7.4.5 Access Routine Semantics

[accessProg —SS]():

- transition: [if appropriate —SS]
- output: [if appropriate —SS]
- exception: [if appropriate —SS]

7.4.6 Local Functions

Access Routine Name	Input	Output	Exceptions
adjust_metrics	*NA*	UserAccount_P OR UserAccount_PT	User_not_found Download_error

7.5 Module - Feedback

NA

7.5.1 Uses

7.5.2 Syntax

Exported Constants
Exported Access Programs

Access Routine Name	Input	Output	Exceptions
placeholder	*NA*	UserAccount_P OR UserAccount_PT	User_not_found Download_error

7.5.3 Semantics

State Variables

State Invariant

7.5.4 Assumptions

7.5.5 Access Routine Semantics

[accessProg —SS]():

- transition: [if appropriate —SS]
- output: [if appropriate —SS]
- exception: [if appropriate —SS]

[A module without environment variables or state variables is unlikely to have a state transition. In this case a state transition can only occur if the module is changing the state of another module. —SS]

[Modules rarely have both a transition and an output. In most cases you will have one or the other. —SS]

7.5.6 Local Functions

Access Routine Name	Input	Output	Exceptions
placeholder	*Name* *Role* *Birthday* *License_no/* *Invite_code* *Email* *Password*	UserAccount_P or UserAccount_PT	Input_format_invalid Required_field_empty Account_already_ exists Incorrect_creds Invite_code_expired

Table 11: Account Management Access Routines

[As appropriate —SS] [These functions are for the purpose of specification. They are not necessarily something that is going to be implemented explicitly. Even if they are implemented, they are not exported; they only have local scope. —SS]

[A module without environment variables or state variables is unlikely to have a state transition. In this case a state transition can only occur if the module is changing the state of another module. —SS]

[Modules rarely have both a transition and an output. In most cases you will have one or the other. —SS]

7.5.7 Local Functions

[As appropriate —SS] [These functions are for the purpose of specification. They are not necessarily something that is going to be implemented explicitly. Even if they are implemented, they are not exported; they only have local scope. —SS]

7.6 Module - Metrics

NA

7.6.1 Uses

7.6.2 Syntax

Exported Constants
Exported Access Programs

Access Routine Name	Input	Output	Exceptions
placeholder	*NA*	UserAccount_P OR UserAccount_PT	User_not_found Download_error

7.6.3 Semantics

State Variables

State Invariant

7.6.4 Assumptions

7.6.5 Access Routine Semantics

[accessProg —SS]():

- transition: [if appropriate —SS]
- output: [if appropriate —SS]

- exception: [if appropriate —SS]

[A module without environment variables or state variables is unlikely to have a state transition. In this case a state transition can only occur if the module is changing the state of another module. —SS]

[Modules rarely have both a transition and an output. In most cases you will have one or the other. —SS]

7.6.6 Local Functions

Access Routine Name	Input	Output	Exceptions
placeholder	*Name* *Role* *Birthday* *License_no/* *Invite_code* *Email* *Password*	UserAccount_P or UserAccount_PT	Input_format_invalid Required_field_empty Account_already_ exists Incorrect_creds Invite_code_expired

Table 13: Account Management Access Routines

7.6.7 Local Functions

7.7 Module - Main

NA

7.7.1 Uses

7.7.2 Syntax

Exported Constants
Exported Access Programs

Access Routine Name	Input	Output	Exceptions
record_video	*NA*	UserAccount_P OR UserAccount_PT	User_not_found Download_error
retry_record	*NA*	UserAccount_P OR UserAccount_PT	User_not_found Download_error
draw_markers	*NA*	UserAccount_P OR UserAccount_PT	User_not_found Download_error

Access Routine Name	Input	Output	Exceptions
form_vs_template	*NA*	UserAccount_P OR UserAccount_PT	User_not_found Download_error
submit_video	*NA*	UserAccount_P OR UserAccount_PT	User_not_found Download_error
get_metrics	*NA*	UserAccount_P OR UserAccount_PT	User_not_found Download_error
get_rt_feed	*NA*	UserAccount_P OR UserAccount_PT	User_not_found Download_error
PT_feedback_on_P	*NA*	UserAccount_P OR UserAccount_PT	User_not_found Download_error

7.7.3 Semantics

State Variables

State Invariant

7.7.4 Assumptions

7.7.5 Access Routine Semantics

[accessProg —SS]():

- transition: [if appropriate —SS]
- output: [if appropriate —SS]
- exception: [if appropriate —SS]

[A module without environment variables or state variables is unlikely to have a state transition. In this case a state transition can only occur if the module is changing the state of another module. —SS]

[Modules rarely have both a transition and an output. In most cases you will have one or the other. —SS]

7.7.6 Local Functions

Access Routine Name	Input	Output	Exceptions
placeholder	*Name* *Role* *Birthday* *License_no/* *Invite_code* *Email* *Password*	UserAccount_P or UserAccount_PT	Input_format_invalid Required_field_empty Account_already_ exists Incorrect_creds Invite_code_expired

Table 15: Account Management Access Routines

[As appropriate —SS] [These functions are for the purpose of specification. They are not necessarily something that is going to be implemented explicitly. Even if they are implemented, they are not exported; they only have local scope. —SS]

[A module without environment variables or state variables is unlikely to have a state transition. In this case a state transition can only occur if the module is changing the state of another module. —SS]

[Modules rarely have both a transition and an output. In most cases you will have one or the other. —SS]

7.7.7 Local Functions

[As appropriate —SS] [These functions are for the purpose of specification. They are not necessarily something that is going to be implemented explicitly. Even if they are implemented, they are not exported; they only have local scope. —SS]

7.8 Module - Draw

NA

7.8.1 Uses

7.8.2 Syntax

Exported Constants
Exported Access Programs

Access Routine Name	Input	Output	Exceptions
record_check	*NA*	UserAccount_P OR UserAccount_PT	User_not_found Download_error
form_check	*NA*	UserAccount_P OR UserAccount_PT	User_not_found Download_error
draw_points	*NA*	UserAccount_P OR UserAccount_PT	User_not_found Download_error

7.8.3 Semantics

State Variables

State Invariant

7.8.4 Assumptions

7.8.5 Access Routine Semantics

[accessProg —SS]():

- transition: [if appropriate —SS]
- output: [if appropriate —SS]
- exception: [if appropriate —SS]

[A module without environment variables or state variables is unlikely to have a state transition. In this case a state transition can only occur if the module is changing the state of another module. —SS]

[Modules rarely have both a transition and an output. In most cases you will have one or the other. —SS]

7.8.6 Local Functions

Access Routine Name	Input	Output	Exceptions
mpipe_draw	*Name* *Role* *Birthday* *License_no/* *Invite_code* *Email* *Password*	UserAccount_P or UserAccount_PT	Input_format_invalid Required_field_empty Account_already_ exists Incorrect_creds Invite_code_expired

Table 17: Account Management Access Routines

[As appropriate —SS] [These functions are for the purpose of specification. They are not necessarily something that is going to be implemented explicitly. Even if they are implemented, they are not exported; they only have local scope. —SS]

[A module without environment variables or state variables is unlikely to have a state transition. In this case a state transition can only occur if the module is changing the state of another module. —SS]

[Modules rarely have both a transition and an output. In most cases you will have one or the other. —SS]

7.8.7 Local Functions

[As appropriate —SS] [These functions are for the purpose of specification. They are not necessarily something that is going to be implemented explicitly. Even if they are implemented, they are not exported; they only have local scope. —SS]

7.9 Module - UI

NA

7.9.1 Uses

7.9.2 Syntax

Exported Constants
Exported Access Programs

Access Routine Name	Input	Output	Exceptions
placeholder	*NA*	UserAccount_P OR UserAccount_PT	User_not_found Download_error

7.9.3 Semantics

State Variables

State Invariant

7.9.4 Assumptions

7.9.5 Access Routine Semantics

[accessProg —SS]():

- transition: [if appropriate —SS]
- output: [if appropriate —SS]

- exception: [if appropriate —SS]

[A module without environment variables or state variables is unlikely to have a state transition. In this case a state transition can only occur if the module is changing the state of another module. —SS]

[Modules rarely have both a transition and an output. In most cases you will have one or the other. —SS]

7.9.6 Local Functions

Access Routine Name	Input	Output	Exceptions
placeholder	*Name* *Role* *Birthday* *License_no/* *Invite_code* *Email* *Password*	UserAccount_P or UserAccount_PT	Input_format_invalid Required_field_empty Account_already_ exists Incorrect_creds Invite_code_expired

Table 19: Account Management Access Routines

[As appropriate —SS] [These functions are for the purpose of specification. They are not necessarily something that is going to be implemented explicitly. Even if they are implemented, they are not exported; they only have local scope. —SS]

[A module without environment variables or state variables is unlikely to have a state transition. In this case a state transition can only occur if the module is changing the state of another module. —SS]

[Modules rarely have both a transition and an output. In most cases you will have one or the other. —SS]

7.9.7 Local Functions

[As appropriate —SS] [These functions are for the purpose of specification. They are not necessarily something that is going to be implemented explicitly. Even if they are implemented, they are not exported; they only have local scope. —SS]

References

Carlo Ghezzi, Mehdi Jazayeri, and Dino Mandrioli. *Fundamentals of Software Engineering*. Prentice Hall, Upper Saddle River, NJ, USA, 2nd edition, 2003.

Daniel M. Hoffman and Paul A. Strooper. *Software Design, Automated Testing, and Maintenance: A Practical Approach*. International Thomson Computer Press, New York, NY, USA, 1995. URL http://citeseer.ist.psu.edu/428727.html.

8 Appendix

[Extra information if required —SS]

Appendix — Reflection

[Not required for CAS 741 projects —SS]

The information in this section will be used to evaluate the team members on the graduate attribute of Problem Analysis and Design.

The purpose of reflection questions is to give you a chance to assess your own learning and that of your group as a whole, and to find ways to improve in the future. Reflection is an important part of the learning process. Reflection is also an essential component of a successful software development process.

Reflections are most interesting and useful when they're honest, even if the stories they tell are imperfect. You will be marked based on your depth of thought and analysis, and not based on the content of the reflections themselves. Thus, for full marks we encourage you to answer openly and honestly and to avoid simply writing "what you think the evaluator wants to hear."

Please answer the following questions. Some questions can be answered on the team level, but where appropriate, each team member should write their own response:

1. What went well while writing this deliverable?

2. What pain points did you experience during this deliverable, and how did you resolve them?

3. Which of your design decisions stemmed from speaking to your client(s) or a proxy (e.g. your peers, stakeholders, potential users)? For those that were not, why, and where did they come from?

4. While creating the design doc, what parts of your other documents (e.g. requirements, hazard analysis, etc), it any, needed to be changed, and why?

5. What are the limitations of your solution? Put another way, given unlimited resources, what could you do to make the project better? (LO_ProbSolutions)

6. Give a brief overview of other design solutions you considered. What are the benefits and tradeoffs of those other designs compared with the chosen design? From all the potential options, why did you select the documented design? (LO_Explores)