

# Verification and Validation Report: Physiotherapy Companion

Team 11, technically functional

Matthew Huynh

Cieran Diebolt

Vaisnavi Shanthamoorthy

Maham Siddiqui

Eman Ashraf

March 9, 2026

# 1 Revision History

| Date   | Version | Notes |
|--------|---------|-------|
| Date 1 | 1.0     | Notes |
| Date 2 | 1.1     | Notes |

## 2 Symbols, Abbreviations and Acronyms

| symbol | description |
|--------|-------------|
| T      | Test        |

[symbols, abbreviations or acronyms – you can reference the SRS tables if needed —SS]

# Contents

|           |                                              |           |
|-----------|----------------------------------------------|-----------|
| <b>1</b>  | <b>Revision History</b>                      | <b>i</b>  |
| <b>2</b>  | <b>Symbols, Abbreviations and Acronyms</b>   | <b>ii</b> |
| <b>3</b>  | <b>Functional Requirements Evaluation</b>    | <b>1</b>  |
| <b>4</b>  | <b>Nonfunctional Requirements Evaluation</b> | <b>1</b>  |
| 4.1       | Usability . . . . .                          | 1         |
| 4.2       | Performance . . . . .                        | 2         |
| 4.3       | Reliability / Fault Tolerance . . . . .      | 2         |
| 4.4       | Security . . . . .                           | 3         |
| 4.5       | Maintainability and Support . . . . .        | 3         |
| <b>5</b>  | <b>Comparison to Existing Implementation</b> | <b>4</b>  |
| <b>6</b>  | <b>Unit Testing</b>                          | <b>4</b>  |
| 6.1       | Authentication . . . . .                     | 4         |
| 6.1.1     | Account Creation Module . . . . .            | 4         |
| 6.1.2     | Valid User Module . . . . .                  | 7         |
| 6.2       | User Account module . . . . .                | 8         |
| <b>7</b>  | <b>Changes Due to Testing</b>                | <b>10</b> |
| 7.1       | Usability Testing Results . . . . .          | 10        |
| <b>8</b>  | <b>Automated Testing</b>                     | <b>11</b> |
| <b>9</b>  | <b>Trace to Requirements</b>                 | <b>12</b> |
| <b>10</b> | <b>Trace to Modules</b>                      | <b>14</b> |
| <b>11</b> | <b>Code Coverage Metrics</b>                 | <b>15</b> |
| <b>12</b> | <b>Extras</b>                                | <b>15</b> |

# List of Tables

|   |                                              |   |
|---|----------------------------------------------|---|
| 1 | Account Creation Module Test Cases . . . . . | 7 |
|---|----------------------------------------------|---|

|    |                                                                                  |    |
|----|----------------------------------------------------------------------------------|----|
| 2  | Valid User Module Test Cases . . . . .                                           | 8  |
| 3  | User Account Service Test Cases . . . . .                                        | 10 |
| 4  | Functional Requirements and Corresponding Test Sections . .                      | 12 |
| 5  | Look & Feel Tests and Corresponding Requirements . . . . .                       | 12 |
| 6  | Usability & Humanity Tests and Corresponding Requirements                        | 13 |
| 7  | Performance Tests and Corresponding Requirements . . . . .                       | 13 |
| 8  | Robustness & Fault-Tolerance Tests and Corresponding Re-<br>quirements . . . . . | 13 |
| 9  | Operational & Environmental Tests and Corresponding Re-<br>quirements . . . . .  | 13 |
| 10 | Security Tests and Corresponding Requirements . . . . .                          | 14 |
| 11 | Tests for Core Modules . . . . .                                                 | 15 |

## List of Figures

This document ...

### 3 Functional Requirements Evaluation

## 4 Nonfunctional Requirements Evaluation

### 4.1 Usability

#### 1. UT-1 : Navigation Clarity

**Initial State:** App installed on a mobile device; user logged in.

**Input:** User was asked to find and open the exercise screen, start a recording session, and return to the dashboard without assistance.

**Output:** User successfully navigated through the required screens without confusion. Feedback indicated labels and buttons were clear.

**Result:** Pass

#### 2. UT-2 : Instruction Clarity During Exercise

**Initial State:** User is on the record exercise screen with camera access enabled.

**Input:** User initiated an exercise session. The application displayed live on-screen feedback instructing the user of any adjustments.

**Output:** User reported that instructions were clear and prompts matched the required actions. Minor wording improvements were noted and updated.

**Result:** Pass

#### 3. UT-3 : Survey Questionnaire – ui\_testing

**Initial State:** App accessible to testers on mobile devices.

**Input:** Five users completed a short usability questionnaire addressing ease of use, clarity and navigation.

**Output:** Average rating across categories was  $\geq 4/5$ . Minor UI refinements (font size and button spacing) were applied based on feedback.

**Result:** Pass

## 4.2 Performance

### 1. PR-1 : Exercise Interface Response Time – `ex_int_speed`

**Initial State:** User logged in on a mobile device; backend server running.

**Input:** User started recording from the record screen. Screen recording timestamps were used to measure the time from tapping “Start” to the first visible feedback/result. There were five trials conducted.

**Output:** Measured response times were 1.87s, 1.92s, 1.79s, 1.95s, and 1.84s. The average end-to-end response time was 1.87 seconds ( $\leq 2$  seconds).

**Result:** Pass

### 2. PR-2 : Repeated Use Performance

**Initial State:** Application running normally on mobile device.

**Input:** User completed 10 consecutive “Start → Record Exercise → Stop” cycles.

**Output:** There was no significant slowdown observed across the 10 trials. Additionally, the response times were all within acceptable range and no crashes took place.

**Result:** Pass

## 4.3 Reliability / Fault Tolerance

### 1. RFT-1 : Backend Failure Handling – `fail_recovery`

**Initial State:** User actively using the application while connected to backend.

**Input:** Backend server was manually terminated during active analysis.

**Output:** Application displayed a network error message and remained responsive (no crash). After backend restart, the user was able to retry and continue normal operation.

**Result:** Pass

## 2. RFT-2 : Network Interruption During Upload – Interrupted\_vid

**Initial State:** User uploading recorded exercise video.

**Input:** WiFi connection was disabled mid-upload and restored after approximately 10 seconds.

**Output:** Application detected upload failure and displayed a retry option. User retried successfully and uploaded video was verified to be intact.

**Result:** Pass

## 4.4 Security

### 1. SR-1 : Unauthorized Access to Protected Endpoint

**Initial State:** Backend server running with authentication enabled.

**Input:** A request was sent to a protected endpoint without authentication credentials.

**Output:** Server returned HTTP 401 Unauthorized. Additionally, no protected data was returned.

**Result:** Pass

### 2. SR-2 : Invalid Credentials Login

**Initial State:** Application login screen available.

**Input:** Login attempted using an email not registered in the database or incorrect password.

**Output:** System denied login and displayed an appropriate error message without exposing any system details.

**Result:** Pass

## 4.5 Maintainability and Support

### 1. MS-1 : Reproducible Setup

**Initial State:** Fresh machine with no prior installation.

**Input:** Project repository was cloned and installed using instructions provided in README (the frontend and backend setup).



**Output:** Application ran successfully without missing dependencies. All documented setup steps were sufficient to successfully reproduce the system.

**Result:** Pass

## 2. MS-2 : Code Review and Quality Assurance

**Initial State:** Revision 0 completed.

**Input:** Numerous peer code reviews were conducted through pull requests and issue tracking. The unit tests were executed to validate core functionality, including the metric calculations and functional logic. The UI components were reviewed for usability, clarity of instructions, and error handling. Moreover, the identified issues were documented and resolved.

**Output:** The core functions passed unit testing. The UI refinements were implemented based on peer feedback. The code structure maintained clear separation between modules and frontend components. Overall, there were no major functional issues identified during review.

**Result:** Pass

# 5 Comparison to Existing Implementation

This section will not be appropriate for every project.

# 6 Unit Testing

The following section outlines the unit tests created for all of the modules.

## 6.1 Authentication

### 6.1.1 Account Creation Module

The following tests in Table 1 verify the functionality of the account creation module for both physiotherapists and patients, including validation checks and successful user creation workflows.

| ID  | Ref. Req.    | Action                                                                                                                                     | Expected Result                                                                                                                                                                                                                     | Actual Result        | Re- | Result |
|-----|--------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|-----|--------|
| TC1 | FR1.1, FR1.2 | Register physiotherapist with valid license format and a license that exists in <code>validLicenses</code> with <code>active=true</code> . | Auth user is created. Firestore <code>users/{uid}</code> document is written with <code>role="physio"</code> , trimmed name, lowercased email, uppercased license number, <code>verified=true</code> , and <code>createdAt</code> . | All assertions pass. |     | Pass   |
| TC2 | FR1.1, FR1.2 | Register physiotherapist with an invalid license format (e.g., missing dash or incorrect digits).                                          | Error "Invalid license format (example: ON-123456)." is thrown. No Auth user is created. No Firestore writes occur.                                                                                                                 | All assertions pass. |     | Pass   |
| TC3 | FR1.1, FR1.2 | Register physiotherapist with valid format but license is not found in <code>validLicenses</code> or <code>active != true</code> .         | Error "License not verified." is thrown. No Auth user is created. No Firestore writes occur.                                                                                                                                        | All assertions pass. |     | Pass   |

*Continued on next page*

*(Continued from previous page)*

| ID  | Ref. Req.              | Action                                                                                                                                                                     | Expected Result                                                                                                                                                                                                                                                                                                   | Actual Result        | Re- | Result |
|-----|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|-----|--------|
| TC4 | FR1.1, FR1.3, FR2, FR3 | Register patient with invite code that exists in <code>inviteCodes</code> , is <code>active=true</code> , <code>used=false</code> , and includes a <code>physioId</code> . | Auth user is created. Firestore <code>users/{uid}</code> document is written with <code>role="patient"</code> , trimmed name, lowercased email, stored <code>physioId</code> , normalized invite code, and <code>createdAt</code> . Invite is updated with <code>used=true</code> and <code>usedBy={uid}</code> . | All assertions pass. |     | Pass   |
| TC5 | FR1.3, FR3             | Register patient with an invite code that does not exist in <code>inviteCodes</code> .                                                                                     | Error " <code>Invalid invite code.</code> " is thrown. No Auth user is created. No Firestore writes/updates occur.                                                                                                                                                                                                | All assertions pass. |     | Pass   |
| TC6 | FR1.3, FR3             | Register patient with an invite code that exists but <code>active=false</code> .                                                                                           | Error " <code>Invite code inactive.</code> " is thrown. No Auth user is created. No Firestore writes/updates occur.                                                                                                                                                                                               | All assertions pass. |     | Pass   |

*Continued on next page*

(Continued from previous page)

| ID  | Ref. Req.  | Action                                                                               | Expected Result                                                                                                 | Actual result        | Re- | Result |
|-----|------------|--------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|----------------------|-----|--------|
| TC7 | FR1.3, FR2 | Register patient with an invite code that exists but <code>used=true</code> .        | Error "Invite code already used." is thrown. No Auth user is created. No Firestore writes/updates occur.        | All assertions pass. |     | Pass   |
| TC8 | FR1.3, FR2 | Register patient with an invite code that exists but missing <code>physioId</code> . | Error "Invite code missing physio link." is thrown. No Auth user is created. No Firestore writes/updates occur. | All assertions pass. |     | Pass   |

Table 1: Account Creation Module Test Cases

### 6.1.2 Valid User Module

The following tests in Table 2 verify the functionality of the valid user module by ensuring that successful authentication requires an existing Firestore user profile for both physiotherapist and patient roles.

| ID  | Ref. Req.          | Action                                                                                                                                               | Expected Result                                                                                                                    | Actual result        | Re- | Result |
|-----|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|----------------------|-----|--------|
| TC9 | FR1, FR1.1, SR-AR1 | Login with valid credentials for a physiotherapist whose Firestore profile <code>users/{uid}</code> exists and contains <code>role="physio"</code> . | Login returns an object containing the <code>uid</code> and stored profile data (including role and user fields). No errors occur. | All assertions pass. |     | Pass   |

Continued on next page

(Continued from previous page)

| ID   | Ref. Req.          | Action                                                                                                                                        | Expected Result                                                                                                                    | Actual Result        | Re- | Result |
|------|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|----------------------|-----|--------|
| TC10 | FR1, FR1.1, SR-AR1 | Login with valid credentials for a patient whose Firestore profile <code>users/{uid}</code> exists and contains <code>role="patient"</code> . | Login returns an object containing the <code>uid</code> and stored profile data (including role and user fields). No errors occur. | All assertions pass. |     | Pass   |
| TC11 | FR1, FR1.1, SR-AR1 | Login with valid credentials where the Firestore profile <code>users/{uid}</code> does not exist.                                             | Error <code>"User profile missing in Firestore."</code> is thrown and login is rejected.                                           | All assertions pass. |     | Pass   |
| TC12 |                    | Logout after a user session is active.                                                                                                        | The Auth sign-out operation is called once and completes without error.                                                            | All assertions pass. |     | Pass   |

Table 2: Valid User Module Test Cases

## 6.2 User Account module

The tests below outline the User Account module functionality. Note that many new functions were added for this iteration. Currently, it serves as an interface between the database and the various other components. Additionally, there may be some overlap between the Account Creation module and Valid User module. While the modules themselves perform a few different functions, they are inextricably linked due to their handling of the same entity. For example, the Valid User module consists of tests the ensure successful Login and the User Account module test cases extend that to testing for invalid and non-existent users.

| ID                               | Ref. Req.      | Action                                                                                                 | Expected Result                                                                 | Actual Result        | Re- | Result |
|----------------------------------|----------------|--------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|----------------------|-----|--------|
| <b>USER MANAGEMENT FUNCTIONS</b> |                |                                                                                                        |                                                                                 |                      |     |        |
| TC13                             | FR23, FR21     | Get User Data: Test with valid uid, non-existent uid, and empty uid.                                   | Valid uid returns UserData; non-existent returns null; empty throws error.      | All assertions pass. |     | Pass   |
| TC14                             | FR21           | User Lookup: Test get user by email and email existence check with registered and unregistered emails. | Registered email returns user and true; unregistered returns null and false.    | All assertions pass. |     | Pass   |
| TC15                             | FR2, FR6, FR22 | Update User: Test update user data.                                                                    | Valid update returns true.                                                      | All assertions pass. |     | Pass   |
| TC16                             | FR4            | Delete User: Test delete by uid and by email with valid and non-existent cases.                        | Valid cases return true; non-existent return false.                             | All assertions pass. |     | Pass   |
| <b>QUERY FUNCTIONS</b>           |                |                                                                                                        |                                                                                 |                      |     |        |
| TC17                             | FR18           | User Queries: Test get patients by physioId, search by name, and get all users.                        | Returns correctly filtered arrays; errors return empty arrays.                  | All assertions pass. |     | Pass   |
| TC18                             | FR21, FR25     | User Info Lookup: Test getUserdbInfo with name only and with name+birthday filter.                     | Returns categorized patients/physios correctly; filtering works as expected.    | All assertions pass. |     | Pass   |
| <b>SPECIALIZED FUNCTIONS</b>     |                |                                                                                                        |                                                                                 |                      |     |        |
| TC19                             | FR2, FR4, FR22 | PT_Account_Delete: Test with valid physio, non-physio user, and non-existent patient.                  | Valid case deletes patient; non-physio throws error; non-existent throws error. | All assertions pass. |     | Pass   |

*Continued on next page*

*Continued from previous page*

| ID                        | Ref. Req.      | Action                                                                                                           | Expected Result                                                                | Actual Result        | Re- | Result |
|---------------------------|----------------|------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|----------------------|-----|--------|
| TC20                      | SR-AR1, SR-PR1 | Test usernamePasswordMatch and authenticateUser with valid credentials, invalid password, and non-existent user. | Valid returns true/user; throws appropriate errors; non-existent returns null. | All assertions pass. |     | Pass   |
| TC21                      | SR-AR1, SR-AR2 | System Initialization: Test initializeSystem.                                                                    | Logs success message to console.                                               | All assertions pass. |     | Pass   |
| <b>VALIDATION HELPERS</b> |                |                                                                                                                  |                                                                                |                      |     |        |
| TC22                      | FR1, SR-AR1    | Test validateCredentials with correct and incorrect passwords.                                                   | Correct returns true; incorrect returns false.                                 | All assertions pass. |     | Pass   |

Table 3: User Account Service Test Cases

## 7 Changes Due to Testing

There were a few changes that were implemented as a result of testing. Note that some of these changes are in progress.

### 7.1 Usability Testing Results

Analyses from usability testing revealed important user experience insights which has provided clarity with what should be the focus for further development. A subset of recommendations will be developed further, while others will be tabled as out of scope due to project timeline constraints. There were a total of 5 participants in the study, with 2 being PTs, and the rest were those who satisfied the pool criteria. The diverse perspectives proved to be essential by honing in on elements that may provide substantial added value to the application. Both user flows (PT and patient) were tested with the corresponding participants.

The physiotherapist participants had 2 recommendations: A more comprehensive exercise activity record (eg. adding sets in addition to reps) for a clearer picture on the patient's performance, and inclusion of a post-exercise feedback form to provide an insight into performance. (eg. modifying the rep count due to patient's increased pain).

The other participants highlighted the need for audio cues while performing the exercise. Reading the instructions from the acceptable distance necessary for proper application function was troublesome. Secondly, additional data on the Progress tab would be beneficial for patients to keep track, in a non-technical context, of their recovery.

See [Usability Report](#) for additional information.

*Note: The usability testing has been completed, but the document's Results and Discussion still remain.*

[This section should highlight how feedback from the users and from the supervisor (when one exists) shaped the final product. In particular the feedback from the Rev 0 demo to the supervisor (or to potential users) should be highlighted. —SS]

## 8 Automated Testing

In terms of automated testing, all of the tests for the Python backend as well as the individual modules on the TypeScript frontend of the mobile application are automated. The Python tests are run using **Pytest** by simply typing **pytest** in the command line in the correct root project directory. These tests validate core backend functionality such as pose metric calculations and helper functions used during exercise processing. All the TypeScript tests can be run similarly, though they run with **Jest** and through running the following command: **npm run test**. Ultimately, these tests focus on validating frontend logic including authentication and user account management, user activity tracking, exercise data handling, performance statistics generation, and the feedback module that displays live feedback to users and allows both the physiotherapists and patients the opportunity to leave comments regarding the user's respective session. It is important to note that the Firebase services and camera components are mocked during testing so that we are able to separately test the logic functionality. Also, the results for both the backend and frontend automated test suites are printed to the



console, ultimately allowing us to be able to quickly identify both the passing and failing tests immediately.

## 9 Trace to Requirements

This section maps the tests performed to the requirements they validate, providing traceability between verification activities and project requirements.

Table 4: Functional Requirements and Corresponding Test Sections

| Test Section                            |  | Functional Requirement(s)              |
|-----------------------------------------|--|----------------------------------------|
| Account Creation Module Tests (TC1–TC3) |  | FR1.1, FR1.2                           |
| Patient Registration Tests (TC4–TC8)    |  | FR1.1, FR1.3, FR2, FR3                 |
| User Authentication Tests (TC9–TC11)    |  | FR1, FR1.1                             |
| <i>User Account Tests</i>               |  |                                        |
| User Management Functions (TC13–TC16)   |  | FR2, FR4, FR6, FR21, FR22, FR23        |
| User Query Function (TC17–TC18)         |  | FR18, FR21, FR25                       |
| Specialized functions (TC19–TC21)       |  | FR2, FR4, FR22, SR-AR1, SR-AR2, SR-PR1 |
| Validation helpers (TC22)               |  | FR1, SR-AR1                            |

Table 4 shows the functional requirements and their corresponding test sections, ensuring all relevant requirements have been properly tested.

Table 5: Look & Feel Tests and Corresponding Requirements

| Test ID | Non-Functional Requirement |
|---------|----------------------------|
| UT-1    | LFR-AP1                    |

Table 5 maps the Look & Feel test cases to their corresponding non-functional requirements.

Table 6: Usability & Humanity Tests and Corresponding Requirements

| Test ID | Non-Functional Requirement |
|---------|----------------------------|
| UT-2    | UHR-EOU2, UHR-LRN1         |
| UT-3    | UHR-EOU1, LFR-ST1          |

The usability and humanity requirements and their corresponding test cases are shown in Table 6.

Table 7: Performance Tests and Corresponding Requirements

| Test ID | Non-Functional Requirement |
|---------|----------------------------|
| PR-1    | PR-SL1, PR-SL2             |
| PR-2    | PR-SL1                     |

Performance requirements and their test cases are outlined in Table 7.

Table 8: Robustness & Fault-Tolerance Tests and Corresponding Requirements

| Test ID | Non-Functional Requirement |
|---------|----------------------------|
| RFT-1   | PR-RFT1                    |
| RFT-2   | PR-RFT2                    |

Table 8 shows the robustness and fault-tolerance requirements along with their test cases.

Table 9: Operational & Environmental Tests and Corresponding Requirements

| Test ID | Non-Functional Requirement |
|---------|----------------------------|
| MS-1    | OER-WE1, OER-PR1           |

Table 9 shows the operational and environmental requirements along with their corresponding test cases.

Table 10: Security Tests and Corresponding Requirements

| Test ID | Non-Functional Requirement |
|---------|----------------------------|
| SR-1    | SR-AR1                     |
| SR-2    | SR-AR1                     |

Table 10 outlines the security requirements and their corresponding test cases.

## 10 Trace to Modules

This section maps test cases to the specific modules they validated, organized by architectural levels to ensure comprehensive verification of our system.

Table 11: Tests for Core Modules

| Test ID                                    | Module                                                                                                                                                                  |
|--------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TC1–TC8                                    | M5 (Account Creation Module)                                                                                                                                            |
| TC9–TC12                                   | M6 (Valid User Module)                                                                                                                                                  |
| TC13–TC19                                  | M1 (User Interface), M2 (Profile Activity), M5 (Account Creation), M7 (User Account Module), M8 (User Activity), M10 (Performance Statistics Generator), M13 (Feedback) |
| TC20–TC22                                  | M1 (User Interface), M7 (User Account Module)                                                                                                                           |
| UT-1, UT-2, UT-3, PR-1, PR-2, RFT-1, RFT-2 | M1 (User Interface Module)                                                                                                                                              |
| SR-1, SR-2                                 | M5 (Account Creation Module), M6 (Valid User Module)                                                                                                                    |
| MS-1, MS-2                                 | M1 (User Interface Module), M5 (Account Creation Module), M6 (Valid User Module)                                                                                        |

Table 11 shows the mapping between test cases and the core modules they verify.

## 11 Code Coverage Metrics

## 12 Extras

[Summary of the status of your extras. If feasible, the extras should be complete by the time of writing the VnV report. If the extras are not complete, you should summarize the plans for completing them. —SS]

## References

## Appendix — Reflection

The information in this section will be used to evaluate the team members on the graduate attribute of Reflection.

The purpose of reflection questions is to give you a chance to assess your own learning and that of your group as a whole, and to find ways to improve in the future. Reflection is an important part of the learning process. Reflection is also an essential component of a successful software development process.

Reflections are most interesting and useful when they're honest, even if the stories they tell are imperfect. You will be marked based on your depth of thought and analysis, and not based on the content of the reflections themselves. Thus, for full marks we encourage you to answer openly and honestly and to avoid simply writing "what you think the evaluator wants to hear."

Please answer the following questions. Some questions can be answered on the team level, but where appropriate, each team member should write their own response:

1. What went well while writing this deliverable?
2. What pain points did you experience during this deliverable, and how did you resolve them?
3. Which parts of this document stemmed from speaking to your client(s) or a proxy (e.g. your peers)? Which ones were not, and why?
4. In what ways was the Verification and Validation (VnV) Plan different from the activities that were actually conducted for VnV? If there were differences, what changes required the modification in the plan? Why did these changes occur? Would you be able to anticipate these changes in future projects? If there weren't any differences, how was your team able to clearly predict a feasible amount of effort and the right tasks needed to build the evidence that demonstrates the required quality? (It is expected that most teams will have had to deviate from their original VnV Plan.)
5. Reflect on your use of CI for continuous integration testing (regression testing). Did your CI work to gatekeep your PRs? Would it have been helpful if you got your CI working earlier in the project? What are your plans to use CI for testing in future projects?

## **Maham**

1. Our team worked really well together. Everyone completed their assigned tasks on time and were available to assist others if needed. We were all communicative, cordial and on schedule.
2. At the start, we split off into completing our 'Extras'. I was responsible for the Usability Testing and I had to ensure that there were results to work with. The team members conducted the tests on participants, while I worked on analysis as the results came in. Nearer to the deadline, we realized that the due date for Extras was moved to much later, (I don't think it was in the calendar until very recently), after which all the members hopped on deck to complete their corresponding module tests. Note to self: please double check your dates.
3. The usability testing results were from our peers and our supervisors. They provided some very useful suggestions and some of those ideas are fairly straightforward to implement.
4. Our VnV report deviated a fair bit from the original plan. Writing the code resulted in a more detailed plan being required. In addition, our team further divided some of the modules, which also resulted in more detailed tests as well. I think I would be able to anticipate them after I have gained sufficient experience and done it a few times. Some of the basic components (eg. Account creation) will have similar implementations everywhere, and those will be easy to anticipate.
5. CI proved to be very helpful throughout. Because of continuous regression tests being performed, it was ensured that any new changes will not break the code. We did use the CI element somewhat earlier, ended up realizing that there were frequent conflicts after which it was decided that we will make more PRs regularly to minimize conflicts. I really like CI, and I see myself using it in the future a fair bit. I will have to concurrently work with others on the same project and it will not become too daunting if and when changes are needed to be made/resolve issues

### Vaisnavi:

- *What went well while writing this deliverable?*

One thing that went well while writing this deliverable was our ability to collaborate and efficiently split up the tasks and sections of this report. Specifically, in the case of the unit tests and traceability, we decided as a group for each member to derive the unit tests and traceability based on the sections of the app that they had worked on. This aided efficiency and productivity overall, and allowed the report to come together easily.

- *What pain points did you experience during this deliverable, and how did you resolve them?*

One of the biggest pain points I experienced during this deliverable was actually writing the unit tests. Writing the tests was actually harder than I expected because mocking the Firebase database was something I had never done before. Since our authentication and valid user logic uses the Firebase database, we had to mock those database calls instead of using the real database, which took some time to learn and figure out. There was definitely a learning curve, but after looking through examples and testing different approaches, I was able to get the mocks working properly. In the end, it helped me better understand how to test code that depends on external services.

### Group

- *Which parts of this document stemmed from speaking to your client(s) or a proxy (e.g. your peers)? Which ones were not, and why?*

Parts of this document stemmed from speaking to our clients, specifically by receiving feedback from our peers who acted as proxies for physiotherapy patients. When demonstrating our application, they interacted with the system and gave relevant, useful feedback on the usability of the interface as well as how clear and easy to grasp the real-time exercise feedback was. This mainly had an impact on the sections related to usability testing, interface design, and how feedback is presented to users, especially the requirement for clear instructions

and visible/audio cues during exercises. Moreover, the other parts of the document, such as functional requirement evaluation and technical implementation, did not come directly from speaking to our clients. These were based on the requirements defined in our SRS and the testing done by our core team, since these parts relate more to the development logic and system reliability rather than user interaction.

- *In what ways was the Verification and Validation (VnV) Plan different from the activities that were actually conducted for VnV? If there were differences, what changes required the modification in the plan? Why did these changes occur? Would you be able to anticipate these changes in future projects? If there weren't any differences, how was your team able to clearly predict a feasible amount of effort and the right tasks needed to build the evidence that demonstrates the required quality? (It is expected that most teams will have had to deviate from their original VnV Plan.)*
- *Reflect on your use of CI for continuous integration testing (regression testing). Did your CI work to gatekeep your PRs? Would it have been helpful if you got your CI working earlier in the project? What are your plans to use CI for testing in future projects?*

Our project currently uses GitHub Actions for CI, but as of right now, the workflow is limited and mainly displays the pull request activity and build checks. With our implemented unit tests for both the frontend and backend, we want to integrate these directly into the CI pipeline. Specifically, the GitHub Actions workflow could be configured to automatically run the Jest test suite for the TypeScript frontend and the Pytest test suite for the Python backend whenever a pull request is opened or updated. In this case, if any test fails, the workflow would essentially fail, which would ultimately prevent changes from being merged until the issue is resolved. With this proposed change, this would make the CI pipeline much more effective for regression testing, as it would automatically verify that new code trying to be merged in does not break existing functionality. It is important to note that it would have been helpful to set this up earlier in the project, and as a result, for future projects, we would aim to do so. Thus, overall for



future projects, we would plan to set up CI earlier and integrate our automated test suites (such as Jest and Pytest) so that the tests run automatically on every pull request and prevent merges if any tests fail.