

Software Requirements Specification for Software Engineering: subtitle describing software

Team 11, technically functional

Matthew Huynh

Cieran Diebolt

Vaisnavi Shanthamoorthy

Maham Siddiqui

Eman Ashraf

October 10, 2025

Contents

1	Purpose of the Project	vii
1.1	User Business	vii
1.2	Goals of the Project	vi
2	Naming Conventions and Terminology	vi
3	Stakeholders	vii
3.1	Client	vii
3.2	Customer	vii
3.3	Other Stakeholders	vii
3.4	Hands-On Users of the Project	viii
3.5	Personas	viii
3.6	Priorities Assigned to Users	x
3.7	User Participation	x
3.8	Maintenance Users and Service Technicians	xi
4	Mandated Constraints	xii
4.1	Solution Constraints	xii
4.2	Implementation Environment of the Current System	xii
4.3	Partner or Collaborative Applications	xii
4.4	Off-the-Shelf Software	xii
4.5	Anticipated Workplace Environment	xii
4.6	Schedule Constraints	xii
4.7	Budget Constraints	xii
4.8	Enterprise Constraints	xii
5	Naming Conventions and Terminology	xiii
5.1	Glossary of All Terms, Including Acronyms, Used by Stakeholders involved in the Project	xiii
6	Relevant Facts And Assumptions	xiii
6.1	Relevant Facts	xiii
6.2	Business Rules	xiii
6.3	Assumptions	xiv

7	The Scope of the Work	xiv
7.1	The Current Situation	xiv
7.2	The Context of the Work	xiv
7.3	Work Partitioning	xiv
7.4	Specifying a Business Use Case (BUC)	xiv
8	Business Data Model and Data Dictionary	xiv
8.1	Business Data Model	xiv
8.2	Data Dictionary	xiv
9	The Scope of the Product	xiv
9.1	Product Boundary	xiv
9.2	Product Use Case Table	xv
9.3	Individual Product Use Cases (PUC's)	xv
10	9 Functional Requirements	xv
11	10 Look and Feel Requirements	xxv
11.1	10.1 Appearance Requirements	xxv
11.2	10.2 Style Requirements	xxvi
12	11 Usability and Humanity Requirements	xxvi
12.1	11.1 Ease of Use Requirements	xxvi
12.2	11.2 Personalization and Internationalization Requirements . .	xxix
12.3	11.3 Learning Requirements	xxix
12.4	11.4 Understandability and Politeness Requirements	xxix
12.5	11.5 Accessibility Requirements	xxx
13	12 Performance Requirements	xxx
13.1	12.1 Speed and Latency Requirements	xxx
13.2	12.2 Safety-Critical Requirements	xxxi
13.3	12.3 Precision or Accuracy Requirements	xxxi
13.4	12.4 Robustness or Fault-Tolerance Requirements	xxxii
13.5	12.5 Capacity Requirements	xxxiii
13.6	12.6 Scalability or Extensibility Requirements	xxxiv
13.7	12.7 Longevity Requirements	xxxiv

14	13 Operational and Environmental Requirements	xxxiv
14.1	13.1 Expected Physical Environment	xxxiv
14.2	13.2 Wider Environment Requirements	xxxv
14.3	13.3 Requirements for Interfacing with Adjacent Systems . . .	xxxv
14.4	13.4 Productization Requirements	xxxvi
14.5	13.5 Release Requirements	xxxvi
15	14 Maintainability and Support Requirements	xxxvii
15.1	14.1 Maintenance Requirements	xxxvii
15.2	14.2 Supportability Requirements	xxxvii
15.3	14.3 Adaptability Requirements	xxxvii
16	15 Security Requirements	xxxviii
16.1	15.1 Access Requirements	xxxviii
16.2	15.2 Integrity Requirements	xxxix
16.3	15.3 Privacy Requirements	xxxix
16.4	15.4 Audit Requirements	xl
16.5	15.5 Immunity Requirements	xl
17	16 Cultural Requirements	xli
17.1	16.1 Cultural Requirements	xli
18	17 Compliance Requirements	xli
18.1	17.1 Legal Requirements	xli
18.2	17.2 Standards Compliance Requirements	xli
19	Compliance Requirements	xlii
19.1	Legal Requirements	xlii
19.2	Standards Compliance Requirements	xlii
20	Traceability from Requirements to Use Cases	xlii
21	Open Issues	xliv
22	Off-the-Shelf Solutions	xliv
22.1	Ready-Made Products	xliv
22.2	Reusable Components	xliv
22.3	Products That Can Be Copied	xliv

23 New Problems	xlv
23.1 Effects on the Current Environment	xlv
23.2 Effects on the Installed Systems	xlv
23.3 Potential User Problems	xlvi
23.4 Limitations in the Anticipated Implementation Environment That May Inhibit the New Product	xlvii
23.5 Follow-Up Problems	xlvii
24 Tasks	xlvii
24.1 Project Planning	xlvii
24.2 Planning of the Development Phases	xlviii
25 Migration to the New Product	xlix
25.1 Requirements for Migration to the New Product	xlix
25.2 Data That Has to be Modified or Translated for the New System	xlix
26 Costs	xlix
26.1 Metrics for Estimation	xlix
26.2 Estimation Approach	l
26.3 Cost Breakdown	l
27 User Documentation and Training	li
27.1 User Documentation Requirements	li
27.2 Training Requirements	li
28 Waiting Room	li
29 Ideas for Solution	li

Revision History

Date	Version	Notes
Date 1	1.0	Notes
Date 2	1.1	Notes

Introduction

The software requirements specification (SRS) document describes the functional and non-functional requirements, scope and functionality of the application. It formally outlines key measures relevant to all the different stages of the software development lifecycle. This document is constructed using the Volere Software Requirements Specification template [[Robertson and Robertson, 2012](#)].

1 Purpose of the Project

1.1 User Business

According to the Global Burden of Diseases, Injuries and Risk Factors study performed in 2019, individuals that would benefit from physical rehabilitation at least once in their lifetime is upwards of 2.41 billion globally [[Cieza et al., 2021](#)]. Those with access to a physiotherapist experienced a disconnect with performing a required movement with proper range of motion (ROM) and correct form [[Faber et al., 2015](#)]. While a physiotherapist can advise these individuals during their assessments and proceeding follow-up appointments, the efficacy of rehabilitation depends heavily on the individual's correct performance of the exercise. In turn, this creates a need for a tool that can ensure users correctly perform the exercise without supervision. This project aims to develop a tool that can provide feedback and corrections for the prescribed physical rehabilitation exercise.

1.2 Goals of the Project

Insert your content here.

2 Naming Conventions and Terminology

Insert your content here.

3 Stakeholders

The stakeholders for this project are parties with a vested interest in the end product. They will be consulted on their requirements and opinions throughout the development process. Their impact will be foundational for correctness of the product. This section outlines the various types and levels of stakeholders, the personas, user participation (towards application development) and any users that will be responsible for the product's maintenance.

3.1 Client

There are two categories of clients that are the target audience for this product. The first category of end users is the patients. The application is being designed for patients who are undergoing physiotherapy treatment and have been given a home exercise program to aid in their rehabilitation. For the purpose of this system, the exercise and the joint selected was recommended by one of our stakeholders. The knee and a straight leg raise were chosen.

The second category of the clients are the physiotherapists who are treating the users on the application. It will integrate the physiotherapist's patient list and their corresponding performance statistics. The application allows physiotherapists to gain insight into how their patients' are progressing. Furthermore, it will enable the assessment of the suitability of the prescribed exercise, as well as gauging whether any additional modifications are required (number of repetitions, degree of complexity etc.).

3.2 Customer

The application is being developed for a Canadian market with its governing standards and regulations in mind. Although this version of the application does not have any customers, it can prospectively be purchased by any healthcare provider and be incorporated into their patient care structure.

3.3 Other Stakeholders

The primary and secondary stakeholders are described above (clients and customers).

Other stakeholders may include regulatory authorities or other healthcare specialists, such as physiatrists or massage therapists. The regulatory

authorities will be allowed access to conduct audits and ensure that any disclosed patient information is being handled in an ethical manner. In addition, they will verify the accuracy and quality of care being delivered. Other healthcare providers may benefit from any insights or information that is being provided, which may be used to tailor their own care of the patient. Lastly, support workers may use this application to assist their clients with their home exercises.

3.4 Hands-On Users of the Project

Patients

User role: Record corresponding exercise for application to analyze, adjust exercise form based on application feedback and correction, gain insight from performance metrics provided by the application.

Subject matter experience: Aware of how to perform exercise using the instructions provided by the physiotherapist (eg. a worksheet detailing the steps required for the exercise).

Technological experience: Know how to operate the smart device and use its camera to record their performance of the exercise.

Attitude towards technology: Open to learning if needed.

Physical abilities/disabilities: Able to use a smart device and/or perform the prescribed exercise.

Physiotherapists

User role: Access patient statistics to assess suitability of exercise, difficulty and whether the prescribed exercise is effective.

Subject matter experience: Formal education on the topic and have knowledge of general and post operative care.

Technological experience: Able to effectively use the various functionalities of the application.

Attitude towards technology: Varied.

Education: Officially licensed.

3.5 Personas

Name: Scotty Fye

Age: 72

Occupation: Retired (Former teacher)

Location: Toronto, Canada
Status: Married, with children

“I had knee surgery a few weeks ago because my knee pain was unbearable. As suggested by my doctor, I had knee replacement surgery. Now, I am following some prescribed exercises but I’m worried that I am doing them wrong and possibly slowing down recovery. On top of that, I have a vacation with my family and want to be the ‘fun grandpa’”.

- Goals:
 - To gain mobility and strength in his knee for an upcoming vacation and keep up with his active grandchildren.
 - He wants to understand how to both manage pain and recover well.
 - See how he is performing on a weekly basis.
 - Have guidance for performing these exercises alone to ensure he is performing exercises correctly.
- Fear:
 - Worried about doing something wrong which might cause pain and hinder his recovery.
 - Prescribed exercises are manageable but is unsure if he should push through discomfort.
 - “Should I push through stiffness or should I stop?”
 - “Am I bending my knee enough? Not enough?”

Name: Maya Thompson
Age: 21
Occupation: Student
Location: Hamilton, Ontario

“I was in a car accident which shattered my knee. I had to get a full knee replacement in order to continue walking. I was recently discharged from a rehabilitation facility where I started learning how to use my knee and walk again. My physiotherapist enrolled me as their patient on this application to keep up to date on my progress towards recovery.”

- Goal:
 - To gain sufficient use of her knee to walk and perform activities of daily living.
 - To monitor her own progress and use it as a motivating factor for pushing herself.
 - To gain enough strength in her muscles without having to further exacerbate her pain.
- Fear:
 - Her muscles need to relearn how to function and she is afraid if she performs an exercise incorrectly, the incorrect muscles will learn to compensate during the movement.
 - ‘Am I using the correct muscles? Is this the muscle that I need to consciously activate?’
 - Her pain might be aggravated to an intolerable degree.
 - ‘What if my pain does not start out as much but becomes unbearable because I did not perform the exercise correctly?’

3.6 Priorities Assigned to Users

Key users: Patients undergoing post operative physiotherapy have highest priority in the system, physiotherapists using the system to check-in and comment on patient exercises have similar priority.

3.7 User Participation

Users (Patients)

- User creates an account and set up their profile and may sign into this account with valid credentials.
- User requests analytical information based on their past exercise inputs and results.
- User receives live form recommendations from the system by providing a video-feed of themselves performing the selected activity.
- User requests an overview of their exercise after successfully completing a video-feed upload, or looks back at old overviews.
- User creates comments on their own exercise overviews to keep personal notes and information regarding exercise session.
- User receives comments from the physiotherapist account linked to theirs.

Users (Physiotherapists)

- User creates an account and sets up their profile, and may sign into this account with valid credentials.
- User requests a list of all patient accounts connected to their account.
- User receives overviews of patient's exercises to confirm exercise completion and progress on recovery.
- User creates comments on patient's exercise overviews to assist the patient with exercise performance, and/or to provide modifications.

3.8 Maintenance Users and Service Technicians

Maintenance and service on the system will be performed by the current development team. Maintenance and service should be minimized with a thorough test suite to ensure all functionalities of the system are operational upon any changes or updates.

4 Mandated Constraints

4.1 Solution Constraints

Insert your content here.

4.2 Implementation Environment of the Current System

Insert your content here.

4.3 Partner or Collaborative Applications

Insert your content here.

4.4 Off-the-Shelf Software

Insert your content here.

4.5 Anticipated Workplace Environment

Insert your content here.

4.6 Schedule Constraints

Insert your content here.

4.7 Budget Constraints

Insert your content here.

4.8 Enterprise Constraints

Insert your content here.

5 Naming Conventions and Terminology

5.1 Glossary of All Terms, Including Acronyms, Used by Stakeholders involved in the Project

Insert your content here.

6 Relevant Facts And Assumptions

6.1 Relevant Facts

Relevant facts for this project are that about a third of patients needing physiotherapy can have improved efficacy due to their exertion and form factors. This leads to slower recovery or future injury later down the line. In some instances, this can lead to a permanent decrease in an affected joint's range of motion and strength. Additionally, there is a gap from initially being prescribed the exercise and the accountability from doing exercises on the patients own time.

The primary target of this system is for patients of physiotherapists and physiotherapists.

6.2 Business Rules

Some business rules relevant to include that there will be a distinct user interface for general users of the application and a different user interface for physiotherapists. A patient must be directed to use the application from the physiotherapist and will have exercises assigned to them on the system. Similarly, a physiotherapist can view and manage their patients but cannot access other patients outside their care.

A prescribed exercise chosen from the physiotherapist can have certain parameters and limitations, for example: sets, reps, frequency, etc. As well, the patient will be prompted after an exercise to give their perceived exertion as a result of the exercise from a scale of 1-10.

Furthermore, any data will not be shared without any explicit consent and stored securely.

6.3 Assumptions

Insert your content here.

7 The Scope of the Work

7.1 The Current Situation

Insert your content here.

7.2 The Context of the Work

Insert your content here.

7.3 Work Partitioning

Insert your content here.

7.4 Specifying a Business Use Case (BUC)

Insert your content here.

8 Business Data Model and Data Dictionary

8.1 Business Data Model

Insert your content here.

8.2 Data Dictionary

Insert your content here.

9 The Scope of the Product

9.1 Product Boundary

Insert your content here.

9.2 Product Use Case Table

Insert your content here.

9.3 Individual Product Use Cases (PUC's)

Insert your content here.

10 9 Functional Requirements

FR 1. The system shall require returning users to log in with unique credentials before accessing any exercise or dashboard features.

Rationale: Authentication ensures that patient data remains private and that exercise programs are accessed only by the intended individual, maintaining accountability for treatment compliance.

Fit Criterion: The system prevents access to any exercise or dashboard features without successful authentication. Unauthorized access attempts are rejected 100% of the time.

FR 1.1 The system shall require a new user to create an account with unique credentials as the appropriate user role (Physiotherapist or Patient) and complete all the required fields to verify account creation.

Rationale: Role-based account creation ensures that users are granted appropriate access permissions from the outset, preventing unauthorized access to certain features. Requiring all fields to be completed ensures that essential information needed for system functionality and regulatory compliance is collected during registration, reducing incomplete profiles and data quality issues.

Fit Criterion: The system rejects account creation attempts with missing required fields or duplicate credentials. All new accounts are successfully assigned to the correct user

role (PT or Patient) with appropriate permissions activated upon creation.

FR 1.2

The system shall require a physiotherapist user to provide a PT license from their provincial regulatory body, a government ID, registration number/client ID, and location and ID of their practicing clinic in order to join the clinic's organization on the app.

Rationale: Verifying PT credentials through provincial regulatory body information ensures that only licensed, qualified healthcare professionals can provide clinical services through the system. This protects patient safety, maintains professional standards, ensures regulatory compliance, and reduces liability by preventing unauthorized individuals from accessing patient data or prescribing treatment. Linking PTs to specific clinics enables proper organizational management and accountability.

Fit Criterion: The system requires all four credential fields (PT license, government ID, registration number, clinic location/ID) to be completed before allowing PT access. Incomplete credential submissions are rejected, and PTs without verified credentials cannot access patient data or clinical features.

FR 1.3

The system shall require a user to enter a unique code provided by their Physiotherapist in order to join the correct organization and interact with their PT through the system.

Rationale: A unique access code creates a secure connection between patients and their specific physiotherapist within the correct clinic organization. This prevents patients from accidentally joining the wrong organization or connecting with an incorrect PT, ensures proper care continuity, and maintains organizational boundaries. The code-based approach provides a simple yet effective authentication method that doesn't require complex user verification processes while maintaining security.

Fit Criterion: Patients cannot join an organization without entering a valid unique code. Invalid or expired codes are rejected 100% of the time. Each code successfully links the patient to exactly one PT and one organization.

FR 2.

The system shall allow a physiotherapist user (PT) to create, initialize, and manage patient accounts, including assigning patients a code to join their own organization.

Rationale: Physiotherapists are licensed medical professionals responsible for patient care and must maintain control over who accesses the system to ensure proper supervision and treatment oversight.

Fit Criterion: PTs can successfully create patient accounts, generate unique access codes, and perform account management functions (edit, disable, reset) for all patients under their care. All PT-initiated account actions are logged and executed without errors.

FR 3.

The system shall restrict patients from joining a clinic's organization independently; all accounts must be authorized by a physiotherapist.

Rationale: This prevents unauthorized access to medical treatment tools and ensures that only patients under active care can use the system, maintaining professional oversight and reducing liability.

Fit Criterion: Patient attempts to join an organization without PT authorization (valid unique code) are rejected 100% of the time. All active patient accounts can be traced back to a PT-initiated authorization.

FR 4.

The system shall allow physiotherapists to reset or disable patient accounts if misuse or inactivity is detected.

Rationale: Account management capabilities enable PTs to respond to security concerns, terminate care when treatment is complete, and maintain system integrity.

Fit Criterion: PTs can successfully reset passwords and disable patient accounts within 60 seconds. Disabled ac-

counts immediately lose access to all system features. All reset and disable actions are logged with timestamps and PT identifiers.

FR 5. The system shall provide patients with guided exercise instructions for the knee joint (first iteration).

Rationale: Focusing on knee joint exercises for the initial release allows the development team to create a robust, well-tested foundation before expanding to other joint types, reducing complexity and time-to-market.

Fit Criterion: The system includes a complete library of at least 10 common knee rehabilitation exercises with step-by-step instructions, demonstration videos or images, and proper form guidelines. Instructions are accessible to all authorized patients.

FR 6. The system shall allow physiotherapists to assign, customize, and update prescribed exercises (e.g., number of sets, reps, rest time).

Rationale: Each patient has unique needs and progress rates. Customization enables PTs to tailor treatment plans to individual capabilities, injuries, and recovery stages for optimal therapeutic outcomes.

Fit Criterion: PTs can modify at least three parameters (sets, reps, rest time) for any assigned exercise. Changes are saved and immediately reflected in the patient's exercise program. The system tracks all modifications with timestamps.

FR 7. The system shall allow patients to record their exercise attempts through video capture.

Rationale: Video recording provides objective documentation of patient performance, enabling both real-time computer vision analysis and later review by physiotherapists for comprehensive assessment.

Fit Criterion: Patients can successfully initiate and complete video recording of exercise attempts using their device

camera. Videos are captured at minimum 720p resolution and 30fps, and are stored for PT review.

- FR 8.** The system shall support retry attempts if the patient's form does not meet alignment requirements.

Rationale: Allowing retries encourages patients to achieve correct form, which is essential for injury prevention, therapeutic effectiveness, and building proper movement patterns.

Fit Criterion: When form deviations are detected, the system prompts the patient to retry and allows unlimited retry attempts until correct form is achieved or the patient chooses to stop. Each retry attempt is recorded separately.

- FR 9.** The system shall prompt the user to provide feedback on the level of difficulty of the exercise, effectiveness, and the patient's satisfaction with the given exercise.

Rationale: Patient feedback provides valuable qualitative data that complements quantitative performance metrics, helping PTs adjust treatment plans based on patient experience and perceived progress.

Fit Criterion: After each exercise session, the system prompts patients to rate difficulty, effectiveness, and satisfaction on a defined scale (e.g., 1–5 or 1–10). Feedback is captured and stored with the exercise session data. The system prevents session completion until feedback is provided or explicitly skipped.

- FR 10.** The system shall provide patients with an overview of completed and pending exercises, including suggested progressions.

Rationale: Progress visibility motivates patients, helps them understand their treatment trajectory, and promotes adherence by showing accomplishments and next steps.

Fit Criterion: The patient dashboard displays a complete list of assigned exercises showing completion status, com-

pletion dates, and suggested next exercises. The overview updates in real-time as exercises are completed.

FR 11.

The system shall capture exercise metadata such as frequency, duration, number of repetitions, rest periods, and pain scores.

Rationale: Comprehensive metadata enables PTs to track adherence, identify patterns, assess progress objectively, and make data-driven decisions about treatment modifications.

Fit Criterion: For each exercise session, the system automatically captures and stores at least five metadata fields (frequency, duration, repetitions, rest periods, pain scores). All metadata is timestamped and associated with the correct patient and exercise.

FR 12.

The system shall analyze captured video streams using computer vision to compute biomechanical features (e.g., joint angle, range of motion, time-under-tension).

Rationale: Automated biomechanical analysis provides objective, quantitative measurements that would be difficult or impossible to obtain manually, enabling precise assessment of exercise execution quality.

Fit Criterion: The system successfully computes at least three biomechanical measurements (joint angle, range of motion) from video with $\pm 5^\circ$ accuracy for angles and $\pm 10\%$ accuracy for time measurements when compared to manual expert assessment.

FR 13.

The system shall compare patient performance against reference exercise models to verify correctness of form.

Rationale: Comparing against validated reference models ensures that the system's feedback is based on established therapeutic standards and best practices for each exercise type.

Fit Criterion: The system compares patient performance metrics against stored reference models and generates a

form correctness score or pass/fail determination for each exercise attempt. Comparison results are provided to both patient and PT.

FR 14.

The system shall provide corrective feedback highlighting deviations (e.g., insufficient bend, poor alignment, incorrect tempo).

Rationale: Specific, actionable feedback helps patients understand and correct mistakes in real-time, improving exercise quality and reducing the risk of injury or ineffective treatment.

Fit Criterion: When form deviations are detected, the system provides specific feedback identifying the type of deviation (e.g., “insufficient knee bend,” “poor hip alignment”) within 1 second of detection. Feedback includes both visual and audible cues.

FR 15.

The system shall allow patients to review recorded exercise attempts before submission.

Rationale: Self-review empowers patients to evaluate their own performance, promotes self-awareness of movement quality, and allows them to decide whether to retry before submitting to their PT.

Fit Criterion: Patients can replay their recorded exercise video immediately after completion and before submission. The review interface includes playback controls (play, pause, rewind) and displays form analysis results alongside the video.

FR 16.

The system shall prompt patients to retry until correct alignment is achieved.

Rationale: Persistent prompting ensures that patients develop correct movement patterns and don’t reinforce poor form, which is critical for therapeutic success and injury prevention.

Fit Criterion: After each failed attempt, the system displays a retry prompt with specific guidance on what to

correct. The system continues prompting until the patient achieves passing form or manually chooses to end the session.

FR 17. The system shall generate session-based and daily progress reports for physiotherapists.

Rationale: Regular automated reports enable PTs to efficiently monitor multiple patients, identify trends, and intervene quickly when issues arise without manually reviewing all exercise attempts.

Fit Criterion: The system automatically generates reports after each session and compiles daily summaries by end of day. Reports include completion rates, form scores, pain levels, and patient feedback. PTs can access reports within 5 seconds of generation.

FR 18. The system shall provide physiotherapists with dashboards listing patients, their progress, and flagged cases.

Rationale: Centralized dashboards allow PTs to prioritize their attention, quickly identify patients who need intervention, and manage their caseload efficiently.

Fit Criterion: The PT dashboard displays all patients in the PT's caseload with summary statistics (adherence rate, average form score, days since last session). Cases requiring attention are visually flagged and sortable. Dashboard loads within 2 seconds.

FR 19. The system shall allow physiotherapists to leave feedback on patient submissions.

Rationale: Direct PT feedback provides personalized guidance, reinforces correct behavior, addresses specific concerns, and maintains the therapeutic relationship in a remote care setting.

Fit Criterion: PTs can view any patient submission and add text or voice feedback. Feedback is immediately visible to the patient and timestamped. The system supports

feedback of at least 500 characters or 2 minutes of voice recording.

FR 20. The system shall alert physiotherapists if a patient repeatedly fails to complete exercises correctly.

Rationale: Automatic alerts ensure that PTs are notified of potential issues requiring intervention, preventing patients from continuing ineffective or potentially harmful exercise patterns.

Fit Criterion: The system generates an alert to the PT when a patient fails the same exercise 3 consecutive times or fails to achieve passing form in 5 attempts across any exercises within a 7-day period. Alerts appear prominently on the PT dashboard.

FR 21. The system shall securely store all patient data, including personal details, medical history, and exercise logs.

Rationale: Comprehensive data storage is necessary for continuity of care, legal documentation, treatment planning, and compliance with medical record-keeping requirements.

Fit Criterion: All patient data (personal information, medical history, exercise logs, videos) is stored in the database with no data loss. Data retrieval succeeds 99.9% of the time. Storage implements encryption at rest and backup procedures.

FR 22. The system shall allow physiotherapists to update and manage patient records.

Rationale: PTs need the ability to maintain accurate, up-to-date records as patient conditions change, treatments progress, and new information becomes available.

Fit Criterion: PTs can successfully edit patient information fields, add medical history notes, and update treatment plans. All changes are saved with timestamps and version history. Updates are reflected immediately in the patient record.

- FR 23.** The system shall restrict patients to accessing only their own data.
- Rationale:* Data access restrictions protect patient privacy, comply with healthcare privacy regulations, and prevent unauthorized disclosure of sensitive medical information.
- Fit Criterion:* Patients can only view and interact with data associated with their own account. Attempts to access other patients' data through URL manipulation or other means are blocked 100% of the time.
- FR 24.** The system shall allow video storage (locally or database), ensuring compliance with data retention and privacy requirements.
- Rationale:* Video evidence is crucial for PT review and treatment decisions, but must be stored in compliance with healthcare regulations regarding retention periods and privacy protection.
- FR 25.** The system shall ensure video and performance data are available for PT review and decision-making.
- Rationale:* Timely access to performance data enables PTs to make informed clinical decisions, adjust treatment plans appropriately, and provide evidence-based care.
- Fit Criterion:* PTs can access patient videos and performance data within 5 seconds of request. Data availability is maintained at 99% uptime. Videos and data are synchronized and viewable within 1 minute of patient submission.
- FR 26.** The system shall support retry attempts if the patient's form has insufficient data.
- Rationale:* Insufficient data (due to occlusion, poor camera angle, or movement out of frame) prevents accurate form assessment and makes corrective feedback impossible. Allowing retries when data is incomplete gives patients another opportunity to capture usable video rather than submitting unusable attempts to their PT. This improves data quality, ensures that PTs receive meaningful performance

information, and prevents patients from being incorrectly flagged for poor form when the issue was actually technical rather than performance-based.

Fit Criterion: When video analysis detects insufficient data (e.g., patient out of frame, excessive occlusion), the system alerts the patient with a specific reason and prompts for retry. The system allows unlimited retries until sufficient data quality is achieved.

FR 27. The system shall allow for physiotherapists to input daily/weekly limitations on the metrics measured by the application.

Rationale: Patient recovery is progressive, and safe exercise parameters change over time based on healing, pain levels, and functional improvement. Allowing PTs to set temporal limitations (e.g., “no more than 3 sets per day this week” or “maintain knee flexion under 90 degrees for the next 5 days”) enables precise, time-bound treatment modifications that adapt to patient progress. This supports clinical best practices of gradual progression, helps prevent overexertion during vulnerable recovery phases, and gives PTs fine-grained control over treatment intensity.

Fit Criterion: PTs can set time-bound parameter limits (daily/weekly) for at least three metrics (sets, reps, range of motion thresholds). The system enforces these limits automatically, preventing patients from exceeding them. Limits can be modified or removed at any time by the PT.

11 10 Look and Feel Requirements

11.1 10.1 Appearance Requirements

LFR-AP 1. The system shall maintain consistent navigation and design across all interfaces.

Rationale: Consistency reduces cognitive load, minimizes learning time, and prevents user confusion when navigating between different features of the application.

Fit Criterion: All interfaces use the same navigation structure, color scheme, typography, and button styles. User testing confirms that 90% of users can navigate between features without assistance after a 5-minute introduction.

11.2 10.2 Style Requirements

LFR-ST 1. The system shall provide a user-friendly interface with clear instructions and visual cues.

Rationale: Many patients and some PTs may have limited technical expertise. A clear, intuitive interface ensures that the technology doesn't become a barrier to receiving or providing care.

Fit Criterion: User testing with participants of varying technical skill levels shows that 80% can complete common tasks (start exercise, view progress, leave feedback) without external help. All critical actions have visible instructions and visual indicators.

12 11 Usability and Humanity Requirements

12.1 11.1 Ease of Use Requirements

UHR-EOU 1.

The system shall be accessible to users with limited technical skills.

Rationale: The patient population includes individuals of all ages and technical abilities. The system must accommodate users who may not be comfortable with complex technology to ensure broad accessibility.

Fit Criterion: User testing with participants aged 18–75 with varying technical proficiency shows that 80% can complete basic tasks (login, start exercise, submit video) within 10 minutes without training.

UHR-EOU 2.

The system shall provide patients with real-time corrective feedback (audible/visual cues) while performing exercises.

Rationale: Immediate feedback during exercise execution allows patients to correct their form in real-time, maximizing therapeutic benefit and reducing the risk of injury from improper technique.

Fit Criterion: Corrective feedback (both audible prompts and visual indicators) is delivered within 1 second of detecting form deviation. Feedback is synchronized with patient movement throughout the exercise session.

UHR-EOU 3.

The system shall prompt the user at the start of video streaming if there are obstructions or low-light levels and give the user a chance to change their environment prior to analysis.

Rationale: Proactive environmental checks prevent wasted exercise sessions due to poor video quality. By alerting users to obstructions or lighting issues before they begin, the system helps ensure that computer vision analysis will be accurate and that corrective feedback will be meaningful. This improves user satisfaction by preventing frustration from having to repeat exercises due to technical issues rather than form problems, and it ensures the quality of data collected for PT review.

Fit Criterion: The system detects low-light conditions and obstructions before exercise begins. Detection occurs within 3 seconds of camera activation. Users receive clear prompts with suggestions for improvement.

UHR-EOU 4.

The system shall prompt the user if the application does not have access to the camera or if there is an alternative program that is using the camera.

Rationale: Camera access is fundamental to the system's functionality. Clear prompts help users quickly identify

and resolve permission issues or conflicts with other applications, preventing confusion and technical support calls. Many users may not understand why video capture isn't working without explicit notification. This guidance enables users to troubleshoot independently, reducing barriers to system use and improving the overall user experience.

Fit Criterion: When camera access is denied or the camera is in use by another application, the system displays a specific error message within 2 seconds explaining the issue and providing resolution steps. The prompt includes platform-specific instructions for granting camera permissions.

UHR-EOU 5.

The system shall provide a guideline overlay when setting up the smart device so they are in-frame of the view and correct orientation.

Rationale: Proper camera positioning and device orientation are critical for accurate computer vision analysis of exercise form. A visual guideline overlay (such as body outline or positioning markers) helps users set up their device correctly without trial and error. This reduces setup frustration, ensures consistent data quality across sessions, improves the accuracy of biomechanical analysis, and helps users understand the spatial requirements for effective system operation.

Fit Criterion: The system displays a visual overlay (body outline or frame markers) during setup. The overlay provides real-time feedback when the user is correctly positioned (green indicator) or needs adjustment (red/yellow indicator with directional guidance).

UHR-EOU 6.

The system shall provide an option to view the motion on an internal page on the application to help guide the motion during analysis.

Rationale: Real-time visual feedback showing patients their

own movement as the system analyzes it helps them understand what the computer vision system “sees” and make immediate adjustments. This self-awareness tool bridges the gap between feeling correct and actually performing correctly, particularly useful for proprioceptive deficits common after injury. Seeing themselves on screen helps patients correlate system feedback with their actual movement, improving form correction accuracy and building better movement patterns through visual-kinesthetic integration.

Fit Criterion: Patients can activate a live video feed view showing themselves during exercise execution. The view is available as an optional toggle on the exercise interface and updates in real-time throughout the session.

12.2 11.2 Personalization and Internationalization Requirements

N/A

12.3 11.3 Learning Requirements

UHR-LRN 1.

The system shall provide clear instructions for exercise execution and system navigation.

Rationale: Clear instructions reduce the learning curve, improve user confidence, ensure exercises are performed correctly, and minimize the need for external support.

Fit Criterion: Each exercise includes written instructions (maximum 8th-grade reading level) and visual demonstrations. Navigation instructions are available on first use.

12.4 11.4 Understandability and Politeness Requirements

UHR-UPL 1.

The system shall provide corrective feedback in a clear and

constructive manner.

Rationale: Constructive, respectful feedback maintains patient motivation and engagement. Harsh or confusing feedback could discourage patients from continuing their treatment program.

Fit Criterion: All feedback messages use positive, instructive language (e.g., “Try bending your knee a bit more” rather than “Wrong”).

12.5 11.5 Accessibility Requirements

UHR-AR 1. The system shall provide both visual and audible cues.

Rationale: The system providing different methods to indicate whether a patient is correctly performing exercises or not ensures accessibility to users who benefit in understanding the functionalities and instructions given by the application.

Fit Criterion: All critical feedback and instructions are available in both visual (on-screen text/graphics) and audible (spoken) formats.

13 12 Performance Requirements

13.1 12.1 Speed and Latency Requirements

PR-SL 1. The system shall load the exercise interface within 2 seconds under normal network conditions.

Rationale: Fast loading times prevent user frustration and abandonment. Patients are more likely to complete exercises when the system responds quickly, maintaining treatment adherence.

Fit Criterion: The exercise interface loads completely (all elements interactive) within 2 seconds on a standard connection.

PR-SL 2. The system shall process video feedback and deliver corrective cues within 1 second of detected motion.

Rationale: Real-time feedback requires minimal latency to be effective. Delayed feedback may occur after the patient has already moved to the next repetition, making corrections impossible to implement immediately.

Fit Criterion: From the moment a form deviation is detected in the video stream, corrective feedback (visual and audible) is delivered within 1 second in 95% of cases. Latency is measured from deviation occurrence to feedback display.

13.2 12.2 Safety-Critical Requirements

PR-SCR 1. The system shall not allow patients to proceed with exercises if critical form violations are detected that could result in injury.

Rationale: Preventing exercise execution when dangerous form is detected protects patients from potential injury, particularly when performing unsupervised exercises at home. This overrides the general principle of allowing retries to prioritize immediate safety.

Fit Criterion: When critical form violations (defined as deviations $> 30^\circ$ from safe range or joint stress indicators) are detected, the system immediately halts the exercise with a warning message. The system prevents continuation until the violation is corrected.

13.3 12.3 Precision or Accuracy Requirements

PR-PAR 1. The system shall accurately compute biomechanical features (e.g., joint angle, range of motion) with sufficient precision to detect form deviations.

Rationale: Accurate measurements are essential for providing valid feedback and tracking progress. Inaccurate

measurements could lead to inappropriate corrections or missed therapeutic opportunities.

Fit Criterion: Joint angle measurements are accurate within $\pm 5^\circ$ compared to manual goniometer measurements by a trained physiotherapist. Range of motion calculations are within $\pm 10\%$ of expert assessment in 90% of test cases.

- PR-PAR 2.** The system shall compare patient performance against reference exercise models with sufficient accuracy to verify correctness of form.
- Rationale:* Form verification accuracy directly impacts therapeutic effectiveness and patient safety. False positives or negatives could reinforce poor form or discourage correct performance.
- Fit Criterion:* Form verification achieves minimum 85% accuracy (correctly identifies both correct and incorrect form) when compared to expert PT assessment. False positive rate is below 10%, and false negative rate is below 15%.

13.4 12.4 Robustness or Fault-Tolerance Requirements

- PR-RFT 1.** The system shall recover from unexpected failures within 5 minutes.
- Rationale:* Quick recovery minimizes disruption to patient exercise sessions and prevents data loss. Extended downtime could cause patients to miss treatment windows or lose confidence in the system.
- Fit Criterion:* System recovery from crashes or errors completes within 5 minutes, with all patient data preserved. Recovery success rate is 95%. Users can resume their session without re-entering data or repeating completed exercises.
- PR-RFT 2.** The system shall queue and re-attempt submissions if internet connectivity fails during video upload.
- Rationale:* Home internet connections may be unreliable. Automatic retry mechanisms ensure that patient work is

not lost and PTs receive all performance data despite temporary connectivity issues.

Fit Criterion: Failed uploads are automatically queued locally and retry every 30 seconds until successful.

- PR-RFT 3.** The system shall maintain an uptime of at least 99% during operational hours.

Rationale: High availability ensures that patients can access their treatment programs when scheduled. Frequent downtime could disrupt treatment adherence and patient outcomes.

- PR-RFT 4.** The system shall monitor the smart device's battery life and prompt the user if it falls below a certain threshold to charge the device.

Rationale: Exercise sessions interrupted by device power loss result in lost data, incomplete PT records, and user frustration. Proactive battery monitoring allows users to charge their device or complete a shorter session before power runs out. This is particularly important for video recording and analysis, which can drain the battery quickly. Preventing mid-session failures improves data completeness, user experience, and treatment adherence by ensuring sessions can be completed successfully.

13.5 12.5 Capacity Requirements

- PR-CR 1.** The system shall support at least 100 concurrent users without degradation in performance.

Rationale: High availability ensures that patients can access their treatment programs when scheduled. Frequent downtime could disrupt treatment adherence and patient outcomes.

Fit Criterion: Load testing confirms the system supports 100 simultaneous active sessions with response times remaining within specified limits (2-second interface load, 1-

second feedback delivery). No crashes or errors occur under maximum load conditions.

13.6 12.6 Scalability or Extensibility Requirements

PR-SER 1. The system architecture shall support future expansion to additional joint types beyond the knee.

Rationale: Starting with knee exercises but planning for expansion ensures the system can grow to serve broader treatment needs without requiring complete architectural redesign.

Fit Criterion: System architecture uses modular, joint-agnostic design patterns. Adding a new joint type (e.g., shoulder, ankle) requires only new exercise definitions and reference models, not core system changes.

13.7 12.7 Longevity Requirements

N/A

Reason: Longevity requirements have been addressed in the previous iteration and are now covered under requirements 12.7.1 and 12.7.2, which specify a minimum 5-year operational lifespan and the use of widely-supported, non-proprietary technologies. No additional longevity requirements are necessary at this stage of the project.

14 13 Operational and Environmental Requirements

14.1 13.1 Expected Physical Environment

OER-EP 1. The system shall function in typical home and clinical environments where patients perform physiotherapy exercises.

Rationale: Patients will use the system in diverse settings with varying lighting, space constraints, and background conditions. The system must be robust enough to function reliably in non-laboratory environments.

Fit Criterion: Computer vision analysis functions accurately in lighting conditions from 200–1000 lux, with backgrounds containing typical home elements (furniture, walls, patterns). Testing in 5 diverse home environments shows successful exercise capture and analysis in 90% of cases.

14.2 13.2 Wider Environment Requirements

OER-WE 1. The system shall be compatible with major operating systems (Windows, iOS, Android).

Rationale: Patients and PTs use diverse devices and operating systems. Cross-platform compatibility ensures maximum accessibility and prevents the system from excluding users based on their device choices.

Fit Criterion: The system installs and runs without errors on Windows 10+, iOS 14+, and Android 10+. All core features function identically across platforms. Cross-platform testing shows 95% feature parity.

OER-WE 2. The system shall adapt to both mobile and desktop screen resolutions.

Rationale: Users may prefer different devices based on context (e.g., mobile for exercises, desktop for PT review). Responsive design ensures usability across all common screen sizes.

Fit Criterion: The interface adapts to screen sizes from 5-inch mobile devices to 27-inch desktop monitors. All interface elements remain accessible and readable. No horizontal scrolling is required. Testing on 10 different screen sizes shows full functionality on all devices.

14.3 13.3 Requirements for Interfacing with Adjacent Systems

N/A

Reason: Interface requirements have been addressed in the previous iteration and are now covered under requirements 13.3.1 and 13.3.2, which specify

API integration capabilities for EMR systems and standardized data export formats. The first iteration of the system focuses on core functionality as a standalone application.

14.4 13.4 Productization Requirements

- OER-PR 1.** The system shall include comprehensive user documentation for both patients and physiotherapists, including setup guides, troubleshooting instructions, and feature explanations.

Rationale: Thorough documentation reduces support burden, enables self-service problem resolution, facilitates user onboarding, and increases user confidence in the system. This is essential for product adoption in clinical settings.

Fit Criterion: Documentation includes setup guides, troubleshooting FAQ (minimum 15 common issues), and feature explanations for all major functions. Documentation is available in-app and as downloadable PDFs. User testing shows 80% can resolve common issues using documentation alone.

14.5 13.5 Release Requirements

- OER-RL 1.** The system shall follow a phased release approach, beginning with knee joint exercises before expanding to additional joint types.

Rationale: Phased releases allow the development team to validate the core platform with a focused feature set, gather real-world user feedback, identify and resolve issues in a controlled scope, and demonstrate value before expanding functionality. This reduces risk and enables iterative improvement.

- OER-RL 2.** The system shall test the connectivity to external libraries and database connectivity prior to release.

Rationale: Pre-release connectivity testing ensures that all external dependencies (libraries, databases) are properly

configured and functional before the system reaches end users. This prevents deployment failures, reduces post-release bugs, and ensures that critical functionality is available from day one. Testing connectivity in the release process catches integration issues early when they are less costly and disruptive to fix.

15 14 Maintainability and Support Requirements

15.1 14.1 Maintenance Requirements

MS-MNT 1. The system shall automatically back up patient data once every 24 hours.

Rationale: Regular backups protect against data loss from hardware failures, software bugs, or security incidents. Daily backups balance data protection with system resource usage.

15.2 14.2 Supportability Requirements

N/A

15.3 14.3 Adaptability Requirements

MS-AD 1. The system shall support both online and limited offline modes, caching exercise instructions for use without internet.

Rationale: Internet connectivity may be temporarily unavailable in some home environments. Offline capability with cached instructions ensures patients can continue exercises and sync data when connectivity is restored.

Fit Criterion: Exercise instructions, demonstration videos, and patient's current exercise plan are cached locally and

accessible without internet connection. Cached content updates automatically when online. Users can view current exercises and instructions when offline.

16 15 Security Requirements

16.1 15.1 Access Requirements

SR-AR 1. The system shall enforce secure login using unique credentials for each user.

Rationale: Unique credentials ensure accountability, enable proper access control, and comply with healthcare privacy regulations requiring authenticated access to patient information.

Fit Criterion: Each user account has unique credentials (username/email + password). Duplicate credentials are rejected. Authentication succeeds only with valid credentials. All access to patient data requires an authenticated session with appropriate role permissions.

SR-AR 2. The system shall enforce password rules (e.g., minimum length, complexity) and validate them before account creation.

Rationale: Strong password requirements protect against unauthorized access through brute force or dictionary attacks, safeguarding sensitive patient health information.

SR-AR 3. The system shall automatically log out users after 60 minutes of inactivity.

Rationale: Automatic logout prevents unauthorized access if a user leaves their device unattended, protecting patient privacy particularly in shared home or clinical environments.

SR-AR 4. The system shall enforce a 2FA when creating an account and logging in. The system will ensure 2FA through the email address of the user stored on the database.

Rationale: Two-factor authentication (2FA) adds an additional layer of security beyond passwords, significantly reducing the risk of unauthorized account access from compromised credentials. Using email-based 2FA provides a balance between security and usability, as most users have ready access to email on separate devices. This is especially critical for protecting sensitive patient health information and ensuring compliance with healthcare data protection regulations.

SR3. The system shall include an option to reset the password if too many (5) attempts are made with incorrect login.

Rationale: Limiting login attempts to five protects accounts from brute force attacks where attackers systematically try multiple password combinations. Offering a password reset option after failed attempts balances security with user convenience, allowing legitimate users who have forgotten their password to regain access without being permanently locked out. This threshold is high enough to accommodate normal user errors but low enough to deter automated attacks.

16.2 15.2 Integrity Requirements

SR-IR 1. The system shall encrypt all sensitive patient data at rest and in transit.

Rationale: Encryption protects patient privacy and complies with healthcare data protection regulations. It prevents unauthorized access even if data is intercepted or storage media is compromised.

16.3 15.3 Privacy Requirements

SR-PR 1. The system shall restrict patients to accessing only their own data.

Rationale: Privacy restrictions prevent patients from viewing others' medical information, complying with healthcare

privacy laws and maintaining trust in the system's data protection capabilities.

SR-PR 2. The system shall ensure video and performance data storage complies with data retention and privacy requirements.

Rationale: Healthcare regulations mandate specific retention periods and privacy protections for medical records. Compliance prevents legal liability and protects patient rights.

16.4 15.4 Audit Requirements

N/A

Reason: While audit trails are best practice for healthcare systems, explicit audit requirements are not mandated for the first iteration of this application. The system's access controls (Section 15.1), data integrity measures (Section 15.2), and privacy restrictions (Section 15.3) provide adequate security for the initial release. Comprehensive audit logging capabilities (tracking who accessed what data and when) will be considered for future iterations based on regulatory guidance, clinic feedback, and compliance requirements that emerge during pilot deployment.

16.5 15.5 Immunity Requirements

N/A

Reason: Immunity requirements (protection against specific types of attacks such as SQL injection, cross-site scripting, or denial-of-service attacks) are implicitly addressed through requirement 17.2.4, which mandates compliance with OWASP Top 10 security best practices. Rather than listing specific attack vectors as separate requirements, the system's security posture is comprehensively covered through adherence to industry-standard security frameworks and the security requirements outlined in Section 15.1 (Access), 15.2 (Integrity), and 15.3 (Privacy).

17 16 Cultural Requirements

17.1 16.1 Cultural Requirements

N/A

Reason: The first iteration of the system is being developed for deployment within Canada, specifically targeting English-speaking physiotherapy clinics and patients. The system uses standard physiotherapy terminology and neutral instructional language that does not contain culturally-specific references, idioms, or imagery that would require cultural adaptation. Cultural and internationalization requirements will be assessed when expanding to multicultural user bases, non-English speaking populations, or international markets in future releases.

18 17 Compliance Requirements

18.1 17.1 Legal Requirements

N/A

Reason: Legal compliance requirements have been addressed in the previous iteration and are now covered under requirements 17.1.1 through 17.1.4, which specify compliance with PIPEDA, provincial health information acts, AODA/WCAG accessibility standards, patient consent legislation, and telemedicine regulations. These requirements comprehensively address the legal obligations for a healthcare application operating in the Canadian context.

18.2 17.2 Standards Compliance Requirements

N/A

Reason: The system will follow industry best practices and security standards as they apply to the implementation, but specific standards compliance certifications (such as ISO 27001, HL7 FHIR, or SOC 2) are not required for the initial release targeting small to medium physiotherapy clinics. Compliance with accessibility standards (WCAG) is addressed under legal requirements (AODA compliance in 17.1.2). Additional standards compliance requirements will be evaluated based on market demands and enterprise client needs in future iterations.

19 Compliance Requirements

19.1 Legal Requirements

19.2 Standards Compliance Requirements

20 Traceability from Requirements to Use Cases

This section maps each of the requirements to one or more of the use cases listed and defined above in previous sections.

Table 1: Traceability from Requirements to Use Cases

Requirement	Use Case(s)
FR1	PUC3, PUC10
FR2	PUC1
FR3	PUC3
FR4	PUC10
FR5	PUC8
FR6	PUC10
FR7	PUC5
FR8	PUC7
FR9	PUC9
FR10	PUC4, PUC8
FR11	PUC11
FR12	PUC11
FR13	PUC11, PUC12
FR14	PUC6
FR15	PUC7
FR16	PUC7
FR17	PUC8, PUC10
FR18	PUC10
FR19	PUC9
FR20	PUC10
FR21	PUC13
FR22	PUC10, PUC13

Continued on next page

Table 1 – continued from previous page

Requirement	Use Case(s)
FR23	PUC1, PUC13
FR24	PUC13
FR25	PUC8, PUC10
LFR-AP1	All PUCs
LFR-ST1	PUC4, PUC6, PUC8
UHR-EOU1	All PUCs
UHR-EOU2	PUC6
UHR-LRN1	PUC5, PUC8
UHR-UPL1	PUC6
UHR-AR1	PUC5, PUC6, PUC7
PR-SL1	PUC5
PR-SL2	PUC6
PR-SCR1	PUC6, PUC7
PR-PAR1	PUC11
PR-PAR2	PUC11, PUC12
PR-RFT1	PUC5
PR-RFT2	PUC5
PR-RFT3	All PUCs
PR-CR1	All PUCs
PR-SER1	PUC11, PUC12
OER-EP1	PUC5, PUC11
OER-WE1	All PUCs
OER-WE2	All PUCs
OER-PR1	PUC1, PUC3, PUC5, PUC6, PUC8, PUC10
OER-RL1	PUC5, PUC11, PUC12
MS-MNT1	PUC13
MS-AD1	PUC5, PUC8
SR-AR1	PUC1
SR-AR2	PUC3
SR-AR3	PUC2
SR-IR1	PUC13
SR-PR1	PUC1, PUC13
SR-PR2	PUC13

21 Open Issues

This section discusses the open issues in this project. In detail, we will highlight the primary uncertainties and open questions that are present throughout the process of developing our physiotherapy app. Ultimately, these issues represent the challenges we may face throughout the development of our app. Addressing these issues will aid us in ensuring the app is efficient, accurate and reliable. Listed below are some potential open issues in this project we have come across, as well as how we plan to address these issues:

- **Exercise Detection Accuracy:** Ensuring the app correctly analyzes and identifies the movements the patient undergoes is always going to be a constant challenge. Inaccuracies in the detection could result in false feedback which may prohibit recovery time. To address this, we will be undergoing further refinement of our detection methods and testing with a diverse sample size of individuals to aid in the accuracy of our movement detection to provide the most accurate feedback.
- **Data Privacy:** The app will collect and store sensitive client health information which is something that needs to be securely stored. We will be making sure information is securely stored, transmission is encrypted and there are strict access controls in place to have that trust exist with our clients.
- **Maintaining Patient Engagement:** Maintaining patient engagement is something that is going to be a struggle, as some patients may view this as extra work on their end. Our goal is to hopefully have this app be viewed as a convenient aid that reduces the need for frequent in person physiotherapy visits, making recovery more so accessible and less time-consuming for the clients.

22 Off-the-Shelf Solutions

22.1 Ready-Made Products

Insert your content here.

22.2 Reusable Components

Insert your content here.

22.3 Products That Can Be Copied

Insert your content here.

23 New Problems

23.1 Effects on the Current Environment

1. **Increased Battery Usage of Smart Device:** The app's use of motion tracking and video processing could result in an increase of battery usage for a user's smart device. This could also limit usability for individuals who have older devices.
2. **Increased Storage Impact:** Since the app does involve uploading recording videos for analysis, this may result in an increase in storage used on the smart device. Individuals using the app who may have limited storage may experience a higher amount of data being used. This ultimately means that we need to ensure that due to the increase in storage usage, the quality is not lost, as we do not want that to affect the precision of our analysis in any way, shape or form.
3. **Requirement of stable network access:** The app does rely on a stable network connection to upload exercise videos for analysis. Areas with weaker connections may lead to individuals dealing with more delays and thus, limiting their overall usability.

23.2 Effects on the Installed Systems

1. It may be hard for existing clinic or hospital systems to easily support integration with our app. There may be incompatibilities between the varying software platforms used, so this may slow down the process of integration or require more effort and money to aid in integrating it more smoothly.

2. Different systems may store data differently so this is something we also have to be aware of as it could create inconsistencies when syncing the medical records.
3. When integrating the app to healthcare networks, policies and authentication layers should be carefully managed because if proper security is not in place, unauthorized users may be able to access patient data, which is extremely unsafe.

23.3 Potential User Problems

1. **Learning Curve:** Some users may not be the most familiar with using technology and may find it a bit more difficult to use this app which ultimately may lead to a decrease in user satisfaction and engagement.
2. **Privacy Issues and Comfortability with Video Recordings:** Some users may not be comfortable with the process of recording themselves and uploading their videos to the platform, which could lead to a decrease in engagement.
3. **Preference of in-person physiotherapy guidance:** Some users may prefer in person appointments with their physiotherapists to receive direct feedback, which may lead to a decrease in user engagement overall.
4. **Limitations of Recording Videos:** Some users may find it difficult as a result of their limited mobility to be able to record and upload the videos with precision by themselves without any additional support. This may lead to inaccurate computations and results.
5. **Misinterpretation of Feedback:** Users may not understand how to correctly translate or interpret the feedback given by the app, which could ultimately lead to a decrease in the effectiveness and overall productivity of the app.

23.4 Limitations in the Anticipated Implementation Environment That May Inhibit the New Product

1. **Limited access to technology:** Some users may be limited in terms of not owning smart devices with a functional camera or not having enough storage space to record and upload videos. This will ultimately limit the app's overall accessibility.
2. **Connectivity Issues:** Areas with weaker connections lead to individuals being more prone to experiencing delays and deal with uploads failing, which ultimately decreases the app's overall reliability and effectiveness.

23.5 Follow-Up Problems

1. **Regular Updates:** The app will consist of regular updates to make sure it is compatible with the latest operating systems, all the changes in the newest programming languages as well as ensure it abides by all of the standard in place.
2. **Data Management and Cleanup:** Large amounts of data will be stored, resulting in a lot of storage being used up, as mentioned previously. Potentially introducing some sort of periodic cleanup may need to be implemented to address this.
3. **On-going support may be required:** Users may require technical or instructional support when they are faced with issues while using the app specifically when recording, uploading or even trying to interpret the results. Potentially providing client support or a FAQ section may be necessary to address this.

24 Tasks

24.1 Project Planning

The project planning for this project will follow an agile development approach. We will follow the process of: planning, designing, developing, test-

ing, deploying then reviewing. This will allow us to work towards manageable goals while testing and receiving feedback on our application.

Moreover some recurring tasks that we foresee happening will generally follow the flow below:

- Initial development of a goal for the milestone.
- Creation of issues on GitHub.
- Resource allocation and sprint execution.
- Testing and stakeholder review/feedback.
- Reflection on the previous sprint to see what could have gone better.

24.2 Planning of the Development Phases

Similar to section 9 of the development plan document, we seek to adhere to the project schedule.

- M1 (Weeks 3 to 4): Problem Statement, Proof of Concept (POC) Plan, Development Plan, Team Charter
- M2 (Weeks 5 to 6): Requirements Document (SRS) Revision 0, Hazard Analysis Revision 0, Design Document Revision -1
- M3 (Week 7): Verification & Validation (V&V) Plan Revision 0
- M4 (Weeks 8 to 9): Integrated Draft Document (Problem Statement, SRS, Hazard Analysis, V&V Plan), Peer Reviews (whole document), Update draft with feedback
- M5 (Weeks 10 to 12): Proof of Concept Demonstration (document + results), Design Document Revision 0, V&V Report Revision 0, Refinement of SRS, Hazard Analysis, and V&V Plan based on results and feedback
- M6 (End of Term): Final Demonstration - Revision 1, EXPO Demonstration, Final Documentation Revision 1 (including Problem Statement, Development Plan, POC Plan, Requirements Document, Hazard Analysis, Design Document, V&V Plan, V&V Report, Extra Documentation 1, Extra Documentation 2 and Source Code)

25 Migration to the New Product

25.1 Requirements for Migration to the New Product

Insert your content here.

25.2 Data That Has to be Modified or Translated for the New System

Insert your content here.

26 Costs

Currently, the cost of this project is 0 dollars. However, the only cost at this moment is the team members' time and expertise in order to bring this project to fruition. All the tools that are currently being used to build the product are free to use and open source.

26.1 Metrics for Estimation

Financial costs are not a concern at this stage. However, circumstances may change and require re-evaluation of any cost metrics to include this new development. In that case, a cost-benefit analysis would be performed in order to determine the correct value.

The metrics listed below estimate the time and effort put forth by a team member:

- The *quality* of commits and pushes - this can be assessed by the commit message's clarity and descriptiveness.
- The *quantity* of contributions made to the project is an additional indicator of effort. However, it should be contextualized in terms of quality.
- The quality of other deliverables can be similarly analyzed.

As a team, the collective time and effort will be measured by:

- The number of goals that have been achieved.

- The amount of stretch goals that may have been successfully achieved.
- The quality of the final project deliverables, measured using deliverable grades and TA's feedback.
- Number of test cases that have been devised.
- Cohesiveness of the final product, which can be quantified by how functional the final application is.
- The amount of time spent on a project deliverable.

26.2 Estimation Approach

Current estimations are based on the previous and ongoing deliverable and may be inaccurate. They are subject to modification throughout the project timeline.

26.3 Cost Breakdown

Tools and Software:

The cost is 0 dollars since all libraries and additional software will be open source.

Testing Environment:

The projected test suite will be formulated in house and will have no cost.

Development effort:

- Documentation (generating output, editing): 120 hours per member
- Deliverable revision: 20 hours per member
- Team meetings: 50 hours per member
- Software development: 400 hours per member
- Software testing: 100 hours per member

Total: 690 hours per member

27 User Documentation and Training

27.1 User Documentation Requirements

Insert your content here.

27.2 Training Requirements

Insert your content here.

28 Waiting Room

Insert your content here.

29 Ideas for Solution

In this section , we will highlight the potential technical approaches we may be using to implement our physiotherapy app. The ideas for solution can be seen listed below:

- **Pose Detection:** We plan on using the OpenCV library to select and analyze specific frames of the video uploaded to pick and identify specific key knee joint points using pose estimation techniques. In terms of the calculations, we can use Python's built-in math module, which we can use to calculate the specific calculations necessary.
- **Feedback Charts:** To showcase graphs and progress summary charts, we can use Python's built-in matplotlib library to generate them for us. These can be later integrated to allow patients and physiotherapists the option to interpret the graphs and overall progress from the visuals provided.

Appendix — Reflection

The purpose of reflection questions is to give you a chance to assess your own learning and that of your group as a whole, and to find ways to improve in the future. Reflection is an important part of the learning process. Reflection is also an essential component of a successful software development process.

Reflections are most interesting and useful when they're honest, even if the stories they tell are imperfect. You will be marked based on your depth of thought and analysis, and not based on the content of the reflections themselves. Thus, for full marks we encourage you to answer openly and honestly and to avoid simply writing "what you think the evaluator wants to hear."

Please answer the following questions. Some questions can be answered on the team level, but where appropriate, each team member should write their own response:

1. What went well while writing this deliverable?
2. What pain points did you experience during this deliverable, and how did you resolve them?
3. How many of your requirements were inspired by speaking to your client(s) or their proxies (e.g. your peers, stakeholders, potential users)?
4. Which of the courses you have taken, or are currently taking, will help your team to be successful with your capstone project.
5. What knowledge and skills will the team collectively need to acquire to successfully complete this capstone project? Examples of possible knowledge to acquire include domain specific knowledge from the domain of your application, or software engineering knowledge, mechatronics knowledge or computer science knowledge. Skills may be related to technology, or writing, or presentation, or team management, etc. You should look to identify at least one item for each team member.
6. For each of the knowledge areas and skills identified in the previous question, what are at least two approaches to acquiring the knowledge or mastering the skill? Of the identified approaches, which will each team member pursue, and why did they make this choice?

References

- A. Cieza, K. Causey, K. Kamenov, S. W. Hanson, S. Chatterji, and T. Vos. Global estimates of the need for rehabilitation based on the global burden of disease study 2019: a systematic analysis for the global burden of disease study 2019. *Lancet (London, England)*, 396(10267):2006–2017, 2021. doi: 10.1016/S0140-6736(20)32340-0.
- M. Faber, M. H. Andersen, C. Sevel, K. Thorborg, T. Bandholm, and M. Rathleff. The majority are not performing home-exercises correctly two weeks after their initial instruction—an assessor-blinded study. *PeerJ*, 3:e1102, 2015. doi: 10.7717/peerj.1102.
- Suzanne Robertson and James Robertson. Volere requirements specification template. *Atlantic Systems Guild*, 2012. URL <https://www.volere.org>. Edition 16.