

Verification and Validation Report: Physiotherapy Companion

Team 11, technically functional

Matthew Huynh

Cieran Diebolt

Vaisnavi Shanthamoorthy

Maham Siddiqui

Eman Ashraf

March 8, 2026

1 Revision History

Date	Version	Notes
Date 1	1.0	Notes
Date 2	1.1	Notes

2 Symbols, Abbreviations and Acronyms

symbol	description
T	Test

[symbols, abbreviations or acronyms – you can reference the SRS tables if needed —SS]

Contents

1	Revision History	i
2	Symbols, Abbreviations and Acronyms	ii
3	Functional Requirements Evaluation	1
4	Nonfunctional Requirements Evaluation	1
4.1	Usability	1
4.2	Performance	2
4.3	Reliability / Fault Tolerance	2
4.4	Security	3
4.5	Maintainability and Support	4
5	Comparison to Existing Implementation	4
6	Unit Testing	4
6.1	Authentication Services	5
6.1.1	Account Creation Module	5
6.1.2	Valid User Module	7
6.2	User Account module	8
7	Changes Due to Testing	10
7.1	Usability Testing Results	10
8	Automated Testing	11
9	Trace to Requirements	12
10	Trace to Modules	14
11	Code Coverage Metrics	15
12	Extras	15

List of Tables

1	Account Creation Module Test Cases	7
---	--	---

2	Valid User Module Test Cases	8
3	User Account Service Test Cases	10
4	Functional Requirements and Corresponding Test Sections . .	12
5	Look & Feel Tests and Corresponding Requirements	12
6	Usability & Humanity Tests and Corresponding Requirements	12
7	Performance Tests and Corresponding Requirements	13
8	Robustness & Fault-Tolerance Tests and Corresponding Re- quirements	13
9	Operational & Environmental Tests and Corresponding Re- quirements	13
10	Maintenance & Support Tests and Corresponding Requirements	13
11	Security Tests and Corresponding Requirements	14
12	Tests for Core Modules	14

List of Figures

This document ...

3 Functional Requirements Evaluation

4 Nonfunctional Requirements Evaluation

4.1 Usability

1. test-UT-1 : Navigation Clarity

Initial State: App installed on a mobile device; user logged in.

Input: User was asked to find and open the exercise screen, start a recording session, and return to the dashboard without assistance.

Output: User successfully navigated through the required screens without confusion. Feedback indicated labels and buttons were clear.

Result: Pass

2. test-UT-2 : Instruction Clarity During Exercise

Initial State: User on the record exercise screen with camera access enabled.

Input: User initiated an exercise session. The application displayed live on-screen feedback instructing the user to remain within the camera frame. Once proper positioning was detected, the user was able to start and stop recording and save the session.

Output: User reported that instructions were clear and prompts matched the required actions. Minor wording improvements were noted and updated.

Result: Pass

3. test-UT-3 : Survey Questionnaire – ui_testing

Initial State: App accessible to testers on mobile devices.

Input: Five users completed a short usability questionnaire rating navigation (1–5), clarity (1–5), and overall ease of use (1–5).

Output: Average rating across categories was $\geq 4/5$. Minor UI refinements (font size and button spacing) were applied based on feedback.

Result: Pass

4.2 Performance

1. test-PR-1 : Exercise Interface Response Time – `ex_int_speed`

Initial State: User logged in on a mobile device; backend server running.

Input: User started pose analysis from the exercise screen. Screen recording timestamps were used to measure the time from tapping “Start” to the first visible feedback/result. Five trials were conducted.

Output: Measured response times were 1.87s, 1.92s, 1.79s, 1.95s, and 1.84s. The average end-to-end response time was 1.87 seconds (≤ 2 seconds).

Result: Pass

2. test-PR-2 : Repeated Use Performance

Initial State: Application running normally on mobile device.

Input: User completed 10 consecutive “Start → Analyze → Stop” cycles.

Output: No significant slowdown was observed across trials. Response times remained within acceptable range and no crashes occurred.

Result: Pass

4.3 Reliability / Fault Tolerance

1. test-RFT-1 : Backend Failure Handling – `fail_recovery`

Initial State: User actively using the application while connected to backend.

Input: Backend server was manually terminated during active analysis.

Output: Application displayed a network error message and remained responsive (no crash). After backend restart, the user was able to retry and continue normal operation.

Result: Pass

2. **test-RFT-2 : Network Interruption During Upload – Interrupted_vid**

Initial State: User uploading recorded exercise video.

Input: WiFi connection was disabled mid-upload and restored after approximately 10 seconds.

Output: Application detected upload failure and displayed a retry option. User retried successfully and uploaded video was verified to be intact.

Result: Pass

4.4 Security

1. **test-SR-1 : Unauthorized Access to Protected Endpoint**

Initial State: Backend server running with authentication enabled.

Input: A request was sent to a protected endpoint without authentication credentials or token.

Output: Server returned HTTP 401 Unauthorized. No protected data was returned.

Result: Pass

2. **test-SR-2 : Invalid Credentials Login**

Initial State: Application login screen available.

Input: Login attempted using an email not registered in the database or incorrect password.

Output: System denied login and displayed an appropriate error message without exposing internal system details.

Result: Pass

4.5 Maintainability and Support

1. test-MS-1 : Reproducible Setup

Initial State: Fresh machine with no prior installation.

Input: Project repository was cloned and installed using instructions provided in README (frontend and backend setup).

Output: Application ran successfully without missing dependencies. All documented setup steps were sufficient to reproduce the system.

Result: Pass

2. test-MS-2 : Code Review and Quality Assurance

Initial State: Revision 0 completed.

Input: Multiple peer code reviews were conducted through pull requests and issue tracking. Unit tests were executed to validate core functionality, including pose angle calculations and analysis logic. UI components were reviewed for usability, clarity of instructions, and error handling. Identified issues were documented and resolved using version control workflows.

Output: Core analysis functions passed unit testing. UI refinements were implemented based on peer feedback. Code structure maintained clear separation between modules and frontend components. No major functional issues were identified during review.

Result: Pass

5 Comparison to Existing Implementation

This section will not be appropriate for every project.

6 Unit Testing

The following section outlines the unit tests created for all of the modules.

6.1 Authentication Services

6.1.1 Account Creation Module

The following tests in Table 1 verify the functionality of the account creation module for both physiotherapists and patients, including validation checks and successful user creation workflows.

ID	Ref. Req.	Action	Expected Result	Actual Result	Result
TC1	FR1.1, FR1.2	Register physiotherapist with valid license format and a license that exists in <code>validLicenses</code> with <code>active=true</code> .	Auth user is created. Firestore <code>users/{uid}</code> document is written with <code>role="physio"</code> , trimmed name, lowercased email, uppercased license number, <code>verified=true</code> , and <code>createdAt</code> .	All assertions pass.	Pass
TC2	FR1.1, FR1.2	Register physiotherapist with an invalid license format (e.g., missing dash or incorrect digits).	Error "Invalid license format (example: ON-123456)." is thrown. No Auth user is created. No Firestore writes occur.	All assertions pass.	Pass
TC3	FR1.1, FR1.2	Register physiotherapist with valid format but license is not found in <code>validLicenses</code> or <code>active != true</code> .	Error "License not verified." is thrown. No Auth user is created. No Firestore writes occur.	All assertions pass.	Pass

Continued on next page

(Continued from previous page)

ID	Ref. Req.	Action	Expected Result	Actual Result	Result
TC4	FR1.1, FR1.3, FR2, FR3	Register patient with invite code that exists in <code>inviteCodes</code> , is <code>active=true</code> , <code>used=false</code> , and includes a <code>physioId</code> .	Auth user is created. Firestore <code>users/{uid}</code> document is written with <code>role="patient"</code> , trimmed name, lowercased email, stored <code>physioId</code> , normalized invite code, and <code>createdAt</code> . Invite is updated with <code>used=true</code> and <code>usedBy={uid}</code> .	All assertions pass.	Pass
TC5	FR1.3, FR3	Register patient with an invite code that does not exist in <code>inviteCodes</code> .	Error " <code>Invalid invite code.</code> " is thrown. No Auth user is created. No Firestore writes/updates occur.	All assertions pass.	Pass
TC6	FR1.3, FR3	Register patient with an invite code that exists but <code>active=false</code> .	Error " <code>Invite code inactive.</code> " is thrown. No Auth user is created. No Firestore writes/updates occur.	All assertions pass.	Pass

Continued on next page

(Continued from previous page)

ID	Ref. Req.	Action	Expected Result	Actual Result	Result
TC7	FR1.3, FR2	Register patient with an invite code that exists but <code>used=true</code> .	Error "Invite code already used." is thrown. No Auth user is created. No Firestore writes/updates occur.	All assertions pass.	Pass
TC8	FR1.3, FR2	Register patient with an invite code that exists but missing <code>physioId</code> .	Error "Invite code missing physio link." is thrown. No Auth user is created. No Firestore writes/updates occur.	All assertions pass.	Pass

Table 1: Account Creation Module Test Cases

6.1.2 Valid User Module

The following tests in Table 2 verify the functionality of the valid user module by ensuring that successful authentication requires an existing Firestore user profile for both physiotherapist and patient roles.

ID	Ref. Req.	Action	Expected Result	Actual Result	Result
TC9	FR1, FR1.1, SR-AR1	Login with valid credentials for a physiotherapist whose Firestore profile <code>users/{uid}</code> exists and contains <code>role="physio"</code> .	Login returns an object containing the <code>uid</code> and stored profile data (including role and user fields). No errors occur.	All assertions pass.	Pass

Continued on next page

(Continued from previous page)

ID	Ref. Req.	Action	Expected Result	Actual Result	Result
TC10	FR1, FR1.1, SR-AR1	Login with valid credentials for a patient whose Firestore profile <code>users/{uid}</code> exists and contains <code>role="patient"</code> .	Login returns an object containing the <code>uid</code> and stored profile data (including role and user fields). No errors occur.	All assertions pass.	Pass
TC11	FR1, FR1.1, SR-AR1	Login with valid credentials where the Firestore profile <code>users/{uid}</code> does not exist.	Error "User profile missing in Firestore." is thrown and login is rejected.	All assertions pass.	Pass
TC12		Logout after a user session is active.	The Auth sign-out operation is called once and completes without error.	All assertions pass.	Pass

Table 2: Valid User Module Test Cases

6.2 User Account module

The tests below outline the User Account module functionality. Note that many new functions were added for this iteration. In the original VnV plan, this module is non-existent. Currently, it serves as an interface between the database and the various other components. Additionally, there may be some overlap between the Account Creation module and Valid User module. While the modules themselves perform a few different functions, they are inextricably linked due to their handling of the same entity. For example, the Valid User module consists of tests the ensure successful Login and the User Account module test cases extend that to testing for invalid and non-existent users.

ID	Ref. Req.	Action	Expected Result	Actual Result	Re-	Result
USER MANAGEMENT FUNCTIONS						
TC13	FR23, FR21	Get User Data: Test with valid uid, non-existent uid, and empty uid.	Valid uid returns UserData; non-existent returns null; empty throws error.	All assertions pass.		Pass
TC14	FR21	User Lookup: Test get user by email and email existence check with registered and unregistered emails.	Registered email returns user and true; unregistered returns null and false.	All assertions pass.		Pass
TC15	FR2, FR6, FR22	Update User: Test update user data.	Valid update returns true.	All assertions pass.		Pass
TC16	FR4	Delete User: Test delete by uid and by email with valid and non-existent cases.	Valid cases return true; non-existent return false.	All assertions pass.		Pass
QUERY FUNCTIONS						
TC17	FR18	User Queries: Test get patients by physioId, search by name, and get all users.	Returns correctly filtered arrays; errors return empty arrays.	All assertions pass.		Pass
SPECIALIZED FUNCTIONS						
TC18	FR21, FR25	User Info Lookup: Test getUserdbInfo with name only and with name+birthday filter.	Returns categorized patients/physios correctly; filtering works as expected.	All assertions pass.		Pass
TC19	FR2, FR4, FR22	PT_Account_Delete: Test with valid physio, non-physio user, and non-existent patient.	Valid case deletes patient; non-physio throws error; non-existent throws error.	All assertions pass.		Pass

Continued on next page

Continued from previous page

ID	Ref. Req.	Action	Expected Result	Actual Result	Re-	Result
TC20	SR-AR1, SR-PR1	Test usernamePasswordMatch and authenticateUser with valid credentials, invalid password, and non-existent user.	Valid returns true/user; throws appropriate errors; non-existent returns null.	All assertions pass.		Pass
TC21	SR-AR1, SR-AR2	System Initialization: Test initializeSystem.	Logs success message to console.	All assertions pass.		Pass
VALIDATION HELPERS						
TC22	FR1, SR-AR1	Test validateCredentials with correct and incorrect passwords.	Correct returns true; incorrect returns false.	All assertions pass.		Pass

Table 3: User Account Service Test Cases

7 Changes Due to Testing

There were a few changes that were implemented as a result of testing. Note that some of these changes are in progress.

7.1 Usability Testing Results

Analyses from usability testing revealed important user experience insights which has provided clarity with what should be the focus for further development. A subset of recommendations will be developed further, while others will be tabled as out of scope due to project timeline constraints. There were a total of 5 participants in the study, with 2 being PTs, and the rest were those who satisfied the pool criteria. The diverse perspectives proved to be essential by honing in on elements that may provide substantial added value to the application. Both user flows (PT and patient) were tested with the corresponding participants.

The physiotherapist participants had 2 recommendations: A more comprehensive exercise activity record (eg. adding sets in addition to reps) for a clearer picture on the patient's performance, and inclusion of a post-exercise feedback form to provide an insight into performance. (eg. modifying the rep count due to patient's increased pain).

The other participants highlighted the need for audio cues while performing the exercise. Reading the instructions from the acceptable distance necessary for proper application function was troublesome. Secondly, additional data on the Progress tab would be beneficial for patients to keep track, in a non-technical context, of their recovery.

See [Usability Report](#) for additional information.

Note: The usability testing has been completed, but the document's Results and Discussion still remain.

[This section should highlight how feedback from the users and from the supervisor (when one exists) shaped the final product. In particular the feedback from the Rev 0 demo to the supervisor (or to potential users) should be highlighted. —SS]

8 Automated Testing

In terms of automated testing, all of the tests for the Python backend as well as the individual modules on the TypeScript frontend of the mobile application are automated. The Python tests are run using **Pytest** by simply typing **pytest** in the command line in the correct root project directory. These tests validate core backend functionality such as pose metric calculations and helper functions used during exercise processing. All the TypeScript tests can be run similarly, though they run with **Jest** and through running the following command: **npm run test**. Ultimately, these tests focus on validating frontend logic including authentication and user account management, user activity tracking, exercise data handling, performance statistics generation, and the feedback module that displays live feedback to users and allows both the physiotherapists and patients the opportunity to leave comments regarding the user's respective session. It is important to note that the Firebase services and camera components are mocked during testing so that we are able to separately test the logic functionality. Also, the results for both the backend and frontend automated test suites are printed to the

console, ultimately allowing us to be able to quickly identify both the passing and failing tests immediately.

9 Trace to Requirements

This section maps the tests performed to the requirements they validate, providing traceability between verification activities and project requirements.

Table 4: Functional Requirements and Corresponding Test Sections

Test Section		Functional Requirement(s)
Account Creation Module Tests (TC1–TC3)		FR1.1, FR1.2
Patient Registration Tests (TC4–TC8)		FR1.1, FR1.3, FR2, FR3
User Authentication Tests (TC9–TC11)		FR1, FR1.1

Table 4 shows the functional requirements and their corresponding test sections, ensuring all relevant requirements have been properly tested.

Table 5: Look & Feel Tests and Corresponding Requirements

Test ID (test-)	Non-Functional Requirement
UT-1	LFR-AP1

Table 5 maps the Look & Feel test cases to their corresponding non-functional requirements.

Table 6: Usability & Humanity Tests and Corresponding Requirements

Test ID (test-)	Non-Functional Requirement
UT-2	UHR-EOU2, UHR-LRN1
UT-3	UHR-EOU1, LFR-ST1

The usability and humanity requirements and their corresponding test cases are shown in Table 6.

Table 7: Performance Tests and Corresponding Requirements

Test ID (test-)	Non-Functional Requirement
PR-1	PR-SL1, PR-SL2
PR-2	PR-SL1

Performance requirements and their test cases are outlined in Table 7.

Table 8: Robustness & Fault-Tolerance Tests and Corresponding Requirements

Test ID (test-)	Non-Functional Requirement
RFT-1	PR-RFT1
RFT-2	PR-RFT2

Table 8 shows the robustness and fault-tolerance requirements along with their test cases.

Table 9: Operational & Environmental Tests and Corresponding Requirements

Test ID (test-)	Non-Functional Requirement
MS-1	OER-WE1, OER-PR1

Table 9 shows the operational and environmental requirements along with their corresponding test cases.

Table 10: Maintenance & Support Tests and Corresponding Requirements

Test ID (test-)	Non-Functional Requirement
MS-2	PR-SER1

The maintenance and support requirements and their corresponding test cases are shown in Table 10.

Table 11: Security Tests and Corresponding Requirements

Test ID (test-)	Non-Functional Requirement
SR-1	SR-AR1
SR-2	SR-AR1

Table 11 outlines the security requirements and their corresponding test cases.

10 Trace to Modules

This section maps test cases to the specific modules they validated, organized by architectural levels to ensure comprehensive verification of our system.

Table 12: Tests for Core Modules

Test ID	Module
TC1–TC8	M5 (Account Creation Module)
TC9–TC12	M6 (Valid User Module)
test-UT-1, test-UT-2, test-UT-3, test-PR-1, test-PR-2, test-RFT-1, test-RFT-2	M1 (User Interface Module)
test-SR-1, test-SR-2	M5 (Account Creation Module), M6 (Valid User Module)
test-MS-1, test-MS-2	M1 (User Interface Module), M5 (Account Creation Module), M6 (Valid User Module)

Table 12 shows the mapping between test cases and the core modules they verify.

11 Code Coverage Metrics

12 Extras

[Summary of the status of your extras. If feasible, the extras should be complete by the time of writing the VnV report. If the extras are not complete, you should summarize the plans for completing them. —SS]

References

Appendix — Reflection

The information in this section will be used to evaluate the team members on the graduate attribute of Reflection.

The purpose of reflection questions is to give you a chance to assess your own learning and that of your group as a whole, and to find ways to improve in the future. Reflection is an important part of the learning process. Reflection is also an essential component of a successful software development process.

Reflections are most interesting and useful when they're honest, even if the stories they tell are imperfect. You will be marked based on your depth of thought and analysis, and not based on the content of the reflections themselves. Thus, for full marks we encourage you to answer openly and honestly and to avoid simply writing "what you think the evaluator wants to hear."

Please answer the following questions. Some questions can be answered on the team level, but where appropriate, each team member should write their own response:

1. What went well while writing this deliverable?
2. What pain points did you experience during this deliverable, and how did you resolve them?
3. Which parts of this document stemmed from speaking to your client(s) or a proxy (e.g. your peers)? Which ones were not, and why?
4. In what ways was the Verification and Validation (VnV) Plan different from the activities that were actually conducted for VnV? If there were differences, what changes required the modification in the plan? Why did these changes occur? Would you be able to anticipate these changes in future projects? If there weren't any differences, how was your team able to clearly predict a feasible amount of effort and the right tasks needed to build the evidence that demonstrates the required quality? (It is expected that most teams will have had to deviate from their original VnV Plan.)
5. Reflect on your use of CI for continuous integration testing (regression testing). Did your CI work to gatekeep your PRs? Would it have been helpful if you got your CI working earlier in the project? What are your plans to use CI for testing in future projects?