

Software Requirements Specification for Software Engineering: subtitle describing software

Team 11, technically functional

Matthew Huynh

Cieran Diebolt

Vaisnavi Shanthamoorthy

Maham Siddiqui

Eman Ashraf

October 10, 2025

Contents

1	Purpose of the Project	vi
1.1	User Business	vi
1.2	Goals of the Project	vi
2	Stakeholders	vi
2.1	Client	vi
2.2	Customer	vi
2.3	Other Stakeholders	vi
2.4	Hands-On Users of the Project	vi
2.5	Personas	vi
2.6	Priorities Assigned to Users	vi
2.7	User Participation	vii
2.8	Maintenance Users and Service Technicians	vii
3	Mandated Constraints	vii
3.1	Solution Constraints	vii
3.2	Implementation Environment of the Current System	vii
3.3	Partner or Collaborative Applications	viii
3.4	Off-the-Shelf Software	viii
3.5	Anticipated Workplace Environment	viii
3.6	Schedule Constraints	viii
3.7	Budget Constraints	viii
3.8	Enterprise Constraints	ix
4	Naming Conventions and Terminology	xi
4.1	Glossary of All Terms, Including Acronyms, Used by Stakeholders involved in the Project	xi
5	Relevant Facts And Assumptions	xii
5.1	Relevant Facts	xii
5.2	Business Rules	xiii
5.3	Assumptions	xiv
6	The Scope of the Work	xiv
6.1	The Current Situation	xiv
6.2	The Context of the Work	xv
6.3	Work Partitioning	xvi

6.4	Specifying a Business Use Case (BUC)	xvi
7	Business Data Model and Data Dictionary	xviii
7.1	Business Data Model	xviii
7.2	Data Dictionary	xviii
8	The Scope of the Product	xviii
8.1	Product Boundary	xviii
8.2	Product Use Case Table	xix
8.3	Individual Product Use Cases (PUC's)	xx
8.4	System State Diagram	xxiii
9	Functional Requirements	xxiv
9.1	Functional Requirements	xxiv
10	Look and Feel Requirements	xxiv
10.1	Appearance Requirements	xxiv
10.2	Style Requirements	xxiv
11	Usability and Humanity Requirements	xxiv
11.1	Ease of Use Requirements	xxiv
11.2	Personalization and Internationalization Requirements	xxiv
11.3	Learning Requirements	xxiv
11.4	Understandability and Politeness Requirements	xxiv
11.5	Accessibility Requirements	xxiv
12	Performance Requirements	xxv
12.1	Speed and Latency Requirements	xxv
12.2	Safety-Critical Requirements	xxv
12.3	Precision or Accuracy Requirements	xxv
12.4	Robustness or Fault-Tolerance Requirements	xxv
12.5	Capacity Requirements	xxv
12.6	Scalability or Extensibility Requirements	xxv
12.7	Longevity Requirements	xxv
13	Operational and Environmental Requirements	xxv
13.1	Expected Physical Environment	xxv
13.2	Wider Environment Requirements	xxvi
13.3	Requirements for Interfacing with Adjacent Systems	xxvi

13.4	Productization Requirements	xxvi
13.5	Release Requirements	xxvi
14	Maintainability and Support Requirements	xxvi
14.1	Maintenance Requirements	xxvi
14.2	Supportability Requirements	xxvi
14.3	Adaptability Requirements	xxvi
15	Security Requirements	xxvi
15.1	Access Requirements	xxvi
15.2	Integrity Requirements	xxvii
15.3	Privacy Requirements	xxvii
15.4	Audit Requirements	xxvii
15.5	Immunity Requirements	xxvii
16	Cultural Requirements	xxvii
16.1	Cultural Requirements	xxvii
17	Compliance Requirements	xxvii
17.1	Legal Requirements	xxvii
17.2	Standards Compliance Requirements	xxvii
18	Open Issues	xxvii
19	Off-the-Shelf Solutions	xxviii
19.1	Ready-Made Products	xxviii
19.2	Reusable Components	xxviii
19.3	Products That Can Be Copied	xxviii
20	New Problems	xxviii
20.1	Effects on the Current Environment	xxviii
20.2	Effects on the Installed Systems	xxviii
20.3	Potential User Problems	xxix
20.4	Limitations in the Anticipated Implementation Environment That May Inhibit the New Product	xxix
20.5	Follow-Up Problems	xxix

21 Tasks	xxix
21.1 Project Planning	xxix
21.2 Planning of the Development Phases	xxix
22 Migration to the New Product	xxix
22.1 Requirements for Migration to the New Product	xxix
22.2 Data That Has to be Modified or Translated for the New System	xxx
23 Costs	xxx
24 User Documentation and Training	xxx
24.1 User Documentation Requirements	xxx
24.2 Training Requirements	xxx
25 Waiting Room	xxx
26 Ideas for Solution	xxxi

Revision History

Date	Version	Notes
Date 1	1.0	Notes
Date 2	1.1	Notes

1 Purpose of the Project

1.1 User Business

Insert your content here.

1.2 Goals of the Project

Insert your content here.

2 Stakeholders

2.1 Client

Insert your content here.

2.2 Customer

Insert your content here.

2.3 Other Stakeholders

Insert your content here.

2.4 Hands-On Users of the Project

Insert your content here.

2.5 Personas

Insert your content here.

2.6 Priorities Assigned to Users

Insert your content here.

2.7 User Participation

Insert your content here.

2.8 Maintenance Users and Service Technicians

Insert your content here.

3 Mandated Constraints

3.1 Solution Constraints

The system shall provide users access to their account and previous exercise information, provided a valid username and password.

Justification: User data stored in the user database is important to the account, but should be safely guarded without validation.

The system shall provide users with an overview of their exercises and data specific to individual exercises.

Justification: Users should be able to look back on their progress and see data on their exercises over time.

The system shall provide users the ability to upload video-feeds of them performing exercises, and return recommendations on their form.

Justification: The primary function of the system, users must be able to get form recommendations to assist in proper recovery and boost confidence in correct form. The system must be able to accept the video as input and be capable of returning relevant recommendations to the user.

3.2 Implementation Environment of the Current System

- **Back End** (Processing): Source code written in Python.
- **Front End** (GUI): Source code written in platform specific application studio (EG. Android Studio).
- **OpenCV:** Library used to analyze user video-streams for required data.

- **Database:** Remotely accessible storage for user data.

3.3 Partner or Collaborative Applications

Physiotherapist scheduling, management, and patient-oriented softwares could be used in tandem, however the system is not designed with collaborative applications in mind.

3.4 Off-the-Shelf Software

- **Database** software is previously implemented and simply interfaced by the system.
- **OpenCV** software is unmodified and only interfaced by the system.

3.5 Anticipated Workplace Environment

- Physiotherapist patients in their residences or private spaces.
- Physiotherapists in their offices or assigned exercise spaces.

3.6 Schedule Constraints

As per the [Development Plan](#):

- Proof of Concept must be developed by November 17th, 2025.
 - Demonstrations: November 17th - 28th.
- Revision 0 must be developed by February 2nd, 2026.
 - Demonstrations: February 2nd - 13th.
- Revision 1 must be developed by March 23rd, 2026.
 - Demonstrations: March 23rd - 29th.

3.7 Budget Constraints

The development of the system must remain less than \$125 or the team begins paying out of pocket for development tools. Ideally the implementation remains free and open to use.

3.8 Enterprise Constraints

The system will attempt to mimic standards set by professional physiotherapists across Canada. Due to the nature of health care and physiotherapy market within Canada, the system will not provide medical care or medical assistance, simply wellbeing advice similar to that of a gym companion application.

4 Naming Conventions and Terminology

4.1 Glossary of All Terms, Including Acronyms, Used by Stakeholders involved in the Project

Term	Description
<i>Flexion</i>	The act of contracting the muscles to bend the targeted joint, creating a smaller angle across the joint.
<i>Extension</i>	The act of contracting the muscles to unbend the targeted joint, creating a larger angle across the joint.
<i>Adduction</i>	The act of moving a part of the body towards the body's midline.
<i>Abduction</i>	The act of moving a part of the body away from the body's midline.
<i>Joint</i>	The connection between two bones which allows bending and movements of the limbs. In this document, this term mainly refers to the knee.
<i>Time Under Tension</i>	The time during an exercise where the targeted muscles are under strain.
<i>Range of Motion</i> or <i>ROM</i>	The range of angles within which the user can move their joint from maximum stretching of the joint to maximum contraction of the joint.
<i>Form</i>	An all inclusive term referring to the position of body parts, their range of motion, and how they are coupled to execute the correct movement.
<i>Repetition</i> or <i>Rep</i>	A single complete movement of an exercise from start to finish.
<i>Effectiveness</i>	Relevant to user-based goals to measure their own progress towards their recovery. (ie effectiveness in mobility increase, effectiveness in pain relief, etc.)
<i>Computer Vision</i>	The ability for the system to 'see' the user and extract relevant information.
<i>CI/CD</i>	Continuous integration/continuous deployment which automates building and limited testing of methods in our project.

Table 1: Table of Project Terminology

Acronym	Meaning
A	Assumption
PS	Physical System Description
DD	Data Definition
GD	General Definition
GS	Goal Statement
TM	Theoretical Model
LC	Likely Change
UC	Unlikely Change
TUT	Time Under Tension
DOF	Degrees of Freedom
ROM	Range of Motion
RMS	Root-Mean-Square (metric for error)
Reps	Repetitions
PTs	Physiotherapists
FPS	Frame per Second
CV	Computer Vision
ML	Machine Learning
FRs	Functional Requirements
NFRs	Non-Functional Requirements
PR	Pull Request
SRS	Software Requirement Specification

Table 2: Project Acronyms and Shorthands

5 Relevant Facts And Assumptions

5.1 Relevant Facts

Relevant facts for this project are that about a third of patients needing physiotherapy can have improved efficacy due to their exertion and form factors. This leads to slower recovery or future injury later down the line. In some instances, this can lead to a permanent decrease in an affected joint's range of motion and strength. Additionally, there is a gap from initially being prescribed the exercise and the accountability from doing exercises on the patients own time.

The primary target of this system is for patients of physiotherapists and physiotherapists.

5.2 Business Rules

Some business rules relevant to include that there will be a distinct user interface for general users of the application and a different user interface for physiotherapists. A patient must be directed to use the application from the physiotherapist and will have exercises assigned to them on the system. Similarly, a physiotherapist can view and manage their patients but cannot access other patients outside their care.

A prescribed exercise chosen from the physiotherapist can have certain parameters and limitations, for example: sets, reps, frequency, etc. As well, the patient will be prompted after an exercise to give their perceived exertion as a result of the exercise on a scale of 1-10.

Furthermore, any data will not be shared without any explicit consent and will be stored securely.

5.3 Assumptions

#	Assumption
---	------------

- | | |
|-----|--|
| A1 | The user of the system is a post-operative patient requiring physiotherapy. |
| A2 | Users have prescribed physiotherapy exercises from a professional physiotherapist. |
| A3 | Users prescribed exercise names will remain consistent across physiotherapists. |
| A4 | Messages from the system are recommended actions and not healthcare advice. |
| A5 | User's smart devices will have an internet connection during video-feed uploading. |
| A6 | User's smart devices will be fully functional. |
| A7 | User's smart device camera will be fully functional. |
| A8 | User's smart device camera will be undamaged. |
| A9 | User's smart devices will meet or exceed the minimum system requirements. |
| A10 | Users will have adequate space to record their exercises. |
| A11 | Users will be able to read or listen to advice from the system during exercise video-feeds. |
| A12 | Assume that the user knows how to use the smart device and generally how to navigate it when human-centered interfaces are used. |
| A13 | Only one user is within the frame of the smart device. |
| A14 | Users will be receptive to feedback. |

6 The Scope of the Work

6.1 The Current Situation

Current at-home solutions for patients requiring physiotherapy, namely post-operative patients, are paid solutions that connect you to a physiotherapist to speak with or suggest to you a series of exercises based on some generically entered data. Patients are lacking a self-help tool to not only ensure they're completing their exercises, but completing them correctly and safely as well.

Computer vision is being used in select places in the market to analyze

form and give feedback, this exists for things like golf and tennis form analysis. However a stand-alone form-analyzing application which provides feedback independent of domain experts could scale far better and reach people who need it.

6.2 The Context of the Work




Figure 1: Work Context Diagram

6.3 Work Partitioning

Event	System Action	Description
User Requests Login	Login Request (in)	Compare user's entered data with user database.
Login Result Return	Login Result (out)	Return result, login or fail, to user based on data comparison.
User Requests Display	Display Request (in)	Generate display with data from the user database.
Display Return	Display Return (out)	Send the generated display to the user's GUI.
User Submits Video	Form Feedback Request (in)	The user submits a video-feed for form analysis.
Form Feedback Return	Form Feedback Return (out)	The system analyzes the form in the user's video feed. The system generates form feedback and an overview from the analyzed information. The system generates a display with the newly added overview. The system sends the form feedback and the new display to the user.

Table 3: Work Partitioning

6.4 Specifying a Business Use Case (BUC)

A user (patient) is prescribed exercises by a physiotherapist and uses the app to ensure they are doing the exercises correctly. This use case assumes the user is already logged in, and thus skips the login steps.




Figure 2: Business Use Case Diagram
xvii

7 Business Data Model and Data Dictionary

7.1 Business Data Model

N/A This is not yet concrete, and will be fleshed out more at the implementation stage. Currently, the data flow should look very similar to that seen in the Work Context Diagram.

7.2 Data Dictionary

N/A For the same reasons above, the data structures and specific metadata required for this section doesn't yet exist within the project, and so cannot be entered here.

8 The Scope of the Product

8.1 Product Boundary

Refer to the Work Context Diagram for the boundaries of the system's operations.

8.2 Product Use Case Table




Figure 3: Product Use Case Table

8.3 Individual Product Use Cases (PUC's)

Where not specified, user is assumed to be user (patient).

PUC1: Login

Event: User enters username and password and requests login.

Preconditions: User is not logged in.

Actors: User, System, Database

Normal Flow: User enters a valid username and password confirmed within the database and successfully accesses their pre-existing account.

Alternative Flow: User enters an invalid username and password which don't verify in the database and the user is returned an error for invalid login information.

PUC2: Logout

Event: User requests to logout of their account.

Preconditions: User is logged in.

Actors: User, System

Normal Flow: User requests to log out of their account. The system moves the user to the login page.

Alternative Flow: N/A

PUC3: Create Account

Event: User requests to create an account.

Precondition: User is not logged in.

Actors: User, System, Database

Normal Flow: User enters an email, username, and password combination not already contained within the database. Email and username must be unique. The system creates an account for the user, stores the account information in the user database, and logs them into their account.

Alternative Flow: User enters an email or username that already exists within the user database, or a password which does not meet minimum requirements. The system returns an error and prompts the user to re-enter incorrect fields.

PUC4: Request Analytics Display

Event: User refreshes analytics display (home page), user logs into their account, user returns to home page after an exercise. Precondition: User is logged in and on the home page.

Actors: User, System

Normal Flow: After any of the events, the system uses all the stored user exercise overviews to refresh the analytics display.

Alternative Flow: If there are no stored exercise overviews for the user, the system prompts them to complete an exercise.

PUC5: Submit Video for Analysis

Event: User submits a video-feed for form analysis.

Precondition: User is logged in and on the video submission screen.

Actors: User, System

Normal Flow: User submits a video-feed to the system for form analysis. The system accepts the video and recognizes the patient (user) within the video.

Alternative Flow: The system doesn't recognize a patient within the video and prompts the user to fix any issues with their video-feed.

PUC6: Receive Form Recommendations

Event: User is logged in and has submitted a video-feed for form analysis.

Precondition: User is logged in and the system has recognized them within the video-feed.

Actors: User, System

Normal Flow: System returns form recommendations based on data pulled from the video-feed and formulates the data into readable language recommendations which are displayed to the user.

Alternative Flow: System fails to draw analytical information from the video-feed and fails to create form recommendations for the patient (user).

PUC7: Review Video Submission

Event: User has ended the video-feed upload.

Precondition: User is logged in, has submitted a video-feed for analysis, and has successfully received form recommendations.

Actors: User, System

Normal Flow: User can rewatch their video-feed submission with form recommendations in real-time before finally exiting the video submission screen.

Alternative Flow: User can cancel or request to redo their video-feed submission, taking them back to PUC5.

PUC8: Receive Overview

Event: User has submitted and exited a video-feed submission.
Precondition: User has successfully submitted a video-feed submission, received recommendations, and exited the submission screen.
Actors: User (Patient), User (Physiotherapist), System
Normal Flow: System generates an overview of the exercise just submitted by the user and provides in natural language an overview to the user.
Alternative Flow: If the user didn't submit their video-feed but exited and cancelled instead, no overview is created.

PUC9: Comment on Exercise

Event: User creates a comment on an exercise.
Precondition: User (Patient) must be logged in and have completed one exercise, or, user (Physiotherapist) must be logged in and have at least one patient that has completed one exercise.
Actors: User (Patient), User (Physiotherapist), System
Normal Flow: User requests to create a comment on an exercise overview. User enters their own information into a text field and submits the comment. This comment is now visible to all users with access to that exercise overview.
Alternative Flow: User cancels their comment creation, and no comment is saved alongside the exercise overview.

PUC10: Request Patient List

Event: User (Physiotherapist) requests or refreshes the patient list on their homepage.
Precondition: User (Physiotherapist) is logged in.
Actors: User (Physiotherapist), System
Normal Flow: System returns the list of all patients tied to the respective user (Physiotherapist) account, with access to their exercise overviews.
Alternative Flow: If the user (Physiotherapist) has no patients connected to their account, the system prompts them to add at least one patient.

PUC11: Extract Data from Video

Event: System receives a video-feed from a user.
Precondition: User is recognizable in the video-feed.
Actors: System
Normal Flow: The system uses a CV library to extract necessary data relevant to the user's form, storing the information locally for generating form recommendations, analytics displays, and overviews.

PUC12: Create Form Recommendation

Event: System has extracted necessary form data from a video-feed.

Precondition: The video-feed was successfully analyzed by the CV library and received the necessary information.

Actors: System

Normal Flow: The system takes the form data and generates a naturally worded recommendation for the user's form.

PUC13: Store Exercise Overview

Event: Exercise overview has been created, comment has been submitted.

Precondition: Exercise overview or comment was successfully created, not cancelled.

Actors: System, Database

Normal Flow: The exercise overview is stored in the user database tied to the user's account.

8.4 System State Diagram




Figure 4: System State Diagram (State Machine)

9 Functional Requirements

9.1 Functional Requirements

Insert your content here.

10 Look and Feel Requirements

10.1 Appearance Requirements

Insert your content here.

10.2 Style Requirements

Insert your content here.

11 Usability and Humanity Requirements

11.1 Ease of Use Requirements

Insert your content here.

11.2 Personalization and Internationalization Requirements

Insert your content here.

11.3 Learning Requirements

Insert your content here.

11.4 Understandability and Politeness Requirements

Insert your content here.

11.5 Accessibility Requirements

Insert your content here.

12 Performance Requirements

12.1 Speed and Latency Requirements

Insert your content here.

12.2 Safety-Critical Requirements

Insert your content here.

12.3 Precision or Accuracy Requirements

Insert your content here.

12.4 Robustness or Fault-Tolerance Requirements

Insert your content here.

12.5 Capacity Requirements

Insert your content here.

12.6 Scalability or Extensibility Requirements

Insert your content here.

12.7 Longevity Requirements

Insert your content here.

13 Operational and Environmental Requirements

13.1 Expected Physical Environment

Insert your content here.

13.2 Wider Environment Requirements

Insert your content here.

13.3 Requirements for Interfacing with Adjacent Systems

Insert your content here.

13.4 Productization Requirements

Insert your content here.

13.5 Release Requirements

Insert your content here.

14 Maintainability and Support Requirements

14.1 Maintenance Requirements

Insert your content here.

14.2 Supportability Requirements

Insert your content here.

14.3 Adaptability Requirements

Insert your content here.

15 Security Requirements

15.1 Access Requirements

Insert your content here.

15.2 Integrity Requirements

Insert your content here.

15.3 Privacy Requirements

Insert your content here.

15.4 Audit Requirements

Insert your content here.

15.5 Immunity Requirements

Insert your content here.

16 Cultural Requirements

16.1 Cultural Requirements

Insert your content here.

17 Compliance Requirements

17.1 Legal Requirements

Insert your content here.

17.2 Standards Compliance Requirements

Insert your content here.

18 Open Issues

Insert your content here.

19 Off-the-Shelf Solutions

19.1 Ready-Made Products

Existing physiotherapy companion apps and other sport-specific or sports-medicine applications exist on the market, however they fail to do what this system intends. Existing physiotherapy companion apps either use human input on the other side of a submission, reducing scalability and increasing possibilities of human error. Some apps even require linking with hardware worn on the patient's body to draw relevant form information for creating recommendations.

Existing form apps with computer-vision are used for very specific purposes, but not for physiotherapy recovery uses.

19.2 Reusable Components

The computer-vision aspects of form recommendation apps for sports, such as golf swings, tennis swings, or baseball batting practice, can be observed and mimicked for the computer-vision aspects of the application.

Some physiotherapy app systems that confirm users with physiotherapists, or confirm validity of physiotherapists, can also be mimicked to model the user database.

19.3 Products That Can Be Copied

There are no products that can be directly copied, but as mentioned in 20.2 there are parts of different existing applications that can be spliced to assist the implementation of the system.

20 New Problems

20.1 Effects on the Current Environment

Insert your content here.

20.2 Effects on the Installed Systems

Insert your content here.

20.3 Potential User Problems

Insert your content here.

20.4 Limitations in the Anticipated Implementation Environment That May Inhibit the New Product

Insert your content here.

20.5 Follow-Up Problems

Insert your content here.

21 Tasks

21.1 Project Planning

Insert your content here.

21.2 Planning of the Development Phases

Insert your content here.

22 Migration to the New Product

22.1 Requirements for Migration to the New Product

As the system isn't a migration from an older system, there are no changes needed to be made at a level any deeper than user onboarding. This means the requirements here are limited to onboarding patients in need of physiotherapy advice and physiotherapists who wish to ensure their patients are completing their exercises outside of appointments.

22.2 Data That Has to be Modified or Translated for the New System

N/A

As mentioned in 23.1, there is no change required on a level deeper than onboarding, this puts the data level out-of-scope for migration.

23 Costs

Insert your content here.

24 User Documentation and Training

24.1 User Documentation Requirements

Users, both patients and physiotherapists, will receive system prompts for next steps upon first usage of each of the system's features. In addition to the prompts, first-time utilization will also come with help dialogue that lets the user know at a high level what the system is doing with inputs.

After first-time utilization, help buttons will remain to allow users to re-open this help dialogue if users are ever confused on system utilization.

24.2 Training Requirements

N/A

Users, both patients and physiotherapists, will learn all they need to through system prompts and help dialogue and will require no additional training to utilize the system.

25 Waiting Room

There are currently no updates planned to occur after the completion of the system outlined within this document. However, there are functionalities that would be pursued if the system was carried beyond the scope of this document.

These additional features include, but are not limited to, the following:

- Additional joints and exercises for physiotherapy advice and form recommendations.
- Additional security features such as two-factor authentication.
- Physiotherapist access to full-length patient video-streams (rather than just overview access).
- Advanced metrics and exercise information such as muscle activation.

26 Ideas for Solution

Insert your content here.

Appendix — Reflection

The purpose of reflection questions is to give you a chance to assess your own learning and that of your group as a whole, and to find ways to improve in the future. Reflection is an important part of the learning process. Reflection is also an essential component of a successful software development process.

Reflections are most interesting and useful when they're honest, even if the stories they tell are imperfect. You will be marked based on your depth of thought and analysis, and not based on the content of the reflections themselves. Thus, for full marks we encourage you to answer openly and honestly and to avoid simply writing "what you think the evaluator wants to hear."

Please answer the following questions. Some questions can be answered on the team level, but where appropriate, each team member should write their own response:

1. What went well while writing this deliverable?
2. What pain points did you experience during this deliverable, and how did you resolve them?
3. How many of your requirements were inspired by speaking to your client(s) or their proxies (e.g. your peers, stakeholders, potential users)?
4. Which of the courses you have taken, or are currently taking, will help your team to be successful with your capstone project.
5. What knowledge and skills will the team collectively need to acquire to successfully complete this capstone project? Examples of possible knowledge to acquire include domain specific knowledge from the domain of your application, or software engineering knowledge, mechatronics knowledge or computer science knowledge. Skills may be related to technology, or writing, or presentation, or team management, etc. You should look to identify at least one item for each team member.
6. For each of the knowledge areas and skills identified in the previous question, what are at least two approaches to acquiring the knowledge or mastering the skill? Of the identified approaches, which will each team member pursue, and why did they make this choice?

Team Reflection Sections

1. N/A
2. N/A
3. N/A
4. N/A
5. A list of knowledge areas required for the team:
 - Understanding of Pose Estimation and CV Concepts: Learn and understand how OpenCV and pose estimation frameworks correctly identify body joints and track various movements.
 - Data Visualization for User Feedback and Progress: Learn how to generate and incorporate feedback graphs using matplotlib and display them.
 - Communication of ideas for documentation, presentation, internal channels within team members and navigating difficult situations.
 - UX Research and Accessibility for Rehab Users: Designing for users with pain, limited mobility, or fatigue; meeting clear feedback expectations and simple flows that encourage exercise adherence.
6. A list of approaches:
 - Pose Estimation and Computer Vision:
 - Watching online tutorials that showcase these concepts and how to use them.
 - Read any available documentation to understand how detection works and what results will be, and how you can use that output.
 - Data Visualization for User Feedback and Progress:
 - Watch matplotlib tutorials to understand and practice creating graphs and other visualizations to display data.
 - Read up on any documentation online teaching the concepts and methods used.

- UX Research and Accessibility for Rehab Users:
 - Make a quick prototype. Figma frames or even paper sketches. Keep it click-through simple.
 - User testing with 3 people: Gather classmates/friends (ideally 1–2 who’ve done physio).

Individual Reflections

Vaisnavi - Reflection

1. Something that went well while writing this deliverable was our group’s consistent communication with one another through our team meetings as well as our messages via Microsoft Teams. We worked well in terms of splitting up the tasks and keeping each other updated in terms of what our progress was with each of our sections.
2. The traceability matrix was something very different for me, it was hard at first to grasp what was required of the matrix but after the TA meeting and talking to the professor as well as my teammates, it definitely cleared a few things up and aided in the process of making the matrix for that section.
3. A lot of our requirements were based upon research as well as our supervisor meetings with our supervisor Kevin. After having a couple meetings with him, it definitely aided in refining the requirements for our app and defining a more clear scope overall as well.
4. Having taken 3RA3 has been super helpful as many of the concepts we are working through in this document were initially introduced in that course. It ultimately has allowed me to learn and strengthen my understanding of the concepts and apply those concepts in a more meaningful manner.
5. Written in team section.
6. I would like to pursue the following approaches: Pose Estimation and Computer Vision as well as Data Visualization for User Feedback and Progress. This is because I am keen on learning and understanding

how OpenCV works as I have never worked with it prior and am interested to see how we can successfully utilize computer vision and available libraries to correctly use pose estimation techniques to analyze the specific video frames and display helpful feedback for the users. Moreover, while I have used matplotlib previously, I plan on doing further research to see how we could incorporate this to provide user-friendly visuals of user progress. My main goal here is to ensure users are able to clearly interpret their progress from the visuals easily and effectively.

Eman - Reflection

1. Something that went well while writing this deliverable was the consistency in communication on each member and their status of deliverables. As our approach was to split up the sections and address them, each member was very efficient in communicating their ability to commit time to their part beforehand and also communicating if and when assistance was needed.
2. Defining the user flow was a difficult task for me as there were many things to consider. While outlining the flow, many new requirements arose which weren't necessarily confirmed were in scope of our project. I resolved them by ensuring that the group was in loop of these new items and introducing discussions around it. I initiated a brainstorming session with a user flow diagram so that each member is able to visualize whether or not a new requirement would be beneficial to include in scope.
3. During requirements definition, I had 2-3 requirements come up through discussion with my peers. Specifically, one group member had shared their findings for their section, which involved the onboarding process for users. This made me think about different roles and how the onboarding process would differentiate for each user role and access. Ultimately, this led to the definition of requirements in two different point of views, as the flow for one user role differs from the flow of another user role.
4. SFWRENG 3RA3 would definitely be an asset to this project. This course outlines requirements elicitation in depth with guidelines on how

to conduct user testing. As requirements elicitation was the hardest part for me throughout this document, having the knowledge from 3RA3 was definitely helpful to refer to.

5. Written in team section.
6. Written in team section.

Matthew - Reflection

1. Something that went well with this deliverable was the ability to adhere to internal deadlines along with communication during the deliverable. Throughout the deliverable if there was a problem that occurred or a task that required more attention then we as a group were able to recognize it and allocate resources to addressing that blocker.
2. I think one pain point that we experienced was the difference in SRS documents. Initially I had used the template in the SRS folder and the team was close to finishing that initial draft. However during the TA meeting it was advised that we use the Volere template instead which was something that we each had to read through and transfer our current ideas to fit the template. It had helped that we were able to communicate effectively and ensure that different sections were looked at with the new template.
3. a good amount of our requirements were from our advisor Kevin. This is because he had given us a perspective from the clinician's side using the application and that helped us not only define our requirements but also keep a manageable scope throughout the project.
4. I think the software requirements course but also human-centered interfaces. It has allowed us to consider the perspective of different users and create an in depth SRS document.
5. I think that one skill the team needs to successfully complete this capstone project is communication. While things like adaptability and technical skills are needed, being able to ask the right questions and translate ideas to verbal/written communication is just as important.

6. Two approaches for improving communication involve repetition. I think that this not only ingrains itself as practice but also as a way to see what works for the audience and being able to read non-verbal cues. In addition another approach for communication is asking for feedback. I think the capstone offers an opportunity to reflect after each deliverable or sprint for not only how the quality of work was but how effectively we communicated. I would like to learn more about effective communication and how that can affect a project. I made this choice since I believe how you communicate works hand in hand with the quality of your responses. on the other end of the spectrum, if you aren't able to communicate an idea then it creates gaps in your proposal.

Maham - Reflection

1. As mentioned before, the constant communication between our members proved to be an invaluable quality. Everyone was friendly, cordial and professional. Over the completion of this deliverable, all of us really got a concrete idea of what our project actually was. I think that aspect of the deliverable went well and was enjoyable.
2. Deciding which template to use was a pain point. I wish the professor had been clearer about his folder labels, because all members initially flocked to the folder labelled SRS. Only during our TA meeting did we come to know that was the incorrect one, and we had already put substantial time into it. However, once our template was correctly chosen, all members tackled their pre-assigned tasks and delivered the highest quality of work. There were individual time management strategies at play, but eventually, all members synced up together.
3. Our advisor, Kevin, helped solidify most of our vague requirements. He gave relevant feedback on some of our decisions. Other than that, members from our team have undergone some form of physiotherapy, so there was personal experience to draw from.
4. The human computer interfaces course, large systems design, and the communications course were all very helpful in enhancing the quality

of our deliverables. I think the objectives achieved in those courses will be very helpful to us and pave the way to success.

5. Written in team section.
6. I think most of the skills and knowledge mentioned above are acquired in a learn-by-doing fashion. Another method could be learning those software engineering code skills by practicing on a website such as Kaggle, which employs the learn-by-doing way of teaching. Due to other engagements and time constraints, I did not delve as deeply as I would have liked to. However, that has a positive aspect as well, because we are not supposed to make any design decisions right now. I also tried exploring accessible design by looking at other applications which employ such design features. My purpose for choosing these two areas to learn was to establish a basic foundational idea and perhaps start thinking about implementation details.

Cieran - Reflection

1. Writing this deliverable really made us converge on what it actually is we are designing. Without properly diving into the requirements of the system and discussing how users will flow through the system, how the individual features interact with both the user and with data, and how the system is intended to be used, we all had different visions of the system that was going to be built. Now that we've gone to great detail, we are all much closer to having the same mental image of the system in our heads.
2. As pointed out above, we didn't have the same system in mind at the start of this deliverable. Starting out, if we hadn't spoken amongst ourselves as much as we did, we'd have different sections of each document with completely different expectations of what the system is meant to do. Additionally, the extension placed on the project messed with some internal deadlines and created some stagnation in progress.
3. Quite a few of the requirements were taken directly from question answers in meetings with our advisor, however all the requirements were modelled with these conversations in mind. In wanting to make sure

the system created is what an actual physiotherapist would use, we had to make sure to model to the wants and knowledge of an actual physiotherapist.

4. 4HC3, which is human-computer interfacing, will be an asset in both designing and implementing the GUI required for the physiotherapy companion application. The techniques in the class learned to guide users, map inputs reasonably so even beginners have an easy time working through the functionalities of the system.
5. In addition to the points mentioned by the team overall and each other team member, integration of several programming languages is required for this project. Using Python as a back-end language to interface with a library for computer vision, and placing all that inside a windows form application or within an android studio designed application, is a completely new field of programming for me personally.
6. Two ways to approach this specific problem are familiarization with both languages, separately, and then familiarization with the plugins and libraries that allow the two to interface. To gain familiarization with both languages, the approach is to just crash things together so to say. During the proof of concept, build something that works cruelly, understand why it works and all the things you did wrong in making it, then during Rev 0 make it better, and do the same in Rev 1. Learning the plugins will take more documentation reading and actual learning. Utilizing resources from teams that have already done this, video sources, the developer's documentation, and anything else that can advance knowledge of the plugins and libraries are all vital resources here.