

Hazard Analysis Software Engineering

Team 11, technically functional

Matthew Huynh

Cieran Diebolt

Vaisnavi Shanthamoorthy

Maham Siddiqui

Eman Ashraf

Table 1: Revision History

Date	Developer(s)	Change
October 4, 2025	Matthew H	Added initial draft of HA
October 4, 2025	Maham S	Initial table input
October 5, 2025	Maham S	Table additions
October 6, 2025	Matthew H	Table additions
October 7, 2025	Matthew H	Table additions
October 8, 2025	Matthew H	Table mods
October 9, 2025	Maham S	Final edits

Contents

1	Introduction	1
2	Scope and Purpose of Hazard Analysis	1
3	System Boundaries and Components	1
4	Critical Assumptions	2
5	Failure Mode and Effect Analysis	3
6	Safety and Security Requirements	13
7	Roadmap	14

1 Introduction

The team's definition of a hazard is an "unsafe" condition that may lead to an unintended event that causes an undesirable outcome [?]. In relation to software development, hazards can be understood as the underlying design decisions that result in potential harm. These risks become apparent when the hazards are not addressed prior to development. These hazards can include technical failures, privacy/security, usability and accessibility risks.

The project's goal is to develop a tool that provides guidance for a physiotherapist's prescribed home exercises. The user's form is analyzed and prompts for adjustments are given. While this can increase the rate and efficacy of recovery, it introduces several hazards. [See the Section 3 in the Problem Statement document for more on project goals.](#) The purpose of this document is to identify those hazards, outline assumptions and propose solutions to limit their presence and their frequency.

2 Scope and Purpose of Hazard Analysis

This document outlines the hazards that may occur while operating the tool. The key areas for scope include:

- **Technical Hazards:** Inability to process user footage, incorrect identification of exercise from different planes, or inaccurate data comparisons, which can result in performance issues and impact the functionality of the tool. Furthermore, these hazards can result in misleading feedback, which could contribute to improper and unsafe exercise techniques.
- **Usability Hazards:** Usability ensures that the tool has the potential for successfully being adopted. All of the inputs to the system, such as the recording of the exercise, are generated from the user. A user-friendly interface guarantees ease of use, which encourages utilization of this tool. On the other hand, incorrect, on-screen prompts may cause confusion while the user performs the exercise. This may reduce usability and lead to ambiguous guidelines.
- **Privacy/Security Hazards:** Unnecessary data collection and storage increases the potential of unauthorized access and misuse of personal information. Such situations, such as data breaches, may lead to catastrophic outcomes, which will result in lower adoption rate.

The purpose of this document is to identify risks and their associated impact to determine ways to mitigate them and identify any future occurrences

3 System Boundaries and Components

To divide the system boundaries we outline the key functions of the application.

- Authentication module
 - The user will log in to the application to access prior user data.
- Video streaming module
 - The user will video stream themselves performing a physio exercise pertaining to the knee joint.
- Analysis module
 - The input of the user performing an exercise will be assessed against the requirements and guidelines defined in the backend.

In addition we will consider the following within the hazard analysis:

- A smart device with a camera
 - To allow users to record themselves during the motion and to receive feedback on the exercise performed.
- A database where user data will be stored

These system boundaries outline what is covered within this hazard analysis.

4 Critical Assumptions

- Assume that the user only had mobility issues pertaining to the knee area and with single joint activity.
 - Moreover, it is assumed that the user will perform an exercise that resembles the exercise.
- Assume that only one user is within the frame of the smart device.
- Assume that the user is receptive to feedback.
- Assume that the user knows how to use the smart device and generally how to navigate it when human-centered interfaces are used.
- Assume that the user has a stable connection to the internet.
- Assume that the user is undergoing physiotherapy and was advised to perform the exercise at home.
- Assume that the device used meets the minimum requirements of our system to function.

5 Failure Mode and Effect Analysis

Table 2: Failure Modes and Effects Analysis

Design Function	Failure Modes	Effects of Failure	Causes of Failure	Recommended Action	SR	Ref.
Authenticate user	Unauthorized access to different patient data	Breach in privacy to personal information	A. Having a weak password	A. User are required to have to create certain password requirements to create an account and sign in.	A. FR1.4 B. SR1 C. NFR 2.3	H1-1
			B. No form of 2FA to protect personal data	B. Users are required to enter an email when creating account for 2FA		
			C. Application keeps user signed in constantly	C. The system will log the user out after 10 minute of in-activity		

Continued on next page

Table 2 – continued from previous page

Design Function	Failure Modes	Effects of Failure	Causes of Failure	Recommended Action	SR	Ref.
Authenticate user	Unable to access user profile	User unable to log into app	A. Technical failure (eg database access down) B. Too many failed login attempts	A. Implement pre-release verification of external library and database connectivity B. Implement a change password option by sending email	A. SR2 B. SR3	H1-2
Detecting user's body (input video stream)	Unable to detect user's starting form (stationary)	App is unable to provide feedback	A. The environment around the user interferes with the system's detection B. App is unable to use the camera	A. Prompt the user to change their environment to a controlled environment without obstructions to the camera B. Close other apps that may be using camera	A. SR4 B/D. SR5 C. SR6 E. FR2.5	H2-1

Continued on next page

Table 2 – continued from previous page

Design Function	Failure Modes	Effects of Failure	Causes of Failure	Recommended Action	SR	Ref.
			C. Device with insufficient charge	C. Prompt the user that they need sufficient charge to proceed with the analysis		
			D. App does not have camera access permission	D. Grant permission for app to access camera		
			E. Application does not have sufficient data to analyze user	E. Application support retry attempts for the user's form if not aligned or has obstructions		
Detecting user's body (input video stream)	Unable to detect user's starting form (stationary)	Application is unable to provide accurate feedback	A. The environment around the user interferes with the system's detection	A. Refer to H2-1A	A. SR4 B. SR2	H2-2

Continued on next page

Table 2 – continued from previous page

Design Function	Failure Modes	Effects of Failure	Causes of Failure	Recommended Action	SR	Ref.
			B. The system places markers incorrectly	B. Refer to H1-2A		
Detecting user's body (input video stream)	Unable to detect user's starting form (stationary)	Limited, incorrect or no footage provided for processing different body parts	A. The environment around the user interferes with the system's detection B. Device with insufficient charge C. Application does not have sufficient data to analyze user	A. Refer to H2-1A B. Refer to H2-1C C. Refer to H2-1E	A. SR4 B. SR6 C. FR2.5	H2-3

Continued on next page

Table 2 – continued from previous page

Design Function	Failure Modes	Effects of Failure	Causes of Failure	Recommended Action	SR	Ref.
Analyzing exercise form (monitoring)	Unable to calculate metrics properly	May mislead the user	A. Incorrect placement of the body during exercise B. Environment is cluttered and there are interferences during analysis C. Application does not have sufficient data to analyze user	A. Provide some sort of outline on the screen where the user has to position themselves to make each view standardized B. Refer to H2-1C C. System supports retry attempts if insufficient data	A. SR7 B. SR4 C. SR8	H3-1
Analyzing exercise form (monitoring)	Unable to calculate metrics properly	Causes feedback to be incorrect and may satisfy the wrong requirements	A. Incorrect placement of the body during exercise	A. Refer to H3-1A	A. SR7 B. SR4	H3-2

Continued on next page

Table 2 – continued from previous page

Design Function	Failure Modes	Effects of Failure	Causes of Failure	Recommended Action	SR	Ref.
			B. Environment is cluttered and there are interferences during analysis	B. Refer to H2-1A		
Analyzing exercise form (monitoring)	Unable to calculate metrics properly	App is unable to provide feedback	A. Incorrect placement of the body during exercise B. Environment is cluttered and there are interferences during analysis C. Application does not have sufficient data to analyze user	Refer to H3-1	A. SR7 B. SR4 C. SR8	H3-3

Continued on next page

Table 2 – continued from previous page

Design Function	Failure Modes	Effects of Failure	Causes of Failure	Recommended Action	SR	Ref.
Real-time feedback	Feedback is slow and does not provide it to the user well	Users cannot correct form and delay in verification of the new form may cause poor performance of the movement	A. Implementation of metrics maybe delaying how prompts are generated B. Application does not have sufficient data to analyze user	Review how the metrics are being generated and when prompts are being given to the user (i.e. running average but it takes many data points) Refer to H3-3C	A. NFR1.3 B. SR8	H4-1
Analyzing exercise form (monitoring)	Unable to calculate metrics properly	System provides the users with incorrect feedback outside of their physiotherapist's recommendations	System does not know the limitations set by the physiotherapist	Allow a manual input to set daily/weekly limit on increases in-load	A/B. SR9	H4-2

Continued on next page

Table 2 – continued from previous page

Design Function	Failure Modes	Effects of Failure	Causes of Failure	Recommended Action	SR	Ref.
				B. Allow a manual input to set daily/weekly limit on increases on mobility		
Analyzing exercise form (monitoring)	Confusing prompts (jargon)	User may not be able to perform the exercise as intended	Prompts are confusing and use jargon in their instructions	A. The system provides a tutorial of the movement during feedback B. Refer to H4-2 C. Design for accessibility (audio cues and visual cues)	A. SR10 B. SR9 C. NFR3.1	H4-3
Analyzing exercise form (monitoring)	Confusing prompts (jargon)	User may harm themselves as a result of the technical jargon	Prompts are confusing and use jargon in their instructions	Refer to H4-3	A. SR10 B. SR9 C. NFR3.1	H4-4

Continued on next page

Table 2 – continued from previous page

Design Function	Failure Modes	Effects of Failure	Causes of Failure	Recommended Action	SR	Ref.
Analyzing exercise form (monitoring)	Confusing prompts (jargon)	User might not know what to correct and become frustrated thus not use the app	Prompts are confusing and use jargon in their instructions	Refer to H4-3	A. SR10 B. SR9 C. NFR3.1	H4-5
Data Management (database)	The system pulls incorrect patient data	This can lead to a security breach and improper access of other user data	Prompts are confusing and use jargon in their instructions	A. The system provides a tutorial of the movement during feedback	A. NFR2.1	H5-1
Data Management (database)	The system pulls incorrect patient data	This can affect how feedback is given and stored for future	System incorrectly takes from the wrong userID	Refer to H1-2A	A. SR4	H5-2
Data Management (database)	The system pulls incorrect patient data	There are duplicate entries	Refer to H5-1A	Refer to H5-1A	A. NFR2.1	H5-3

Continued on next page

Table 2 – continued from previous page

Design Function	Failure Modes	Effects of Failure	Causes of Failure	Recommended Action	SR	Ref.
Data Man- agement (database)	Unable to access user profile	System is unable to log in user	Refer to H1-2	Refer to H1-2	A. SR2 B. SR3	H5-4

6 Safety and Security Requirements

SR1: The system shall enforce a 2FA when creating an account and logging in. The system will ensure 2FA through the email address of the user stored on the database.

Rationale: Users who do are not properly authenticated could result in privacy breaches to personal and healthcare information.

Risk: Medium

Reference: H1-1

SR2: The system shall test the connectivity to external libraries and database connectivity prior to release.

Rationale: This can result in functionality issues with the application and also obtaining data from the incorrect account.

Risk: High

Reference: H1-2, H2-2, H5-2

SR3: The system shall include an option to reset the password if too many (5) attempts are made with incorrect login.

Rationale: Inability to access the user's profile can result in not having access to the application's functionality.

Risk: Medium

Reference: H2-1, H5-2

SR4: The system shall prompt the user at the start of video streaming if there are obstructions or low-light levels and give the user a chance to change their environment prior to analysis.

Rationale: System will be unable to decipher form if the surrounding environment is not correct.

Risk: High

Reference: H2-1, H2-2, H2-3, H3-1, H3-2, H3-3, H5-2

SR5: The system shall prompt the user if the application does not have access to the camera or if there is an alternative program that is using the camera.

Rationale: This can result in an inability to detect the user's form and the application will have nothing to process.

Risk: Medium

Reference: H2-1, H3-2

SR6: The system shall monitor the smart device's battery life and prompt the user if it falls below a certain threshold to charge the device.

Rationale: The system cannot function without proper access to power.

Risk: Low

Reference: H2-1, H2-3

SR7: The system shall provide a guideline overlay when setting up the smart

device so they are in-frame of the view and correct orientation.

Rationale: In order to align the user to the camera and detect the user's posture throughout the exercise.

Risk: High

Reference: H3-1, H3-3

SR8: The system shall support retry attempts if the patient's form has insufficient data.

Rationale: The purpose is to provide analysis and if insufficient data is collected then it will notify the user to retry.

Risk: High

Reference: H3-1, H3-3, H4-1

SR9: The system shall allow for physiotherapists to input daily/weekly limitations on the metrics measured by the application.

Rationale: Exceeding the limits may result in improper or unsafe form and cause injury.

Risk: High

Reference: H4-2, H4-3, H4-4, H4-5

SR10: The system shall provide an option to view the motion on an internal page on the application to help guide the motion during analysis.

Rationale: Without this requirement, it may be difficult to replicate suggestions in words, having a visual cue may improve accessibility.

Risk: Low

Reference: H4-3, H4-4, H4-5

7 Roadmap

The safety requirements that will be part of the capstone time-line include:

- SR2
- SR4
- SR5
- SR6
- SR7
- SR8

The requirements that will be implemented in the future include:

- SR1

- SR3
- SR9
- SR10

Appendix — Reflection

[Not required for CAS 741 —SS]

The purpose of reflection questions is to give you a chance to assess your own learning and that of your group as a whole, and to find ways to improve in the future. Reflection is an important part of the learning process. Reflection is also an essential component of a successful software development process.

Reflections are most interesting and useful when they're honest, even if the stories they tell are imperfect. You will be marked based on your depth of thought and analysis, and not based on the content of the reflections themselves. Thus, for full marks we encourage you to answer openly and honestly and to avoid simply writing "what you think the evaluator wants to hear."

Please answer the following questions. Some questions can be answered on the team level, but where appropriate, each team member should write their own response:

1. What went well while writing this deliverable?
2. What pain points did you experience during this deliverable, and how did you resolve them?
3. Which of your listed risks had your team thought of before this deliverable, and which did you think of while doing this deliverable? For the latter ones (ones you thought of while doing the Hazard Analysis), how did they come about?
4. Other than the risk of physical harm (some projects may not have any appreciable risks of this form), list at least 2 other types of risk in software products. Why are they important to consider?

Matthew - Reflection

1. I think what well in this deliverable had to have been our communication. This deliverable had a lot more separate sections that required each of us to be subject matter experts on, for example I primarily worked on the HA while others primarily did the SRS. Being able to communicate effectively allowed us to divide work while also being aware of how the other deliverable was doing and if any help was needed there.
2. I think a pain point that we experienced this deliverable was the idea of the application we were building. While we wanted to keep things general, the group found it hard to move forward without a clear idea of the project and a more granular detail. This resulted in each member having their own interpretation of the project each with slight differences that it affected consistency within documents and sections. The way that we resolved this was by identifying that there was part of the application that we had discrepancy on. From there we scheduled a meeting to determine the general flow of the program. This allowed each of us to voice opinions

while also understanding each team members point of view of the project. I would confidently say that since then we resolved those issues.

3. The risks that the team had thought of before this deliverable were very basic, it wasn't until this deliverable where we were able to add requirements to the system and then identify hazards. The ones that we thought of from the SRS are identified in the FMEA table labelled FRX.X or NFRX.X. The ones that we came about during the hazard analysis were the ones labelled SRX.X. This came about by putting ourselves in the shoes of the stakeholders and trying to understand issues that they might have. Furthermore, we had asked our advisor (Kevin), who is a physiotherapist, his perspective and how he would also view pain points. This allowed us to develop a list of hazards and thus requirements to address for the application.
4. Two other risks are technical and security risk in software products. These are important to consider as if they go unchecked then they can lead to catastrophic consequences. Technical risk for example may lead to unintended functionality and serve as a disconnect between what wanted to get implemented and what was implemented. Security risk, especially when collecting data and storing it, can result to data breaches and lead to the failure of protecting sensitive data. These both can result in a loss of trust when using different software and poor rates of adoption. Furthermore they can contribute massively towards cost of the project if a hazard would occur. These considerations must be taken into account for the health of the software and success.