AUROBINDO PHARMA LTD

BATCH REPORT

STATUS: QA APPROVED

Printed On: 14/10/2026 12:23:39

EQUIPMENT DETAILS

Equipment Name	Equipment ID	Make	Area	Block
AUTO COATER	MB041	GANSONS	COATING MODULE-B	PB1

BATCH DETAILS

Batch Number: WWC26002	**Lot Number:** NA	**Product Name:** CARVEDILOL 12.5mg	**Product Code:** CARVEDILOL 12.5mg
Recipe Name: CARVEDILOL 12.5mg Coating Recipe	**Batch Size:** 625000 Tablets	**Start Time:** 10/09/2026 12:23:17	**End Time:** 10/09/2026 20:30:13

USER LOGIN/LOGOUT

User Name	Date And Time	Description
191257 (PB1-Module-B-Supervisor)	20/09/2026 16:45:12	Logout Successfully
29995 (PB1-Module-B-Operator)	20/09/2026 16:47:01	Login
29995 (PB1-Module-B-Operator)	20/09/2026 22:05:16	Logout Successfully
8585 (PB1-Module-B-Operator)	20/09/2026 22:05:51	Login
8585 (PB1-Module-B-Operator)	21/09/2026 00:29:13	Logout Successfully
191164 (PB1-Module-B-Supervisor)	21/09/2026 00:36:29	Login

PARAMETER SETTINGS

TEMPERATURE & GENERAL PARAMETERS

Parameters	Set Value
INLET AIR TEMPERATURE - SP (C)	60.0
EXHAUST AIR TEMPERATURE SP (C)	45.0
INLET DAMPER OPENING (%)	75.0
EXHAUST DAMPER OPENING (%)	20.0
PAN SPEED (RPM)	2.1
AGITATOR SOL ON / OFF TIME (Secs)	3 / 3
PRINT INTERVAL (Mins)	30

FILM MODE - PRE JOG & DOSING PUMP

Parameters	Set Value
PRE JOG PAN ON / OFF TIME (Secs)	6 / 30
NO. OF PRE JOG CYCLES	15
PRE JOG INLET / EXHAUST TEMP (C)	60.0 / 42.0
DOSING SET SPEED (RPM)	14.0
AT BED TEMPERATURE (C)	48.0
RATE OF CHANGE IN (RPM/C)	0.1
DOSING ON / OFF TIME (Secs)	60 / 0
NO. OF DOSING CYCLES	600

FILM MODE - POST JOG PARAMETERS

Parameters	Set Value
POST JOG PAN ON / OFF TIME (Secs)	5 / 55
NO. OF POST JOG CYCLES	6
POST JOG INLET / EXHAUST TEMP (C)	50.0 / 40.0
POST JOG PAN SPEED (RPM)	1.4

OPERATIONAL DETAIL VALUES

Parameter	Set Value	Min Value	Max Value
INLET AIR TEMPERATURE (C)	60.0	50.0	65.0
EXHAUST AIR TEMPERATURE (C)	45.0	38.0	48.0
PAN SPEED (RPM)	2.1	1.4	2.5
BED TEMPERATURE (C)	48.0	42.0	50.0

OPERATIONAL DETAIL VALUES

Process telemetry table with compact Set / Actual parameter value display (Values shown as Set / Actual)

Observed Timestamp	Inlet Air Temp (C)	Bed Temp (C)	Pan Speed (RPM)	Spray Rate (g/min)	Atom Air Press (bar)
10/09/2026 12:23:17	-	-	-	-	-
10/09/2026 12:53:18	-	-	-	-	-

Observed Timestamp	Inlet Air Temp (C)	Bed Temp (C)	Pan Speed (RPM)	Spray Rate (g/min)	Atom Air Press (bar)
10/09/2026 13:23:18	-	-	-	-	-
10/09/2026 13:53:19	-	-	-	-	-
10/09/2026 14:23:19	-	-	-	-	-
10/09/2026 14:53:20	-	-	-	-	-
10/09/2026 15:23:20	-	-	-	-	-
10/09/2026 15:53:21	-	-	-	-	-
10/09/2026 16:23:21	-	-	-	-	-
10/09/2026 16:53:22	-	-	-	-	-
10/09/2026 17:23:22	-	-	-	-	-
10/09/2026 17:53:23	-	-	-	-	-
10/09/2026 18:23:23	-	-	-	-	-
10/09/2026 18:53:24	-	-	-	-	-
10/09/2026 19:05:09	-	-	-	-	-
10/09/2026 20:30:13	-	-	-	-	-

ALARM SUMMARY

Occurred Time	Alarm Name	Resolved Time	Duration
23/02/2026 12:14:46	INLET AIR TEMP HIGH	23/02/2026 12:14:58	00:00:12

AUDIT TRAIL

Date And Time	User Name	Action / Description	Comments / Reason
14/10/2026 11:59:45	PRODUCTION_OPERATOR_1	CLAIM_TASK	Batch stage assigned to PRODUCTION_OPERATOR_1
14/10/2026 12:00:23	PRODUCTION_OPERATOR_1	SUBMIT_FOR_REVIEW	Review
14/10/2026 12:00:23	PRODUCTION_OPERATOR_1	SUBMIT_FOR_REVIEW	Review
14/10/2026 12:09:59	PRODUCTION_REVIEWER_1	CLAIM_TASK	Batch stage assigned to PRODUCTION_REVIEWER_1
14/10/2026 12:10:50	PRODUCTION_REVIEWER_1	SUBMIT_FOR_APPROVAL	okay
14/10/2026 12:10:50	PRODUCTION_REVIEWER_1	SUBMIT_FOR_APPROVAL	okay
14/10/2026 12:17:07	QA_APPROVER_1	CLAIM_TASK	Batch stage assigned to QA_APPROVER_1
14/10/2026 12:17:40	QA_APPROVER_1	APPROVE	Approved
14/10/2026 12:17:40	QA_APPROVER_1	APPROVE	Approved
23/02/2026 11:36:50	98204 (PB3 COTC0226 Supervisor)	BATCH START	-
23/02/2026 11:37:49	24159 (PB3 COTC0226 Operator)	RETRACTABLE ARM OUT	-
23/02/2026 11:38:09	24159 (PB3 COTC0226 Operator)	TABLET LOADING START	-
23/02/2026 11:39:17	24159 (PB3 COTC0226 Operator)	EXHAUST DAMPER OPENING	-
23/02/2026 11:53:24	24159 (PB3 COTC0226 Operator)	CONTROL PANEL CONDENSATE SET	-
23/02/2026 11:53:32	24159 (PB3 COTC0226 Operator)	TABLET LOADING END	-
23/02/2026 11:55:34	24159 (PB3 COTC0226 Operator)	DE DUSTING START	-
23/02/2026 11:56:34	24159 (PB3 COTC0226 Operator)	DE DUSTING OVER	-
23/02/2026 11:56:44	24159 (PB3 COTC0226 Operator)	DOSING	-
23/02/2026 11:56:58	24159 (PB3 COTC0226 Operator)	MANUAL MODE DOSING PUMP RPM	-
23/02/2026 11:57:11	24159 (PB3 COTC0226 Operator)	GUN VALIDATION	-
23/02/2026 11:58:11	24159 (PB3 COTC0226 Operator)	GUN VALIDATION	-
23/02/2026 12:01:04	24159 (PB3 COTC0226 Operator)	GUN VALIDATION	-
23/02/2026 12:02:04	24159 (PB3 COTC0226 Operator)	GUN VALIDATION	-
23/02/2026 12:08:43	24159 (PB3 COTC0226 Operator)	GUN VALIDATION	-
23/02/2026 12:09:43	24159 (PB3 COTC0226 Operator)	GUN VALIDATION	-
23/02/2026 12:12:09	24159 (PB3 COTC0226 Operator)	DOSING PUMP START	-
23/02/2026 12:12:12	24159 (PB3 COTC0226 Operator)	DOSING PUMP STOP	-
23/02/2026 12:12:16	24159 (PB3 COTC0226 Operator)	DOSING PUMP STOP	-
23/02/2026 12:12:33	24159 (PB3 COTC0226 Operator)	RETRACTABLE ARM IN	-
23/02/2026 12:13:14	24159 (PB3 COTC0226 Operator)	MACHNE MODE AUTO	-
23/02/2026 12:13:20	24159 (PB3 COTC0226 Operator)	DOSING	-
23/02/2026 12:13:23	24159 (PB3 COTC0226 Operator)	COATING START	-
23/02/2026 12:14:53	24159 (PB3 COTC0226 Operator)	EXHAUST DAMPER OPENING	-
23/02/2026 12:14:57	24159 (PB3 COTC0226 Operator)	INLET DAMPER OPENING	-
23/02/2026 12:19:23	24159 (PB3 COTC0226 Operator)	PRE JOG STARTED	-
23/02/2026 12:29:23	24159 (PB3 COTC0226 Operator)	PRE JOG OVER	-
23/02/2026 12:35:07	24159 (PB3 COTC0226 Operator)	CONDENSATE	-
23/02/2026 12:43:08	24159 (PB3 COTC0226 Operator)	CONDENSATE	-
23/02/2026 12:46:24	24159 (PB3 COTC0226 Operator)	AGITATOR SOLUTION	-
23/02/2026 12:50:44	24159 (PB3 COTC0226 Operator)	CONTROL PANEL CONDENSATE SET	-
23/02/2026 12:55:39	24159 (PB3 COTC0226 Operator)	CONTROL PANEL CONDENSATE SET	-

Date And Time	User Name	Action / Description	Comments / Reason
23/02/2026 12:56:41	24159 (PB3 COTC0226 Operator)	CONTROL PANEL CONDENSATE SET	-
23/02/2026 12:56:46	24159 (PB3 COTC0226 Operator)	DOSING	-
23/02/2026 12:58:01	24159 (PB3 COTC0226 Operator)	DOSING PUMP SET SPEED	-
23/02/2026 13:37:13	24159 (PB3 COTC0226 Operator)	PAN SPEED	-
23/02/2026 13:55:17	24159 (PB3 COTC0226 Operator)	PAN SPEED	-
23/02/2026 14:40:28	24159 (PB3 COTC0226 Operator)	PAN SPEED	-
23/02/2026 15:30:37	24159 (PB3 COTC0226 Operator)	DOSING PUMP SET SPEED	-
23/02/2026 15:30:46	24159 (PB3 COTC0226 Operator)	INLET DAMPER OPENING	-
23/02/2026 16:01:42	24159 (PB3 COTC0226 Operator)	PAN SPEED	-
23/02/2026 16:01:50	24159 (PB3 COTC0226 Operator)	DOSING PUMP SET SPEED	-
23/02/2026 16:01:56	24159 (PB3 COTC0226 Operator)	CONTROL PANEL CONDENSATE SET	-
23/02/2026 16:02:08	24159 (PB3 COTC0226 Operator)	CONTROL PANEL CONDENSATE SET	-
23/02/2026 16:53:13	24159 (PB3 COTC0226 Operator)	CONTROL PANEL CONDENSATE SET	-
23/02/2026 16:53:23	24159 (PB3 COTC0226 Operator)	PAN SPEED	-
23/02/2026 16:53:28	24159 (PB3 COTC0226 Operator)	DOSING PUMP SET SPEED	-
23/02/2026 16:53:30	24159 (PB3 COTC0226 Operator)	PAN SPEED	-
23/02/2026 16:53:37	24159 (PB3 COTC0226 Operator)	DOSING PUMP SET SPEED	-
23/02/2026 16:54:13	24159 (PB3 COTC0226 Operator)	DOSING PUMP SET SPEED	-
23/02/2026 16:54:26	24159 (PB3 COTC0226 Operator)	INLET DAMPER OPENING	-
23/02/2026 16:55:00	24159 (PB3 COTC0226 Operator)	PAN SPEED	-
23/02/2026 17:26:04	24159 (PB3 COTC0226 Operator)	DOSING	-
23/02/2026 17:26:08	24159 (PB3 COTC0226 Operator)	AUTO STOP	TABLET BUILD UP WEIGHT REACHED
23/02/2026 17:26:27	24159 (PB3 COTC0226 Operator)	AGITATOR SOLUTION	-
23/02/2026 17:28:03	24159 (PB3 COTC0226 Operator)	POST JOG ON/OFF	-
23/02/2026 17:28:23	24159 (PB3 COTC0226 Operator)	POST JOG STARTED	-
23/02/2026 17:38:23	24159 (PB3 COTC0226 Operator)	POST JOG OVER	-
23/02/2026 17:38:45	24159 (PB3 COTC0226 Operator)	POST JOG ON/OFF	-
23/02/2026 17:41:46	24159 (PB3 COTC0226 Operator)	RETRACTABLE ARM OUT	-
23/02/2026 17:42:03	24159 (PB3 COTC0226 Operator)	MACHNE MODE MANUAL	-
23/02/2026 17:42:12	24159 (PB3 COTC0226 Operator)	EXHAUST DAMPER OPENING	-
23/02/2026 17:42:18	24159 (PB3 COTC0226 Operator)	EXHAUST BLOWER START	-
23/02/2026 18:10:49	28780 (PB3 COTC0226 Operator)	PAN MOTOR START	-
23/02/2026 18:10:55	28780 (PB3 COTC0226 Operator)	PAN MOTOR STOP	-
23/02/2026 18:46:08	28780 (PB3 COTC0226 Operator)	EXHAUST BLOWER STOP	-
23/02/2026 18:46:19	28780 (PB3 COTC0226 Operator)	UNLOADING START	-
23/02/2026 18:46:33	28780 (PB3 COTC0226 Operator)	EXHAUST DAMPER OPENING	-
23/02/2026 18:46:41	28780 (PB3 COTC0226 Operator)	MANUAL MODE PAN MOTOR RPM	-
23/02/2026 19:02:47	28780 (PB3 COTC0226 Operator)	PAN PAUSE	-
23/02/2026 19:04:57	28780 (PB3 COTC0226 Operator)	PAN CONTINUE	-
23/02/2026 19:15:56	28780 (PB3 COTC0226 Operator)	UNLOADING END	-
23/02/2026 19:19:31	28780 (PB3 COTC0226 Operator)	RETRACTABLE ARM IN	-
23/02/2026 19:53:08	99728 (PB3 COTC0226 Supervisor)	BATCH END	-

WORKFLOW ACTIONS & ELECTRONIC SIGNATURE RECORD

Workflow Action	Performed By	Role	Date & Time	Status Transition	E-Signature & Details
Claim Task & Assign	**PRODUCTION_OPERATOR_1**	Production Operator	14/10/2026 11:59:45	**Task Claimed**	Batch stage assigned to PRODUCTION_OPERATOR_1
Submit for Review	**PRODUCTION_OPERATOR_1**	Production Operator	14/10/2026 12:00:23	**PENDING -> UNDER REVIEW**	Reason: Workflow Stage Transition Sign-off Comments: Review
Claim Task & Assign	**PRODUCTION_REVIEWER_1**	Production Reviewer	14/10/2026 12:09:59	**Task Claimed**	Batch stage assigned to PRODUCTION_REVIEWER_1
Submit for Approval	**PRODUCTION_REVIEWER_1**	Production Reviewer	14/10/2026 12:10:50	**UNDER REVIEW -> REVIEWER REVIEWED**	Reason: Workflow Stage Transition Sign-off Comments: okay
Claim Task & Assign	**QA_APPROVER_1**	QA Approver	14/10/2026 12:17:07	**Task Claimed**	Batch stage assigned to QA_APPROVER_1
QA Release Approval	**QA_APPROVER_1**	QA Approver	14/10/2026 12:17:40	**REVIEWER REVIEWED -> APPROVED**	Reason: Batch Stage Release Approval Comments: Approved

PRINT CONTROLLED SUMMARY & TRACEABILITY LOG

Controlled Print Count:	Last Printed By:	Last Printed At:	Last Print Reason:
1 Copy	**qa_approver_1**	**14/10/2026 12:23:39**	**For Release**

CONTROLLED COPIES TRACEABILITY LOG

Copy #	Printed By	Role	Date & Time	Print Reason
Copy #1	qa_approver_1	QA Reviewer	14/10/2026 12:23:39	For Release