Product Information

Station No.	Station 1	**Product Name**	Carvedilol 12.5 mg
Machine Name	MB040 SEJONG-49D	**Batch No.**	WWC26002
Derived Lot No.	Lot-01	**Recipe Name**	Carvedilol 12.5 mg Compression Recipe
User ID	kv11174	**Operator**	K Venkat Reddy
Print Interval	475000 Tabs	**Running Time**	02 Hour 30 Min02 Sec
Total Counter	475056 Tabs	**Total Running Time**	893 Hour 59 Min
Report Time	2026-09-09T23:26:34	**Source File**	ProductionReport-2026-09-09-23-26-34.xls

Setting Value

Feeder Auto	46 %	**Feeder Manual**	16 RPM
Filling Cam	Cam B 4.5-10mm	**Target Quantity**	1900000 Tabs
Air Pressure Low Limit	400 kPa	**Hydraulic High Limit**	15 MPa
Hydraulic Low Limit	0.2 MPa	**Powder Supply Time**	35 Sec
Initial Reject Time	6.2 Sec	**Upper Punch S1 Interval**	130 Min
Upper Punch S1 Supply	3 Sec	**Lower Punch S2 Interval**	130 Min
Lower Punch S2 Supply	3 Sec	**Lower Head S3 Interval**	0 Min
Lower Head S3 Supply	0 Sec	**Upper Punch Tightness High**	-
Lower Punch Tightness High	-	**Ejecting Force High**	-

Control Limits & Stop Conditions

Parameter	% Setting	kN Limit	Stop Condition
HSP	45 %	17.68 kN	Stop: Yes
HEP	27 %	15.48 kN	10 Rot / 10 Tabs
HCP	3 %	12.56 kN	5 Times
Reference	-	12.19 kN	-
LCP	3 %	11.83 kN	5 Times
LEP	26 %	9.02 kN	10 Rot / 10 Tabs
LSP	45 %	6.71 kN	Stop: Yes
SD Limit	15 %	-	Stop: Yes
Pre HSP	-	17.19 kN	Stop: Yes

Mean Calculation Range	3 Rot	**Calculation Pass**	3 Rot
Empty Punch No.	-		

Pressure Data

Section	Mean (kN)	SD (%)	Min (kN) [Punch]	Max (kN) [Punch]
Pre Pressure	0	0	0 [#0]	0 [#0]
Main Pressure	12.32	2.8	11.31 [#21]	13.14 [#34]
Filling Depth Adjustments	Increase: 32	Decrease: 38	-	-

Operation Value

Disk Speed	22 RPM	**Capacity**	192720 Tabs/hour
Feeder Status	AUTO	**Feeder Speed**	10 RPM
Pre Pressure Thickness	4.37 mm	**Pre Pressure Lower Punch Position**	6.37 mm
Pre Pressure Penetration Depth	2 mm	**Main Pressure Thickness**	2.59 mm
Main Pressure Lower Punch Position	5.59 mm	**Main Pressure Penetration Depth**	3 mm
Filling Depth	6.51 mm	**Current Cam**	Cam B 4.5-10mm
Main Air Pressure	631 kPa	**Hydraulic Pressure**	7.5 MPa
Oil S1 Remaining	93 Min	**Oil S2 Remaining**	92 Min
Oil S3 Remaining	0 Min	**Powder Status**	Enable
Dust Collector	ON	**Initial Reject**	ON
Buzzer	ON		

Tightness

Section	Average (kN)	SD (%)	Max (kN)	Max Punch No.
Upper Punch	-	-	-	-
Lower Punch	-	-	-	-
Ejection Force	-	-	-	-

Tablet Checker

Measurement	Average	Max	Min	SD (%)
Weight (mg)	-	-	-	-
Thickness (mm)	-	-	-	-
Diameter (mm)	-	-	-	-
Hardness (N)	-	-	-	-

Tablet Data & Production Counters

Metric	Count (Tabs)	Source Details
Total Counter	475056	-
A.W.C. Counter	432525	-
HEP	2533	2533 (0.6%)
LEP	34	34 (0.0%)
GOOD	429958	429958 (99.4%)

Lot QA Approval

Lot	Status	QA Approver	QA Approved At
Lot-01	QA_APPROVED	QA_APPROVER_1	2026-10-14T12:18:37.487Z

Source Operator	K Venkat Reddy	**Source Report Date**	2026-09-09 00:00:00

Product Information

Station No.	Station 2	**Product Name**	Carvedilol 12.5 mg
Machine Name	MB040 SEJONG-49D	**Batch No.**	WWC26002
Derived Lot No.	Lot-02	**Recipe Name**	Carvedilol 12.5 mg Compression Recipe
User ID	kv11174	**Operator**	K Venkat Reddy
Print Interval	475000 Tabs	**Running Time**	04 Hour 58 Min39 Sec
Total Counter	950094 Tabs	**Total Running Time**	896 Hour 27 Min
Report Time	2026-09-10T01:57:28	**Source File**	ProductionReport-2026-09-10-01-57-28.xls

Setting Value

Feeder Auto	46 %	**Feeder Manual**	15 RPM
Filling Cam	Cam B 4.5-10mm	**Target Quantity**	1900000 Tabs
Air Pressure Low Limit	400 kPa	**Hydraulic High Limit**	15 MPa
Hydraulic Low Limit	0.2 MPa	**Powder Supply Time**	35 Sec
Initial Reject Time	6.2 Sec	**Upper Punch S1 Interval**	130 Min
Upper Punch S1 Supply	3 Sec	**Lower Punch S2 Interval**	130 Min
Lower Punch S2 Supply	3 Sec	**Lower Head S3 Interval**	0 Min
Lower Head S3 Supply	0 Sec	**Upper Punch Tightness High**	-
Lower Punch Tightness High	-	**Ejecting Force High**	-

Control Limits & Stop Conditions

Parameter	% Setting	kN Limit	Stop Condition
HSP	45 %	16.08 kN	Stop: Yes
HEP	28 %	14.19 kN	10 Rot / 10 Tabs
HCP	3 %	11.42 kN	5 Times
Reference	-	11.09 kN	-
LCP	3 %	10.76 kN	5 Times
LEP	26 %	8.21 kN	10 Rot / 10 Tabs
LSP	45 %	6.1 kN	Stop: Yes
SD Limit	15 %	-	Stop: Yes
Pre HSP	-	15.84 kN	Stop: Yes

Mean Calculation Range	3 Rot	**Calculation Pass**	3 Rot
Empty Punch No.	-		

Pressure Data

Section	Mean (kN)	SD (%)	Min (kN) [Punch]	Max (kN) [Punch]
Pre Pressure	0	0	0 [#0]	0 [#0]
Main Pressure	12.43	2.9	11.25 [#21]	13.49 [#41]
Filling Depth Adjustments	Increase: 49	Decrease: 55	-	-

Operation Value

Disk Speed	22 RPM	**Capacity**	192720 Tabs/hour
Feeder Status	AUTO	**Feeder Speed**	10 RPM
Pre Pressure Thickness	4.71 mm	**Pre Pressure Lower Punch Position**	6.7 mm
Pre Pressure Penetration Depth	1.99 mm	**Main Pressure Thickness**	2.83 mm
Main Pressure Lower Punch Position	5.83 mm	**Main Pressure Penetration Depth**	3 mm
Filling Depth	6.53 mm	**Current Cam**	Cam B 4.5-10mm
Main Air Pressure	648 kPa	**Hydraulic Pressure**	7.5 MPa
Oil S1 Remaining	74 Min	**Oil S2 Remaining**	73 Min
Oil S3 Remaining	0 Min	**Powder Status**	Enable
Dust Collector	ON	**Initial Reject**	ON
Buzzer	ON		

Tightness

Section	Average (kN)	SD (%)	Max (kN)	Max Punch No.
Upper Punch	-	-	-	-
Lower Punch	-	-	-	-
Ejection Force	-	-	-	-

Tablet Checker

Measurement	Average	Max	Min	SD (%)
Weight (mg)	-	-	-	-
Thickness (mm)	-	-	-	-
Diameter (mm)	-	-	-	-
Hardness (N)	-	-	-	-

Tablet Data & Production Counters

Metric	Count (Tabs)	Source Details
Total Counter	950094	-
A.W.C. Counter	904762	-
HEP	2540	2540 (0.3%)
LEP	82	82 (0.0%)
GOOD	902140	902140 (99.7%)

Lot QA Approval

Lot	Status	QA Approver	QA Approved At
Lot-02	QA_APPROVED	QA_APPROVER_1	2026-10-14T12:19:10.877Z

Source Operator	K Venkat Reddy	**Source Report Date**	2026-09-10 00:00:00

Product Information

Station No.	Station 2	**Product Name**	Carvedilol 12.5 mg
Machine Name	MB040 SEJONG-49D	**Batch No.**	WWC26002
Derived Lot No.	Lot-03	**Recipe Name**	Carvedilol 12.5 mg Compression Recipe
User ID	kv11174	**Operator**	K Venkat Reddy
Print Interval	475000 Tabs	**Running Time**	07 Hour 27 Min08 Sec
Total Counter	1425074 Tabs	**Total Running Time**	898 Hour 56 Min
Report Time	2026-09-10T04:26:42	**Source File**	ProductionReport-2026-09-10-04-26-42.xls

Setting Value

Feeder Auto	46 %	**Feeder Manual**	15 RPM
Filling Cam	Cam B 4.5-10mm	**Target Quantity**	1900000 Tabs
Air Pressure Low Limit	400 kPa	**Hydraulic High Limit**	15 MPa
Hydraulic Low Limit	0.2 MPa	**Powder Supply Time**	35 Sec
Initial Reject Time	6.2 Sec	**Upper Punch S1 Interval**	130 Min
Upper Punch S1 Supply	3 Sec	**Lower Punch S2 Interval**	130 Min
Lower Punch S2 Supply	3 Sec	**Lower Head S3 Interval**	0 Min
Lower Head S3 Supply	0 Sec	**Upper Punch Tightness High**	-
Lower Punch Tightness High	-	**Ejecting Force High**	-

Control Limits & Stop Conditions

Parameter	% Setting	kN Limit	Stop Condition
HSP	45 %	16.08 kN	Stop: Yes
HEP	28 %	14.19 kN	10 Rot / 10 Tabs
HCP	3 %	11.42 kN	5 Times
Reference	-	11.09 kN	-
LCP	3 %	10.76 kN	5 Times
LEP	26 %	8.21 kN	10 Rot / 10 Tabs
LSP	45 %	6.1 kN	Stop: Yes
SD Limit	15 %	-	Stop: Yes
Pre HSP	-	15.84 kN	Stop: Yes

Mean Calculation Range	3 Rot	**Calculation Pass**	3 Rot
Empty Punch No.	-		

Pressure Data

Section	Mean (kN)	SD (%)	Min (kN) [Punch]	Max (kN) [Punch]
Pre Pressure	0	0	0 [#0]	0 [#0]
Main Pressure	12.45	3.3	10.77 [#21]	13.38 [#66]
Filling Depth Adjustments	Increase: 59	Decrease: 65	-	-

Operation Value

Disk Speed	22 RPM	**Capacity**	0 Tabs/hour
Feeder Status	AUTO	**Feeder Speed**	10 RPM
Pre Pressure Thickness	4.72 mm	**Pre Pressure Lower Punch Position**	6.71 mm
Pre Pressure Penetration Depth	1.99 mm	**Main Pressure Thickness**	2.82 mm
Main Pressure Lower Punch Position	5.82 mm	**Main Pressure Penetration Depth**	3 mm
Filling Depth	6.51 mm	**Current Cam**	Cam B 4.5-10mm
Main Air Pressure	669 kPa	**Hydraulic Pressure**	7.5 MPa
Oil S1 Remaining	56 Min	**Oil S2 Remaining**	55 Min
Oil S3 Remaining	0 Min	**Powder Status**	Enable
Dust Collector	ON	**Initial Reject**	ON
Buzzer	ON		

Tightness

Section	Average (kN)	SD (%)	Max (kN)	Max Punch No.
Upper Punch	-	-	-	-
Lower Punch	-	-	-	-
Ejection Force	-	-	-	-

Tablet Checker

Measurement	Average	Max	Min	SD (%)
Weight (mg)	-	-	-	-
Thickness (mm)	-	-	-	-
Diameter (mm)	-	-	-	-
Hardness (N)	-	-	-	-

Tablet Data & Production Counters

Metric	Count (Tabs)	Source Details
Total Counter	1425074	-
A.W.C. Counter	1371743	-
HEP	2540	2540 (0.2%)
LEP	82	82 (0.0%)
GOOD	1369121	1369121 (99.8%)

Lot QA Approval

Lot	Status	QA Approver	QA Approved At
Lot-03	QA_APPROVED	QA_APPROVER_1	2026-10-14T12:19:37.717Z

Source Operator	K Venkat Reddy	**Source Report Date**	2026-09-10 00:00:00

ALARM HISTORY

Lot	Station	Timestamp	Alarm	Severity / Remarks
No records available for this batch	-	-	-	-

OPERATING HISTORY / AUDIT TRAIL

Lot	Station	Timestamp	Action	Previous	New	Remarks
No records available for this batch	-	-	-	-	-	-

USER LOGIN / LOGOUT HISTORY

Lot	Station	Timestamp	User	Login / Logout	Remarks
No records available for this batch	-	-	-	-	-

Consolidated Derived Lots Summary

Lot	Station	Source Report Time	QA Status	QA Approver	QA Approved At
Lot-01	Station 1	2026-09-09T23:26:34	QA_APPROVED	QA_APPROVER_1	2026-10-14T12:18:37.487Z
Lot-02	Station 2	2026-09-10T01:57:28	QA_APPROVED	QA_APPROVER_1	2026-10-14T12:19:10.877Z
Lot-03	Station 2	2026-09-10T04:26:42	QA_APPROVED	QA_APPROVER_1	2026-10-14T12:19:37.717Z

Workflow Changes Summary

Lot	Action	Previous / New Status	User / Role	Timestamp	Remarks
Lot-01	Submit for Review	PENDING / UNDER_REVIEW	PRODUCTION_OPERATOR_1 / PRODUCTION_OPERATOR	2026-10-14T12:01:17.536Z	review
Lot-01	Submit for Approval	UNDER_REVIEW / REVIEWER_REVIEWED	PRODUCTION_REVIEWER_1 / PRODUCTION_REVIEWER	2026-10-14T12:12:39.994Z	okay
Lot-01	Approve	REVIEWER_REVIEWED / APPROVED	QA_APPROVER_1 / QA_APPROVER	2026-10-14T12:18:37.487Z	Approve
Lot-02	Submit for Review	PENDING / UNDER_REVIEW	PRODUCTION_OPERATOR_1 / PRODUCTION_OPERATOR	2026-10-14T12:01:47.828Z	Review
Lot-02	Submit for Approval	UNDER_REVIEW / REVIEWER_REVIEWED	PRODUCTION_REVIEWER_1 / PRODUCTION_REVIEWER	2026-10-14T12:13:23.690Z	Okay
Lot-02	Approve	REVIEWER_REVIEWED / APPROVED	QA_APPROVER_1 / QA_APPROVER	2026-10-14T12:19:10.877Z	Approved
Lot-03	Submit for Review	PENDING / UNDER_REVIEW	PRODUCTION_OPERATOR_1 / PRODUCTION_OPERATOR	2026-10-14T12:02:19.095Z	Review
Lot-03	Submit for Approval	UNDER_REVIEW / REVIEWER_REVIEWED	PRODUCTION_REVIEWER_1 / PRODUCTION_REVIEWER	2026-10-14T12:13:52.929Z	Okay
Lot-03	Approve	REVIEWER_REVIEWED / APPROVED	QA_APPROVER_1 / QA_APPROVER	2026-10-14T12:19:37.717Z	Approved

Controlled Print Summary

Approval Status	QA APPROVED - ALL 3 LOTS	**Generated / Downloaded By**	QA_APPROVER_1
Role	-	**Generated At (UTC)**	2026-10-14T12:24:31.491287600Z

Copy / Event	Lot / Scope	Printed / Downloaded By	Timestamp	Reason
Copy #1	Lot-03	qa_approver_1	2026-10-14T12:24:31.479Z	For Release