
Project*

First Saved	Monday, April 6, 2026
Last Saved	Monday, April 6, 2026
Product Version	2025 R2
Save Project Before Solution	No
Save Project After Solution	No



Contents

- **Units**
- **Model (A4)**
  - Geometry Imports
    - Geometry Import (A3)
  - Geometry
    - CLEVIS|Solid
  - Materials
  - Coordinate Systems
  - Mesh
    - Face Sizing
  - **Static Structural (A5)**
    - Analysis Settings
    - Loads
    - Solution (A6)
      - Solution Information
      - Results
- **Material Data**
  - Structural Steel

Units

TABLE 1

Unit System	Metric (m, kg, N, s, V, A) Degrees rad/s Celsius
Angle	Degrees
Rotational Velocity	rad/s
Temperature	Celsius

Model (A4)

TABLE 2
Model (A4) > Geometry Imports

Object Name	*Geometry Imports*
State	Solved

TABLE 3
Model (A4) > Geometry Imports > Geometry Import (A3)

Object Name	*Geometry Import (A3)*
State	Solved
Definition	
Source	C:\Users\User\OneDrive\Desktop\Creocelvics\clevicscreo.stp
Type	Step
Basic Geometry Options	
Solid Bodies	Yes
Surface Bodies	Yes
Line Bodies	No
Parameters	Independent

Parameter Key	ANS;DS
Attributes	No
Named Selections	No
Material Properties	No
Advanced Geometry Options	
Use Associativity	Yes
Coordinate Systems	No
Reader Mode Saves Updated File	No
Use Instances	Yes
Smart CAD Update	Yes
Compare Parts On Update	No
Analysis Type	3-D
Mixed Import Resolution	None
Import Facet Quality	Source
Clean Bodies On Import	No
Stitch Surfaces On Import	None
Decompose Disjoint Geometry	Yes
Enclosure and Symmetry Processing	Yes

Geometry

TABLE 4
Model (A4) > Geometry

Object Name	*Geometry*
State	Fully Defined
Definition	
Source	C:\Users\User\OneDrive\Desktop\Creocelvics\clevicscreo.stp
Type	Step
Length Unit	Millimeters
Element Control	Program Controlled
Display Style	Body Color
Bounding Box	
Length X	2.54e-002 m
Length Y	8.89e-002 m
Length Z	3.175e-002 m
Properties	
Volume	1.5342e-005 m³
Mass	0.12044 kg
Scale Factor Value	1.
Statistics	
Bodies	1
Active Bodies	1
Nodes	11578
Elements	6182
Mesh Metric	None
Update Options	
Assign Default Material	No
Basic Geometry Options	
Solid Bodies	Yes
Surface Bodies	Yes
Line Bodies	No
Parameters	Independent

Parameter Key	ANS;DS
Attributes	No
Named Selections	No
Material Properties	No
Advanced Geometry Options	
Use Associativity	Yes
Coordinate Systems	No
Reader Mode Saves Updated File	No
Use Instances	Yes
Smart CAD Update	Yes
Compare Parts On Update	No
Analysis Type	3-D
Mixed Import Resolution	None
Import Facet Quality	Source
Clean Bodies On Import	No
Stitch Surfaces On Import	None
Decompose Disjoint Geometry	Yes
ID_GeometryPrefProcessPhysicsDefinition	No
Enclosure and Symmetry Processing	Yes

TABLE 5
Model (A4) > Geometry > Parts

Object Name	*CLEVIS|Solid*
State	Meshed
Graphics Properties	
Visible	Yes
Transparency	1
Definition	
Suppressed	No
Stiffness Behavior	Flexible
Coordinate System	Default Coordinate System
Reference Temperature	By Environment
Treatment	None
Material	
Assignment	Structural Steel
Nonlinear Effects	Yes
Thermal Strain Effects	Yes
Bounding Box	
Length X	2.54e-002 m
Length Y	8.89e-002 m
Length Z	3.175e-002 m
Properties	
Volume	1.5342e-005 m³
Mass	0.12044 kg
Centroid X	3.0189e-014 m
Centroid Y	4.3499e-002 m
Centroid Z	1.8824e-013 m
Moment of Inertia Ip1	1.0141e-004 kg·m²
Moment of Inertia Ip2	1.798e-005 kg·m²
Moment of Inertia Ip3	9.2368e-005 kg·m²
Statistics	
Nodes	11578

Elements	6182
Mesh Metric	None

TABLE 6
Model (A4) > Materials

Object Name	*Materials*
State	Fully Defined
Statistics	
Materials	1
Material Assignments	0

Coordinate Systems

TABLE 7
Model (A4) > Coordinate Systems > Coordinate System

Object Name	*Global Coordinate System*
State	Fully Defined
Definition	
Type	Cartesian
Coordinate System ID	0.
Origin	
Origin X	0. m
Origin Y	0. m
Origin Z	0. m
Directional Vectors	
X Axis Data	[1. 0. 0.]
Y Axis Data	[0. 1. 0.]
Z Axis Data	[0. 0. 1.]
Transfer Properties	
Source	
Read Only	No

Mesh

TABLE 8
Model (A4) > Mesh

Object Name	*Mesh*
State	Solved
Display	
Display Style	Use Geometry Setting
Defaults	
Physics Preference	Mechanical
Element Order	Program Controlled
Element Size	Default
Sizing	
Use Adaptive Sizing	Yes
Resolution	Default (2)
Mesh Defeaturing	Yes
Defeature Size	Default
Transition	Fast
Span Angle Center	Coarse
Initial Size Seed	Assembly

Bounding Box Diagonal	9.7757e-002 m
Average Surface Area	2.9852e-004 m²
Minimum Edge Length	3.175e-003 m
Quality	
Check Mesh Quality	Yes, Errors
Error Limits	Aggressive Mechanical
Target Element Quality	Default (5.e-002)
Smoothing	Medium
Mesh Metric	None
Inflation	
Use Automatic Inflation	None
Inflation Option	Smooth Transition
Transition Ratio	0.272
Maximum Layers	5
Growth Rate	1.2
Inflation Algorithm	Pre
Inflation Element Type	Wedges
View Advanced Options	No
Advanced	
Number of CPUs for Parallel Part Meshing	Program Controlled
Straight Sided Elements	No
Rigid Body Behavior	Dimensionally Reduced
Triangle Surface Mesher	Program Controlled
Topology Checking	Yes
Pinch Tolerance	Please Define
Generate Pinch on Refresh	No
Auto-Map Fillets	No
Automatic Methods	
Sheet Body Method	Prime Quad Dominant
Sweepable Body Method	Sweep
Statistics	
Nodes	11578
Elements	6182
Show Detailed Statistics	No

TABLE 9
Model (A4) > Mesh > Mesh Controls

Object Name	*Face Sizing*
State	Fully Defined
Scope	
Scoping Method	Geometry Selection
Geometry	17 Faces
Definition	
Suppressed	No
Type	Element Size
Element Size	2.2e-003 m
Advanced	
Defeature Size	Default
Influence Volume	No
Behavior	Soft

Static Structural (A5)

TABLE 10
Model (A4) > Analysis

Object Name	*Static Structural (A5)*
State	Solved
Definition	
Physics Type	Structural
Analysis Type	Static Structural
Solver Target	Mechanical APDL
Options	
Environment Temperature	22. °C
Generate Input Only	No

TABLE 11
Model (A4) > Static Structural (A5) > Analysis Settings


Object Name	*Analysis Settings*
State	Fully Defined
Step Controls	
Number Of Steps	1.
Current Step Number	1.
Step End Time	1. s
Auto Time Stepping	Program Controlled
Solver Controls	
Solver Type	Program Controlled
Weak Springs	Off
Solver Pivot Checking	Program Controlled
Large Deflection	Off
Inertia Relief	Off
Quasi-Static Solution	Off
Rotordynamics Controls	
Coriolis Effect	Off
Restart Controls	
Generate Restart Points	Program Controlled
Retain Files After Full Solve	No
Combine Restart Files	Program Controlled
Nonlinear Controls	
Newton-Raphson Option	Program Controlled
Force Convergence	Program Controlled
Moment Convergence	Program Controlled
Displacement Convergence	Program Controlled
Rotation Convergence	Program Controlled
Line Search	Program Controlled
Stabilization	Program Controlled
Advanced	
Inverse Option	No
Contact Split (DMP)	Program Controlled
Output Controls	
Output Selection	None

Stress	Yes
Back Stress	No
Strain	Yes
Contact Data	Yes
Nonlinear Data	No
Nodal Forces	No
Volume and Energy	Yes
Euler Angles	Yes
General Miscellaneous	No
Contact Miscellaneous	No
Store Results At	All Time Points
Result File Compression	Program Controlled
Analysis Data Management	
Solver Files Directory	C:\Users\User\OneDrive\Desktop\Creocelvics\Ansys_Simulation_Celvics_files\dp0 \SYS\MECH\
Future Analysis	None
Scratch Solver Files Directory	
Save MAPDL db	No
Contact Summary	Program Controlled
Delete Unneeded Files	Yes
Nonlinear Solution	No
Solver Units	Active System
Solver Unit System	mks

TABLE 12
Model (A4) > Static Structural (A5) > Loads

Object Name	*Fixed Support*	*Force*
State	Fully Defined	
Scope		
Scoping Method	Geometry Selection	
Geometry	1 Face	4 Faces
Definition		
Type	Fixed Support	Force
Suppressed	No	
Define By		Components
Applied By		Surface Effect
Coordinate System		Global Coordinate System
X Component		0. N (ramped)
Y Component		5000. N (ramped)
Z Component		0. N (ramped)

FIGURE 1
Model (A4) > Static Structural (A5) > Force



Solution (A6)

TABLE 13
Model (A4) > Static Structural (A5) > Solution

Object Name	*Solution (A6)*
State	Solved
Adaptive Mesh Refinement	
Max Refinement Loops	1.
Refinement Depth	2.
Information	
Status	Done
MAPDL Elapsed Time	33. s
MAPDL Memory Used	135. MB
MAPDL Result File Size	4.125 MB
Post Processing	
Beam Section Results	No
On Demand Stress/Strain	No

TABLE 14
Model (A4) > Static Structural (A5) > Solution (A6) > Solution Information

Object Name	*Solution Information*
State	Solved
Solution Information	
Solution Output	Solver Output
Newton-Raphson Residuals	0
Identify Element Violations	0
Update Interval	2.5 s
Display Points	All

FE Connection Visibility	
Activate Visibility	Yes
Display	All FE Connectors
Draw Connections Attached To	All Nodes
Line Color	Connection Type
Visible on Results	No
Line Thickness	Single
Display Type	Lines

TABLE 15
Model (A4) > Static Structural (A5) > Solution (A6) > Results

Object Name	*Equivalent Stress*	*Equivalent Elastic Strain*	*Strain Energy*	*Total Deformation*
State	Solved			
Scope				
Scoping Method	Geometry Selection			
Geometry	All Bodies			
Definition				
Type	Equivalent (von-Mises) Stress	Equivalent Elastic Strain	Strain Energy	Total Deformation
By	Time			
Display Time	Last			
Separate Data by Entity	No			
Calculate Time History	Yes			
Identifier				
Suppressed	No			
Integration Point Results				
Display Option	Averaged			
Average Across Bodies	No			
Results				
Minimum	5.1923e+005 Pa	4.2404e-006 m/m	6.8e-009 J	0. m
Maximum	3.2706e+008 Pa	1.7379e-003 m/m	7.4111e-004 J	3.324e-004 m
Average	3.2963e+007 Pa	1.8173e-004 m/m		1.3427e-004 m
Minimum Occurs On	CLEVIS|Solid			
Maximum Occurs On	CLEVIS|Solid			
Total			9.1551e-002 J	
Information				
Time	1. s			
Load Step	1			
Substep	1			
Iteration Number	1			

FIGURE 2
Model (A4) > Static Structural (A5) > Solution (A6) > Equivalent Stress




TABLE 16
Model (A4) > Static Structural (A5) > Solution (A6) > Equivalent Stress

Time [s]	Minimum [Pa]	Maximum [Pa]	Average [Pa]
1.	5.1923e+005	3.2706e+008	3.2963e+007

FIGURE 3
Model (A4) > Static Structural (A5) > Solution (A6) > Equivalent Stress > Figure




FIGURE 4
Model (A4) > Static Structural (A5) > Solution (A6) > Equivalent Elastic Strain




TABLE 17
Model (A4) > Static Structural (A5) > Solution (A6) > Equivalent Elastic Strain

Time [s]	Minimum [m/m]	Maximum [m/m]	Average [m/m]
1.	4.2404e-006	1.7379e-003	1.8173e-004

FIGURE 5
Model (A4) > Static Structural (A5) > Solution (A6) > Equivalent Elastic Strain > Figure




FIGURE 6
Model (A4) > Static Structural (A5) > Solution (A6) > Strain Energy




TABLE 18
Model (A4) > Static Structural (A5) > Solution (A6) > Strain Energy

Time [s]	Minimum [J]	Maximum [J]	Total [J]
1.	6.8e-009	7.4111e-004	9.1551e-002

FIGURE 7
Model (A4) > Static Structural (A5) > Solution (A6) > Strain Energy > Figure




FIGURE 8
Model (A4) > Static Structural (A5) > Solution (A6) > Total Deformation





TABLE 19
Model (A4) > Static Structural (A5) > Solution (A6) > Total Deformation

Time [s]	Minimum [m]	Maximum [m]	Average [m]
1.	0.	3.324e-004	1.3427e-004

FIGURE 9
Model (A4) > Static Structural (A5) > Solution (A6) > Total Deformation > Figure 2



Material Data

Structural Steel

TABLE 20
Structural Steel > Constants

Density	7850 kg m^-3
Coefficient of Thermal Expansion	1.2e-005 C^-1
Specific Heat	434 J kg^-1 C^-1
Thermal Conductivity	60.5 W m^-1 C^-1
Resistivity	1.7e-007 kg m^3 A^-2 s^-3

TABLE 21
Structural Steel > Color

Red	Green	Blue
132	139	179

TABLE 22
Structural Steel > Compressive Ultimate Strength

Compressive Ultimate Strength Pa
0

TABLE 23
Structural Steel > Compressive Yield Strength

Compressive Yield Strength Pa
2.5e+008

TABLE 24
Structural Steel > Tensile Yield Strength

Tensile Yield Strength Pa
2.5e+008

TABLE 25
Structural Steel > Tensile Ultimate Strength

Tensile Ultimate Strength Pa
4.6e+008

TABLE 26
Structural Steel > Isotropic Secant Coefficient of Thermal Expansion

Zero-Thermal-Strain Reference Temperature C
22

TABLE 27
Structural Steel > S-N Curve

Alternating Stress Pa	Cycles	Mean Stress Pa
3.999e+009	10	0
2.827e+009	20	0
1.896e+009	50	0
1.413e+009	100	0
1.069e+009	200	0
4.41e+008	2000	0
2.62e+008	10000	0
2.14e+008	20000	0
1.38e+008	1.e+005	0
1.14e+008	2.e+005	0
8.62e+007	1.e+006	0

TABLE 28
Structural Steel > Strain-Life Parameters

Strength Coefficient Pa	Strength Exponent	Ductility Coefficient	Ductility Exponent	Cyclic Strength Coefficient Pa	Cyclic Strain Hardening Exponent
9.2e+008	-0.106	0.213	-0.47	1.e+009	0.2

TABLE 29
Structural Steel > Isotropic Elasticity

Young's Modulus Pa	Poisson's Ratio	Bulk Modulus Pa	Shear Modulus Pa	Temperature C
2.e+011	0.3	1.6667e+011	7.6923e+010	

TABLE 30
Structural Steel > Isotropic Relative Permeability

Relative Permeability
10000