



How to align checkboxes and their labels on cross-browsers using CSS ?



rishabhjain21

[Read](#)[Discuss](#)[Courses](#)[Practice](#)[Video](#)

For aligning the checkboxes or radio buttons with their labels can be achieved in many ways. Some of the simplest methods to achieve this are described below with proper code and output in different browsers. Now styling can be done in various ways to align the checkboxes and their labels. For this article, we are using internal stylesheet which is done under the style tag.

Method 1: By making the [position](#) of checkbox relative, set the [vertical-align](#) to the middle can align the checkboxes and their labels. Here, we have made the position of the checkbox relative to the label. So the checkboxes are aligned according to the label.

Example:

```
<!DOCTYPE html>
<html>

<head>
  <title>
    Aligning Checkboxes consistently
    in cross browsers
  </title>
  <style>
    h1 {
      color: green;
    }

    input[type=checkbox] {
      vertical-align: middle;
      position: relative;
      bottom: 1px;
    }

    label {
      display: block;
    }
  </style>
</head>

<body>
  <h1>Geeksforgeeks</h1>
  <form>
    <label>
      <input type="checkbox">
      A Computer Science Portal for Geeks
    </label>

    <label>
      <input type="checkbox">
      Just an Edutech Company to educate
    </label>
  </form>
</body>
</html>
```



Output:

AD

- Mozilla Firefox:

Geeksforgeeks

- ☒ A Computer Science Portal for Geeks
- ☐ Just an Edutech Company to educate

- Google Chrome:

Geeksforgeeks

- ☒ A Computer Science Portal for Geeks
- ☐ Just an Edutech Company to educate

- Internet Explorer:

Geeksforgeeks

- ☒ A Computer Science Portal for Geeks
- ☐ Just an Edutech Company to educate

Method 2: By using the [flex](#) display, as the display is set to flex and alignment is center so both the checkbox and label are aligned to the center of the cross-axis.

Example:

```
<!DOCTYPE html>
<html>

<head>
  <title>
    Aligning Checkboxes consistently
    in cross browsers
  </title>
  <style>
    h1 {
      color: green;
    }

    label {
      display: flex;
      align-items: center;
    }
    input[type=checkbox]{
      flex: none;
    }
  </style>
</head>

<body>
  <h1>Geeksforgeeks</h1>
  <form>
    <label>
      <input type="checkbox">
      A Computer Science Portal for Geeks
    </label>

    <label>
      <input type="checkbox">
      Just an Edutech Company to educate
    </label>
  </form>
```



</html>

Output:

- Mozilla Firefox:

Geeksforgeeks

- ☒ A Computer Science Portal for Geeks
☐ Just an Edutech Company to educate

- Google Chrome:

Geeksforgeeks

- ☒ A Computer Science Portal for Geeks
☐ Just an Edutech Company to educate

- Internet Explorer:

Geeksforgeeks

- ☒ A Computer Science Portal for Geeks
☐ Just an Edutech Company to educate

Method 3: By grouping the label and checkbox into the same block, we can align the checkbox and label consistently in cross-browsers.

Example:

```
<!DOCTYPE html>
<html>

<head>
  <title>
    Aligning Checkboxes consistently
    in cross browsers
  </title>
</head>

<body>
  <h1 style="color: green;">Geeksforgeeks</h1>
  <form>
    <div>
      <label style="display: inline-block">
        <input style="vertical-align: middle"
          type="checkbox" />
        <span style="vertical-align: middle">
          A Computer Science Portal for Geeks
        </span>
      </label>
    </div>
    <div>
      <label style="display: inline-block">
        <input style="vertical-align: middle"
          type="checkbox" />
        <span style="vertical-align: middle">
          Just an Edutech Company to educate
        </span>
      </label>
    </div>
  </div>
</div>
```