In [12]:
```python
#Open a File on the Server
f=open("E:\\Madhav-VU21CSEN0300054\madhav.txt")
print(f.read())
```

```
i am madhav,
i dont like violence,
i avoid,
but voilence likes me'
i cant avoid.
```

In [14]:
```python
#Open a File on the Server
f=open("E:\\Madhav-VU21CSEN0300054\madhav.txt","r")
print(f.read())
```

```
i am madhav,
i dont like violence,
i avoid,
but voilence likes me'
i cant avoid.
```

In [24]:
```python
#Read Only Parts of the File
f=open("E:\\Madhav-VU21CSEN0300054\madhav.txt","r")
print(f.read(4))
```

```
i am
```

In [17]:
```python
#Read Lines
f=open("E:\\Madhav-VU21CSEN0300054\madhav.txt","r")
print(f.readline())
```

```
i am madhav,
```

In [23]:
```python
#Read Two Lines
f=open("E:\\Madhav-VU21CSEN0300054\madhav.txt","r")
print(f.readline())
print(f.readline())
```

```
i am madhav,

i dont like violence,
```

In [20]:
```python
#Read the whole file, line by line
f=open("e:\\MADHAV-VU21CSEN0300054\madhav.txt","r")
for x in f:
    print(x)
```

i am madhav,

i dont like violence,

i avoid,

but voilence likes me'

i cant avoid.

In [53]:
```python
#Close Files
f=open("E:\\MADHAV-VU21CSEN0300054\madhav.txt")
print(f.readline())
f.close()
```

i am madhav,

In [54]:
```python
#Write to an Existing File
f=open("E:\\MADHAV-VU21CSEN0300054\madhav.txt","a")
f.write("\nStudent of Gitam University.")
f.close
f=open("E:\\MADHAV-VU21CSEN0300054\madhav.txt","r")
print(f.read())
f.close
```

i am madhav,
i dont like violence,
i avoid,
but voilence likes me'
i cant avoid.

Student of Gitam University.

Out[54]:   <function TextIOWrapper.close()>

In [51]:
```python
f=open("E:\\MADHAV-VU21CSEN0300054\mad.txt","w")
f.write("BAD BOY")
f.close()
f=open("E:\\MADHAV-VU21CSEN0300054\mad.txt","r")
print(f.read())
f.close
```

BAD BOY

Out[51]:   <function TextIOWrapper.close()>

In [58]:
```python
f=open("E:\\MADHAV-VU21CSEN0300054\madboy.txt","x")
f.write("BAD BOY")
f.close()
```