



Web Development

>> CSS: Colors, Images, links

Colors



- **Using a Color**
 - Property: background-color
- **Using an Image**
 - Property: background-image
 - Usage: background-image:url('myimage.png');
- **Using an Image – Repeat**
 - Use the background-image property again
 - Use another property called background-repeat
 - Values: *repeat* | *repeat-x* | *repeat-y* | *no-repeat*
- **Using an Image – Position**
 - Use the background-image property again
 - Use another property called background-position
 - Values: *top* | *bottom* | *center* | *left* | *right* | *center*
 - *Can also add distance from the position in the same value*
 - *Eg. background-position: 10px right;*
- **try an Image – size: cover**

Property: **background-color**




Property: **background-color**

Function: **Red-Green-Blue**



Color Selector



W3schools: Color Picker, Mixer

Colors

- Using an Image opacity

```
div {  
    background: rgba(76, 175, 80, 0.3) /* Green  
background with 30% opacity */  
}
```


- Using an background gradient

background: linear-gradient(*direction/Angle, color-stop1, color-stop2, ...*);


```
div{background: linear-gradient(to left, #00ccff,#b3f0ff);}  
div{background: linear-gradient(-90deg, white,yellow);}
```

Property: **background-color**

Function: **Red-Green-Blue-alpha**
(transparent)



CSS-lint: brackets
extension to check or
debug css



Color gradient: to make grading of two colors(W3C)



Syntax

```
background-image: linear-gradient(direction, color-stop1, color-stop2, ...);
```

Linear Gradient - Top to Bottom (this is default)


The following example shows a linear gradient that starts at the top. It starts red, transitioning



Example

```
#grad {  
  background-image: linear-gradient(red, yellow);  
}
```

[Try it Yourself »](#)



Transitions css compatibility

HTML CSS JAVASCRIPT SQL PYTHON PHP BOOTSTRAP MORE ▾ REFERENCES ▾ EXERCISES ▾

CSS Advanced

- CSS Rounded Corners
- CSS Border Images
- CSS Backgrounds
- CSS Colors
- CSS Gradients
- CSS Shadows
- CSS Text Effects
- CSS Web Fonts
- CSS 2D Transforms
- CSS 3D Transforms
- CSS Transitions**
- CSS Animations
- CSS Tooltips
- CSS Style Images

Browser Support for Transitions

The numbers in the table specify the first browser version that fully supports the property.

Property					
transition	26.0	10.0	16.0	6.1	12.1
transition-delay	26.0	10.0	16.0	6.1	12.1
transition-duration	26.0	10.0	16.0	6.1	12.1
transition-property	26.0	10.0	16.0	6.1	12.1
transition-timing-function	26.0	10.0	16.0	6.1	12.1


How to Use CSS Transitions?

```
10     color: brown;
11     font-size: 3vw;
12     direction: rtl;
13     text-decoration: underline;
14 }
15
16 div{
17     background-image: -
18     webkit-linear-
19     gradient(to right, red,
20     yellow);
21     background-image: -moz-
22     linear-gradient(to
23     right, red, yellow);
24     background-image: -o-
25     linear-gradient(to
26     right, red, yellow);
27 }
28
29 </style>
```

Depending on Browser:

- webkit- : chrome
- moz- : firefox
- o- : opera

Property: **background-image**
url



Property:
background-Size: cover
Repeat: no-repeat

Property:

background-

Attachment: fixed

```
7      p" rel="stylesheet">
8      <style>
9      .myFont{ font-family:
10         'Lobster';
11         color: brown;
12         font-size: 3vw;
13         direction: rtl;
14         text-decoration: underline;
15     }
16     body{
17         background-image:
18         url(images/stars.jpg);
19         background-size: cover;
20         background-attachment:
21         fixed
22     }
23 </style>
</head>
```

other. For example, you can add a matching cover page, header, and sidebar. Click Insert and then choose the elements you want from the different galleries. Themes and styles also help keep your document coordinated. When you click Design and choose a new Theme, the pictures, charts, and SmartArt graphics change to match your new theme. When you apply styles, your headings change to match the new theme. Save time in Word with new buttons that show up where you need them. To change the way a picture fits in your document, click it and a button for layout options appears next to it. When you work on a table, click where you want to add a row or a column, and

Images

- **Using an Image**

- **Padding & Margins**

- 1 value: used for all sides
 - 2 values: <top/bottom> <left/right>
 - 4 values: <top> <right> <bottom> <left>

- **Borders**

- border: <border-width> <border-style> <border-color>

- **Rounded Borders**

- The border-radius property is used to add rounded borders to an element

```
img{  
    max-width: 70%;  
    height: auto;  
    border: 2px dotted red;  
    padding: 2px 4px;  
}
```

```
img{  
    border-top-left-radius: 50%;  
    border-bottom-right-radius: 50%;  
}
```

Shadow

- With CSS you can add shadow to text and to elements

text-shadow

```
h1 {text-shadow: 2px 2px 5px red; }
```

box-shadow

```
div {  
    box-shadow: 10px 10px 5px grey;  
}
```

The first two values specify the length of the shadow offset. The **first** value specifies the **horizontal** distance and the **second** specifies the **vertical** distance of the shadow. The **third** value specifies the **blur radius** and the **last** value describes the **color** of the shadow:

Shadow

- Try


```
p {  
  text-shadow: 0px 2px 2px rgba(255, 255, 255, 0.4);  
}
```

Multiple Shadows: you can add a comma-separated list of shadows



```
h1 {  
  background: #0e8dbc;  
  color: white;  
  text-shadow: 0 1px 0 #ccc,  
               0 2px 0 #c9c9c9,  
               0 3px 0 #bbb,  
               0 4px 0 #b9b9b9,  
               0 5px 0 #aaa,  
               0 6px 1px rgba(0,0,0,.1),  
               0 0 5px rgba(0,0,0,.1),  
               0 1px 3px rgba(0,0,0,.3),  
               0 3px 5px rgba(0,0,0,.2),  
               0 5px 10px rgba(0,0,0,.25),  
               0 10px 10px rgba(0,0,0,.2),  
               0 20px 20px rgba(0,0,0,.15);  
}
```





border: 2px dotted red;



**box-shadow: 3px 3px
yellow; [H,V]**



text-shadow: 2px 2px
blur color



border-top-left-radius:
50%;

Links

- **The four links states are:**

- **a:link** - a normal, unvisited link
- **a:visited** - a link the user has visited
- **a:hover** - a link when the user mouse over it
- **a:active** - a link the moment it is clicked

Note: When setting the style for several link states, there are some order rules:

- **a:hover** MUST come after **a:link** and **a:visited**
- **a:active** MUST come after **a:hover**

```
a:link {  
    font-weight: bold;  
    text-decoration: none;  
    color: #B7A5DF;  
}
```

```
a:visited {  
    font-weight: bold;  
    text-decoration: none;  
    color: #D4CDDC;  
}
```

```
a:hover, a:focus, a:active {  
    text-decoration: underline;  
    color: #9685BA;  
    display: inline-block;  
}
```

Combinators

- Defines the relationship between the selectors.
- A CSS selector can contain more than one simple selector. Between the simple selectors, we can include a combinator.
- There are four different combinators in CSS:
 - **descendant selector (space)**
 - **child selector (>)**
 - **adjacent sibling selector (+)**
 - **general sibling selector (~)**

Combinators - Descendant Selector

CSS

```
ul li {  
  color: crimson;  
}  
  
li {  
  color: blue;  
}
```

HTML

```
<ul>  
  <li>First</li>  
  <li>Second</li>  
<ol>  
  <li>third</li>  
  <li>fourth</li>  
</ol>  
<li>Last</li>  
</ul>
```

The descendant selector matches all elements that are **descendants** of a specified element

Result

- First
- Second
 - 1. third
 - 2. fourth
- Last

Combinators - Child Selector

CSS

```
ul > li {  
  color: crimson;  
}  
  
li {  
  color: blue;  
}
```

HTML

```
<ul>  
  <li>First</li>  
  <li>Second</li>  
  <ol>  
    <li>third</li>  
    <li>fourth</li>  
  </ol>  
  <li>Last</li>  
</ul>
```

The child selector selects all elements that are the **immediate children** of a specified element

Result

- First
- Second
 - 1. third
 - 2. fourth
- Last

Combinators - Adjacent Sibling Selector

CSS

```
div + p {  
    background-color: yellow;  
}
```

HTML

```
<div>  
  <p>Paragraph 1 in the div.</p>  
  <p>Paragraph 2 in the div.</p>  
</div>  
  
<p>Paragraph 3. Not in a div.</p>  
<p>Paragraph 4. Not in a div.</p>
```

The adjacent sibling selector selects the **first element that is the adjacent siblings** of a specified element.

Result

Paragraph 1 in the div.
Paragraph 2 in the div.
Paragraph 3. Not in a div.
Paragraph 4. Not in a div.

Combinators - General Sibling Selector

CSS


```
div ~ p {  
    background-color: yellow;  
}
```

HTML

```
<div>  
  <p>Paragraph 1 in the div.</p>  
  <p>Paragraph 2 in the div.</p>  
</div>  
  
<p>Paragraph 3. Not in a div.</p>  
<p>Paragraph 4.</p>
```

The adjacent sibling selector selects all elements that are the adjacent siblings of a specified element.

Result



Paragraph 1 in the div.
Paragraph 2 in the div.
Paragraph 3. Not in a div.
Paragraph 4.