

Material de Apoyo


En este documento encontraras los links a paginas externas donde encontraras documentacion, videotutoriales y demas contenido que te ayudara a resolver tus dudas

1. Guia de Uso Estructuras de datos

http://www.it.uc3m.es/java/2012-13/units/pilas-colas/guides/4/guide_es_solution.html

2. VideoTutoriales

[Pilas y Colas en Java - Estructura de Datos](#)



[13 Curso de Programación en Java : Pilas y Colas](#)

Hackers e Ingenieros



Ing. Francisco González de León

[pilas y colas de objetos en Java](#)

A screenshot of a Java IDE window showing a code file. The code is written in Java and uses a color-coded syntax. It defines a parking system with a queue of cars. The code includes a loop that adds 13 cars to a queue, each with a unique plate number from "P-0001" to "P-0013". The code is as follows:

```
48 this.oCcli.ingresar(new Cliente( "PP" ));
49 this.oCcli.ingresar(new Cliente("QQQ"));
50
51 this.oPCarro.ingresar(new Carro("P-0001"));
52 this.oPCarro.ingresar(new Carro("P-0002"));
53 this.oPCarro.ingresar(new Carro("P-0003"));
54 this.oPCarro.ingresar(new Carro("P-0004"));
55 this.oPCarro.ingresar(new Carro("P-0005"));
56 this.oPCarro.ingresar(new Carro("P-0006"));
57 this.oPCarro.ingresar(new Carro("P-0007"));
58 this.oPCarro.ingresar(new Carro("P-0008"));
59 this.oPCarro.ingresar(new Carro("P-0009"));
60 this.oPCarro.ingresar(new Carro("P-0010"));
61 this.oPCarro.ingresar(new Carro("P-0011"));
62 this.oPCarro.ingresar(new Carro("P-0012"));
63 this.oPCarro.ingresar(new Carro("P-0013"));
```

