

## **Cambridge International Examinations**

Cambridge International Advanced Subsidiary and Advanced Level

BIOLOGY 9700/21

Paper 2 AS Level Structured Questions

May/June 2016

MARK SCHEME
Maximum Mark: 60

**Published** 

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2016 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.



Page 2	Mark Scheme	Syllabus	Paper
	Cambridge International AS/A Level – May/June 2016	9700	21

## Mark scheme abbreviations:

; separates marking points

I alternatives answers for the same point

R reject

A accept (for answers correctly cued by the question, or extra guidance)

**AW** alternative wording (where responses vary more than usual)

<u>underline</u> actual word given must be used by candidate (grammatical variants accepted)

max indicates the maximum number of marks that can be given

ora or reverse argument ecf error carried forward

I ignore

**mp** marking point (with relevant number)

Page 3	Mark Scheme	Syllabus	Paper
	Cambridge International AS/A Level – May/June 2016	9700	21

## 1 must have correct spellings of Plasmodium and Vibrio cholera

feature	malaria	tuberculosis	cholera
name of pathogen	Plasmodium ;	Mycobacterium tuberculosis	Vibrio cholerae;
type of organism	protoctist/protoctistan; A protist/protozoan/ sporozoan	bacterium	bacterium ;  A bacteria
mode of transmission	by, a vector or (feeding or biting by) Anopheles/mosquito;	via, (airborne) droplets/aerosol(s) (infection);	drinking water and food contaminated with human faeces

[6]

[Total: 6]

2 (a) (i) phagocytosis / endocytosis ; R pinocytosis I engulfing

[1]

(ii) E transcription;

**F** translation ; **A** post translation(al) modification

[2]

(iii) B (phagocytic/endocytic) vacuole/phagosome; A vesicle
R incorrectly qualified vacuole or vesicle (e.g. permanent/large/

secretory/Golgi/excretory)

I food/pathogenic

 ${f G}$  (80S) ribosome ;  ${f A}$  rough endoplasmic reticulum  ${f R}$  RER/rough ER

I 70S or any other type of incorrect S as a qualification

**H** Golgi (body/apparatus/complex);

J mitochondrion; A mitochondria

[4]

- (b) I fusion of lysosomes with phagosome and diffusion of products of digestion
  - bacteria are, killed/destroyed/broken down/digested; A hydrolysed A cell wall broken down

R bacteria are cut up

- 2 (by hydrolytic) enzymes;
- any example, e.g. carbohydrase/lysozyme/protease/nuclease;
- 4 killed by, hydrogen peroxide/H<sub>2</sub>O<sub>2</sub>/free radicals/AW;
- 5 AVP; e.g. correctly named substrate for enzyme murein/peptidoglycan, polysaccharide(s), polypeptides, nucleic acids, lipids e.g. correctly named bonds broken glycosidic, peptide, ester, phosphodiester

[max 3]

	(c)	1 2 3 4	idea that only, a few/some/small number/AW, with correct specificity; (different) T-lymphocytes are specific to different antigens; (T cell) receptor is, complementary (in shape to antigen); AVP; e.g. this may be during a primary immune response so no memory cells e.g. disease state (HIV/AIDS and leukaemia) or treatment where few T-lymphocytes in the body	[max 2]
3	(a)	(i)	N ciliated ; A pseudostratified I columnar/cuboidal R cilia	[1]
		(ii)	O mucous glands ; A mucus glands/serous glands	[1]
		(iii)	P cartilage;	[1]
		1 2 3 4 5 coll three I me	ore air can enter unqualified more air/oxygen, reaches the, alveoli/gas exchange surface; more gas exchange/greater absorption of oxygen/excretes more carbon dioxide; AW  A maximises oxygen obtained satisfies increased demand for oxygen/AW; trachea/bronchi/airways, widen/AW; e.g. dilate/expand/enlarge A diameter of lumen increases reduces resistance to air flow; R rate of air flow increases  agen has be polypeptides/a quaternary structure; ore than one polypeptide unqualified cine is every third amino acid; I at regular intervals R roughly/approximately ole) helix/helical (shape); I regular coils' R alpha helix	[max 2] [max 2] [Total: 7]
4	(a)	trar. 1 2 3	stomata open; for diffusion in of carbon dioxide/carbon dioxide required for photosynthesis; water vapour, diffuses out/moves out down the water potential gradient; A description of water potential gradient/high to low water potential A vapour pressure gradient/water vapour gradient allow water vapour if it is clear that evaporation has occurred A water evaporates and diffuses out R water evaporates out I water (vapour) concentration gradient	[3]

Mark Scheme

Cambridge International AS/A Level – May/June 2016

Syllabus

9700

Paper

21

Page 4

Page 5	Mark Scheme	Syllabus	Paper
	Cambridge International AS/A Level – May/June 2016	9700	21

(b) 1 <u>adhe</u>sion of water to, cellulose/lining/walls (of xylem vessels);

A adhesive force

2 ref to, hydrophilic/polar, property of cellulose (fibres);

A hydrophilic/polar, parts of lignin

- 3 cohesion between water molecules; cohesive force
- 4 maintains column of water/prevents water column breaking/AW;

5 ref. to transpiration pull/AW; I transpiration unqualified

[max 3]

- (c) mp3 units for rates of transpiration must appear once correctly in the whole answer to award this point
  - 1 rate (of transpiration) of all trees is 0 at, 06.00/start; A no transpiration
  - 2 rates (of transpiration) increase and decrease (in all three); A peaks
  - 3 highest rates:

emergent trees at 14.30 at 8.5 kg h<sup>-1</sup> canopy trees at 14.30 at 3.5 kg h<sup>-1</sup>

suppressed trees at 13.00 at 1.6-1.7 kg h<sup>-1</sup>;

must have units at least once accept kg/h or kg per hour

- 4 emergent trees (always) have highest rate or suppressed trees have lowest rate;
  - A emergent trees have higher rate than, canopy and suppressed, trees
- 5 rate of emergent trees is, much/AW, higher than rates for canopy and suppressed trees;
- emergent trees have, steeper/steepest, <u>increase</u> in (transpiration) rate;
   A emergent trees have, steeper/steepest, <u>decrease</u> in (transpiration) rate

[max 4]

(d) following factors may be given in answers, any three of these factors = 1 mark

light, intensity/wavelength I 'more light'

humidity

temperature

wind speed/air movement

size of tree/height/area of leaves

water availability/depth or length of roots

transpiration rate for emergent trees is higher because ... accept **ora** for suppressed trees

accept vapour pressure gradient/water vapour pressure gradient/water vapour diffusion gradient for water potential gradient

1 high(er) light intensity for emergent trees increase in stomatal aperture; ora A more sunlight

A stomata open more

I more stomata open


- 2 lower humidity for emergent trees so steeper water potential gradient; ora A description of water potential gradient
- 3 higher temperature/AW, for emergent trees so higher rate of, evaporation/diffusion; ora
- 4 higher wind speed for emergent trees so, steeper water potential gradient/lower humidity; ora
  - A ref. to diffusion shells/descriptions of water potential gradient
- 5 emergent trees have longer roots so take up more water;
- 6 emergent trees have more leaves so, greater surface area/more stomata per unit area (of leaf);

[max 4]

[Total: 14]

Page 6	Mark Scheme	Syllabus	Paper
	Cambridge International AS/A Level – May/June 2016	9700	21

5 (a) (i) if draw other stages mark first one only – either left to right or top to bottom



four chromatids/daughter chromosomes, drawn as single structures between equator and poles;

V shaped, chromatids/daughter chromosomes, in correct orientation; spindle (fibres) attached to all four, centromeres/kinetochores/apex, and centrioles; **R** if these extend between chromatids

[max 3]

- (ii) 1 attach to the, centromeres (at prophase); A kinetochores I if attach at metaphase
  - 2 attach to, centrioles; A centrosome/MTOC
  - **3** arrange the chromosomes on the, equator/metaphase plate;
  - pull/move, (daughter) chromosomes, apart/to the <u>poles</u>;
     A separates for moves apart A (sister/identical) chromatids
     I ends R homologous chromosomes

[max 2]

- (b) (i) 1 produces/makes/synthesises, haemoglobin; I fills up
  - 2 produces/makes/synthesises, carbonic anhydrase; I fills up
  - 3 loss/AW, of the nucleus;
  - 4 loss/AW, of (named) organelles; e.g. ribosomes/(R)ER/mitochondria
  - **5** becomes biconcave/described:
  - **6** AVP; e.g. cell surface/antigens/named antigens *ref. to* cytoskeleton

[max 3]

- (ii) cell Y
  - 1 remains/stays as a, stem cell;
  - divides/undergoes mitosis;
     I ref. to becoming a type of blood cell/platelet
     R if it becomes a cell other than a blood cell/platelet

[max 1]

Page 7	7		Mark Scheme	Syllabus	Paper
			Cambridge International AS/A Level – May/June 2016	9700	21
(c)	(i)	13	.5;		[max 1]
	(ii)	1 2 3 4 5 6 7	low(er) <u>partial pressure</u> of oxygen (at high altitude); <b>A</b> pO <sub>2</sub> /ppO <sub>2</sub> less oxygen in, inhaled air/lungs/alveoli; so haemoglobin, is not fully saturated/has lower saturation (with oxygen) (than at sea level)/lower affinity for oxygen; idea that more red blood cells so, higher concentration of/morthaemoglobin; allows, same/similar/enough, volume of oxygen to be transposited as at sea level; volume of oxygen transported in the blood is less; less oxygen for (aerobic) respiration/lack leads to anaerobic	e	
		8	respiration; any consequence, e.g. fatigue, altitude sickness;		[max 4]
		0	any consequence, e.g. rangue, annous sickness,		
					[Total: 14]
(a)	mo pro <b>A</b> o	osph os <i>aic</i> otein: differ	nolipids (and proteins), move/AW; s/glycoproteins, scattered/AW (in the phospholipid bilayer); rent types of proteins n unqualified		[2
(b)	7 n		A any size or range within 6 nm and 10 nm A 7 nanometres		[1]
(c)	car A c car gly cha car per atta	satur rboh oligo rboh coca anne rrier riphe achn	erol; rated fatty acids; <b>A</b> phospholipid tails ydrate chains added to protein(s)/glycoproteins; saccharides for carbohydrate chains ydrate chains added to lipids/glycolipids; alyx; el protein(s)/AW; <b>A</b> aquaporin(s); proteins/AW; proteins/AW; eral/extrinsic, proteins; nent to, cytoskeleton/microfilaments; or(s);		
	ant		n(s);		[max 4

[Total: 7]