




1. Halaman statis



2. Halaman dinamis




3. Model



```
1 <?php
2 class Daftar_model extends CI_Model {
3
4
5     public function get_daftar()
6     {
7         $query = $this->db->get('hewan', 10);
8         return $query->result();
9     }
10
11 }
```

4. View baru



An Error Was Encountered

Unable to load the requested file: perhewan,\$data.php

```
1 <html>
2 <head>
3 <title>
4     percobaan menampilkan data dari database
5 </title>
6 </head>
7 <body>
8 <?php foreach ($sisi as $konten) {
9     echo "<div>".$konten->nama_hewan."</div>";
10    echo "<br>";
11 }
12 </body>
13 </html>
14
```

5. Akses ke basis data

The screenshot displays a Windows desktop with two primary applications open: SQLyog Community 64 and Notepad++.

SQLyog Community 64: The interface shows a connection to 'localhost' with the database 'awebc'. The 'Filter tables in awebc' pane on the left lists various database objects. The 'Table Data' pane on the right displays the contents of the 'hewan' table, which has 4 rows. The data is as follows:

id	nama_hewan
1	Kucing
2	Bebek
3	Ayam
4	Kupu-kupu

The status bar at the bottom of SQLyog indicates 'Database: awebc Table: hewan' and '4 row(s)'. A message at the top right states: 'Get the resultset of scheduled queries delivered right into your Inbox : Reason #46 to upgrade'.

Notepad++: The editor is open to the file 'Hewan.php' located at 'C:\xampp\htdocs\Novita\application\controllers\Hewan.php'. The code is a PHP controller for CodeIgniter. It includes a base path definition and a class 'Hewan' that extends 'CI_Controller'. The class contains two methods: 'index()' and 'piaraan()'. The 'index()' method loads a view named 'welcome_message'. The 'piaraan()' method loads the database, a model named 'Daftar_model', and prints the result of 'get_daftar()'.

```
1 <?php
2 defined('BASEPATH') OR exit('No direct script access allowed');
3
4 class Hewan extends CI_Controller {
5
6     /**
7      * Index Page for this controller.
8      *
9      * Maps to the following URL
10      *      http://example.com/index.php/welcome
11      * - or -
12      *      http://example.com/index.php/welcome/index
13      * - or -
14      * Since this controller is set as the default controller in
15      * config/routes.php, it's displayed at http://example.com/
16      *
17      * So any other public methods not prefixed with an underscore will
18      * map to /index.php/welcome/<method_name>
19      * @see https://codeigniter.com/userguide3/general/urls.html
20      */
21     public function index()
22     {
23         $this->load->view('welcome_message');
24     }
25     public function piaraan() {
26         $this->load->database();
27         $this->load->model('Daftar_model');
28         $isi = $this->Daftar_model->get_daftar();
29         print_r($isi);
30     }
31 }
32
```

The status bar at the bottom of Notepad++ shows 'length: 894 lines: 32 Ln: 14 Col: 65 Pos: 359' and 'Unix (LF) UTF-8 INS'.

6. Menampilkan ekstensi .html di akhir alamat

