

Session 14: Debugging & Best Practices Topics: Common syntax/runtime errors.

Importance of commenting & indentation.

Tasks

1.

Given the following buggy code meant to calculate the total price of a Zomato order, identify and fix the syntax and runtime errors:

let items = ["Burger", "Pizza", "Fries"];
let prices = [120, 250, 90];
let total = 0;
for (i = 0; i < items.length; i++) {
 total += prices[i];
}
console.log("Total price is: " + total);

Hint:
Watch for assignment and loop variable issues.

```
let items = ["Burger", "Pizza", "Fries"];
```

```
let prices = [120, 250, 90];
```

```
let total = 0;
```

```
// Loop through all items and add their prices
```

```
for (let i = 0; i < items.length; i++) {
```

```
  total += prices[i];
```

```
}
```

```
console.log("Total price is: " + total);
```

2.

Rewrite the following code to improve its indentation and add comments explaining each step, so that a beginner can understand what it does:

function
isEven(num){if(num%2==0){return true;}else{return false;}}

3.

Write a function formatFollowersCount(count) that takes a number and returns a formatted string like Instagram: 1500 as '1.5K', 1200000 as '1.2M', and numbers below 1000 as-is. Add clear comments and use proper indentation.

4.

You are given a piece of JavaScript code that should print all even numbers from 1 to 10, but it doesn't work as expected:

for (let i = 1; i <= 10; i++) {
 if (i % 2 = 0) {
 console.log(i);
 }
}

Find and fix the error, then rewrite the code with good indentation and at least one comment explaining the logic.