



Transformación digital para la Media técnica.

Proyecto:

Módulo 5: Bases de Datos

Semana: 15

Nombre del Proyecto:

Script SQL con consultas CRUD y consultas JOIN funcionales sobre la base de datos existente

Grupo N° 1

Integrantes:

Marcela Esmeralda Pérez Rodríguez

07/05/2026



1. AGREGAR UN NUEVO PROPIETARIO.

Query Query History

```
1 INSERT INTO owners(
2   owner_id, first_name, last_name, company_name,
3   email, phone, tax_id, address_line1,
4   address_line2, city, state, country, postal_code
5 )
6 VALUES(
7   '01526558_20', 'Giillermo', 'Esmeralda Pérez', 'Instituto Nacional de Olocuilta',
8   'Mara@gmail.com', '7276-3825', '10034564', 'Olocuilta',
9   'casa # 16', 'Olocuilta', 'La Paz', 'El Salvador', '503'
10 );
11
12 SELECT * FROM owners
```

Data Output Messages Notifications

Showing rows: 1 to 24 Page No: 1 of 1

	owner_id [PK] bigint	first_name character varying (100)	last_name character varying (100)	company_name character varying (150)	email character varying (150)	phone character varying (30)	tax_id character varying (50)	address_line character varying (255)
16	16	Stéphane	Hall	Calisto Guillen Lamas S.L.	silviodrewes@example.net	242-102-4994x71746	Vu-88771906	Dirk-Hein-All
17	17	Miguel Ángel	Hodge	Valbuena y Maldonado S.L.	de-sousaemmanuel@example.c...	+34 921168087	nr-03859770	Mangoldweg
18	18	Zacharie	Hethur	[null]	jessica99@example.net	+33 6 08 75 58 86	uV-53396360	36, rue Gilbe
19	19	Cynthia	Benavidez	Maillot	fseip@example.com	0578091343	uY-61172400	5623 Knight
20	20	Rachel	Hervé	Briemer GmbH & Co. KG	feliciano64@example.com	+34872 67 13 69	RX-94406409	3953 Christi
21	15265584	Blanca Sonia	Sánchez de Pérez	Instituto Nacional de Olocui...	blancasonia084@gmail.com	7276-3825	10034564	Olocuilta
22	152655810	Blanca Sonia	Esmeralda Pérez	Instituto Nacional de Olocui...	Marcela@gmail.com	7276-3825	10034564	Olocuilta
23	152655801	Blanca Sonia	Esmeralda Pérez	Instituto Nacional de Olocui...	Marca@gmail.com	7276-3825	10034564	Olocuilta
24	152655820	Giillermo	Esmeralda Pérez	Instituto Nacional de Olocui...	Mara@gmail.com	7276-3825	10034564	Olocuilta

2. CREAR ALOJAMIENTO VINCULADO.

Query Query History

```
1 --Insertar ID en la tabla de tipos de alojamiento para que exista
2 INSERT INTO accommodation_types (accommodation_type_id, type_name)
3 VALUES ('0445090390', 'Deaprtamento');
4
5
6 --Crear alojamiento vinculado
7 INSERT INTO accommodations(
8   accommodation_id, owner_id, accommodation_type_id, location_id,
9   name, description, max_guests, bedroom_count, bathroom_count,
10  base_price_per_night, currency_code, check_in_time, is_active
11 )
12 VALUES(
13   '15', '11', '044509900', '44',
14   'Casa roja', 'Lugar cerca de la playa',
15   12, 15, 12, 120.00, 'USD', '01:00:00', TRUE
16 );
17
18 Select * from accommodations
```

Data Output Messages Notifications

Showing rows: 1 to 21 Page No: 1 of 1

	accomm [PK] bigint	owner_id bigint	accommoc integer	location_id bigint	name character varying (150)	description text
18	18	17	1	18	Charming Stay los bajos	Momento acción cuales tuvo niño mujeres. Nacional mi deseo entrar base. Aspectos corte valores manera.
19	19	11	4	9	Boutique Suite los bajos	Wagen Lehrerin bleiben hinein klein Feuer Name. Baden legen Wald. Fünf Affe Buch davon Freude hat Hunger.
20	20	9	3	15	Rustic Retreat furt	Crime network available mean share evidence writer. Budget window hour some fund voice sense current. Husband American alt
21	21	10	44509012	2	Nombre del Hotel o Casa	Hermoso lugar cerca de la playa

3. REGISTRAR HUÉSPED Y RESERVA.

Query

Query History

1

-- Insertar registro de huésped y reserva ejercicio 3

2

INSERT INTO guests (

3

guest_id, first_name, last_name, email, phone, date_of_birth,

4

nationality, passport_number, emergency_contact_name, emergency_contact_phone

5

)

6

VALUES (

7

9000, 'Marcela', 'Rodriguez', 'marcela.rodriguez@email.com', '61624357', '1991-05-26', 'El Salvador',

8

'INO12345', 'Perez', '75865486'

9

)

10

11

Select * from guests

Data Output

Messages

Notifications

Showing rows: 1 to 103

Page No: 1 of 1

guest_id	first_name	last_name	email	phone	date_of_birth	nationality
94	marcela	Figueroa	beritla79@example.net	+1067-004-2043394070	1971-09-24	Suecia
95	Waltraut	Guilbert	wrightalyssa@example.com	02 97 05 55 43	1964-01-21	Niue
96	Hedi	Chavarria	titocodina@example.net	+49 (0) 5188 125205	1973-04-08	México
97	Amador	Bernad	constancetexier@example.com	+34 866 77 22 33	1973-02-01	Uzbekistan
98	Philippine	Franklin	anais99@example.net	00817 70388	1995-04-24	Moldova
99	Théodore	Bloch	vinzenzseidel@example.com	001-981-529-8266x57...	1951-06-03	Irlanda
100	Kayla	Conesa	jose-carlosavalos@example.com	+34902742123	1987-08-25	Andorra
101	Guillermo	Ramos	guille.ramos@email.com	61624357	1991-05-26	El Salvador
102	Guillermo	Ramos	g.ramos@email.com	61624357	1991-05-26	El Salvador
103	Marcela	Rodriguez	marcela.rodriguez@email.com	61624357	1991-05-26	El Salvador

4. REGISTRAR PAGO

Query

Query History

1

-- insertar registro de pago ejer 4

2

INSERT INTO payments (

3

booking_id, amount, payment_method, payment_status,

4

payment_date

5

)

6

VALUES (

7

2, 120.00, 'Tarjeta', 'Completed', NOW()

8

);

9

10

SELECT * FROM payments

Data Output

Messages

Notifications

<

5. FILTRAR ALOJAMIENTOS ACTIVOS

Query

Query History

```
1 -- Seleccionar alojamientos activos
2 SELECT accommodation_id, name, description, base_price_per_night, location_id, is_active
3 FROM accommodations
4 WHERE is_active = TRUE;
5
6
```

Data Output

Messages

Notifications

SQL

Showing rows: 1 to 19

Page No: 1

	accomm [PK] bigint	name character varying (150)	description text	base_price_per_night numeric (10,2)	location_id bigint	is_active boolean
1	1	Rustic Lodge Ville	Asimismo mes principios peso...	354.37	19	true
2	2	Rustic Hideaway Ville	Democratic change vote partic...	129.59	13	true
3	3	Boutique Retreat Ville	Eran buenos natural. General vi...	230.50	6	true
4	5	Panoramic Stay Ville	Quinze exiger auquel déposer ...	560.30	2	true
5	6	Rustic Getaway de la Monta...	Couper respect soutenir enfon...	306.16	9	true
6	7	Panoramic Getaway dan	María pregunta hasta siete eso...	285.34	4	true
7	8	Cozy Lodge Ville	Et considérer poste fait retomb...	44.03	3	true
8	9	Boutique Nest boeuf	Oser habiter passage respecte...	445.08	8	true
9	10	Rustic Lodge boeuf	Denken nimmt später. Darauf F...	523.75	2	true
10	11	Boutique Stay Ville	Dick kennen heißen Katze Berg...	142.75	3	true
11	12	Rustic Retreat Ville	Material hit no energy.	309.56	6	true
12	13	Panoramic Suite Ville	Acciones términos nuestro est...	597.44	5	true
13	14	Luxury Escape de la Montaña	Midi falloir revenir mesure or b...	321.60	2	true
14	15	Luxury Nest Ville	Règle saint autrefois vie patro...	359.02	20	true
15	17	Luxury Getaway los altos	Unten Musik trinken Angst aus...	159.37	12	true

6. FILTRAR POR NACIONALIDAD HUÉSPEDES

3	SELECT				
4	guest_id,				
5	first_name,				
6	last_name,				
7	email,				
8	nationality				
9	FROM guests				
10	WHERE nationality = 'El Salvador';				
Data Output		Messages		Notifications	
		Showing rows: 1 to 3		Page No:	
	guest_id	first_name	last_name	email	nationality
	[PK] bigint	character varying (100)	character varying (100)	character varying (150)	character varying (100)
1	1000	Guillermo	Ramos	guille.ramos@email.com	El Salvador
2	8000	Guillermo	Ramos	g.ramos@email.com	El Salvador
3	9000	Marcela	Rodriguez	marcela.rodriguez@email.c...	El Salvador

7. RESERVAS POR FECHAS, USO DE BETWEEN.

Query

Query History

```
1  -- Reservar por fecha con uso de between
2  SELECT
3      guest_id,
4      check_in_date,
5      check_out_date,
6      total_amount
7  FROM
8      bookings
9  WHERE
10     check_in_date BETWEEN '2026-06-01' AND '2026-06-30';
```

Data Output

Messages

Notifications

≡

📄

▼

📋

▼

🗑️

🗄️

⬇️

📈

SQL

Showing rows

	guest_id bigint	check_in_date date	check_out_date date	total_amount numeric (10,2)
1	33	2026-06-17	2026-06-29	2149.33
2	72	2026-06-25	2026-07-04	1515.84
3	87	2026-06-23	2026-06-29	107.73

8. MODIFICAR PRECIO

Query

Query History

```
1  -- Modificando precio del cliente
2  UPDATE bookings
3  SET total_amount = 450.00
4  WHERE guest_id = 30;
5
6  Select guest_id, total_amount from bookings
```

Data Output

Messages

Notifications

≡

📄

▼

📋

▼

🗑️

🗄️

⬇️

📈

SQL

	guest_id bigint	total_amount numeric (10,2)
87	20	638.57
88	78	1890.03
89	4	3204.77
90	74	643.19
91	39	3208.27
92	49	2685.89
93	18	2407.29
94	30	450.00
95	14	851.07
96	42	3243.15
97	100	910.51

8. ACTUALIZAR ESTADO RESERVA.

Query

Query History

1

-- Actualizar estado de recerva

2

UPDATE bookings

3

SET booking_status_id = 2

4

WHERE guest_id = 105;

5

6

SELECT booking_status_id, special_requests FROM bookings

Data Output

Messages

Notifications

≡+

📄

▼

📋

▼

🗑️

🗄️

⬇️

📈

SQL

Showing rows: 1 to 100

	booking_status_id integer	special_requests text
77	2	Fröhlich wirklich suchen müssen drei Geld.
78	1	Sector quien aquellos trabajadores sino sólo actual.
79	6	Socialista pueda compañía medida político mayoría cuatro ace...
80	3	[null]
81	6	Zeitung sofort krank dauern.

9. ESTADO RESERVA, ACTUALIZAR ESTADO.

Query

Query History

1

-- Eliminar reseña

2

DELETE FROM reviews

3

WHERE accommodation_id = 2;

4

5

6

SELECT accommodation_id FROM reviews

Data Output

Messages

Notifications

≡+

📄

▼

📋

▼

🗑️

🗄️

⬇️

📈

SQL

	accommodation_id bigint
1	10
2	4
3	5
4	15
5	3
6	4

Query

Query History

1

-- Eliminar reseña

2

DELETE FROM reviews

3

WHERE accommodation_id = 2;

Data Output

Messages

Notifications

DELETE 4

Query returned successfully in 201 msec.

10. ELIMINAR RESEÑA, DELETE WHERE.

Query

Query History

1

-- Eliminar reseña ejer 10

2

DELETE FROM reviews

3

WHERE accommodation_id = 2;

4

5

SELECT accommodation_id FROM reviews

6

Data Output

Messages

Notifications

≡+

📄

▼

📋

▼

🗑️

🗄️

⬇️

📈

SQL

	accommodation_id bigint
1	10
2	4
3	5
4	15
5	3
6	4

11. RESERVAS + HUÉSPED, INNER JOIN

Query

Query History

1

SELECT

2

b.booking_id AS booking_id,

3

b.check_in_date AS check_in_date,

4

b.check_out_date AS check_out_date,

5

b.total_amount AS total_amount,

6

g.first_name AS first_name,

7

g.last_name AS last_name,

8

g.email AS email

9

FROM

10

bookings b

11

INNER JOIN

12

guests g ON b.guest_id = b.booking_id;

13

Data Output

Messages

Notifications

≡+

📄

▼

📋

▼

🗑️

🗄️

⬇️

📈

SQL

Showing rows: 1 to 309

Page No: 1 of 1

⏪ ⏩ ⏴ ⏵

	booking_id bigint	check_in_date date	check_out_date date	total_amount numeric (10,2)	first_name character varying (100)	last_name character varying (100)	email character varying (150)
302	100	2026-03-26	2026-03-31	910.51	Hedi	Chavarria	titocodina@example.net
303	100	2026-03-26	2026-03-31	910.51	Amador	Bernad	constancetexier@example.com
304	100	2026-03-26	2026-03-31	910.51	Philippine	Franklin	anais99@example.net
305	100	2026-03-26	2026-03-31	910.51	Théodore	Bloch	vinzenzseidel@example.com
306	100	2026-03-26	2026-03-31	910.51	Kayla	Conesa	jose-carlosavalos@example.com
307	100	2026-03-26	2026-03-31	910.51	Guillermo	Ramos	guille.ramos@email.com
308	100	2026-03-26	2026-03-31	910.51	Guillermo	Ramos	g.ramos@email.com
309	100	2026-03-26	2026-03-31	910.51	Marcela	Rodriguez	marcela.rodriguez@email.com

12. ALOJAMIENTO COMPLETO, INNER JOIN MÚLTIPLE.

Query

Query History

```
1  -- Combinar alojamiento completo con un INNER JOIN multiple ej. 12
2  SELECT
3      a.accommodation_id AS accommodation_id,
4      a.name AS name,
5      a.base_price_per_night AS base_price_per_night,
6      t.type_name AS type_name,
7      l.city AS city,
8      l.country AS country,
9      o.first_name AS first_name,
10     o.last_name AS last_name,
11     o.email AS email,
12     am.description AS description
13 FROM
14     accommodations a
15 INNER JOIN accommodation_types t ON a.accommodation_type_id = t.accommodation_type_id
16 INNER JOIN locations l ON a.location_id = l.location_id
17 INNER JOIN owners o ON a.owner_id = o.owner_id
18 INNER JOIN accommodation_amenities aa ON a.accommodation_id = aa.accommodation_id
19 INNER JOIN amenities am ON aa.amenity_id = am.amenity_id;
```

Data Output

Messages

Notifications

Showing rows: 1 to 124

Page No: 1 of 1

accommodation_id	name	base_price_per_night	type_name	city	country	first_name	last_name	email	description
	character varying (150)	numeric (10)	character varying (50)	character varying (50)	character varying (100)	character varying (50)	character varying (50)	character varying (150)	text
12	Rustic Retreat Ville	309.56	Hotel	Blanchet	Botsuana	Friedericke	Alberola	luce72@example...	Air conditioning syst
4	Modern Escape Ville	527.49	House	Vieja Chipre	Fidschi	Ignacio	Stafford	jbinner@example...	Spa and wellness se
5	Panoramic Stay Vil...	560.30	House	South Angel	República Popular Democr...	Ignacio	Stafford	jbinner@example...	Wireless internet acc
5	Panoramic Stay Vil...	560.30	House	South Angel	República Popular Democr...	Ignacio	Stafford	jbinner@example...	Direct beach access

13. PAGOS + RESERVAS, JOIN COMBINADO.

Query

Query History

1

-- Pagos + reservas(JOIN combinado)ejer 13

2

SELECT

3

b.booking_id AS reserva_id,

4

b.check_in_date AS fecha_ingreso,

5

b.check_out_date AS fecha_salida,

6

b.total_amount AS precio_total,

7

s.booking_status_id AS estado_reserva,

8

g.first_name AS nombre_huesped,

9

g.last_name AS apellido_huesped,

10

p.payment_id AS pago_id,

11

p.amount AS monto_pagado,

12

p.payment_date AS fecha_pago

13

FROM

14

bookings b

15

LEFT JOIN booking_statuses s ON b.booking_status_id = s.booking_status_id

16

LEFT JOIN guests g ON b.guest_id = g.guest_id

17

LEFT JOIN payments p ON b.booking_id = p.booking_id;

Data Output

Messages

Notifications

≡

+

</

14. SIN RESEÑAS, INCLUYE NULLS.

Query

Query History

1

--Sin reseñas incluye nulls

2

SELECT

3

a.accommodation_id,

4

a.name AS nombre_alojamiento,

5

a.base_price_per_night AS precio_base

6

FROM

7

accommodations a

8

LEFT JOIN reviews r ON a.accommodation_id = r.accommodation_id

9

WHERE

10

r.review_id IS NULL;

Data Output

Messages

Notifications

≡+

📄

▼

📋

▼

🗑️

🗄️

⬇️

📈

SQL

Showing rows: 1 to 3

✎

	accommodation_id [PK] bigint	nombre_alojamiento character varying (150)	precio_base numeric (10,2)
1	12	Rustic Retreat Ville	309.56
2	2	Rustic Hideaway Ville	129.59
3	21	Nombre del Hotel o Casa	120.00

15. SIN RESERVAS, FILTRAR NULL.

Query

Query History

1

-- Filtro de nulls sin reservas ejer 15

2

SELECT

3

g.guest_id,

4

g.first_name AS nombre,

5

g.last_name AS apellido,

6

g.email

7

FROM

8

guests g

9

LEFT JOIN bookings b ON g.guest_id = b.guest_id

10

WHERE

11

b.booking_id IS NULL;

Data Output

Messages

Notifications

≡+

📄

▼

📋

▼

🗑️

🗄️

⬇️

📈

SQL

Showing rows: 1 to 41

✎

📄

	guest_id [PK] bigint	nombre character varying (100)	apellido character varying (100)	email character varying (150)
1	82	Louise	Lübs	sibilla57@example.net
2	17	Rosario	Richard	xpons@example.org
3	34	Renata	Pozo	victor43@example.org
4	10	Marcel	Lejeune	blanca28@example.com
5	98	Philippine	Franklin	anais99@example.net
6	64	Thomas	Hartmann	strejo@example.net
7	71	Katalin	Davis	pradoliliana@example.com
8	1000	Guillermo	Ramos	guille.ramos@email.com
9	15	Willibald	Artigas	rachel90@example.org
10	56	Abbas	Conner	romana88@example.org
11	40	Sinara	Sinara	catherinasinara@example.org

16. TOTAL INGRESOS, SUM.

Query

Query History

```
1  -- Total de ingreso(ejer 16)
2  SELECT
3      SUM(amount) AS ingreso_total_global
4  FROM
5      payments;
```

Data Output

Messages

Notifications

SQL

	ingreso_total_global
	numeric
1	133666.41

17. PROMEDIO RATING, AVG.

Query

Query History

```
1  -- AGG promedio rating AVG
2  SELECT
3      o.owner_id,
4      o.first_name AS nombre,
5      o.last_name AS apellido,
6      ROUND(AVG(r.rating), 1) AS rating_promedio_anfitrion
7  FROM
8      owners o
9  INNER JOIN accommodations a ON o.owner_id = a.owner_id
10 INNER JOIN reviews r ON a.accommodation_id = r.accommodation_id
11 GROUP BY
12     o.owner_id,
13     o.first_name,
14     o.last_name
15 ORDER BY
16     rating_promedio_anfitrion DESC;
```

Data Output

Messages

Notifications

SQL

Showing rows: 1 t

	owner_id	nombre	apellido	rating_promedio_anfitrion
	[PK] bigint	character varying (100)	character varying (100)	numeric
1	17	Miguel Ángel	Hodge	3.8
2	2	Hugo	Bellido	3.6
3	13	Friedericke	Alberola	3.5
4	9	Anunciación	Real	3.4
5	11	Arnaude	Clark	3.3
6	18	Zacharie	Hethur	3.2
7	10	Ignacio	Stafford	2.9

Total rows: 9 Query complete 00:00:00 130

18. TOP ALOJAMIENTOS, COUNT + LIMIT.

Query Query History

```
1  -- Top alojamientos rating (ejer18)
2  SELECT
3      a.accommodation_id AS alojamiento_id,
4      a.name AS nombre_alojamiento,
5      COUNT(b.booking_id) AS total_reservas
6  FROM
7      accommodations a
8  INNER JOIN bookings b ON a.accommodation_id = b.accommodation_id
9  GROUP BY
10     a.accommodation_id,
11     a.description
12 ORDER BY
13     total_reservas DESC
14 LIMIT 10;
```

Data Output Messages Notifications

Showing rows: 1 to

	alojamiento_id bigint	nombre_alojamiento character varying (150)	total_reservas bigint
1	18	Charming Stay los bajos	9
2	5	Panoramic Stay Ville	8
3	15	Luxury Nest Ville	6
4	11	Boutique Stay Ville	6
5	3	Boutique Retreat Ville	5
6	17	Luxury Getaway los altos	5
7	7	Panoramic Getaway dan	5
8	13	Panoramic Suite Ville	5
9	8	Cozy Lodge Ville	5

19. MÁS DE 3 RESERVAS, GROUP BY + HAVING

```
1  -- Mas de 3 reservas (ejer 19)
2  SELECT
3      a.accommodation_id AS alojamiento_id,
4      a.name AS nombre_alojamiento,
5      COUNT(b.booking_id) AS total_reservas
6  FROM
7      accommodations a
8  INNER JOIN bookings b ON a.accommodation_id = b.accommodation_id
9  GROUP BY
10     a.accommodation_id,
11     a.name
12  HAVING
13     COUNT(b.booking_id) > 3
14  ORDER BY
15     total_reservas DESC;
```

Data Output Messages Notifications

Showing rows: 1 to 8

	alojamiento_id bigint	nombre_alojamiento character varying (150)	total_reservas bigint
1	18	Charming Stay los bajos	9
2	5	Panoramic Stay Ville	8
3	11	Boutique Stay Ville	6
4	15	Luxury Nest Ville	6
5	3	Boutique Retreat Ville	5
6	17	Luxury Getaway los altos	5
7	13	Panoramic Suite Ville	5
8	7	Panoramic Getaway dan	5

20. ALOJAMIENTO MÁS CARO, SUBQUERY.

Query

Query History

1

-- Sub consulta de alojamiento mas caro(ejer 20)

2

SELECT

3

a.accommodation_id,

4

a.name AS nombre_alojamiento,

5

t. type_name AS tipo_alojamiento,

6

l.city AS ciudad,

7

l.country AS pais,

8

a.base_price_per_night AS precio_por_noche

9

FROM

10

accommodations a

11

INNER JOIN accommodation_types t ON a.accommodation_type_id = t.accommodation_type_id

12

INNER JOIN locations l ON a.location_id = l.location_id

13

WHERE

14

a.base_price_per_night = (

15

SELECT MAX(base_price_per_night)

16

FROM accommodations

17

);

Data Output

Messages

Notifications

+

SQL

Showing rows: 1 to 1

Page No: 1 of 1

	accommodation_id bigint	nombre_alojamiento character varying (150)	tipo_alojamiento character varying (50)	ciudad character varying (100)	pais character varying (100)	precio_por_noche numeric (10,2)
1	13	Panoramic Suite Ville	Guesthouse	Vieja Chipre	Fidschi	597.44