

**VELAMMAL ENGINEERING COLLEGE**

**DEPARTMENT OF COMPUTER SCIENCE  
AND  
ENGINEERING**

**II YEAR / IV SEMESTER**

**19CS207L  
PROGRAMMING IN JAVA LABORATORY**

**Submitted by**

**REG NO:  
Name of the Student:**

## **LIST OF EXPERIMENTS**

1. Programs using classes and objects in Java
2. Execute Java programs with various string handling methods
3. Programs using classes and constructors in Java
4. Design programs using all the types of inheritances
5. Design programs using Interfaces
6. Construct user defined packages
7. Develop programs using multithreaded programs
8. Execute Program using File streams.
9. Programs using exception handling mechanisms
10. Develop Applications using Java Database Connectivity
11. Develop Java Networking programs

## Exp No.: 1

### Programs using classes and objects in Java

1. Write a java program to find the largest of three numbers.

#### AIM:

To write a JAVA program to find the largest of three numbers.

#### ALGORITHM:

Step 1: Start.

Step 2: Get 3 numbers from the user, namely, 'a', 'b', 'c'.

Step 3: If 'a' is greater than both 'b' and 'c', print 'a' as the largest.

Step 4: Else if, 'b' is greater than both 'a' and 'c', print 'b' as the largest.

Step 5: Else, print 'c' as the largest.

Step 6: End.

#### PROGRAM:

```
import java.util.Scanner;
public class largestOf3
{
    public static void main(String[] args)
    {
        Scanner s=new Scanner(System.in);
        System.out.println("Enter the 3 nos. : ");
        int a=s.nextInt();
        int b=s.nextInt();
        int c=s.nextInt();
        if(a>b&&a>c)
            System.out.printf("%d is greatest\n",a);
        else if(b>a&&b>c)
            System.out.printf("%d is greatest\n",b);
        else
            System.out.printf("%d is greatest\n",c);
        s.close();
    }
}
```

### **OUTPUT:**

```
E:\Java Programs>javac largestOf3.java
E:\Java Programs>java largestOf3
Enter the 3 nos. :
21 7 46
46 is greatest
```

### **RESULT:**

The java program to find the largest number of 3 numbers was implemented and executed successfully.

2. Write a java program that prints all real solutions to quadratic equation:

$$ax^2+bx+c=0$$

**AIM:**

To write a JAVA program that prints all real solutions to quadratic equation:  $ax^2+bx+c=0$ .

**ALGORITHM:**

Step 1: Start.

Step 2: Get the co-efficient of  $x^2$  and  $x$  and constant  $c$  from the user, namely, 'a', 'b', 'c'.

Step 3: If  $b^2-4ac$  is greater than 0, calculate the roots and print them.

Step 4: Else, let the user know that they are no real roots.

Step 5: End.

**PROGRAM:**

```
import java.util.Scanner;
import java.lang.Math;
public class realRoots
{
    public static void main(String args[])
    {
        Scanner s=new Scanner(System.in);
        System.out.println("Enter the co-ff. of x2 :");
        int a=s.nextInt();
        System.out.println("Enter the co-ff. of x :");
        int b=s.nextInt();
        System.out.println("Enter the co-ff. of x0 :");
        int c=s.nextInt();
        int t=(b*b)-(4*a*c);
        if(t>=0)
        {
            double r1=(Math.sqrt(t)-b)/2.0;
            double r2=(-Math.sqrt(t)-b)/2.0;
            System.out.printf("The real roots are %.2f and %.2f\n",r1,r2);
        }
        else
            System.out.println("No real roots");
        s.close();
    }
}
```

## **OUTPUT:**

```
E:\Java Programs>javac realRoots.java
E:\Java Programs>java realRoots
Enter the co-ff. of x2 :
1
Enter the co-ff. of x :
-2
Enter the co-ff. of x0 :
1
The real roots are 1.00 and 1.00
```

## **RESULT:**

The JAVA program to print the real roots of a quadratic equation was implemented and executed successfully.

3. Write a java program that checks whether given year is leap year or not.

**AIM:**

To write a JAVA program that checks whether given year is leap year or not.

**ALGORITHM:**

Step 1: Start.

Step 2: Import required packages.

Step 3: Get the year of choice from the user.

Step 4: If the year is divisible by 4 and not divisible 100 or divisible by 400, the year is printed as leap year.


Step 5: Else, the year is printed as not a leap year.

Step 6: End.

**PROGRAM:**

```
import java.util.Scanner;
public class leapYear
{
    public static void main(String args[])
    {
        Scanner s=new Scanner(System.in);
        System.out.println("Enter the year :");
        int year=s.nextInt();
        if((year%4==0 && year%100!=0)||year%400==0)
            System.out.println(year+ " is a leap year");
        else
            System.out.println(year+" is not a leap year");
        s.close();
    }
}
```

**OUTPUT:**



```
E:\Java Programs>javac leapYear.java
E:\Java Programs>java leapYear
Enter the year :
2001
2001 is not a leap year
E:\Java Programs>java leapYear
Enter the year :
2004
2004 is a leap year
E:\Java Programs>java leapYear
Enter the year :
2000
2000 is a leap year
E:\Java Programs>java leapYear
Enter the year :
2200
2200 is not a leap year
```

**RESULT:**

The JAVA program that checks whether a given year is leap year or not was implemented and executed successfully.

4. Write a java program to print the  $n^{\text{th}}$  value in the Fibonacci sequence.

**AIM:**

To write a JAVA program to print the  $n^{\text{th}}$  value in the Fibonacci sequence.

**ALGORITHM:**

Step 1: Start.

Step 2: Import required packages.

Step 3: Get the position of the element in the sequence from the user, namely, n.

Step 4: If n is 1, print 0.

Step 5: If n is 2, print 1.

Step 6: Else, calculate the element and print it.

Step 7: End.

**PROGRAM:**

```
import java.util.Scanner;
public class fibonacci
{
    public static void main(String args[])
    {
        Scanner s=new Scanner(System.in);
        System.out.println("Enter the position of elt in fib. series :");
        int n=s.nextInt();
        if(n==1)
            System.out.println("1st elt is 0");
        else if(n==2)
            System.out.println("2nd elt is 1");
        else
        {
            int f=0,sec=1,t=0,i=3;
            while(i<=n)
            {
                t=f+sec;
                f=sec;
                sec=t;
                i++;
            }
            System.out.println(n+"th elt is "+t);
        }
        s.close();
    }
}
```



### **OUTPUT:**

```
E:\Java Programs>java fibonacci.java
Enter the position of elt in fib. series :
5
5th elt is 3
```

### **RESULT:**

The JAVA program to print the  $n^{\text{th}}$  value in the Fibonacci sequence was implemented and executed successfully.

5. Write a java program to check the number is prime or not.

**AIM:**

To write a JAVA program to check the number is prime or not.

**ALGORITHM:**

Step 1: Start.

Step 2: Import required packages.

Step 3: Get the number to be checked from the user, n.

Step 4: Determine if the number is prime or not and print the same.

Step 5: End.

**PROGRAM:**

```
import java.util.Scanner;
public class primeNumber
{
    public static void main(String args[])
    {
        Scanner s=new Scanner(System.in);
        System.out.println("Enter a no. :");
        int n=s.nextInt();
        if(n==0||n==1)
            System.out.println(n+" is not a prime no.");
        else
        {
            int i=2,flag=0;
            for(;i<=n/2;i++)
            {
                if(n%i==0)
                {
                    flag=1;
                    break;
                }
            }
            if(flag==0)
                System.out.println(n+" is a prime no.");
            else
                System.out.println(n+" is not a prime no.");
        }
        s.close();
    }
}
```

## **OUTPUT:**

```
E:\Java Programs>javac primeNumber.java
E:\Java Programs>java primeNumber
Enter a no. :
5
5 is a prime no.

E:\Java Programs>java primeNumber
Enter a no. :
10
10 is not a prime no.
```

## **RESULT:**

The JAVA program to check the number is prime or not was implemented and executed successfully.

6. Write a java program to reverse a number using for, while, and recursion.

**AIM:**

To write a JAVA program to reverse a number using for, while, and recursion.

**ALGORITHM:**

Step 1: Start.

Step 2: Import required packages.

Step 3: Get the number to reversed from the user.

Step 4: The reverse of number is displayed by printing the unit digit and performing floor division, until the number is 0.

Step 5: End.

**PROGRAM:**

**a) while:**

```
import java.util.Scanner;
public class reverse1
{
    public static void main(String args[])
    {
        Scanner s=new Scanner(System.in);
        System.out.println("Enter the no. :");
        int n=s.nextInt();
        int t,rev=0;
        t=n;
        while(t>0)
        {
            rev*=10;
            rev+=(t%10);
            t/=10;
        }
        System.out.println("Reverse of "+n+" is "+rev);
        s.close();
    }
}
```

**b) for:**

```
import java.util.Scanner;
public class reverse2
{
    public static void main(String args[])
    {
        Scanner s=new Scanner(System.in);
        System.out.println("Enter the no. :");
        int n=s.nextInt();
        int rev=0;
```

```

        for(int t=n;t>0;t/=10)
        {
            rev*=10;
            rev+=(t%10);
        }
        System.out.println("Reverse of "+n+" is "+rev);
        s.close();
    }
}

```

### c) recursion:

```

import java.util.Scanner;
public class reverse3
{
    static void revIt(int n)
    {
        if(n<10)
        {
            System.out.println(n);
            return;
        }
        else{
            System.out.print(n%10);
            revIt(n/10);
        }
    }
    public static void main(String args[])
    {
        Scanner s=new Scanner(System.in);
        System.out.println("Enter the no. :");
        int n=s.nextInt();
        System.out.println("Reverse of "+n+" is :");
        revIt(n);
        s.close();
    }
}

```

### OUTPUT:

#### a) while:

```

E:\Java Programs>javac reverse1.java
E:\Java Programs>java reverse1
Enter the no. :
100
Reverse of 100 is 1

```

**b) for:**

```
E:\Java Programs>javac reverse2.java  
E:\Java Programs>java reverse2  
Enter the no. :  
100  
Reverse of 100 is 1
```

**c) recursion:**

```
E:\Java Programs>javac reverse3.java  
E:\Java Programs>java reverse3  
Enter the no. :  
100  
Reverse of 100 is :  
001
```

**RESULT:**

The JAVA program to reverse a number using for, while and recursion was implemented and executed successfully.

7. Write a java program to calculate average of n marks using array.

**AIM:**

To write a JAVA program to calculate average of n marks using array.

**ALGORITHM:**

Step 1: Start.

Step 2: Import required packages.

Step 3: Get the number of subjects and their corresponding marks from the user.


Step 4: Calculate the average of the marks.

Step 5: End.

**PROGRAM:**

```
import java.util.Scanner;
public class arrayAvg
{
    public static void main(String[] args)
    {
        Scanner s=new Scanner(System.in);
        System.out.println("Enter no. of subejcts : ");
        int n=s.nextInt();
        int arr[]=new int[n];
        int sum=0;
        System.out.println("Enter the marks : ");
        for(int i=0;i<n;i++)
        {
            arr[i]=s.nextInt();
            sum+=arr[i];
        }
        System.out.println("Average mark : "+sum/n);
        s.close();
    }
}
```

**OUTPUT:**

A screenshot of a terminal window showing the execution of a Java program. The prompt is 'E:\Java Programs>'. The first command is 'javac arrayAvg.java'. The second command is 'java arrayAvg'. The program prompts 'Enter no. of subejcts : ' and the user enters '5'. Then it prompts 'Enter the marks : ' and the user enters '89 87 89 90 96'. Finally, it outputs 'Average mark : 90'.

```
E:\Java Programs>javac arrayAvg.java
E:\Java Programs>java arrayAvg
Enter no. of subejcts : 
5
Enter the marks : 
89 87 89 90 96
Average mark : 90
```

**RESULT:**

The JAVA program to calculate the average of n marks using array was implemented and executed successfully.

8. Write a program to print the largest element in an array.

**AIM:**

To write a JAVA program to print the largest element in an array.

**ALGORITHM:**

Step 1: Start.

Step 2: Import required packages.

Step 3: Get the number of values and values from the user.

Step 4: Iterate through the array to determine the maximum value.


Step 5: Print the maximum value.

Step 6: End.

**PROGRAM:**

```
import java.util.Scanner;
public class arrayMax
{
    public static void main(String[] args)
    {
        Scanner s=new Scanner(System.in);
        System.out.println("Enter the no. of elements : ");
        int n=s.nextInt();
        int[] arr=new int[n];
        System.out.println("Enter the elements : ");
        for(int i=0;i<n;i++)
            arr[i]=s.nextInt();
        int maxval=a[0];
        for(int i=1;i<n;i++)
        {
            if(maxval<arr[i])
                maxval=arr[i];
        }
        System.out.println("The maximum value is "+maxval);
        s.close();
    }
}
```

**OUTPUT:**



```
E:\Java Programs>javac arrayMax.java
E:\Java Programs>java arrayMax
Enter the no. of elements :
5
Enter the elements :
7 3 4 41 37
The maximum value is 41
```

**RESULT:**

The JAVA program to print the largest element in an array was implemented and executed successfully.



9. Write a java program to sort a list of numbers in ascending order.

**AIM:**

To write a JAVA program to sort a list of numbers in ascending order.

**ALGORITHM:**

Step 1: Start.

Step 2: Import required packages.

Step 3: Get the number of elements and the elements of the array.

Step 4: Perform sorting on the array.

Step 5: Print the sorted array.

Step 6: End.

**PROGRAM:**

```
import java.util.Scanner;
public class arraySort
{
    public static void main(String args[])
    {
        Scanner s=new Scanner(System.in);
        System.out.println("Enter no. of elements :");
        int n=s.nextInt();
        int[] arr=new int[n];
        System.out.println("Enter elements :");
        for(int i=0;i<n;i++)
            arr[i]=s.nextInt();
        for(int i=0;i<n-1;i++)
        {
            for(int j=i+1;j<n;j++)
            {
                if(arr[i]>arr[j])
                {
                    int t=arr[i];
                    arr[i]=arr[j];
                    arr[j]=t;
                }
            }
        }
        System.out.println("Sorted array :");
        for(int i=0;i<n;i++)
            System.out.print(arr[i]+" ");
        System.out.println();
        s.close();
    }
}
```

## **OUTPUT:**

```
E:\Java Programs>javac arraySort.java
E:\Java Programs>java arraySort
Enter no. of elements :
5
Enter elements :
7 1 10 2 5
Sorted array :
1 2 5 7 10
```

## **RESULT:**

The JAVA program to sort a list of numbers in ascending order was implemented and executed successfully.

10. Write a java program to add and multiply two given matrices.

**AIM:**

To write a JAVA program to add and multiply to given matrices.

**ALGORITHM:**

- Step 1: Start.
- Step 2: Import required packages.
- Step 3: Get the two matrices and the number of rows and columns in them from the user.
- Step 4: Display the list of operations to the user and get their choice.
- Step 5: If the choice is 1, the matrices are added and the resultant is printed.
- Step 6: If the choice is 2, the matrices are multiplied and the resultant is printed.
- Step 7: End.

**PROGRAM:**

```
import java.util.Scanner;
public class matrix
{
    static void getmat(int[][] mat,int r,int c)
    {
        Scanner s=new Scanner(System.in);
        int i,j;
        for(i=0;i<r;i++)
        {
            for(j=0;j<c;j++)
                mat[i][j]=s.nextInt();
        }
    }
    static void multiplication(int [][]mat1,int[][] mat2,int mat3[][],int r1,int c1,int r2,int c2)
    {
        int i,j,k;
        for(i=0;i<r1;i++)
        {
            for(j=0;j<c2;j++)
            {
                int sum=0;
                for(k=0;k<c1;k++)
                    sum+=(mat1[i][k]*mat2[k][j]);
                mat3[i][j]=sum;
            }
        }
    }
    static void addition(int[][] A,int[][] B,int[][] C,int r,int c)
    {
        for(int i=0;i<r;i++)
```

```

        {
            for(int j=0;j<c;j++)
                C[i][j]=A[i][j]+B[i][j];
        }
    }
    static void printmat(int[][] mat,int r,int c)
    {
        int i,j;
        for(i=0;i<r;i++)
        {
            for(j=0;j<c;j++)
                System.out.print(mat[i][j]+" ");
            System.out.println();
        }
    }
    public static void main(String args[])
    {
        Scanner s=new Scanner(System.in);
        int r1,c1,r2,c2,result;
        System.out.println("Enter the no. of rows of matrix 1 :");
        r1=s.nextInt();
        System.out.println("Enter the no. of columns in matrix 1:");
        c1=s.nextInt();
        System.out.println("Enter the no. of rows of matrix 2 :");
        r2=s.nextInt();
        System.out.println("Enter the no. of columns in matrix 2 :");
        c2=s.nextInt();
        int A[][]=new int[r1][c1];
        int B[][]=new int[r2][c2];
        System.out.println("Enter the matrix 1 :");
        getmat(A,r1,c1);
        System.out.println("Enter the matrix 2 :");
        getmat(B,r2,c2);
        System.out.println("Enter choice : 1. Add 2. Multiply");
        int ch=s.nextInt();
        if(ch==1)
        {
            if(r1==r2 && c1==c2)
            {
                int C[][]=new int[r1][c1];
                addition(A,B,C,r1,c1);
                System.out.println("Result mat: ");
                printmat(C,r1,c1);
            }
            else
                System.out.println("Matrix mismatch");
        }
    }

```

```

        else
        {
            if(c1==r2)
            {
                int[][] D=new int[r1][c2];
                multiplication(A,B,D,r1,c1,r2,c2);
                System.out.println("Result mat : ");
                printmat(D,r1,c2);
            }
            else
                System.out.println("Matrix mismatch");
        }
        s.close();
    }
}

```

## **OUTPUT:**

```

E:\Java Programs>javac matrix.java
E:\Java Programs>java matrix
Enter the no. of rows of matrix 1 :
2
Enter the no. of columns in matrix 1:
2
Enter the no. of rows of matrix 2 :
2
Enter the no. of columns in matrix 2 :
2
Enter the matrix 1 :
1 2
3 4
Enter the matrix 2 :
5 6
7 8
Enter choice : 1. Add 2. Multiply
1
Result mat:
6 8
10 12

```

```

E:\Java Programs>java matrix
Enter the no. of rows of matrix 1 :
1
Enter the no. of columns in matrix 1:
3
Enter the no. of rows of matrix 2 :
3
Enter the no. of columns in matrix 2 :
1
Enter the matrix 1 :
1 2 3
Enter the matrix 2 :
1
2
3
Enter choice : 1. Add 2. Multiply
2
Result mat :
14

```

## **RESULT:**

The JAVA program to add and multiply two given matrices was implemented successfully.

## Exp No.: 2

### Execute Java programs with various string handling methods

1. Write a java program that checks whether a given string is palindrome or not.

#### AIM:

To write a JAVA program that checks whether a given string is palindrome or not.

#### ALGORITHM:

Step 1: Start.

Step 2: Import required packages.

Step 3: Get the string from the user.

Step 4: If the string is equal to its reverse, the string is printed as a palindrome.

Step 5: Else, the string is printed as not a palindrome.

Step 6: End.

#### PROGRAM:

```
import java.util.Scanner;
public class stringPalindrome
{
    public static void main(String args[])
    {
        Scanner s=new Scanner(System.in);
        System.out.println("Enter a string :");
        String str=s.nextLine();
        int l=str.length();
        String rev="";
        for(int i=l-1;i>=0;i--)
            rev+=str.charAt(i);
        if(str.equals(rev))
            System.out.println(str+" is a palindrome");
        else
            System.out.println(str+" is not a palindrome");
        s.close();
    }
}
```

## **OUTPUT:**

```
E:\Java Programs>javac stringPalindrome.java  
  
E:\Java Programs>java stringPalindrome  
Enter a string :  
hello  
hello is not a palindrome  
  
E:\Java Programs>java stringPalindrome  
Enter a string :  
madam  
madam is a palindrome
```

## **RESULT:**

The JAVA program that checks whether a given string is a palindrome or not was implemented and executed successfully.

2. Write a program to count vowels and consonants in a given string.

**AIM:**

To write a JAVA program to count vowels and consonants in a given string.

**ALGORITHM:**

Step 1: Start.

Step 2: Import required packages.

Step 3: Get the string from the user.

Step 4: Calculate the number of vowels and consonants in the string.

Step 5: Print the determined values.

Step 6: End.

**PROGRAM:**

```
import java.util.Scanner;
public class vowelConsonant
{
    static boolean isVowel(char c)
    {
        char t=Character.toLowerCase(c);
        if(t=='a' || t=='e' || t=='i' || t=='o' || t=='u')
            return true;
        else
            return false;
    }
    public static void main(String args[])
    {
        Scanner s=new Scanner(System.in);
        System.out.println("Enter a string :");
        String str=s.nextLine();
        int vc=0,cc=0;
        for(int i=0;i<str.length();i++)
        {
            if(Character.isLetter(str.charAt(i)))
            {
                if(isVowel(str.charAt(i)))
                    vc++;
                else
                    cc++;
            }
        }
        System.out.println("No. of vowels in string : "+vc);
        System.out.println("No. of consonants in string : "+cc);
        s.close();
    }
}
```



## **OUTPUT:**

```
E:\Java Programs>javac vowelConsonant.java
E:\Java Programs>java vowelConsonant
Enter a string :
JAVA programming is fun and powerful.
No. of vowels in string : 11
No. of consonants in string : 20
```

## **RESULT:**

The JAVA program to count the number of vowels and consonants in a string was implemented and executed successfully.

3. Write a java program to sort strings in alphabetical order.

**AIM:**

To write a JAVA program to sort string in alphabetical order.

**ALGORITHM:**

Step 1: Start.

Step 2: Import required packages.

Step 3: Get the required string from the user.

Step 4: Sort the characters in the string in alphabetical order.

Step 5: Print the sorted string.

Step 6: End;

**PROGRAM:**

```
import java.util.Scanner;
public class stringSort
{
    public static void main(String args[])
    {
        Scanner s=new Scanner(System.in);
        System.out.println("Enter a string :");
        String str=s.nextLine();
        char[] ch=str.toCharArray();
        int l=str.length();
        for(int i=0;i<l-1;i++)
        {
            for(int j=i+1;j<l;j++)
            {
                if(ch[i]>ch[j])
                {
                    char t=ch[i];
                    ch[i]=ch[j];
                    ch[j]=t;
                }
            }
        }
        System.out.println("Sorted string :");
        for(int i=0;i<l;i++)
            System.out.print(ch[i]);
        System.out.println();
        s.close();
    }
}
```

## **OUTPUT:**

```
E:\Java Programs>javac stringSort.java  
E:\Java Programs>java stringSort  
Enter a string :  
Hello World!  
Sorted string :  
!HWdellloor
```

## **RESULT:**

The JAVA program to sort string in alphabetical order was implemented and executed successfully.

4. Write a java program to find the occurrence of a character in a string.

**AIM:**

To write a JAVA program to find the occurrence of a character in a string.

**ALGORITHM:**

Step 1: Start.

Step 2: Import required packages.

Step 3: Get the string and the character whose occurrence is to be found.

Step 4: Iterate through the string and count the occurrence of the given character.

Step 5: Print the number of times the character is present in the string.

Step 6: End.

**PROGRAM:**

```
import java.util.Scanner;
public class stringCharOccurrence
{
    public static void main(String args[])
    {
        Scanner s=new Scanner(System.in);
        System.out.println("Enter the string :");
        String str=s.nextLine();
        System.out.println("Enter the character whose occurrence is to be found
:");
        String c=s.nextLine();
        if(str.contains(c))
        {
            int count=0;
            for(int i=str.indexOf(c);i<str.length();i++)
            {
                if(str.charAt(i)==c.charAt(0))
                    count++;
            }
            System.out.println("The character '"+c+"' occurs in the string "+c
ount+" times");
        }
        else
            System.out.println("The string doesn't contain character '"+c+"'");
    }
    s.close();
}
```

## **OUTPUT:**

```
E:\Java Programs>javac stringCharOccurence.java
E:\Java Programs>java stringCharOccurence
Enter the string :
Java is fun.
Enter the character whose occurrence is to be found :
a
The character 'a' occurs in the string 2 times
```

## **RESULT:**

The JAVA program to find the occurrence of a character in string was implemented and executed successfully.

5. Write a java program to print characters at odd index of a given string.

**AIM:**

To write a JAVA program to print characters at odd index of a given string.

**ALGORITHM:**

Step 1: Start.

Step 2: Import required packages.

Step 3: Get the string from the user.


Step 4: Iterate through the string, and print the odd-indexed characters in the string.

Step 5: End.

**PROGRAM:**

```
import java.util.Scanner;
public class oddIndChars
{
    public static void main(String args[])
    {
        Scanner s=new Scanner(System.in);
        System.out.println("Enter a string :");
        String str=s.nextLine();
        System.out.println("The characters at 1-based odd indices are :");
        for(int i=0;i<str.length();i+=2)
        {
            System.out.println(str.charAt(i));
        }
        s.close();
    }
}
```

**OUTPUT:**



```
E:\Java Programs>javac oddIndChars.java
E:\Java Programs>java oddIndChars
Enter a string :
Java is simple
The characters at 1-based odd indices are :
J
a
s
m
l
```

**RESULT:**

The JAVA program to print characters at odd index of a given string was implemented and executed successfully.

6. Write a java program to check whether a given string contains upper case values.

**AIM:**

To write a java program to check whether a given string contains upper case values.

**ALGORITHM:**

Step 1: Start.

Step 2: Import required packages.

Step 3: Get the string from the user.

Step 4: Iterate through the string to check for upper case values.

Step 5: If an upper-case value is found, print that the string contains upper case values.

Step 6: Else, print the string doesn't have any upper-case values.

Step 7: End.

**PROGRAM:**

```
import java.util.Scanner;
public class containsUpper
{
    public static void main(String args[])
    {
        Scanner s=new Scanner(System.in);
        System.out.println("Enter a string :");
        String str=s.nextLine();
        int i,flag=0;
        for(i=0;i<str.length();i++)
        {
            if(Character.isUpperCase(str.charAt(i)))
            {
                flag=1;
                break;
            }
        }
        if(flag==0)
            System.out.println("The string doesn't have any uppercase character(s)");
        else
            System.out.println("The string contains uppercase character(s)");
        s.close();
    }
}
```

## **OUTPUT:**

```
E:\Java Programs>javac containsUpper.java  
E:\Java Programs>java containsUpper  
Enter a string :  
Live long and prosper.  
The string contains uppercase character(s)
```

## **RESULT:**

The JAVA program to check whether a string contains upper case values was implemented and executed successfully.



7. Write a java program to demonstrate:

- a) Joining of two strings.
- b) Comparing two strings.
- c) Extracting substrings.
- d) Splitting string into substrings.

**a) Joining of two strings:**

**AIM:**

To write a JAVA program to demonstrate joining of two strings.


**ALGORITHM:**

- Step 1: Start.
- Step 2: Import required packages.
- Step 3: Get the two strings to be joined from the user.
- Step 4: Join the two strings using join().
- Step 5: Print the joined string.
- Step 6: End.

**PROGRAM:**

```
import java.util.Scanner;
public class stringJoin
{
    public static void main(String args[])
    {
        Scanner s=new Scanner(System.in);
        System.out.println("Enter a string :");
        String str1=s.nextLine();
        System.out.println("Enter another string :");
        String str2=s.nextLine();
        String str3=String.join(" ",str1,str2);
        System.out.println("The joined string is :");
        System.out.println(str3);
        s.close();
    }
}
```

**OUTPUT:**



```
E:\Java Programs>javac stringJoin.java
E:\Java Programs>java stringJoin
Enter a string :
Hi
Enter another string :
Hello
The joined string is :
Hi Hello
```

**RESULT:**

The JAVA program to demonstrate joining two strings was implemented and executed successfully.

## **b) Comparing two strings**

### **AIM:**

To write a JAVA program to demonstrate comparing two strings.

### **ALGORITHM:**

Step 1: Start.

Step 2: Import required packages.

Step 3: Get the strings from the user.

Step 4: Check if the strings are equal and print out the findings.

Step 5: End.

### **PROGRAM:**

```
import java.util.Scanner;
public class stringCompare
{
    public static void main(String args[])
    {
        Scanner s=new Scanner(System.in);
        System.out.println("Enter a string :");
        String str1=s.nextLine();
        System.out.println("Enter another string :");
        String str2=s.nextLine();
        if(str1.equals(str2))
            System.out.println("The strings are equal");
        else if(str1.equalsIgnoreCase(str2))
            System.out.println("The strings are equal when the cases are ignored");
        else
            System.out.println("The strings are not equal");
        s.close();
    }
}
```

## **OUTPUT:**

```
E:\Java Programs>javac stringCompare.java
E:\Java Programs>java stringCompare
Enter a string :
Hello
Enter another string :
Hello
The strings are equal

E:\Java Programs>java stringCompare
Enter a string :
Hi
Enter another string :
hi'
The strings are not equal

E:\Java Programs>java stringCompare
Enter a string :
Hi
Enter another string :
hi
The strings are equal when the cases are ignored
```

## **RESULT:**

The JAVA program to demonstrate comparing two strings was implemented and executed successfully.

### c) Extracting substrings

#### AIM:

To write a JAVA program to demonstrate extracting substrings.

#### ALGORITHM:

- Step 1: Start.
- Step 2: Import required packages.
- Step 3: Get the string from the user.
- Step 4: Get the start and end index of the required substring.
- Step 5: Print the desired substring.
- Step 6: End.

#### PROGRAM:

```
import java.util.Scanner;
public class stringSub
{
    public static void main(String args[])
    {
        Scanner s=new Scanner(System.in);
        System.out.println("Enter a string :");
        String str=s.nextLine();
        System.out.println("Enter the start index of sub-string :");
        int b=s.nextInt();
        System.out.println("Enter the end index of sub-string(-
1 if no end) :");
        int e=s.nextInt();
        String sub;
        if(b>=str.length()||b<0||e>=str.length())
            System.out.println("Index out of range.");
        else if(e== -1)
        {
            sub=str.substring(b);
            System.out.println("The required substring is :");
            System.out.println(sub);
        }
        else
        {
            sub=str.substring(b,e);
            System.out.println("The required substring is :");
            System.out.println(sub);
        }
        s.close();
    }
}
```

## **OUTPUT:**

```
E:\Java Programs>javac stringSub.java  
E:\Java Programs>java stringSub  
Enter a string :  
Batmobile  
Enter the start index of sub-string :  
3  
Enter the end index of sub-string(-1 if no end) :  
-1  
The required substring is :  
mobile
```

## **RESULT:**

The JAVA program to demonstrate extracting substring was implemented and executed successfully.

#### **d) Splitting the string into substrings**

##### **AIM:**

To write a JAVA program to demonstrate splitting the string into substrings.


##### **ALGORITHM:**

- Step 1: Start.
- Step 2: Import required packages.
- Step 3: Get the string from the user.
- Step 4: Split the string at spaces.
- Step 5: Print the split substrings.
- Step 6: End.

##### **PROGRAM:**

```
import java.util.Scanner;
public class stringSplit
{
    public static void main(String args[])
    {
        Scanner s=new Scanner(System.in);
        System.out.println("Enter a string :");
        String str=s.nextLine();
        String[] strSplit=str.split(" ");
        System.out.println("The elements of split string with space as delimit
er are :");
        for(int i=0;i<strSplit.length;i++)
            System.out.println(strSplit[i]);
        s.close();
    }
}
```

##### **OUTPUT:**



```
E:\Java Programs>javac stringSplit.java
E:\Java Programs>java stringSplit
Enter a string :
Live Long and Prosper!
The elements of split string with space as delimiter are :
Live
Long
and
Prosper!
```

##### **RESULT:**

The JAVA program to demonstrate splitting the string into substrings was implemented and executed successfully.

### Exp No.: 3

## Programs Using Classes and Constructors in JAVA

1. Create a class named 'Student' with String variable 'name' and integer variable 'roll\_no'. Assign the value of roll\_no as '2' and that of name as "John" by creating an object of the class Student.

### AIM:

To create a class named student with variables name and roll\_no.

### ALGORITHM:

Step 1: Start.

Step 2: Create an object for the class student and pass values 2 and 'John' as parameters to the constructor.

Step 3: Display the student details.

Step 4: End.

### PROGRAM:

```
public class student
{
    int roll;
    String name;
    student()
    {
        roll=0;
        name="";
    }
    student(int r,String n)
    {
        roll=r;
        name=n;
    }
    void display()
    {
        System.out.println("Roll : "+roll);
        System.out.println("Name : "+name);
    }
    public static void main(String args[])
    {
        student s=new student(2,"John");
        s.display();
    }
}
```

### **OUTPUT:**

```
E:\Java Programs>javac student.java  
E:\Java Programs>java student  
Roll : 2  
Name : John
```

### **RESULT:**

The required JAVA program was implemented and executed successfully.



2. Write a program to print the area and perimeter of a triangle having sides of 3, 4 and 5 units by creating a class named 'Triangle' without any parameter in its constructor.

**AIM:**

To write a JAVA program to print the area & perimeter of a triangle having sides of 3, 4, 5.

**ALGORITHM:**

Step 1: Start.

Step 2: Import required packages.

Step 3: Object for the triangle is created and the sides are assigned as 3, 4, and 5 respectively.

Step 4: Print the area and perimeter of the triangle


Step 5: End.

**PROGRAM:**

```
public class Triangle
{
    private int s1,s2,s3;
    Triangle()
    {
        s1=3;
        s2=4;
        s3=5;
    }
    public int perimeter()
    {
        return s1+s2+s3;
    }
    public double area()
    {
        double s=(s1+s2+s3)/2.0;
        return Math.sqrt(s*(s-s1)*(s-s2)*(s-s3));
    }
    public void sides()
    {
        System.out.print(s1+" "+s2+" "+s3);
    }
    public static void main(String args[])
    {
        Triangle t=new Triangle();
        System.out.print("Perimeter of triangle with sides ");
        t.sides();
        System.out.println(" is "+t.perimeter());
    }
}
```

```
        System.out.print("Perimeter of triangle with sides ");
        t.sides();
        System.out.printf(" is %.2f\n",t.area());
    }
}
```

### **OUTPUT:**



```
E:\Java Programs>javac Triangle.java
E:\Java Programs>java Triangle
Perimeter of triangle with sides 3 4 5 is 12
Perimeter of triangle with sides 3 4 5 is 6.00
```

### **RESULT:**

The required JAVA program was implemented and executed successfully.

3. Write a program to print the area of two rectangles having sides (4,5) and (5,8) respectively by creating a class named 'Rectangle' with a method named 'Area' which returns the area and length and breadth passed as parameters to its constructor.

**AIM:**

To write a JAVA program to print the area of two rectangles having sides (4,5) and (5,8) respectively by creating a class named Rectangle.

**ALGORITHM:**

Step 1: Start.

Step 2: Import required packages.

Step 3: Create objects for Rectangle class by passing (4,5) and (5,8) as parameters to their constructors.

Step 4: Print the area of both the rectangles.

Step 5: End.

**PROGRAM:**

```
public class Rectangle
{
    private int length,breadth;
    Rectangle(int length,int breadth)
    {
        this.length=length;
        this.breadth=breadth;
    }
    public double Area()
    {
        return length*breadth*1.0;
    }
    public void dimensions()
    {
        System.out.print(length+"x"+breadth);
    }
    public static void main(String args[])
    {
        Rectangle r1=new Rectangle(4,5);
        Rectangle r2=new Rectangle(5,8);
        System.out.print("Area of rectangle with dimensions ");
        r1.dimensions();
        System.out.printf(" is %.2f\n",r1.Area());
        System.out.print("Area of rectangle with dimensions ");
        r2.dimensions();
        System.out.printf(" is %.2f\n",r2.Area());
    }
}
```

## **OUTPUT:**

```
E:\Java Programs>javac Rectangle.java  
E:\Java Programs>java Rectangle  
Area of rectangle with dimensions 4x5 is 20.00  
Area of rectangle with dimensions 5x8 is 40.00
```

## **RESULT:**

The required JAVA program was implemented and executed successfully.

4. Write a program to print the area of a rectangle by creating a class named 'Area' taking the values of its length and breadth as parameters of its constructor and having a method named 'returnArea' which returns the area of the rectangle. Length and breadth of rectangle are entered through keyboard.

**AIM:**

To write a JAVA program to print the area of a rectangle by creating a class named Area.

**ALGORITHM:**

Step 1: Start.

Step 2: Import required packages.

Step 3: Get the length and breadth of the rectangle from the user.

Step 4: Print the area of the rectangle using the method returnArea().

Step 5: End.

**PROGRAM:**

```
import java.util.Scanner;
public class Area
{
    private int length,breadth;
    Area(int length,int breadth)
    {
        this.length=length;
        this.breadth=breadth;
    }
    public double returnArea()
    {
        return length*breadth*1.0;
    }
    public void dimensions()
    {
        System.out.print(length+"x"+breadth);
    }
    public static void main(String args[])
    {
        Scanner s=new Scanner(System.in);
        System.out.println("Enter the length of the rectangle :");
        int length=s.nextInt();
        System.out.println("Enter the breadth of the rectangle :");
        int breadth=s.nextInt();
        Area a=new Area(length,breadth);
        System.out.print("Area of rectangle with dimensions ");
        a.dimensions();
        System.out.printf(" is %.2f\n",a.returnArea());
        s.close();
    }
}
```

## **OUTPUT:**

```
E:\Java Programs>javac Area.java
E:\Java Programs>java Area
Enter the length of the rectangle :
10
Enter the breadth of the rectangle :
5
Area of rectangle with dimensions 10x5 is 50.00
```

## **RESULT:**

The required JAVA program was implemented and executed successfully.

5. Print the sum, difference and product of two complex numbers by creating a class named 'Complex' with separate methods for each operation whose real and imaginary parts are entered by user.

**AIM:**

To write a JAVA program to print the sum, difference and product of two complex numbers.

**ALGORITHM:**

- Step 1: Start.
- Step 2: Import required packages.
- Step 3: Get the two complex numbers from the user.
- Step 4: Perform the addition, subtraction and multiplication of the complex numbers and print result.
- Step 5: End.

**PROGRAM:**

```
import java.util.Scanner;
public class Complex
{
    private int real,image;
    Complex(int real,int image)
    {
        this.real=real;
        this.image=image;
    }
    public void display()
    {
        System.out.print(real+" "+image+"i");
    }
    public void add(Complex c)
    {
        System.out.println((real+c.real)+" "+(image+c.image)+"i");
    }
    public void sub(Complex c)
    {
        System.out.println((real-c.real)+" ("+(image-c.image)+"i");
    }
    public void mult(Complex c)
    {
        int t1=real*c.real;
        int t2=image*c.image;
        System.out.println((t1-t2)+" "+(t1+t2)+"i");
    }
}
```

```

public static void main(String args[])
{
    Scanner s=new Scanner(System.in);
    System.out.println("Complex no. 1 :");
    System.out.println("Enter the real part :");
    int real1=s.nextInt();
    System.out.println("Enter the imaginary part :");
    int image1=s.nextInt();
    Complex c1=new Complex(real1,image1);
    System.out.println("Complex no. 2 :");
    System.out.println("Enter the real part :");
    int real2=s.nextInt();
    System.out.println("Enter the imaginary part :");
    int image2=s.nextInt();
    Complex c2=new Complex(real2,image2);
    System.out.println("Addition(c1+c2) :");
    c1.add(c2);
    System.out.println("Subtraction(c1-c2) :");
    c1.sub(c2);
    System.out.println("Multiplication(c1*c2) :");
    c1.mult(c2);
    s.close();
}
}

```

### **OUTPUT:**

```

E:\Java Programs>javac Complex.java

E:\Java Programs>java Complex
Complex no. 1 :
Enter the real part :
2
Enter the imaginary part :
1
Complex no. 2 :
Enter the real part :
1
Enter the imaginary part :
1
Addition(c1+c2) :
3+2i
Subtraction(c1-c2) :
1+(0)i
Multiplication(c1*c2) :
1+3i

```

### **RESULT:**

The required JAVA program was implemented and executed successfully.



6. Write a program that would print the information (name, year of joining, salary, address) of three employees by creating a class named 'Employee'.

**AIM:**

To write a JAVA program that would print the information of three employees by creating a class named 'Employee'.

**ALGORITHM:**

Step 1: Start.

Step 2: Import required packages.

Step 3: Get the details of three employee one by one from the user.

Step 4: Display the employee details.

Step 5: End.

**PROGRAM:**


```
import java.util.Scanner;
public class Employee
{
    private String name,address;
    private int year_of_joining,salary;
    Employee(String name,int yoj,int sal,String addr)
    {
        this.name=name;
        this.year_of_joining=yoj;
        this.salary=sal;
        this.address=addr;
    }
    public void display()
    {
        System.out.println("Name : "+name);
        System.out.println("Year of joining : "+year_of_joining);
        System.out.println("Salary : "+salary);
        System.out.println("Address : "+address);
    }
    public static void main(String args[])
    {
        Scanner s=new Scanner(System.in);
        Employee[] e=new Employee[3];
        String name,address;
        int year_of_joining,salary;
        for(int i=0;i<3;i++)
        {
            System.out.printf("Enter Employee %d details :\n",i+1);
            System.out.println("Enter name :");
            name=s.nextLine();
            System.out.println("Enter year of joining :");
            year_of_joining=s.nextInt();
```

```

        System.out.println("Enter salary :");
        salary=s.nextInt();
        s.nextLine();
        System.out.println("Enter address :");
        address=s.nextLine();
        e[i]=new Employee(name,year_of_joining,salary,address);
    }
    for(int i=0;i<3;i++)
    {
        System.out.println("Employee "+(i+1)+" :\n");
        e[i].display();
    }
}
}

```

### **OUTPUT:**



```


E:\Java Programs>javac Employee.java
E:\Java Programs>java Employee
Enter Employee 1 details :
Enter name :
Dhoni
Enter year of joining :
2004
Enter salary :
1000000
Enter address :
Ranchi
Enter Employee 2 details :
Enter name :
Rohit
Enter year of joining :
2007
Enter salary :
3000000
Enter address :
Mumbai
Enter Employee 3 details :
Enter name :
Kohli
Enter year of joining :
2008
Enter salary :
2750000
Enter address :
Delhi
Employee 1 :
Name : Dhoni
Year of joining : 2004
Salary : 1000000
Address : Ranchi
Employee 2 :
Name : Rohit
Year of joining : 2007
Salary : 3000000
Address : Mumbai
Employee 3 :
Name : Kohli
Year of joining : 2008
Salary : 2750000
Address : Delhi

```

### **RESULT:**

The required JAVA program was implemented and executed successfully.

## 7. Create a class



### AIM:

To write a JAVA program with class Circle.

### ALGORITHM:

Step 1: Start.

Step 2: Import required packages.

Step 3: Get the radius and colour of the circle from the user.

Step 4: Another object for circle is created using default constructor.

Step 4: Print the area of the circles.

Step 5: End.

### PROGRAM:

```
import java.util.Scanner;
public class Circle
{
    private double radius;
    private String color;
    Circle()
    {
        radius=1.0;
        color="Red";
    }
    Circle(double radius,String color)
    {
        this.radius=radius;
        this.color=color;
    }
    public double getRadius()
    {
        return radius;
    }
    public double getArea()
    {
        return 3.14*radius*radius;
    }
}
```

```

public static void main(String args[])
{
    Scanner s=new Scanner(System.in);
    System.out.println("Enter the radius of the circle :");
    double radius=s.nextDouble();
    s.nextLine();
    System.out.println("Enter the color of the circle :");
    String color=s.nextLine();
    Circle c1=new Circle(radius,color);
    System.out.printf("Area of circle with radius %.2f is %.2f\n",c1.getRa
dius(),c1.getArea());
    Circle c2=new Circle();
    System.out.printf("Area of circle with radius %.2f is %.2f\n",c2.getRa
dius(),c2.getArea());
    s.close();
}
}

```

### **OUTPUT:**

```

E:\Java Programs>javac Circle.java
E:\Java Programs>java Circle
Enter the radius of the circle :
10
Enter the color of the circle :
white
Area of circle with radius 10.00 is 314.00
Area of circle with radius 1.00 is 3.14

```

### **RESULT:**

The required JAVA program was implemented and executed successfully.

8. Write a java program which creates class Student (Rollno, Name,- Number of subjects, Marks of each subject)(Number of subjects varies for each student) Write a parameterized constructor which initializes roll no, name & Number of subjects and create the array of marks dynamically. Display the details of all students with percentage and class obtained.

**AIM:**

To write a JAVA program with a class Student.

**ALGORITHM:**

- Step 1: Start.
- Step 2: Import required packages.
- Step 3: Get the student details from the user.
- Step 4: Evaluate the percentage and the class.
- Step 5: Print the complete mark statement of the student.
- Step 6: End.

**PROGRAM:**

```
import java.util.Scanner;
public class Students
{
    private int roll,nos,tot;
    private String name;
    private int[] marks;
    Students(int roll,String name,int nos,int[] marks)
    {
        this.roll=roll;
        this.name=name;
        this.nos=nos;
        this.marks=new int[nos];
        tot=0;
        for(int i=0;i<nos;i++)
        {
            this.marks[i]=marks[i];
            tot+=marks[i];
        }
    }
    public void display()
    {
        System.out.println("Roll : "+roll);
        System.out.println("Name : "+name);
        System.out.println("No. of subs : "+nos);
        System.out.println("Marks :");
        for(int i=0;i<nos;i++)
            System.out.print(marks[i]+" ");
        System.out.println();
        System.out.printf("Percent : %.2f\n",(tot*1.0)/nos);
    }
}
```

```

        System.out.println("Class : "+getclass());
    }
    private String getclass()
    {
        double a=(tot*1.0)/nos;
        if(a>90)
            return "Distinction";
        else if(a>70)
            return "I Class";
        else if(a>=50)
            return "II Class";
        else
            return "Fail";
    }
    public static void main(String args[])
    {
        Scanner s=new Scanner(System.in);
        System.out.println("Enter roll no. :");
        int roll=s.nextInt();
        s.nextLine();
        System.out.println("Enter name :");
        String name=s.nextLine();
        System.out.println("Enter the no. of subjects : ");
        int nos=s.nextInt();
        int[] marks=new int[nos];
        System.out.println("Enter the marks :");
        for(int i=0;i<nos;i++)
            marks[i]=s.nextInt();
        Students st=new Students(roll,name,nos,marks);
        st.display();
        s.close();
    }
}

```

## OUTPUT:

```


E:\Java Programs>javac Students.java
E:\Java Programs>java Students
Enter roll no. :
45
Enter name :
Rohit
Enter the no. of subjects :
3
Enter the marks :
90 92 94
Roll : 45
Name : Rohit
No. of subs : 3
Marks :
90 92 94
Percent : 92.00
Class : Distinction

```

## RESULT:

The required JAVA program was implemented and executed successfully.

## 1. 9. Design the class



### AIM:

To write a JAVA program with a class Rectangle.

### ALGORITHM:

Step 1: Start.

Step 2: Import required packages.

Step 3: Get the length and width of the rectangle from the user.

Step 4: Print the area and perimeter of the rectangle.

Step 5: End.

### PROGRAM:

```
import java.util.Scanner;
public class Rectangles
{
    private float length,width;
    Rectangles()
    {
        length=1.0f;
        width=1.0f;
    }
    Rectangles(float length,float width)
    {
        this.length=length;
        this.width=width;
    }
    public float getLength()
    {
        return length;
    }
}
```

```

    public float getWidth()
    {
        return width;
    }
    public void setLength(float length)
    {
        this.length=length;
    }
    public void setWidth(float width)
    {
        this.width=width;
    }
    public double getArea()
    {
        return length*width;
    }
    public double getPerimeter()
    {
        return 2*(length+width);
    }
    public String toString()
    {
        return String.format("Rectangle[length=%.2f,width=%.2f]",length,width)
;
    }
    public static void main(String args[])
    {
        Scanner s=new Scanner(System.in);
        Rectangles r=new Rectangles();
        System.out.println("Enter length :");
        float length=s.nextFloat();
        r.setLength(length);
        System.out.println("Enter width :");
        float width=s.nextFloat();
        r.setWidth(width);
        System.out.println("Area of "+r+" is "+r.getArea());
        System.out.println("Perimeter of "+r+" is "+r.getPerimeter());
        s.close();
    }
}

```



## **OUTPUT:**

```
E:\Java Programs>javac Rectangles.java
E:\Java Programs>java Rectangles
Enter length :
5
Enter width :
4
Area of Rectangle[length=5.00,width=4.00] is 20.0
Perimeter of Rectangle[length=5.00,width=4.00] is 18.0
```

## **RESULT:**

The required JAVA program was implemented and executed successfully.

10. Write a constructor in the Car class given below that initializes the brand class field with the string "Ford". Call the getBrand() method in the main method of the Sample class and store the value of the brand in a variable, and print the value.

```
class Car {  
  
    String brand;  
  
    //your constructor here  
  
    public String getBrand() {  
        return brand;  
    }  
  
    void run() {  
        System.out.println("Car is running...");  
    }  
}  
  
public class Sample {  
  
    public static void main(String[] args) {  
  
        Car ford = new Car();  
    }  
}
```

**AIM:**

To write a JAVA program with class Car and Sample.

**ALGORITHM:**


- Step 1: Start.
- Step 2: Import required packages.
- Step 3: Create an object for class Car using default constructor.
- Step 4: Print the brand of the car.
- Step 5: End.

**PROGRAM:**

```
class Car  
{  
    String brand;  
    Car()  
    {  
        brand="Ford";  
    }  
}
```

```
    public String getBrand()
    {
        return brand;
    }
    public void run()
    {
        System.out.println("Running...");
    }
}
public class sample
{
    public static void main(String args[])
    {
        Car c=new Car();
        String val=c.getBrand();
        System.out.println("The value of brand is "+val);
    }
}
```

### **OUTPUT:**



```
E:\Java Programs>javac sample.java
E:\Java Programs>java sample
The value of brand is Ford
```

### **RESULT:**

The required JAVA program was implemented and executed successfully.

## Exp No.: 4

### Design programs using all the types of inheritances

1. The classes Programmer and the DatabasePro both extend the Employee class and they inherit the fields name, age and salary from employee. Both programmers and database professionals can inherit all the attributes they need from the class Employee, but they need to keep their own special attributes in their own classes.

Design for three classes and implement it.

Read data and print data for some employees.

#### Aim:

To write a JAVA program with classes Programmer and DatabasePro, which extends from class Employee.

#### Algorithm:

- Step 1: Start.
- Step 2: Import required packages.
- Step 3: Display the two posts and get the user's choice.
- Step 4: If the choice is 1, get the details for Programmer, and display the complete details.
- Step 5: If the choice is 2, get the details for Database Professional, and display the complete details.
- Step 6: Repeat step 3-5, if the user wants to continue.
- Step 7: End.

#### Program:

```
import java.util.Scanner;
class Employee
{
    protected String name;
    protected int age;
    protected double salary;
    Employee(String name,int age,double salary)
    {
        this.name=name;
        this.age=age;
        this.salary=salary;
    }
    public void printEmp()
    {
        System.out.println("\nEmployee Details : ");
        System.out.println("Name of the employee   : "+this.name);
        System.out.println("Age of the employee    : "+this.age);
    }
}
```

```

        System.out.println("Salary of the employee : "+this.salary);
    }
}
class Programmer extends Employee
{
    final static String role="Programmer";
    private String lang;
    Programmer(String name,int age,double salary,String lang)
    {
        super(name,age,salary);
        this.lang=lang;
    }
    public void printProg()
    {
        super.printEmp();
        System.out.println("Role of the employee   : "+Programmer.role);
        System.out.println("Working Language       : "+this.lang);
    }
}

```

```

class DatabasePro extends Employee
{
    final static String role="Database Professional";
    private String dbms;
    DatabasePro(String name,int age,double salary,String dbms)
    {
        super(name,age,salary);
        this.dbms=dbms;
    }
    public void printDataPro()
    {
        super.printEmp();
        System.out.println("Role of the employee   : "+DatabasePro.role);
        System.out.println("Working DBMS         : "+this.dbms);
    }
}
public class class1
{
    public static void main(String[] args)
    {
        Scanner s=new Scanner(System.in);
        char c;
        do
        {
            System.out.println("1. Programmer");
            System.out.println("2. Database Professional");

```

```

        System.out.println("Choose the role of the employee whose data has
to be entered : ");
        int ch=s.nextInt();
        s.nextLine();
        if(ch==1||ch==2)
        {
            System.out.println("Enter name of the employee : ");
            String name=s.nextLine();
            System.out.println("Enter age of the employee : ");
            int age=s.nextInt();
            System.out.println("Enter salary of the employee : ");
            double salary=s.nextDouble();
            s.nextLine();
            if(ch==1)
            {
                System.out.println("Enter language the employee works on :
");

                String lang=s.nextLine();
                Programmer p=new Programmer(name,age,salary,lang);
                p.printProg();
            }

            else
            {
                System.out.println("Enter DBMS the employee works with : "
);

                String dbms=s.nextLine();
                DatabasePro d=new DatabasePro(name,age,salary,dbms);
                d.printDataPro();
            }
        }
        else
        {
            System.out.println("Invalid Command!");
            System.out.println("\n\nWould you like to continue(y/n) : ");
            c=s.nextLine().charAt(0);
        }while(c=='y' || c=='Y');
        s.close();
    }
}

```

## Output:


```
Command Prompt
E:\Java Programs>javac class1.java
E:\Java Programs>java class1
1. Programmer
2. Database Professional
Choose the role of the employee whose data has to be entered :
1
Enter name of the employee :
aaaa
Enter age of the employee :
25
Enter salary of the employee :
600000
Enter language the employee works on :
JAVA
Employee Details :
Name of the employee : aaaa
Age of the employee : 25
Salary of the employee : 600000.0
Role of the employee : Programmer
Working Language : JAVA
Would you like to continue(y/n) :
n
E:\Java Programs>
```

```
Command Prompt
E:\Java Programs>java class1
1. Programmer
2. Database Professional
Choose the role of the employee whose data has to be entered :
2
Enter name of the employee :
bbbb
Enter age of the employee :
27
Enter salary of the employee :
650000
Enter DBMS the employee works with :
MariaDB
Employee Details :
Name of the employee : bbbb
Age of the employee : 27
Salary of the employee : 650000.0
Role of the employee : Database Professional
Working DBMS : MariaDB
Would you like to continue(y/n) :
n
E:\Java Programs>
```

## Result:

The required JAVA program was written and executed successfully.

## 2. Design classes, implement and test it



### Aim:

To write a JAVA program with class Manager which inherits class Employee.

### Algorithm:

Step 1: Start.

Step 2: Import required packages.

Step 3: Display the two roles and get the user's choice.

Step 4: If the choice is 1, get the details of the Employee and display the complete details.

Step 5: If the choice is 2, get the details of the Manager and display the complete details.

Step 6: Repeat steps 3-5, if the user wants to continue.

Step 7: End.

### Program:

```
import java.util.Scanner;
class Employee
{
    protected int id,age;
    protected String name,dept;
    Employee(int id,String name,int age,String dept)
    {
        this.id=id;
        this.name=name;
        this.age=age;
        this.dept=dept;
    }
    public void dispEmp()
    {
        System.out.println("ID           : "+this.id);
        System.out.println("Name           : "+this.name);
        System.out.println("Age           : "+this.age);
        System.out.println("Department    : "+this.dept);
    }
}
```



```

class Manager extends Employee
{
    protected int mgr_from;
    Manager(int id,String name,int age,String dept,int mgr_from)
    {
        super(id,name,age,dept);
        this.mgr_from=mgr_from;
    }
    public void dispMgr()
    {
        super.dispEmp();
        System.out.println("Manager from : "+this.mgr_from);
    }
}
public class class2
{
    public static void main(String args[])
    {
        Scanner s=new Scanner(System.in);
        char c;
        do
        {
            System.out.println("1. Employee");
            System.out.println("2. Manager");
            System.out.println("Choose the role whose data has to be entered : ");
            int ch=s.nextInt();
            System.out.println("Enter the details :");
            if(ch==1||ch==2)
            {
                System.out.println("Enter the ID : ");
                int id=s.nextInt();
                s.nextLine();
                System.out.println("Enter the name : ");
                String name=s.nextLine();
                System.out.println("Enter the age : ");
                int age=s.nextInt();
                s.nextLine();
                System.out.println("Enter the department : ");
                String dept=s.nextLine();
                if(ch==1)
                {
                    Employee e=new Employee(id,name,age,dept);
                    System.out.println("\nEmployee details : \n");
                    e.dispEmp();
                }
            }
        }
    }
}

```

```

        else
        {
            System.out.println("Enter the year since the employee is a
manager : ");
            int mgr_from=s.nextInt();
            s.nextLine();
            Manager m=new Manager(id,name,age,dept,mgr_from);
            System.out.println("\nManager details : \n");
            m.dispMgr();
        }
    }
    else
        System.out.println("Invalid command!");
    System.out.println("Do you want to continue(y/n) : ");
    c=s.nextLine().charAt(0);
}while(c=='y' || c=='Y');
s.close();
}
}

```

## Output:


```
Command Prompt
E:\Java Programs>javac class2.java
E:\Java Programs>java class2
1. Employee
2. Manager
Choose the role whose data has to be entered :
1
Enter the details :
Enter the ID :
101
Enter the name :
xxxx
Enter the age :
23
Enter the department :
Production
Employee details :
ID      : 101
Name    : xxxx
Age     : 23
Department : Production
Do you want to continue(y/n) :
n
E:\Java Programs>
```

```
Command Prompt
E:\Java Programs>java class2
1. Employee
2. Manager
Choose the role whose data has to be entered :
2
Enter the details :
Enter the ID :
105
Enter the name :
yyyy
Enter the age :
31
Enter the department :
Human Resources
Enter the year since the employee is a manager :
2018
Manager details :
ID      : 105
Name    : yyyy
Age     : 31
Department : Human Resources
Manager from : 2018
Do you want to continue(y/n) :
n
E:\Java Programs>
```

## Result:

The required JAVA program was written and executed successfully.

3. Design classes, implement and test it.



**Aim:**

To write a JAVA program with class ColorRectangle which inherits the class Rectangle, which in turn inherits the class Shape.

**Algorithm:**

Step 1: Start.

Step 2: Import required packages.

Step 3: Create an object for the class ColorRectangle using default constructor.


Step 4: End.

**Program:**

```
class Shape
{
    Shape()
    {
        System.out.println("This is a shape");
    }
}
class Rectangle extends Shape
{
    Rectangle()
    {
        System.out.println("This is a rectangle");
    }
}
class ColorRectangle extends Rectangle
{
    ColorRectangle()
    {
        System.out.println("This is a colored rectangle");
    }
}

public class class3
{
    public static void main(String args[])
    {
        ColorRectangle c=new ColorRectangle();
    }
}
```

## Output:




```
Command Prompt
E:\Java Programs>javac class3.java
E:\Java Programs>java class3
This is a shape
This is a rectangle
This is a colored rectangle
E:\Java Programs>_
```

## Result:

The required JAVA program was written and executed successfully.

4. Design classes, implement and test it.



**Aim:**

To write a JAVA program with a class Cylinder which inherits the class Circle.

**Algorithm:**

Step 1: Start.

Step 2: Import required packages.

Step 3: Get the radius and height of the cylinder from the user.

Step 4: Print the area of the base circle and the volume of the cylinder.

Step 5: End.

**Program:**

```
import java.util.Scanner;
class Circle
{
    double radius;
    String color;
    Circle()
    {
        this.radius=1.0;
```

```

        this.color="red";
    }
    Circle(double radius)
    {
        this.radius=radius;
        this.color="red";
    }
    Circle(double radius,String color)
    {
        this.radius=radius;
        this.color=color;
    }
    public double getRadius()
    {
        return radius;
    }
    public void setRadius(double radius)
    {
        this.radius = radius;
    }
    public String getColor()
    {
        return color;
    }
    public void setColor(String color)
    {
        this.color = color;
    }
    public double getArea()
    {
        return 3.14*radius*radius;
    }
    public String toString()
    {
        return String.format("Circle[radius="+this.radius+",color="+this.color
+"]");
    }
}

class Cylinder extends Circle
{
    double height;
    Cylinder()
    {
        super();
        this.height=1.0;
    }
}

```


```

    Cylinder(double radius)
    {
        super(radius);
        this.height=1.0;
    }
    Cylinder(double radius,double height)
    {
        super(radius);
        this.height=height;
    }
    Cylinder(double radius,double height,String color)
    {
        super(radius,color);
        this.height=height;
    }
    public double getHeight()
    {
        return height;
    }
    public void setHeight(double height)
    {
        this.height = height;
    }
    public double getVolume()
    {
        return getArea()*height;
    }
}
public class class4
{
    public static void main(String args[])
    {
        Scanner s=new Scanner(System.in);
        System.out.println("Enter radius of cylinder : ");
        double radius=s.nextDouble();
        System.out.println("Enter height of cylinder : ");
        double height=s.nextDouble();
        Cylinder c=new Cylinder(radius,height);
        System.out.println("Area of base of cylinder(circle) : "+c.getArea());
        System.out.println("Volume of cylinder : "+c.getVolume());
        s.close();
    }
}

```



## Output:



```
Command Prompt
E:\Java Programs>javac class4.java
E:\Java Programs>java class4
Enter radius of cylinder :
7
Enter height of cylinder :
10
Area of base of cylinder(circle) : 153.86
Volume of cylinder : 1538.6000000000001
E:\Java Programs>
```

## Result:

The required JAVA program was written and executed successfully.

5. Write JAVA program to illustrate Method Overriding:  
The method **draw()** is being overridden in the three subclasses (**Square, Circle, and Hexagon**) of their base class or superclass **Shape**.

**Aim:**

To write a JAVA program with classes Square, Circle and Hexagon which inherits the class Shape and overrides the method draw().

**Algorithm:**

Step 1: Start.

Step 2: Import required packages.

Step 3: Create an object for Square class and call its draw().

Step 4: Create an object for Circle class and call its draw().

Step 5: Create an object for Hexagon class and call its draw().


Step 6: End.

**Program:**

```
class Shape
{
    public void draw()
    {
        System.out.println("Drawing a shape.");
    }
}
class Square extends Shape
{
    public void draw()
    {
        System.out.println("Drawing a square.");
    }
}
class Circle extends Shape
{
    public void draw()
    {
        System.out.println("Drawing a circle.");
    }
}
class Hexagon extends Shape
{
    public void draw()
    {
        System.out.println("Drawing a hexagon.");
    }
}
public class class5
{
    public static void main(String args[])
```

```
{
    Shape s=new Shape();
    System.out.println("draw() in class Shape :");
    s.draw();
    s=new Square();
    System.out.println("draw() in class Square :");
    s.draw();
    s=new Circle();
    System.out.println("draw() in class Circle :");
    s.draw();
    s=new Hexagon();
    System.out.println("draw() in class Hexagon :");
    s.draw();
}
}
```

### **Output:**



```
E:\Java Programs>javac class5.java
E:\Java Programs>java class5
draw() in class Shape :
Drawing a shape.
draw() in class Square :
Drawing a square.
draw() in class Circle :
Drawing a circle.
draw() in class Hexagon :
Drawing a hexagon.
```

### **Result:**

The required JAVA program was written and executed successfully.

6. Develop a message abstract class which contains playMessage abstract method. Write a different sub-class like TextMessage, VoiceMessage and FaxMessage classes for to implementing the playMessage method.

**AIM:**

To develop a message abstract class with playMessage() abstract method, which is implemented by sub-classes.

**ALGORITHM:**

Step 1: Start.

Step 2: Import required packages.

Step 3: Display the list of messages available, and get the user's choice of message.

Step 4: If the choice is 1, play the TextMessage's playMessage().

Step 5: If the choice is 2, play the VoiceMessage's playMessage().

Step 6: If the choice is 3, play the FaxMessage's playMessage().

Step 7: Repeat steps 3-6, if the user wants to continue.

Step 8: End.

**PROGRAM:**


```
import java.util.Scanner;
abstract class message
{
    public abstract void playMessage();
}
class TextMessage extends message
{
    public void playMessage()
    {
        System.out.println("This is a text message.");
    }
}
class VoiceMessage extends message
{
    public void playMessage()
    {
        System.out.println("This is a voice message.");
    }
}
class FaxMessage extends message
{
    public void playMessage()
    {
        System.out.println("This is a fax message.");
    }
}
```

```

public class msgs
{
    public static void main(String args[])
    {
        Scanner s=new Scanner(System.in);
        char c;
        do
        {
            System.out.println("MESSAGE");
            System.out.println("1. Text Message");
            System.out.println("2. Voice Message");
            System.out.println("3. Fax Message");
            System.out.println("Enter your choice of message : ");
            int ch=s.nextInt();
            s.nextLine()
            switch(ch)
            {
                case 1: new TextMessage().playMessage();
                        break;
                case 2: new VoiceMessage().playMessage();
                        break;
                case 3: new FaxMessage().playMessage();
                        break;
                default: System.out.println("Inavlid message");
            }
            System.out.println("Would you like to continue(y/n) :");
            c=s.nextLine().charAt(0);
        }while(c=='y' || c=='Y');
        s.close();
    }
}

```

## **OUTPUT:**



```
Command Prompt
E:\Java Programs>javac msgs.java
E:\Java Programs>java msgs
MESSAGE
1. Text Message
2. Voice Message
3. Fax Message
Enter your choice of message :
1
This is a text message.
Would you like to continue(y/n) :
y
MESSAGE
1. Text Message
2. Voice Message
3. Fax Message
Enter your choice of message :
2
This is a voice message.
Would you like to continue(y/n) :
y
MESSAGE
1. Text Message
2. Voice Message
3. Fax Message
Enter your choice of message :
3
This is a fax message.
Would you like to continue(y/n) :
n
```

## **RESULT:**

The required JAVA program was implemented and executed successfully.

## Exp No.: 5

### Design programs using Interfaces

1. Develop a Library interface which has drawbook(), returnbook() (with fine), checkstatus() and reservebook() methods. Design class that implements Library interface.

#### AIM:

To write a JAVA program with an interface Library and a class to implement it.

#### ALGORITHM:

Step 1: Start.

Step 2: Get the number of books to be stored in database.

Step 3: Get the details of the book one by one from the user.

Step 4: Display the list of operation and get the user's choice.

Step 5: If choice is 1, Book is to be issued.

Step 6: If choice is 2, Book is to be returned.

Step 7: If choice is 3, Book is to be reserved.

Step 8: If choice is 4, All the book details is displayed.

Step 9: Steps 4-8 is continued if the user wants to continue.

Step 10: End.

#### PROGRAM:

```
import java.util.Scanner;
interface library
{
    public boolean checkStatus();
    public void drawBook(Book[] B,int n);
    public void returnBook(Book[] B,int n);
    public void reserveBook(Book[] B,int n);
}
class Book implements library
{
    String bname,res_uid;
    int days;
    boolean available,reserved;
    Book(String bname)
    {
        this.bname=bname;
        this.days=0;
        this.available=true;
        this.reserved=false;
        this.res_uid=null;
    }
}
```

```

    public String getName()
    {
        return bname;
    }
    public boolean checkStatus()
    {
        return (available&&!reserved);
    }
    public void drawBook(Book[] B,int n)
    {
        Scanner s=new Scanner(System.in);
        System.out.println("Enter the name of the req. book : ");
        String dbook=s.nextLine();
        int c=0;
        for(int i=0;i<n;i++)
        {
            if(dbook.equals(B[i].getName()) && B[i].checkStatus())
            {
                System.out.println("Enter no. of days of accessibilty : ");
                B[i].days=s.nextInt();
                s.nextLine();
                System.out.println("Book Issued!");
                B[i].available=false;
                c=1;
                break;
            }
        }
        if(c==0)
            System.out.println("Book currently unavailable!");
    }
    public void returnBook(Book[] B,int n)
    {
        Scanner s=new Scanner(System.in);
        System.out.println("Enter the name of the returning book : ");
        String rbook=s.nextLine();
        int c=0;
        for(int i=0;i<n;i++)
        {
            if(rbook.equals(B[i].getName()) && !B[i].checkStatus())
            {
                System.out.println("Enter no. of days accessed : ");
                int used=s.nextInt();
                s.nextLine();
                int fine=B[i].withFine(used);
                if(fine==0)
                    System.out.println("Book returned successfully!");
                else

```



```

        System.out.println("Book returned successfully! Pay Rs. "+
fine+" as fine for delayed return");
        B[i].available=true;
        B[i].reserved=false;
        c=1;
        break;
    }
}
if(c==0)
    System.out.println("Check your entry. No such book issued");
}
public void reserveBook(Book[] B,int n)
{
    Scanner s=new Scanner(System.in);
    System.out.println("Enter the name of the req. book : ");
    String rbook=s.nextLine();
    int c=0;
    for(int i=0;i<n;i++)
    {
        if(rbook.equals(B[i].getName()) && B[i].checkStatus())
        {
            System.out.println("Enter your ID : ");
            B[i].res_uid=s.nextLine();
            System.out.println("Book Reserved!");
            B[i].reserved=true;
            c=1;
            break;
        }
    }
    if(c==0)
        System.out.println("Book currently unavailable!");
}
public int withFine(int used)
{
    if(used<=this.days || this.reserved)
        return 0;
    else
        return 5*(used-this.days);
}
public void disp_book(Book[] B,int n)
{
    System.out.println("List of all books : ");
    for(int i=0;i<n;i++)
    {
        System.out.print(B[i].getName() + "          " );
        if(B[i].checkStatus())
            System.out.println("Available");
        else

```

```

        System.out.println("Unavailable");
    }
}
public static void main(String args[])
{
    Scanner s=new Scanner(System.in);
    System.out.println("Enter the no. of books : ");
    int n=s.nextInt();
    s.nextLine();
    Book[] b=new Book[n];
    System.out.println("Enter the Book details : ");
    for(int i=0;i<n;i++)
    {
        System.out.println("Enter the name of book "+(i+1)+" : ");
        String name=s.nextLine();
        b[i]=new Book(name);
    }
    char c;
    do
    {
        System.out.println("Library Menu");
        System.out.println("1. Get Book");
        System.out.println("2. Return Book");
        System.out.println("3. Reserve Book");
        System.out.println("4. Display Books");
        System.out.println("Enter your choice(1-4) : ");
        int ch=s.nextInt();
        Book bk=new Book(null);
        s.nextLine();
        switch(ch)
        {
            case 1: bk.drawBook(b,n);
                    break;
            case 2: bk.returnBook(b,n);
                    break;
            case 3: bk.reserveBook(b,n);
                    break;
            case 4: bk.disp_book(b, n);
                    break;
            default: System.out.println("Invalid command!");
        }
        System.out.println("Would you like to continue(y/n) : ");
        c=s.nextLine().charAt(0);
    }while(c=='y' || c=='Y');
    s.close();
}
}

```

## OUTPUT:

```
E:\Java Programs>javac Book.java
E:\Java Programs>java Book
Enter the no. of books :
3
Enter the Book details :
Enter the name of book 1 :
Programming in JAVA
Enter the name of book 2 :
Basics of OOPS
Enter the name of book 3 :
Data Science
Library Menu
1. Get Book
2. Return Book
3. Reserve Book
4. Display Books
Enter your choice(1-4) :
1
Enter the name of the req. book :
Basics of OOPS
Enter no. of days of accessibilty :
14
Book Issued!
Would you like to continue(y/n) :
y
Library Menu
1. Get Book
2. Return Book
3. Reserve Book
4. Display Books
Enter your choice(1-4) :
4
List of all books :
Programming in JAVA      Available
Basics of OOPS           Unavailable
Data Science             Available
Would you like to continue(y/n) :
y
Library Menu
1. Get Book
2. Return Book
3. Reserve Book
4. Display Books
Enter your choice(1-4) :
2
Enter the name of the returning book :
Basics of OOPS
Enter no. of days accessed :
15
Book returned successfully! Pay Rs. 5 as fine for delayed return
Would you like to continue(y/n) :
n
E:\Java Programs>
```

## RESULT:

The required program was executed successfully.

2. Develop an Interest interface which contains simpleInterest and compInterest methods and static final field of Rate 25%. Write a class to implement those methods.

**AIM:**

To write a JAVA program with an interface Interest.

**ALGORITHM:**

Step 1: Start.

Step 2: Display the list of choices and get the choice from the user.

Step 3: If the choice is 1, compute get the principle amount, time and rate interest and compute the simple interest.

Step 4: If the choice is 2, get the principle amount, time, rate of interest and no. of times the interest is applied and compute the compound interest.

Step 5: Repeat the steps 2-4, if the user wants to continue.

Step 5: End.

**PROGRAM:**

```
import java.util.Scanner;
interface interest
{
    public double simpleinterest();
    public double compoundinterest();
    double rate=25;
}
public class loan implements interest
{
    private double p;
    private int t,n;
    loan(double p,int t)
    {
        this.p=p;
        this.t=t;
    }
    loan(double p,int t,int n)
    {
        this.p=p;
        this.t=t;
        this.n=n;
    }
    public double simpleinterest()
    {
        return p*rate*t/100;
    }
    public double compoundinterest()
    {
        double r=rate/100.0;
        return p*(Math.pow((1+(r/n)),(n*t)))-p;
    }
}
```

```

public static void main(String args[])
{
    Scanner s=new Scanner(System.in);
    char c='y';
    while(c=='y' || c=='Y')
    {
        System.out.println("Interest Menu");
        System.out.println("1. Simple Interest");
        System.out.println("2. Compound Interest");
        System.out.println("Enter your choice(1/2) : ");
        int ch=s.nextInt();
        if(ch==1 || ch==2)
        {
            System.out.println("Enter the principle amount : ");
            double p=s.nextDouble();
            System.out.println("Enter the time period in years : ");
            int t=s.nextInt();
            s.nextLine();
            if(ch==1)
            {
                loan si=new loan(p,t);
                System.out.printf("The simple interest is %.2f\n",si.simpl
einterest());
            }
            else
            {
                System.out.println("Enter the no. of times interest applie
d per year : ");
                int n=s.nextInt();
                s.nextLine();
                loan ci=new loan(p,t,n);
                System.out.printf("The compound interest is %.2f\n",ci.com
poundinterest());
            }
        }
        else
        {
            System.out.println("Invalid command!");
            System.out.println("Would you like to continue(y/n) : ");
            c=s.nextLine().charAt(0);
        }
        s.close();
    }
}

```

## **OUTPUT:**

```
E:\Java Programs>javac loan.java
E:\Java Programs>java loan
Interest Menu
1. Simple Interest
2. Compound Interest
Enter your choice(1/2) :
1
Enter the principle amount :
10000
Enter the time period in years :
3
The simple interest is 7500.00
Would you like to continue(y/n) :
y
Interest Menu
1. Simple Interest
2. Compound Interest
Enter your choice(1/2) :
2
Enter the principle amount :
10000
Enter the time period in years :
3
Enter the no. of times interest applied per year :
3
The compound interest is 10552.23
Would you like to continue(y/n) :
n
E:\Java Programs>
```

## **RESULT:**

The required program was executed successfully.

3. Write an interface to find area and perimeter. Using interface find area and perimeter of square and circle.

**AIM:**

To write a JAVA program with an interface to find area and perimeter.

**ALGORITHM:**

Step 1: Start.

Step 2: Display the list of operations and get the choice from the user.

Step 3: If the choice is 1, get the side of the square and calculate its area and perimeter.

Step 4: If the choice is 2, get the radius of the circle and calculate its area and circumference.

Step 5: Repeat steps 2-4, if the user wants to continue.

Step 6: End.

**PROGRAM:**

```
import java.util.Scanner;
interface aandp
{
    public double area();
    public double perimeter();
}
class square implements aandp
{
    private double side;
    square(double side)
    {
        this.side=side;
    }
    public double area()
    {
        return Math.pow(side,2.0);
    }
    public double perimeter()
    {
        return 4*side;
    }
}
class circle implements aandp
{
    private double radius;
    circle(double radius)
    {
        this.radius=radius;
    }
    public double area()
    {
        return 3.14*Math.pow(radius,2.0);
    }
}
```

```

    }
    public double perimeter()
    {
        return 2*3.14*radius;
    }
}
public class measure
{
    public static void main(String args[])
    {
        Scanner s=new Scanner(System.in);
        char c='y';
        while(c=='y' || c=='Y')
        {
            System.out.println("Measurement Menu");
            System.out.println("1. Square");
            System.out.println("2. Circle");
            System.out.println("Enter the shape of your choice(1/2) : ");
            int ch=s.nextInt();
            if(ch==1)
            {
                System.out.println("Enter the side of square : ");
                double side=s.nextDouble();
                square sq=new square(side);
                System.out.printf("The area of the sqaure is %.2f\n",sq.area());
            };
            System.out.printf("The perimeter of the square is %.2f\n",sq.p
erimeter());
        }
        else if(ch==2)
        {
            System.out.println("Enter the radius of circle : ");
            double radius=s.nextDouble();
            circle ci=new circle(radius);
            System.out.printf("The area of the circle is %.2f\n",ci.area());
        };
            System.out.printf("The circumference of the circle is %.2f\n",
ci.perimeter());
        }
        else
            System.out.println("Invalid command!");
            s.nextLine();
            System.out.println("Would you like to continue(y/n) : ");
            c=s.nextLine().charAt(0);
        }
        s.close();
    }
}

```



## OUTPUT:

```
E:\Java Programs>javac measure.java
E:\Java Programs>java measure
Measurement Menu
1. Square
2. Circle
Enter the shape of your choice(1/2) :
1
Enter the side of square :
5
The area of the square is 25.00
The perimeter of the square is 20.00
Would you like to continue(y/n) :
y
Measurement Menu
1. Square
2. Circle
Enter the shape of your choice(1/2) :
2
Enter the radius of circle :
7
The area of the circle is 153.86
The circumference of the circle is 43.96
Would you like to continue(y/n) :
n
E:\Java Programs>
```

## RESULT:

The required program was executed successfully.

4. Write a program to create interface named customer. In this keep the methods called information(), show() and also maintain in the Tax rate. Implement this interface in employee class and calculate the tax of the employee based on their Income.

**AIM:**

To write a JAVA program with a interface customer.

**ALGORITHM:**

Step 1: Start.

Step 2: Get the employee details from the user.

Step 3: Display the employee details along with the tax he/she has to pay.

Step 4: Repeat the steps 2-3, if the user wants to continue.


Step 5: End.

**PROGRAM:**

```
import java.util.Scanner;
interface customer
{
    public double information();
    public void show();
    double trate=5.0;
}
public class employees implements customer
{
    private String name;
    private double sal,tax;
    employees(String name,double sal)
    {
        this.name=name;
        this.sal=sal;
        this.tax=information();
    }
    public double information()
    {
        return (sal*tax)/100.0;
    }
    public void show()
    {
        System.out.println("Employee Details\n");
        System.out.println("Name      : "+this.name);
        System.out.printf("Salary    : %.2f\n",this.sal);
        System.out.printf("Tax       : %.2f\n\n",this.tax);
    }
    public static void main(String args[])
    {
        Scanner s=new Scanner(System.in);
        char c='y';
```

```
while(c=='y' || c=='Y')
{
    System.out.println("Enter the employee details : ");
    System.out.println("Enter the name : ");
    String name=s.nextLine();
    System.out.println("Enter the salary : ");
    double sal=s.nextDouble();
    s.nextLine();
    employees e=new employees(name,sal);
    e.show();
    System.out.println("Would you like to continue(y/n) :");
    c=s.nextLine().charAt(0);
}
s.close();
}
```

## **OUTPUT:**



```
E:\Java Programs>javac employees.java

E:\Java Programs>java employees
Enter the employee details :
Enter the name :
Virat
Enter the salary :
12500000
Employee Details
Name      : Virat
Salary    : 12500000.00
Tax       : 6250000.00

Would you like to continue(y/n) :
n
E:\Java Programs>
```

## **RESULT:**

The required JAVA program was executed successfully.

## Exp No.: 6

### Construct user defined packages

1. Design a package for complex number addition and subtraction.

#### Aim:

To design a package for complex number addition and subtraction.

#### ALGORITHM:

##### a) Package:

Step 1: Start.

Step 2: Create a package ComplexNumbers, with a class ComplexNumbers.

Step 3: Define a method add(), to perform addition of complex numbers.

Step 4: Define a method sub(), to perform subtraction of complex numbers.

Step 5: End.

##### b) Implementation:

Step 1: Start.

Step 2: Import required packages.

Step 3: Get the two complex numbers from the user.

Step 4: Display the list of operations and get the user's choice.

Step 5: If the choice is 1, perform the addition for the complex numbers.

Step 6: If the choice is 2, perform the subtraction for the complex numbers.

Step 7: Repeat steps 3-6, if the user wants to continue.

Step 8: End.

#### PROGRAM:

##### a) Package:

```
package ComplexNumbers;
public class ComplexNumbers
{
    private int real,image;
    public ComplexNumbers()
    {
    }
    public ComplexNumbers(int real,int image)
    {
        this.real=real;
        this.image=image;
    }
    public static ComplexNumbers add(ComplexNumbers a,ComplexNumbers b)
    {
        ComplexNumbers sum=new ComplexNumbers();
        sum.real=a.real+b.real;
        sum.image=a.image+b.image;
        return sum;
    }
    public static ComplexNumbers sub(ComplexNumbers a,ComplexNumbers b)
```

```

    {
        ComplexNumbers diff=new ComplexNumbers();
        diff.real=a.real-b.real;
        diff.image=a.image-b.image;
        return diff;
    }
    public String toString()
    {
        if(this.image<0)
            return String.format("(%d - %di)",this.real,Math.abs(this.image));
        else
            return String.format("(%d + %di)",this.real,this.image);
    }
}

```

### Implementation:

```

import java.util.Scanner;
import ComplexNumbers.ComplexNumbers;
public class comp_nos
{
    public static void main(String args[])
    {
        Scanner s=new Scanner(System.in);
        char c;
        do
        {
            System.out.println("Enter the first complex no. : ");
            System.out.println("Enter the real part : ");
            int real1=s.nextInt();
            System.out.println("Enter the imaginary part : ");
            int image1=s.nextInt();
            ComplexNumbers op1=new ComplexNumbers(real1,image1);
            System.out.println("Enter the second complex no. : ");
            System.out.println("Enter the real part : ");
            int real2=s.nextInt();
            System.out.println("Enter the imaginary part : ");
            int image2=s.nextInt();
            ComplexNumbers op2=new ComplexNumbers(real2,image2);
            System.out.println("What is the operation? (1. Add, 2.Subtraction)");
            int ch=s.nextInt();
            s.nextLine();
            switch (ch)
            {
                case 1: ComplexNumbers sum=ComplexNumbers.add(op1,op2);
                    System.out.println(op1+" + "+op2+" = "+sum);
                    break;


```

```

        case 2: ComplexNumbers diff=ComplexNumbers.sub(op1,op2);
                System.out.println(op1+" - "+op2+" = "+diff);
                break;
        default: System.out.println("Invalid Command!");
    }
    System.out.println("Would you like to continue(y/n) : ");
    c=s.nextLine().charAt(0);
}while(c=='y' || c=='Y');
s.close();
}
}

```

## OUTPUT:



```

C:\Java Programs>javac ComplexNumbers.java
C:\Java Programs>javac -d . ComplexNumbers.java
C:\Java Programs>javac comp_nos.java
C:\Java Programs>java comp_nos
Enter the first complex no. :
Enter the real part :
10
Enter the imaginary part :
4
Enter the second complex no. :
Enter the real part :
5
Enter the imaginary part :
3
What is the operation? (1. Add, 2.Subtraction) :
1
(10 + 4i) + (5 + 3i) = (15 + 7i)
Would you like to continue(y/n) :
y
Enter the first complex no. :
Enter the real part :
10
Enter the imaginary part :
4
Enter the second complex no. :
Enter the real part :
5
Enter the imaginary part :
3
What is the operation? (1. Add, 2.Subtraction) :
2
(10 + 4i) - (5 + 3i) = (5 + 1i)
Would you like to continue(y/n) :
n

```

## RESULT:

The required JAVA program was implemented and executed successfully.

2. Write a program to calculate student mark statement using packages and interfaces.

**AIM:**

To write a java program to calculate student mark stamen using packages and interfaces.

**ALGORITHM:**

**a) Package:**

Step 1: Start.

Step 2: Create a package Student, with an interface marks in it.

Step 3: Declare methods, getMarks(), display(), calcAvg().

Step 4: End.

**b) Implementation:**

Step 1: Start.

Step 2: Import required packages.

Step 3: Get the marks of the student from the user.

Step 4: Calculate the total and the average mark of the student.

Step 5: Display the mark statement of the student.

Step 6: Repeat steps 3-5, if the user wants to continue.

Step 7: End.

**PROGRAM:**

**a) Package:**

```
package Students;
import java.util.Scanner;
public interface marks
{
    public void getMarks();
    public void display();
    public void calcAvg();
}
```

**b) Implementation:**

```
import Students.marks;
import java.util.Scanner;
public class StudentMarkStatement implements marks
{
    private int tot;
    private int[] mark;
    private float percent;
    StudentMarkStatement()
    {
        this.tot=0;
        this.percent=0.0f;
        this.mark=new int[3];
    }
}
```




```

    }
    public void getMarks()
    {
        Scanner s=new Scanner(System.in);
        System.out.println("Enter the Student's marks in 3 subjects : ");
        for(int i=0;i<3;i++)
            this.mark[i]=s.nextInt();
        calcAvg();
    }
    public void display()
    {
        System.out.println("The marks in the 3 subjects are : ");
        for(int i=0;i<3;i++)
            System.out.println("Subject "+(i+1)+" : "+this.mark[i]);
        System.out.println("Total : "+this.tot);
        System.out.println("Percent : "+this.percent);
    }
    public void calcAvg()
    {
        for(int i=0;i<3;i++)
            this.tot+=this.mark[i];
        this.percent=tot/3.0f;
    }
    public static void main(String[] args)
    {
        Scanner sc=new Scanner(System.in);
        int c;
        do
        {
            StudentMarkStatement s=new StudentMarkStatement();
            s.getMarks();
            s.display();
            System.out.println("Would you like to continue(1-continue) : ");
            c=sc.nextInt();
        }while(c==1);
        sc.close();
    }
}

```

## **OUTPUT:**



```
E:\Java Programs>javac marks.java
E:\Java Programs>javac -d . marks.java
E:\Java Programs>javac StudentMarkStatement.java
E:\Java Programs>java StudentMarkStatement
Enter the Student's marks in 3 subjects :
91 75 90
The marks in the 3 subjects are :
Subject 1 : 91
Subject 2 : 75
Subject 3 : 90
Total : 256
Percent : 85.333336
Would you like to continue(1-continue) :
1
Enter the Student's marks in 3 subjects :
61 82 77
The marks in the 3 subjects are :
Subject 1 : 61
Subject 2 : 82
Subject 3 : 77
Total : 220
Percent : 73.333336
Would you like to continue(1-continue) :
0
```

## **RESULT:**

The required JAVA program was implemented and executed successfully.

3. Write a java program to maintain the books details like BookId, AccessionNumber, BookName, Author, Publication in books package and keep the journal details such as Journalid, JournalName in journal package. In main class use these two packages details for Staff and Student classes and display the books and journals information as requested by the user.

**AIM:**

To write a JAVA program to maintain the book and journal details using packages and display them as requested by the user.

**ALGORITHM:**

**a) Package 1:**

Step 1: Start.

Step 2: Import required packages.

Step 3: Create a package Book, with a class BookDetails in it.

Step 4: Define a method getBookDetails() to get the book details from the user.

Step 5: Define a method display() to print the book details.

Step 6: End.

**b) Package 2:**

Step 1: Start.

Step 2: Import required packages.

Step 3: Create a package Journal, with a class JournalDetails in it.

Step 4: Define a method getJournalDetails() to get the book details from the user.

Step 5: Define a method display() to print the book details.

Step 6: End.

**c) Implementation:**

Step 1: Start.

Step 2: Import required packages.

Step 3: Get all the details of books and journals in the admin mode.

Step 4: Display the modes of login and get the user's choice in the user mode.

Step 5: If the choice is 1, the user is granted staff access and all the journal details are displayed.

Step 6: If the choice is 2, the user is granted student access and all the book details are displayed.

Step 7: Repeat steps 4-6, if the user wants to continue.

Step 8: End.

**PROGRAM:**

**a) Package 1:**

```
package Book;
import java.util.Scanner;
public class BookDetails
{
    private int BookId, AccNo;
    private String BookName, AuthorName, Publication;
```

```

    public void getBookDetails()
    {
        Scanner s=new Scanner(System.in);
        System.out.println("Enter the Book ID : ");
        this.BookId=s.nextInt();
        System.out.println("Enter the Accession No. : ");
        this.AccNo=s.nextInt();
        s.nextLine();
        System.out.println("Enter the Book name : ");
        this.BookName=s.nextLine();
        System.out.println("Enter the Author name : ");
        this.AuthorName=s.nextLine();
        System.out.println("Enter the Publication : ");
        this.Publication=s.nextLine();
    }
    public void display()
    {
        System.out.println("Book ID      : "+this.BookId);
        System.out.println("Accession No. : "+this.AccNo);
        System.out.println("Book Name     : "+this.BookName);
        System.out.println("Author Name    : "+this.AuthorName);
        System.out.println("Publication    : "+this.Publication);
    }
}

```

## b) Package 2:

```

package Journal;
import java.util.Scanner;
public class JournalDetails
{
    private int JournalId;
    private String JournalName;
    public void getJournalDetails()
    {
        Scanner s=new Scanner(System.in);
        System.out.println("Enter the Journal ID : ");
        this.JournalId=s.nextInt();
        s.nextLine();
        System.out.println("Enter the Journal name : ");
        this.JournalName=s.nextLine();
    }
    public void display()
    {
        System.out.println("Journal ID   : "+this.JournalId);
        System.out.println("Journal Name : "+this.JournalName);
    }
}

```

### c) Implementation:

```
import Book.BookDetails;
import Journal.JournalDetails;
import java.util.Scanner;
class Staff
{
    private int n;
    private JournalDetails[] j;
    public void getJournals()
    {
        Scanner s=new Scanner(System.in);
        System.out.println("Enter the no. of journals : ");
        this.n=s.nextInt();
        j=new JournalDetails[n];
        for(int i=0;i<n;i++)
        {
            System.out.println("Enter Journal "+(i+1)+" : ");
            j[i]=new JournalDetails();
            j[i].getJournalDetails();
        }
    }
    public void displayJournals()
    {
        System.out.println("Displaying list of Journals : ");
        for(int i=0;i<n;i++)
        {
            System.out.println("Journal "+(i+1)+" : ");
            j[i].display();
        }
    }
}
class Student
{
    private int n;
    private BookDetails[] b;
    public void getBooks()
    {
        Scanner s=new Scanner(System.in);
        System.out.println("Enter the no. of books : ");
        this.n=s.nextInt();
        b=new BookDetails[n];
        for(int i=0;i<n;i++)
        {
            System.out.println("Enter Book "+(i+1)+" : ");
            b[i]=new BookDetails();
            b[i].getBookDetails();
        }
    }
}
```

```

    }
    public void displayBooks()
    {
        System.out.println("Displaying list of Books : ");
        for(int i=0;i<n;i++)
        {
            System.out.println("Book "+(i+1)+" : ");
            b[i].display();
        }
    }
}
public class library_db
{
    public static void main(String[] args)
    {
        Staff sta=new Staff();
        Student stu=new Student();
        char c;
        sta.getJournals();
        stu.getBooks();
        Scanner s=new Scanner(System.in);
        do
        {
            System.out.println("LOGIN AS");
            System.out.println("1. Staff");
            System.out.println("2. Student");
            System.out.println("Enter your choice : ");
            int ch=s.nextInt();
            s.nextLine();
            switch(ch)
            {
                case 1: sta.displayJournals();
                        break;
                case 2: stu.displayBooks();
                        break;
                default: System.out.println("Invalid user!");
            }
            System.out.println("Would you like to continue?(y/n) : ");
            c=s.nextLine().charAt(0);
        }while(c=='y' || c=='Y');
        s.close();
    }
}

```

## OUTPUT:

```
Command Prompt
E:\Java Programs>javac BookDetails.java
E:\Java Programs>javac -d . BookDetails.java
E:\Java Programs>javac JournalDetails.java
E:\Java Programs>javac -d . JournalDetails.java
E:\Java Programs>javac library_db.java
E:\Java Programs>java library_db
Enter the no. of Journals :
3
Enter Journal 1 :
Enter the Journal ID :
101
Enter the Journal name :
ACS nano
Enter Journal 2 :
Enter the Journal ID :
102
Enter the Journal name :
Advanced Science
Enter Journal 3 :
Enter the Journal ID :
103
Enter the Journal name :
Intl' Journal for Engg. Science
Enter the no. of books :
2
Enter Book 1 :
Enter the Book ID :
201
Enter the Accession No. :
2001
Enter the Book name :
Understanding JAVA Programming
Enter the Author name :
Barry Burd
Enter the Publication :
O Reilly
Enter Book 2 :
Enter the Book ID :
202
Enter the Accession No. :
2001
Enter the Book name :
Java The Complete Reference
Enter the Author name :
Herbert Schildt
Enter the Publication :
Oracle
LOGIN AS
1. Staff
2. Student
Enter your choice :
1
Displaying list of Journals :
Journal 1 :
Journal ID : 101
Journal Name : ACS nano
Journal 2 :
Journal ID : 102
Journal Name : Advanced Science
Journal 3 :
Journal ID : 103
Journal Name : Intl' Journal for Engg. Science
Would you like to continue?(y/n) :
y
LOGIN AS
1. Staff
2. Student
Enter your choice :
2
Displaying list of Books :
Book 1 :
Book ID : 201
Accession No. : 2001
Book Name : Understanding JAVA Programming
Author Name : Barry Burd
Publication : O Reilly
Book 2 :
Book ID : 202
Accession No. : 2001
Book Name : Java The Complete Reference
Author Name : Herbert Schildt
Publication : Oracle
Would you like to continue?(y/n) :
n
```

## RESULT:

The required JAVA program was implemented and executed successfully.

## Exp No.: 7

### Develop programs using multithreaded programs

1. Write a program to print the sum of given 30 numbers. The program should start three threads where each thread will find the sum of 10 numbers. The main thread should print the final sum.

#### AIM:

To write a JAVA program to print the sum of 30 numbers using multithreading.

#### ALGORITHM:

Step 1: Start.

Step 2: Import required packages.

Step 3: Get the 30 numbers from the user, as batch of 10 each using the 3 threads.

Step 4: Calculate the sum of each batch of numbers and return to main().

Step 5: Print the total sum of the 30 numbers.

Step 6: End.

#### PROGRAM:

```
import java.util.Scanner;
class f10_sum extends Thread
{
    int sum;
    f10_sum()
    {
        sum=0;
    }
    public void run()
    {
        int val;
        Scanner s=new Scanner(System.in);
        System.out.println("Enter the 10 nos. : ");
        for(int i=0;i<10;i++)
        {
            val=s.nextInt();
            sum+=val;
        }
    }
    public int getSum()
    {
        return sum;
    }
}
class s10_sum extends Thread
{
    int sum;
```



```

        s10_sum()
    {
        sum=0;
    }
    public void run()
    {
        int val;
        Scanner s=new Scanner(System.in);
        System.out.println("Enter the 10 nos. : ");
        for(int i=0;i<10;i++)
        {
            val=s.nextInt();
            sum+=val;
        }
    }
    public int getSum()
    {
        return sum;
    }
}
class t10_sum extends Thread
{
    int sum;
    t10_sum()
    {
        sum=0;
    }
    public void run()
    {
        int val;
        Scanner s=new Scanner(System.in);
        System.out.println("Enter the 10 nos. : ");
        for(int i=0;i<10;i++)
        {
            val=s.nextInt();
            sum+=val;
        }
    }
    public int getSum()
    {
        return sum;
    }
}
public class sum_30
{
    public static void main(String args[])
    {
        f10_sum t1=new f10_sum();
    }
}


```

```

        s10_sum t2=new s10_sum();
        t10_sum t3=new t10_sum();
        try
        {
            t1.start();
            t1.join();
            t2.start();
            t2.join();
            t3.start();
            t3.join();
        }
        catch(Exception e)
        {
            System.out.println(e);
        }
        int s1,s2,s3;
        s1=t1.getSum();
        s2=t2.getSum();
        s3=t3.getSum();
        System.out.println("The sum of the 30 nos. is : "+(s1+s2+s3));
    }
}

```

### **OUTPUT:**



```

E:\Java Programs>javac sum_30.java

E:\Java Programs>java sum_30
Enter the 10 nos. :
1 2 3 4 5 6 7 8 9 10
Enter the 10 nos. :
11 12 13 14 15 16 17 18 19 20
Enter the 10 nos. :
21 22 23 24 25 26 27 28 29 30
The sum of the 30 nos. is : 465

```

### **RESULT:**

The required JAVA program was implemented and executed successfully.

2. Write a java program to print different multiplication tables using multiple threads.

**AIM:**

To write a JAVA program to print different multiplication tables using multiple threads.

**ALGORITHM:**

Step 1: Start.

Step 2: Get the multiplicand of the first table from the user.

Step 3: Print the first multiplication table.

Step 4: Get the multiplicand of the second table from the user.

Step 5: Print the second multiplication table.

Step 6: End.

**PROGRAM:**

```
import java.util.Scanner;
class table extends Thread
{
    public void run()
    {
        Scanner s=new Scanner(System.in);
        System.out.println("Enter the multiplicand : ");
        int m=s.nextInt();
        System.out.println("The multiplication table for "+m+" is : ");
        for(int i=1;i<=10;i++)
            System.out.printf("%d * %d = %d\n",m,i,m*i);
    }
}
public class mult_tables
{
    public static void main(String[] args)
    {
        table t1=new table();
        table t2=new table();
        try
        {
            System.out.println("First Table : ");
            t1.start();
            t1.join();
            System.out.println("Second Table : ");
            t2.start();
            t2.join();
        }
    }
}
```

```
        catch (Exception e)
        {
            System.out.println(e);
        }
    }
}
```

### **OUTPUT:**



The screenshot shows a command prompt window with the following text:

```
E:\Java Programs>java mult_tables
First Table :
Enter the multiplicand :
5
The multiplication table for 5 is :
5 * 1 = 5
5 * 2 = 10
5 * 3 = 15
5 * 4 = 20
5 * 5 = 25
5 * 6 = 30
5 * 7 = 35
5 * 8 = 40
5 * 9 = 45
5 * 10 = 50
Second Table :
Enter the multiplicand :
13
The multiplication table for 13 is :
13 * 1 = 13
13 * 2 = 26
13 * 3 = 39
13 * 4 = 52
13 * 5 = 65
13 * 6 = 78
13 * 7 = 91
13 * 8 = 104
13 * 9 = 117
13 * 10 = 130
```

### **RESULT:**

The required JAVA program was implemented and executed successfully.

3. Write a java program for inventory problem to illustrate the usage of Thread synchronized keyword process. They have three classes called consumer, producer and stock.

**AIM:**

To write a JAVA program to illustrate inventory problem using the synchronized keyword.

**ALGORITHM:**

- Step 1: Start.
- Step 2: Import required packages.
- Step 3: Get the initial stock from the user.
- Step 4: Display the list of modes and get the user's choice.
- Step 5: If the choice is 1, the process enters to producer mode, and the stock is incremented by one unit.
- Step 6: If the choice is 2, the process enters to consumer mode.
- Step 6i: The stock is decremented by one unit, if the stock is more than 0.
- Step 6ii: Else, the user is prompted that there is no stock to consume.
- Step 7: Repeat steps 4-6, if the user wants to continue.
- Step 8: End.

**PROGRAM:**

```
import java.util.Scanner;
class stock
{
    private int s;
    stock(int s)
    {
        this.s=s;
    }
    synchronized public void updateStock(int n)
    {
        this.s+=n;
    }
    public int getStock()
    {
        return s;
    }
}
class producer extends Thread
{
    private stock st;
    producer(stock st)
    {
        this.st=st;
    }
}
```

```

        public void run()
        {
            st.updateStock(1);
            System.out.println("Current stock : "+st.getStock());
        }
    }
}
class consumer extends Thread
{
    private stock st;
    consumer(stock st)
    {
        this.st=st;
    }
    public void run()
    {
        if(st.getStock()>=1)
            st.updateStock(-1);
        else
            System.out.println("No stocks available!");
        System.out.println("Current stock : "+st.getStock());
    }
}
public class inventory
{
    public static void main(String[] args)
    {
        Scanner s=new Scanner(System.in);
        System.out.println("Enter the current stock : ");
        int so=s.nextInt();
        s.nextLine();
        stock stocks=new stock(so);
        char con;
        do
        {
            System.out.println("1. Producer");
            System.out.println("2. Consumer");
            System.out.println("Enter your choice : ");
            int ch=s.nextInt();
            s.nextLine();
            try
            {
                switch(ch)
                {
                    case 1: producer p=new producer(stocks);
                        p.start();
                        p.join();
                        break;
                    case 2: consumer c=new consumer(stocks);

```

```

        c.start();
        c.join();
        break;
    default: System.out.println("Invalid command!");
    }
}
catch(Exception e)
{
    System.out.println(e);
}
System.out.println("Would you like to continue?(y/n) : ");
con=s.nextLine().charAt(0);
}while(con=='y' || con=='Y');
s.close();
}
}

```

### **OUTPUT:**



```

E:\Java Programs>javac inventory.java
E:\Java Programs>java inventory
Enter the current stock :
2
1. Producer
2. Consumer
Enter your choice :
2
Current stock : 1
Would you like to continue?(y/n) :
y
1. Producer
2. Consumer
Enter your choice :
2
Current stock : 0
Would you like to continue?(y/n) :
y
1. Producer
2. Consumer
Enter your choice :
2
No stocks available!
Current stock : 0
Would you like to continue?(y/n) :
y
1. Producer
2. Consumer
Enter your choice :
1
Current stock : 1
Would you like to continue?(y/n) :
y
1. Producer
2. Consumer
Enter your choice :
1
Current stock : 2
Would you like to continue?(y/n) :
n

```

### **RESULT:**

The required JAVA program was implemented and executed successfully.

4. Create a bank database application program to illustrate the use of multithread.

**AIM:**

To create a bank database application program to illustrate the use of multithread.

**ALGORITHM:**

Step 1: Start.

Step 2: Import required packages.

Step 3: Get the current account balance.

Step 4: Display the list of operations to user and get his/her choice.

Step 5: If the choice is 1, get the amount of withdrawal from the user.

Step 5i: If the amount is less than or equal to the current balance, the money is dispensed and balance is updated.

Step 5ii: Else, the user is prompted that there isn't sufficient balance for the withdrawal.

Step 6: If the choice is 2, get the amount of deposit from the user and update the balance.

Step 7: Repeat steps 4-6, if the user wants to continue.

Step 8: End.

**PROGRAM:**

```
import java.util.Scanner;
class account
{
    int balance;
    account(int balance)
    {
        this.balance=balance;
    }
    public int getBalance()
    {
        return balance;
    }
    synchronized public void update(int amt)
    {
        this.balance+=amt;
    }
}
class withdraw extends Thread
{
    account a;
    withdraw(account a)
    {
        this.a=a;
    }
}
```



```

        public void run()
        {
            Scanner s=new Scanner(System.in);
            System.out.println("Enter withdraw amount : ");
            int amt=s.nextInt();
            s.nextLine();
            if(amt<=a.getBalance())
            {
                a.update(-amt);
                System.out.println("Current balance : "+a.getBalance());
            }
            else
                System.out.println("Insufficient funds!");
        }
    }
}
class deposit extends Thread
{
    account a;
    deposit(account a)
    {
        this.a=a;
    }
    public void run()
    {
        Scanner s=new Scanner(System.in);
        System.out.println("Enter deposit amount : ");
        int amt=s.nextInt();
        s.nextLine();
        a.update(amt);
        System.out.println("Current balance : "+a.getBalance());
    }
}
}
public class bank
{
    public static void main(String[] args)
    {
        Scanner s=new Scanner(System.in);
        System.out.println("Enter the account balance : ");
        int balance=s.nextInt();
        account a=new account(balance);
        char c;
        do
        {
            System.out.println("Bank");
            System.out.println("1. Withdraw");
            System.out.println("2. Deposit");
            System.out.println("Entre your choice : ");
            int ch=s.nextInt();

```

```

        s.nextLine();
    try
    {
        switch(ch)
        {
            case 1: withdraw w=new withdraw(a);
                    w.start();
                    w.join();
                    break;
            case 2: deposit d=new deposit(a);
                    d.start();
                    d.join();
                    break;
            default: System.out.println("Invalid command!");
        }
    }
    catch(Exception e)
    {
        System.out.println(e);
    }
    System.out.println("Would you like to continue?(y/n) : ");
    c=s.nextLine().charAt(0);
}while(c=='y' || c=='Y');
s.close();
}
}

```

## **OUTPUT:**

```

E:\Java Programs>javac bank.java
E:\Java Programs>java bank
Enter the account balance :
20000
Bank
1. Withdraw
2. Deposit
Entre your choice :
1
Enter withdraw amount :
200000
Insufficient funds!
Would you like to continue?(y/n) :
y
Bank
1. Withdraw
2. Deposit
Entre your choice :
2
Enter deposit amount :
500
Current balance : 10500
Would you like to continue?(y/n) :
n

```

## **RESULT:**

The required JAVA program is implemented and executed successfully.

## Exp No.: 8

### Execute Program using File streams.

1. Write a Java program to write and read a plain text file (use byte Streams).

#### AIM:

To write a JAVA program to write and read a plain text using byte streams.

#### ALGORITHM:

- Step 1: Start.
- Step 2: Import required packages.
- Step 3: Get the name of the file to be created, from the user.
- Step 4: Get the text to be written on to the file.
- Step 5: Create an output stream, write the text on the file and close the stream.
- Step 6: Create an input stream, read the file and close the stream.
- Step 7: Display the contents read from the file.
- Step 8: End.

#### PROGRAM:

```
import java.io.*;
import java.util.Scanner;
public class fread_write
{
    public static void main(String[] args)
    {
        FileOutputStream fout;
        FileInputStream fin;
        Scanner s=new Scanner(System.in);
        try
        {
            System.out.println("Enter the name of the file : ");
            String fname=s.nextLine();
            fout=new FileOutputStream(fname);
            System.out.println("Enter the file contents : ");
            String cont=s.nextLine();
            fout.write(cont.getBytes());
            fout.close();
            fin=new FileInputStream(fname);
            System.out.println("The file contents : ");
            byte[] out=new byte[100];
            fin.read(out);
            String data=new String(out);
            System.out.println(data);
            fin.close();
        }
    }
}
```

```
        catch(IOException e)
        {
            System.out.println(e);
        }
        s.close();
    }
}
```

### **OUTPUT:**

```
E:\Java Programs>javac fread_write.java
E:\Java Programs>java fread_write
Enter the name of the file :
io.txt
Enter the file contents :
Hello World!
The file contents :
Hello World!
```

### **RESULT:**

The JAVA program to write and read a file using byte stream was implemented and executed successfully.

2. Write a Java program to append text to an existing file.

**AIM:**

To write a JAVA program to append text to an existing file.

**ALGORITHM:**

Step 1: Start.

Step 2: Import required packages.

Step 3: Get the name of the file to appended from the user.

Step 4: Get the text to be appended to the file.

Step 5: Display the contents of the file before appending.

Step 6: Create an output stream in append mode and append the text to the file.

Step 7: Display the final contents of the file.

Step 8: End.

**PROGRAM:**

```
import java.io.*;
import java.util.Scanner;
public class append_file
{
    public static void main(String[] args)
    {
        Scanner s=new Scanner(System.in);
        FileOutputStream fout;
        FileInputStream fin;
        byte[] out=new byte[100];
        String data;
        try
        {
            System.out.println("Enter the file to appended : ");
            String fname=s.nextLine();
            fout=new FileOutputStream(fname,true);
            fin=new FileInputStream(fname);
            System.out.println("Enter the contents to be appended : ");
            String cont=s.nextLine();
            int off=fin.available();
            if(off>0)
            {
                fin.read(out);
                fin.skip(-off);
                data=new String(out);
                System.out.println("File contents before append : ");
                System.out.println(data);
            }
            else
                System.out.println("File doesn't exist, a new file will be created.");
        }
        catch (Exception e)
        {
            System.out.println(e.getMessage());
        }
    }
}
```

```

        fout.write(cont.getBytes());
        fin.read(out);
        data=new String(out);
        System.out.println("File contents after append : ");
        System.out.println(data);
        fout.close();
        fin.close();
    }
    catch(IOException e)
    {
        System.out.println(e);
    }
    s.close();
}
}

```

### **OUTPUT:**

```

E:\Java Programs>javac append_file.java
E:\Java Programs>java append_file
Enter the file to appended :
io.txt
Enter the contents to be appended :
Java is simple and powerful!
File contents before append :
Hello World!
File contents after append :
Hello World!Java is simple and powerful!

```

### **RESULT:**

The JAVA program to append text to an existing file was implemented and executed successfully.

3. Write a Java program to get a list of all file/directory names from the given path.

**AIM:**

To write a JAVA program to get a list of all files and directories names from the given path.

**ALGORITHM:**

Step 1: Start.

Step 2: Import required packages.

Step 3: Get the required path from the user.

Step 4: If the path is not reachable, prompt the user with the same.

Step 5: Else, display the list of files and directories in the given path.

Step 6: End.

**PROGRAM:**


```
import java.io.*;
import java.util.Scanner;
public class file_list
{
    public static void main(String[] args)
    {
        Scanner s=new Scanner(System.in);
        System.out.println("Enter the path : ");
        String path=s.nextLine();
        File[] flist=new File(path).listFiles();
        if(flist==null)
            System.out.println("The system cannot find the path specified");
        else
        {
            int fcount=0,dcount=0;
            for(int i=0;i<flist.length;i++)
            {
                if(flist[i].isFile())
                    fcount++;
                else if(flist[i].isDirectory())
                    dcount++;
            }
            if(fcount>0)
            {
                System.out.println("File list : ");
                for(int i=0;i<flist.length;i++)
                {
                    if(flist[i].isFile())
                        System.out.println(flist[i].getName());
                }
            }
        }
    }
}
```

```

        if(dcount>0)
        {
            System.out.println("Directory list : ");
            for(int i=0;i<flist.length;i++)
            {
                if(flist[i].isDirectory())
                    System.out.println(flist[i].getName());
            }
        }
        s.close();
    }
}

```

### **OUTPUT:**



```

E:\Java Programs>javac file_list.java
E:\Java Programs>java file_list
Enter the path :
E:\DBMS\
File list :
circles.sql
update_sal.sql
us.sql
Directory list :
New Folder

```

### **RESULT:**

The JAVA program to get a list of all files and directories from a given path was implemented and executed successfully.



4. Write a java program to show how to use DataInputStream and DataOutputStream classes for reading and writing primitive data types.

**AIM:**

To write a JAVA program to show how to use DataInputStream and DataOutputStream classes for read and writing primitive data types.

**ALGORITHM:**

- Step 1: Start.
- Step 2: Import required packages.
- Step 3: Get the name of the file from the user.
- Step 4: Get the primitive data from the user, which is to be written to the file.
- Step 5: Create a DataOutputStream and write the values on to the file.
- Step 6: Use the DataInputStream to fetch the values from the file.
- Step 7: Display the fetched values.
- Step 8: End.

**PROGRAM:**

```
import java.io.*;
import java.util.Scanner;
public class data_io
{
    public static void main(String[] args)
    {
        DataInputStream din;
        DataOutputStream dout;
        Scanner s=new Scanner(System.in);
        System.out.println("Enter the file name : ");
        String fname=s.nextLine();
        try
        {
            FileOutputStream fout=new FileOutputStream(fname);
            dout=new DataOutputStream(fout);
            System.out.println("Enter a integer value : ");
            int n=s.nextInt();
            System.out.println("Enter a float value : ");
            float f=s.nextFloat();
            System.out.println("Enter a double value : ");
            double d=s.nextDouble();
            System.out.println("Enter a character value : ");
            s.nextLine();
            char c=s.nextLine().charAt(0);
            dout.writeInt(n);
            dout.writeFloat(f);
            dout.writeDouble(d);
            dout.writeChar(c);
            dout.close();
        }
    }
}
```

```

        fout.close();
        FileInputStream fin=new FileInputStream(fname);
        din=new DataInputStream(fin);
        int fn=din.readInt();
        float ff=din.readFloat();
        double fd=din.readDouble();
        char fc=din.readChar();
        System.out.println("Integer from file : "+fn);
        System.out.println("Float from file : "+ff);
        System.out.println("Double from file : "+fd);
        System.out.println("Character from file : "+fc);
        din.close();
        fin.close();
    }
    catch(IOException e)
    {
        System.out.println(e);
    }
    s.close();
}
}

```

### **OUTPUT:**

```

E:\Java Programs>javac data_io.java
E:\Java Programs>java data_io
Enter the file name :
io2.txt
Enter a integer value :
10
Enter a float value :
3.14
Enter a double value :
8.9208637
Enter a character value :
A
Integer from file : 10
Float from file : 3.14
Double from file : 8.9208637
Character from file : A

```

### **RESULT:**

The JAVA program to show how to use DataInputStream and DataOutputStream for reading and writing primitive datatypes was implemented and executed successfully.

5. Write a java program to show how to use BufferedReader and BufferedWriter classes for performing buffered I/O operations.

**AIM:**

To write a JAVA program to show how to use BufferedReader and BufferedWriter classes for performing buffered I/O operation.

**ALGORITHM:**


- Step 1: Start.
- Step 2: Import required packages.
- Step 3: Get the name of the file from the user.
- Step 4: Create file streams for the file.
- Step 5: Create BufferedReader and BufferedWriter on top of the file stream.
- Step 6: Get the contents to be written on to the file.
- Step 7: Write the contents on to the file,
- Step 8: Read the file contents and display it to the user.
- Step 9: End.

**PROGRAM:**

```
import java.io.*;
import java.util.Scanner;
public class buff_io
{
    public static void main(String[] args)
    {
        BufferedOutputStream bout;
        BufferedInputStream bin;
        Scanner s=new Scanner(System.in);
        try
        {
            System.out.println("Enter the name of the file : ");
            String fname=s.nextLine();
            FileOutputStream fout=new FileOutputStream(fname);
            bout=new BufferedOutputStream(fout);
            System.out.println("Enter the file contents : ");
            String cont=s.nextLine();
            bout.write(cont.getBytes());
            bout.close();
            fout.close();
            FileInputStream fin=new FileInputStream(fname);
            bin=new BufferedInputStream(fin);
            System.out.println("The file contents : ");
            byte[] out=new byte[100];
            bin.read(out);
            String data=new String(out);
            System.out.println(data);
            bin.close();
        }
    }
}
```

```
        fin.close();
    }
    catch(IOException e)
    {
        System.out.println(e);
    }
    s.close();
}
}
```

### **OUTPUT:**



```
E:\Java Programs>javac buff_io.java
E:\Java Programs>java buff_io
Enter the name of the file :
io3.txt
Enter the file contents :
Saty home! Stay safe!
The file contents :
Saty home! Stay safe!
```

### **RESULT:**

The JAVA program to show how to use BufferedReader and BufferedWriter was implemented and executed successfully.

## Exp No.: 9

### Programs using exception handling mechanisms

1. Write a java program with exceptional handler which handles three exceptions.

#### AIM:

To write a JAVA program with exceptional handler which handles three exception.

#### ALGORITHM:

Step 1: Start.

Step 2: Import required packages.

Step 3: Get the name of the park from the admin.

Step 4: Get the average daily revenue and customers.

Step 5: Details such as the length of the park's name, if the park is zoo, 20<sup>th</sup> character in the park's name, first 10 characters of the park's name and average contribution by a customer to revenue is displayed.

Step 6: In case of any discrepancy in data, corresponding message is displayed.

Step 7: End.

#### PROGRAM:

```
import java.util.Scanner;
public class park
{
    public static void main(String[] args)
    {
        Scanner s=new Scanner(System.in);
        try
        {
            System.out.println("Enter the name of the Park : ");
            String pname=s.nextLine();
            System.out.println("Enter the daily revenue : ");
            int rev=s.nextInt();
            System.out.println("Enter the approx. no of customers per day : ")
;
            int n=s.nextInt();
            s.nextLine();
            System.out.println("Length of Park name : "+pname.length());
            System.out.println("Is the park a Zoo : "+pname.contains("Zoo"));
            System.out.println("The 20th character in Park's name : "+pname.ch
arAt(19));
            System.out.println("The 10 characters of Park's name : "+pname.sub
string(0,10));
            System.out.println("Avg. revenue per person : "+(rev/n));
        }
        catch(ArithmeticException a)
        {
            System.out.println(a);
        }
    }
}
```

```

    }
    catch(NullPointerException n)
    {
        System.out.println(n);
    }
    catch(StringIndexOutOfBoundsException st)
    {
        System.out.println(st);
    }
    s.close();
}
}

```

## **OUTPUT:**

```

E:\Java Programs>javac park.java

E:\Java Programs>java park
Enter the name of the Park :
Guindy National Park
Enter the daily revenue :
100000
Enter the approx. no of customers :
1000
Length of Park name : 20
Is the park a Zoo : false
The 20th character in Park's name : k
The 10 characters of Park's name : Guindy Nat
Avg. revenue per person : 100

```

```

E:\Java Programs>java park
Enter the name of the Park :
Zoo
Enter the daily revenue :
00000
Enter the approx. no of customers :
0
Length of Park name : 3
Is the park a Zoo : true
java.lang.StringIndexOutOfBoundsException: String index out of range: 19

```

```

E:\Java Programs>java park
Enter the name of the Park :
Arignar Anna Zoological Park
Enter the daily revenue :
000000
Enter the approx. no of customers :
0
Length of Park name : 28
Is the park a Zoo : true
The 20th character in Park's name : i
The 10 characters of Park's name : Arignar An
java.lang.ArithmeticException: / by zero

```

## **RESULT:**

The required JAVA program was implemented and executed successfully.

2. Write a java program to input age from user and throw user-defined exception if entered age is negative or age <18.

**AIM:**

To write a JAVA program to get input from the user and throw an user-defined exception, if the age is negative or age <18.

**ALGORITHM:**


- Step 1: Start.
- Step 2: Import required packages.
- Step 3: Get the age of the user.
- Step 4: If the age is greater than or equal to 18, the user is granted entry acces.
- Step 5: Else an exception is thrown prompting the minimum age for entry.
- Step 6: Repeat steps 3-5, until an user is granted access.
- Step 7: End.

**PROGRAM:**

```
import java.util.Scanner;
class AgeLessThanException extends Exception
{
    public String toString()
    {
        return "Age has to be greater than or equal to 18 for access";
    }
}
public class entry
{
    public static void main(String[] args)
    {
        Scanner s=new Scanner(System.in);
        while(true)
        {
            try
            {
                System.out.println("Enter the age : ");
                int age=s.nextInt();
                if(age<18)
                {
                    throw new AgeLessThanException();
                }
            }
            else
            {
                System.out.println("Access granted!");
                break;
            }
        }
        catch(AgeLessThanException e)
```

```
        {  
            System.out.println(e);  
            continue;  
        }  
    }  
    s.close();  
}
```

### **OUTPUT:**



```
E:\Java Programs>javac entry.java  
E:\Java Programs>java entry  
Enter the age :  
17  
Age has to be greater than or equal to 18 for access  
Enter the age :  
21  
Access granted!
```

### **RESULT:**

The required JAVA program was implemented and executed successfully.



3. Write a java program to register the students when their age is less than 12 and weight is less than 40, if any of the condition is not met then the user should get an ArithmeticException with the warning message "Student is not eligible for registration".

**AIM:**

To write a JAVA program to register the students when their age is less than 12 and weight is less than 40, throw an ArithmeticException if any of the conditions is not meant.

**ALGORITHM:**

- Step 1: Start.
- Step 2: Import required packages.
- Step 3: Get the age and weight of the student from user.
- Step 4: If the age is less than 12 and weight is less than 40, the student can register himself/herself.
- Step 5: Else, an ArithmeticException with a prompt "Student is not eligible for registration", is thrown.
- Step 6: Repeat steps 3-5, if the user wants to continue.
- Step 7: End.

**PROGRAM:**


```
import java.util.Scanner;
public class register
{
    public static void main(String[] args)
    {
        Scanner s=new Scanner(System.in);
        char c;
        do
        {
            try
            {
                System.out.println("Enter the age : ");
                int age=s.nextInt();
                System.out.println("Enter the weight : ");
                int wei=s.nextInt();
                if(age<12 && wei<40)
                    System.out.println("Registration success!");
                else
                    throw new ArithmeticException("Student is not eligible for
registration");
            }
        }
```

```

        catch(ArithmeticException a)
        {
            System.out.println(a);
            System.out.println("Registration denied!");
        }
        System.out.println("Would you like to continue?(y/n) : ");
        c=s.nextLine().charAt(0);
    }while(c=='y' || c=='Y');
    s.close();
}
}

```

### **OUTPUT:**



```

E:\Java Programs>javac register.java
E:\Java Programs>java register
Enter the age :
14
Enter the weight :
43
java.lang.ArithmeticException: Student is not eligible for registration
Registration denied!
Would you like to continue?(y/n) :
y
Enter the age :
11
Enter the weight :
41
java.lang.ArithmeticException: Student is not eligible for registration
Registration denied!
Would you like to continue?(y/n) :
y
Enter the age :
9
Enter the weight :
31
Registration success!
Would you like to continue?(y/n) :
n

```

### **RESULT:**

The required JAVA program was implemented and executed successfully.

**Exp No.: 10****Develop Applications using Java Database Connectivity**

1. Develop java application for employee information system (to add emp, to delete emp, to update emp, count no of emp, calculate pay).

**USING MySQL:****AIM:**

To develop a JAVA application for employee information system.

**ALGORITHM:**

Step 1: Start.

Step 2: Import required packages.

Step 3: Invoke the database driver and create a connection to the database.

Step 4: Display the list of all operations and get the user's choice.

Step 5: If the choice is 1, display the whole contents of the table.

Step 6: If the choice is 2, get the required data from the user and add a new record to the database.

Step 7: If the choice is 3, get the eid of the required employee and delete the record from the table.

Step 8: If the choice is 4, ask the user as to which column must be updated.

Step 8i: If the choice is 1, list the options for salary updation and get the user's choice.

Step 8ii: If the choice is 1, get the increment amount and increment the salary of all the employees.

Step 8iii: If the choice is 2, get the eid and the new salary of the employee and update the salary.

Step 8iv: If the choice 2, get the new bonus for all the employees and update it in the database.

Step 8v: If the choice is 3, get the eid and the new role of the employee and update it in the database.

Step 9: If the choice is 5, display the total count of employees in the database.

Step 10: If the choice is 6, get the eid of the employee, calculate the pay including the bonus and print it.

Step 11: Repeat steps 4-10, if the user wants to continue.

Step 12: Close the connection to the database.

Step 13: End.

## **PROGRAM:**

### **a) For accessing table in MySQL:**

#### **Table Creation:**

```
create table employee_db
( eid int,
  ename varchar(20),
  salary int,
  bonus int,
  role varchar(20));
```

#### **JDBC Program:**

```
import java.sql.*;
import java.util.Scanner;
public class EmployeeDB
{
    public void display(Statement stmt)
    {
        try
        {
            String q="select * from employee_db";
            ResultSet r=stmt.executeQuery(q);
            int i=0;
            if(r.next()==false)
            {
                System.out.println("The table is empty.");
                return;
            }
            do
            {
                System.out.println("Row "+(++i)+" : ");
                System.out.println("EID      : "+r.getString("EID"));
                System.out.println("ENAME   : "+r.getString("ENAME"));
                System.out.println("SALARY  : "+r.getString("SALARY"));
                System.out.println("BONUS   : "+r.getString("BONUS"));
                System.out.println("ROLE    : "+r.getString("ROLE"));
                System.out.println();
            }while(r.next());
        }
        catch(Exception e)
        {
            System.out.println(e);
        }
    }
    public void add(Statement stmt,Scanner s)
    {
        try
```

```

    {
        System.out.println("Enter EID : ");
        int eid=s.nextInt();
        s.nextLine();
        System.out.println("Enter ENAME : ");
        String ename=s.nextLine();
        System.out.println("Enter SALARY : ");
        int salary=s.nextInt();
        s.nextLine();
        System.out.println("Enter BONUS% : ");
        int bonus=s.nextInt();
        s.nextLine();
        System.out.println("Enter ROLE : ");
        String role=s.nextLine();
        String q=String.format("insert into employee_db values(%d,'%s',%d,%d,'%s')",eid,ename,salary,bonus,role);
        int status=stmt.executeUpdate(q);
        if(status==1)
            System.out.println("1 row created.");
        else
            System.out.println("Couldn't create the row!");
    }
    catch(Exception e)
    {
        System.out.println(e);
    }
}

public void delete(Statement stmt,Scanner s)
{
    try
    {
        System.out.println("Enter the EID of the record to be deleted : ")
;
        int eid=s.nextInt();
        s.nextLine();
        String q=String.format("delete from employee_db where eid=%d",eid)
;

        int status=stmt.executeUpdate(q);
        if(status==1)
            System.out.println("1 row deleted.");
        else
            System.out.println("Couldn't delete the row!");
    }
    catch(Exception e)
    {
        System.out.println(e);
    }
}
}

```

```

public void update(Statement stmt,Scanner s)
{
    try
    {
        String q;
        int status;
        System.out.println("Select the column to be updated : ");
        System.out.println("1. SALARY");
        System.out.println("2. BONUS");
        System.out.println("3. ROLE");
        System.out.println("Enter your choice : ");
        int ch=s.nextInt();
        s.nextLine();
        if(ch==1)
        {
            System.out.println("SALARY UPDATE MENU");
            System.out.println("1. Increment salary for everyone");
            System.out.println("2. Update a new salary for an employee");
            System.out.println("Enter your choice : ");
            int c=s.nextInt();
            s.nextLine();
            if(c==1)
            {
                System.out.println("Enter the increment amount : ");
                int incr=s.nextInt();
                s.nextLine();
                q=String.format("update employee_db set salary=salary+%d",
incr);

                status=stmt.executeUpdate(q);
                if(status==1)
                    System.out.println("1 row updated");
                else if(status>1)
                    System.out.println(status+" rows updated.");
                else
                    System.out.println("Couldn't update!");
            }
            else if(c==2)
            {
                System.out.println("Enter the EID of the employee : ");
                int eid=s.nextInt();
                s.nextLine();
                System.out.println("Enter the new salary : ");
                int sal=s.nextInt();
                s.nextLine();
                q=String.format("update employee_db set SALARY=%d where EI
D=%d",sal,eid);

                status=stmt.executeUpdate(q);
                if(status!=0)

```

```

        System.out.println("1 row updated.");
    else
        System.out.println("Couldn't update!");
    }
    else
        System.out.println("Invalid Command!");
}
else if(ch==2)
{
    System.out.println("Enter the new bonus for all employees : ")

;
    int b=s.nextInt();
    s.nextLine();
    q=String.format("update employee_db set bonus=%d",b);
    status=stmt.executeUpdate(q);
    if(status==1)
        System.out.println("1 row updated.");
    else if(status>1)
        System.out.println(status+" rows updated.");
    else
        System.out.println("Couldn't update!");
}
else if(ch==3)
{
    System.out.println("Enter the EID of the employee : ");
    int eid=s.nextInt();
    s.nextLine();
    System.out.println("Enter the new ROLE : ");
    String role=s.nextLine();
    q=String.format("update employee_db set role='%s' where eid=%d
",role,eid);
    status=stmt.executeUpdate(q);
    if(status!=0)
        System.out.println(status+" row updated");
    else
        System.out.println("Couldn't update!");
}
else
    System.out.println("Invalid Command!");
}
catch(Exception e)
{
    System.out.println(e);
}
}
public void count(Statement stmt)
{
    try

```

```

        {
            String q="select count(*) from employee_db";
            ResultSet r=stmt.executeQuery(q);
            r.next();
            System.out.println("No. of employee in the database : "+r.getStrin
g("COUNT(*)"));
        }
        catch(Exception e)
        {
            System.out.println(e);
        }
    }
    public void pay(Statement stmt,Scanner s)
    {
        try
        {
            System.out.println("Enter the EID of the employee : ");
            int eid=s.nextInt();
            s.nextLine();
            String q=String.format("select salary,bonus from employee_db where
eid=%d",eid);
            ResultSet r=stmt.executeQuery(q);
            r.next();
            int sal=r.getInt("SALARY");
            int bon=r.getInt("BONUS");
            double pay=(1+(bon/100.0))*sal;
            System.out.println("Employee's pay : "+pay);
        }
        catch(Exception e)
        {
            System.out.println(e);
        }
    }
    public static void main(String[] args)
    {
        Scanner s=new Scanner(System.in);
        try
        {
            Class.forName("com.mysql.cj.jdbc.Driver");
            Connection con=DriverManager.getConnection("jdbc:mysql://localhost
:3306/db","root","root");
            char c;
            do
            {
                System.out.println("Select the operation : ");
                System.out.println("SQL MENU");
                System.out.println("1. Display records");
                System.out.println("2. Add record");
            }
        }
    }
}

```



```

        System.out.println("3. Delete record");
        System.out.println("4. Update record");
        System.out.println("5. Count employees");
        System.out.println("6. Calculate pay");
        System.out.println("Enter your choice : ");
        int ch=s.nextInt();
        s.nextLine();
        EmployeeDB e=new EmployeeDB();
        Statement stmt=con.createStatement();
        switch(ch)
        {
            case 1: e.display(stmt);
                    break;
            case 2: e.add(stmt,s);
                    break;
            case 3: e.delete(stmt,s);
                    break;
            case 4: e.update(stmt,s);
                    break;
            case 5: e.count(stmt);
                    break;
            case 6: e.pay(stmt,s);
                    break;
            default: System.out.println("Invalid Command!");
        }
        System.out.println("Would you like to continue?(y/n) : ");
        c=s.nextLine().charAt(0);
    }while(c=='y' || c=='Y');
    con.close();
}
catch(Exception e)
{
    System.out.println(e);
}
s.close();
}
}

```

## OUTPUT:

```
E:\Java Programs>javac EmployeeDB.java

E:\Java Programs>java -cp .;"conn.jar" EmployeeDB
Select the operation :
SQL MENU
1. Display records
2. Add record
3. Delete record
4. Update record
5. Count employees
6. Calculate pay
Enter your choice :
1
The table is empty.
Would you like to continue?(y/n) :
y
Select the operation :
SQL MENU
1. Display records
2. Add record
3. Delete record
4. Update record
5. Count employees
6. Calculate pay
Enter your choice :
2
Enter EID :
101
Enter ENAME :
Sachin
Enter SALARY :
150000000
Enter BONUS% :
12
Enter ROLE :
Leader
1 row created.
Would you like to continue?(y/n) :
y
Select the operation :
SQL MENU
1. Display records
2. Add record
3. Delete record
4. Update record
5. Count employees
6. Calculate pay
Enter your choice :
2
Enter EID :
102
Enter ENAME :
Dhoni
Enter SALARY :
140000000
Enter BONUS% :
11
Enter ROLE :
Manager
1 row created.
Would you like to continue?(y/n) :
y
```

```
Select the operation :
SQL MENU
1. Display records
2. Add record
3. Delete record
4. Update record
5. Count employees
6. Calculate pay
Enter your choice :
1
Row 1 :
EID      : 101
ENAME    : Sachin
SALARY   : 150000000
BONUS    : 12
ROLE     : Leader

Row 2 :
EID      : 102
ENAME    : Dhoni
SALARY   : 140000000
BONUS    : 11
ROLE     : Manager

Would you like to continue?(y/n) :
y
Select the operation :
SQL MENU
1. Display records
2. Add record
3. Delete record
4. Update record
5. Count employees
6. Calculate pay
Enter your choice :
5
No. of employee in the database : 2
Would you like to continue?(y/n) :
y
```

```
Select the operation :
SQL MENU
1. Display records
2. Add record
3. Delete record
4. Update record
5. Count employees
6. Calculate pay
Enter your choice :
4
Select the column to be updated :
1. SALARY
2. BONUS
3. ROLE
Enter your choice :
1
SALARY UPDATE MENU
1. Increment salary for everyone
2. Update a new salary for an employee
Enter your choice :
1
Enter the increment amount :
1000
2 rows updated.
Would you like to continue?(y/n) :
y
Select the operation :
SQL MENU
1. Display records
2. Add record
3. Delete record
4. Update record
5. Count employees
6. Calculate pay
Enter your choice :
4
Select the column to be updated :
1. SALARY
2. BONUS
3. ROLE
Enter your choice :
2
Enter the new bonus for all employees :
13
2 rows updated.
Would you like to continue?(y/n) :
y
```

```
Select the operation :
SQL MENU
1. Display records
2. Add record
3. Delete record
4. Update record
5. Count employees
6. Calculate pay
Enter your choice :
4
Select the column to be updated :
1. SALARY
2. BONUS
3. ROLE
Enter your choice :
3
Enter the EID of the employee :
102
Enter the new ROLE :
CEO
1 row updated
Would you like to continue?(y/n) :
y
Select the operation :
SQL MENU
1. Display records
2. Add record
3. Delete record
4. Update record
5. Count employees
6. Calculate pay
Enter your choice :
1
Row 1 :
EID      : 101
ENAME    : Sachin
SALARY   : 150001000
BONUS    : 13
ROLE     : Leader

Row 2 :
EID      : 102
ENAME    : Dhoni
SALARY   : 140001000
BONUS    : 13
ROLE     : CEO

Would you like to continue?(y/n) :
y
```

```
Select the operation :
SQL MENU
1. Display records
2. Add record
3. Delete record
4. Update record
5. Count employees
6. Calculate pay
Enter your choice :
3
Enter the EID of the record to be deleted :
102
1 row deleted.
Would you like to continue?(y/n) :
y
Select the operation :
SQL MENU
1. Display records
2. Add record
3. Delete record
4. Update record
5. Count employees
6. Calculate pay
Enter your choice :
1
Row 1 :
EID      : 101
ENAME    : Sachin
SALARY   : 150001000
BONUS    : 13
ROLE     : Leader

Would you like to continue?(y/n) :
n
```

## **USING ORACLE:**

### **AIM:**

To develop a JAVA application for employee information system.

### **ALGORITHM:**

Step 1: Start.

Step 2: Import required packages.

Step 3: Invoke the database driver and create a connection to the database.

Step 4: Display the list of all operations and get the user's choice.

Step 5: If the choice is 1, display the whole contents of the table.

Step 6: If the choice is 2, get the required data from the user and add a new record to the database.

Step 7: If the choice is 3, get the eid of the required employee and delete the record from the table.

Step 8: If the choice is 4, ask the user as to which column must be updated.

Step 8i: If the choice is 1, list the options for salary updation and get the user's choice.

Step 8ii: If the choice is 1, get the increment amount and increment the salary of all the employees.

Step 8iii: If the choice is 2, get the eid and the new salary of the employee and update the salary.

Step 8iv: If the choice 2, get the new bonus for all the employees and update it in the database.

Step 8v: If the choice is 3, get the eid and the new role of the employee and update it in the database.

Step 9: If the choice is 5, display the total count of employees in the database.

Step 10: If the choice is 6, get the eid of the employee, calculate the pay including the bonus and print it.

Step 11: Repeat steps 4-10, if the user wants to continue.

Step 12: Close the connection to the database.

Step 13: End.

## **PROGRAM:**

### **Table Creation:**

```
create table employee_db  
(eid number(3),  
ename varchar(20),  
salary number(10),  
bonus number(2),  
role varchar(20));
```

### **JDBC Program:**

```
import java.sql.*;  
import java.util.Scanner;  
public class EmployeeDB_oracle  
{  
    public void display(Statement stmt)  
    {  
        try  
        {  
            String q="select * from employee_db";  
            ResultSet r=stmt.executeQuery(q);  
            int i=0;  
            if(r.next()==false)  
            {  
                System.out.println("The table is empty.");  
                return;  
            }  
            do  
            {  
                System.out.println("Row "+(++i)+" : ");  
                System.out.println("EID      : "+r.getString("EID"));  
                System.out.println("ENAME   : "+r.getString("ENAME"));  
                System.out.println("SALARY  : "+r.getString("SALARY"));  
                System.out.println("BONUS   : "+r.getString("BONUS"));  
                System.out.println("ROLE    : "+r.getString("ROLE"));  
                System.out.println();  
            }while(r.next());  
        }  
        catch(Exception e)  
        {  
            System.out.println(e);  
        }  
    }  
    public void add(Statement stmt,Scanner s)  
    {  
        try  
        {
```



```

        System.out.println("Enter EID : ");
        int eid=s.nextInt();
        s.nextLine();
        System.out.println("Enter ENAME : ");
        String ename=s.nextLine();
        System.out.println("Enter SALARY : ");
        int salary=s.nextInt();
        s.nextLine();
        System.out.println("Enter BONUS% : ");
        int bonus=s.nextInt();
        s.nextLine();
        System.out.println("Enter ROLE : ");
        String role=s.nextLine();
        String q=String.format("insert into employee_db values(%d,'%s',%d,%d,'%s')",eid,ename,salary,bonus,role);
        int status=stmt.executeUpdate(q);
        if(status==1)
            System.out.println("1 row created.");
        else
            System.out.println("Couldn't create the row!");
    }
    catch(Exception e)
    {
        System.out.println(e);
    }
}
public void delete(Statement stmt,Scanner s)
{
    try
    {
        System.out.println("Enter the EID of the record to be deleted : ")
;
        int eid=s.nextInt();
        s.nextLine();
        String q=String.format("delete employee_db where eid=%d",eid);
        int status=stmt.executeUpdate(q);
        if(status==1)
            System.out.println("1 row deleted.");
        else
            System.out.println("Couldn't delete the row!");
    }
    catch(Exception e)
    {
        System.out.println(e);
    }
}
}

```

```

public void update(Connection con,Scanner s)
{
    try
    {
        PreparedStatement stmt;
        String q;
        int status;
        System.out.println("Select the column to be updated : ");
        System.out.println("1. SALARY");
        System.out.println("2. BONUS");
        System.out.println("3. ROLE");
        System.out.println("Enter your choice : ");
        int ch=s.nextInt();
        s.nextLine();
        if(ch==1)
        {
            System.out.println("SALARY UPDATE MENU");
            System.out.println("1. Increment salary for everyone");
            System.out.println("2. Update a new salary for an employee");
            System.out.println("Enter your choice : ");
            int c=s.nextInt();
            s.nextLine();
            if(c==1)
            {
                System.out.println("Enter the increment amount : ");
                int incr=s.nextInt();
                s.nextLine();
                q="update employee_db set salary=salary+ ? ";
                stmt=con.prepareStatement(q);
                stmt.setInt(1,incr);
                status=stmt.executeUpdate();
                if(status>0)
                    System.out.println(status+" rows updated");
                else
                    System.out.println("Couldn't update!");
            }
            else if(c==2)
            {
                System.out.println("Enter the EID of the employee : ");
                int eid=s.nextInt();
                s.nextLine();
                System.out.println("Enter the new salary : ");
                int sal=s.nextInt();
                s.nextLine();
                q="update employee_db set SALARY=? where EID=?";
                stmt=con.prepareStatement(q);
                stmt.setInt(1,sal);
                stmt.setInt(2,eid);
            }
        }
    }
}

```

```

        status=stmt.executeUpdate();
        if(status==0)
            System.out.println("1 row updated");
        else
            System.out.println("Couldn't update!");
    }
    else
        System.out.println("Invalid Command!");
}
else if(ch==2)
{
    System.out.println("Enter the new bonus for all employees : ")

    ;

    int b=s.nextInt();
    s.nextLine();
    q="update employee_db set bonus=?";
    stmt=con.prepareStatement(q);
    stmt.setInt(1,b);
    status=stmt.executeUpdate();
    if(status!=0)
        System.out.println(status+" row updated");
    else
        System.out.println("Couldn't update!");
}
else if(ch==3)
{
    System.out.println("Enter the EID of the employee : ");
    int eid=s.nextInt();
    s.nextLine();
    System.out.println("Enter the new ROLE : ");
    String role=s.nextLine();
    q="update employee_db set role=? where eid=?";
    stmt=con.prepareStatement(q);
    stmt.setString(1,role);
    stmt.setInt(2,eid);
    status=stmt.executeUpdate();
    if(status!=0)
        System.out.println(status+" row updated");
    else
        System.out.println("Couldn't update!");
}
else
    System.out.println("Invalid Command!");
}
catch(Exception e)
{
    System.out.println(e);
}

```

```

    }
    public void count(Statement stmt)
    {
        try
        {
            String q="select count(*) from employee_db";
            ResultSet r=stmt.executeQuery(q);
            r.next();
            System.out.println("No. of employee in the database : "+r.getString("COUNT(*)"));
        }
        catch(Exception e)
        {
            System.out.println(e);
        }
    }
    public void pay(Statement stmt,Scanner s)
    {
        try
        {
            System.out.println("Enter the EID of the employee : ");
            int eid=s.nextInt();
            s.nextLine();
            String q=String.format("select salary,bonus from employee_db where eid=%d",eid);
            ResultSet r=stmt.executeQuery(q);
            r.next();
            int sal=r.getInt("SALARY");
            int bon=r.getInt("BONUS");
            double pay=(1+(bon/100.0))*sal;
            System.out.println("Employee's pay : "+pay);
        }
        catch(Exception e)
        {
            System.out.println(e);
        }
    }
    public static void main(String[] args)
    {
        Scanner s=new Scanner(System.in);
        try
        {
            Class.forName("oracle.jdbc.driver.OracleDriver");
            Connection con=DriverManager.getConnection("jdbc:oracle:thin:@Ayush-Vaisakh:1521:XE", "ayush", "root");
            char c;
            do
            {

```

```

        System.out.println("Select the operation : ");
        System.out.println("SQL MENU");
        System.out.println("1. Display records");
        System.out.println("2. Add record");
        System.out.println("3. Delete record");
        System.out.println("4. Update record");
        System.out.println("5. Count employees");
        System.out.println("6. Calculate pay");
        System.out.println("Enter your choice : ");
        int ch=s.nextInt();
        s.nextLine();
        EmployeeDB_ora e=new EmployeeDB_ora();
        Statement stmt=con.createStatement();
        switch(ch)
        {
            case 1: e.display(stmt);
                    break;
            case 2: e.add(stmt,s);
                    break;
            case 3: e.delete(stmt,s);
                    break;
            case 4: e.update(con,s);
                    break;
            case 5: e.count(stmt);
                    break;
            case 6: e.pay(stmt,s);
                    break;
            default: System.out.println("Invalid Command!");
        }
        System.out.println("Would you like to continue?(y/n) : ");
        c=s.nextLine().charAt(0);
        }while(c=='y' || c=='Y');
        con.close();
    }
    catch(Exception e)
    {
        System.out.println(e);
    }
    s.close();
}
}

```

## OUTPUT:

```
E:\Java Programs>javac EmployeeDB_oracle.java

E:\Java Programs>java -cp "ojdbc6.jar;" EmployeeDB_oracle
Select the operation :
SQL MENU
1. Display records
2. Add record
3. Delete record
4. Update record
5. Count employees
6. Calculate pay
Enter your choice :
1
The table is empty.
Would you like to continue?(y/n) :
y
Select the operation :
SQL MENU
1. Display records
2. Add record
3. Delete record
4. Update record
5. Count employees
6. Calculate pay
Enter your choice :
2
Enter EID :
101
Enter ENAME :
Ganguly
Enter SALARY :
140000000
Enter BONUS% :
10
Enter ROLE :
Captain
1 row created.
Would you like to continue?(y/n) :
y
```

```
Select the operation :
SQL MENU
1. Display records
2. Add record
3. Delete record
4. Update record
5. Count employees
6. Calculate pay
Enter your choice :
2
Enter EID :
102
Enter ENAME :
Dravid
Enter SALARY :
140000000
Enter BONUS% :
10
Enter ROLE :
Vice Captain
1 row created.
Would you like to continue?(y/n) :
y
Select the operation :
SQL MENU
1. Display records
2. Add record
3. Delete record
4. Update record
5. Count employees
6. Calculate pay
Enter your choice :
5
No. of employee in the database : 2
Would you like to continue?(y/n) :
y
```

```
Select the operation :
SQL MENU
1. Display records
2. Add record
3. Delete record
4. Update record
5. Count employees
6. Calculate pay
Enter your choice :
5
No. of employee in the database : 2
Would you like to continue?(y/n) :
y
Select the operation :
SQL MENU
1. Display records
2. Add record
3. Delete record
4. Update record
5. Count employees
6. Calculate pay
Enter your choice :
1
Row 1 :
EID      : 101
ENAME    : Ganguly
SALARY   : 140000000
BONUS    : 10
ROLE     : Captain

Row 2 :
EID      : 102
ENAME    : Dravid
SALARY   : 140000000
BONUS    : 10
ROLE     : Vice Captain

Would you like to continue?(y/n) :
y
```



```
Select the operation :
SQL MENU
1. Display records
2. Add record
3. Delete record
4. Update record
5. Count employees
6. Calculate pay
Enter your choice :
4
Select the column to be updated :
1. SALARY
2. BONUS
3. ROLE
Enter your choice :
1
SALARY UPDATE MENU
1. Increment salary for everyone
2. Update a new salary for an employee
Enter your choice :
1
Enter the increment amount :
10000
2 rows updated
Would you like to continue?(y/n) :
y
Select the operation :
SQL MENU
1. Display records
2. Add record
3. Delete record
4. Update record
5. Count employees
6. Calculate pay
Enter your choice :
4
Select the column to be updated :
1. SALARY
2. BONUS
3. ROLE
Enter your choice :
2
Enter the new bonus for all employees :
12
2 row updated
Would you like to continue?(y/n) :
y
```

```
Select the operation :
SQL MENU
1. Display records
2. Add record
3. Delete record
4. Update record
5. Count employees
6. Calculate pay
Enter your choice :
4
Select the column to be updated :
1. SALARY
2. BONUS
3. ROLE
Enter your choice :
3
Enter the EID of the employee :
102
Enter the new ROLE :
Co-Captain
1 row updated
Would you like to continue?(y/n) :
y
Select the operation :
SQL MENU
1. Display records
2. Add record
3. Delete record
4. Update record
5. Count employees
6. Calculate pay
Enter your choice :
1
Row 1 :
EID      : 101
ENAME    : Ganguly
SALARY   : 140010000
BONUS    : 12
ROLE     : Captain

Row 2 :
EID      : 102
ENAME    : Dravid
SALARY   : 140010000
BONUS    : 12
ROLE     : Co-Captain

Would you like to continue?(y/n) :
y
```

```
Select the operation :
SQL MENU
1. Display records
2. Add record
3. Delete record
4. Update record
5. Count employees
6. Calculate pay
Enter your choice :
3
Enter the EID of the record to be deleted :
101
1 row deleted.
Would you like to continue?(y/n) :
```

```
y
Select the operation :
SQL MENU
1. Display records
2. Add record
3. Delete record
4. Update record
5. Count employees
6. Calculate pay
Enter your choice :
1
Row 1 :
EID      : 102
ENAME    : Dravid
SALARY   : 140010000
BONUS    : 12
ROLE     : Co-Captain
```

```
Would you like to continue?(y/n) :
y
Select the operation :
SQL MENU
1. Display records
2. Add record
3. Delete record
4. Update record
5. Count employees
6. Calculate pay
Enter your choice :
6
Enter the EID of the employee :
102
Employee's pay : 1.56811200000000003E8
Would you like to continue?(y/n) :
n
```

### **RESULT:**

The JAVA application for employee information system was implemented and executed successfully.

## Exp No.: 11

### Develop Java Networking programs

1. Write a java program to find IP address and hostname of the local machine.

#### AIM:

To write a JAVA program to find IP address and hostname of the local machine.


#### ALGORITHM:

- Step 1: Start.
- Step 2: Import required packages.
- Step 3: Get the local host of the machine.
- Step 4: Print the IP and the hostname.
- Step 5: End.

#### PROGRAM:

```
import java.net.*;
public class ip_host
{
    public static void main(String[] args)
    {
        InetAddress ip;
        try
        {
            ip=InetAddress.getLocalHost();
            System.out.println("System IP : "+ip.getHostAddress());
            System.out.println("System host name : "+ip.getHostName());
        }
        catch(UnknownHostException e)
        {
            System.out.println(e);
        }
    }
}
```

#### OUTPUT:



```
E:\Java Programs>javac ip_host.java
E:\Java Programs>java ip_host
System IP : 192.168.43.203
System host name : Ayush-Vaisakh
```

#### RESULT:

The JAVA program to find the IP address and the hostname of the local machine was implemented and executed successfully.

2. Write a TCP client/server system in which the client program sends two numbers to a server program which returns the sum of the two numbers.

**AIM:**

To write a TCP client/server system in which the client program sends two numbers to a server program which returns the sum of the two numbers.

**ALGORITHM:**

**a) Server:**

- Step 1: Start.
- Step 2: Import required packages.
- Step 3: Create a server socket, to accept the client's request.
- Step 4: Read the two numbers sent from the client.
- Step 5: Calculate the sum and send the sum string to the client.
- Step 6: Close the server.
- Step 7: End.

**b) Client:**

- Step 1: Start.
- Step 2: Import required packages.
- Step 3: Create a socket for the client script.
- Step 4: Get the two numbers to be added from the user.
- Step 5: Send the two numbers to the server.
- Step 6: Read and print the sum string from the server.
- Step 7: Close the client.
- Step 8: End.

**PROGRAM:**

**a) Server:**

```
import java.io.*;
import java.net.*;
public class sumServer
{
    public static void main(String[] args)
    {
        try
        {
            ServerSocket ss=new ServerSocket(3000);
            Socket s=ss.accept();
            DataInputStream din=new DataInputStream(s.getInputStream());
            int a=din.readInt();
            int b=din.readInt();
            String out=String.format("%d + %d = %d",a,b,a+b);
            DataOutputStream dout=new DataOutputStream(s.getOutputStream());
            dout.writeUTF(out);
            System.out.println("Sum returned!");
        }
    }
}
```

```

        din.close();
        dout.close();
        s.close();
        ss.close();
    }
    catch(Exception e)
    {
        System.out.println(e);
    }
}
}

```


## b) Client:

```

import java.io.*;
import java.net.*;
import java.util.Scanner;
public class sumClient
{
    public static void main(String[] args)
    {
        try
        {
            Scanner sc=new Scanner(System.in);
            Socket s=new Socket("localhost",3000);
            DataOutputStream dout=new DataOutputStream(s.getOutputStream());
            System.out.println("Enter the first no. : ");
            int a=sc.nextInt();
            dout.writeInt(a);
            System.out.println("Enter the second no. : ");
            int b=sc.nextInt();
            dout.writeInt(b);
            DataInputStream din=new DataInputStream(s.getInputStream());
            String in=din.readUTF();
            System.out.println(in);
            dout.close();
            din.close();
            s.close();
            sc.close();
        }
        catch(Exception e)
        {
            System.out.println(e);
        }
    }
}

```

## **OUTPUT:**



```
E:\Java Programs>javac sumServer.java
E:\Java Programs>java sumServer
Sum returned!
E:\Java Programs>

E:\Java Programs>javac sumClient.java
E:\Java Programs>java sumClient
Enter the first no. :
4
Enter the second no. :
8
4 + 8 = 12
E:\Java Programs>
```

## **RESULT:**

The TCP client/server system in which the client program sends two numbers to a server program which returns the sum of the two numbers was implemented and executed successfully.

3. Write a TCP client/server system in which the server program sends date to a client program.

**AIM:**

To write a TCP client/server system in which the server program sends date to a client program.

**ALGORITHM:**

**a) Server:**

- Step 1: Start.
- Step 2: Import required packages.
- Step 3: Create a server socket to accept the client's request.
- Step 4: Fetch the local date and send it to the client.
- Step 5: Close the server.
- Step 6: End.

**b) Client:**

- Step 1: Start.
- Step 2: Import required packages.
- Step 3: Create a socket for the client script.
- Step 4: Fetch the string sent by the server and print it.
- Step 5: Close the server.
- Step 6: End.

**PROGRAM:**

**a) Server:**

```
import java.io.*;
import java.net.*;
import java.time.LocalDate;
public class dateServer
{
    public static void main(String[] args)
    {
        try
        {
            ServerSocket ss=new ServerSocket(3001);
            Socket s=ss.accept();
            DataOutputStream dout=new DataOutputStream(s.getOutputStream());
            String str=String.format("Date : "+LocalDate.now());
            dout.writeUTF(str);
            System.out.println("Date Sent!");
            dout.close();
            s.close();
            ss.close();
        }
    }
}
```



```

        catch(Exception e)
        {
            System.out.println(e);
        }
    }
}

```

### **b) Client:**

```

import java.io.*;
import java.net.*;
public class dateClient
{
    public static void main(String[] args)
    {
        try
        {
            Socket s=new Socket("localhost",3001);
            DataInputStream din=new DataInputStream(s.getInputStream());
            String str=din.readUTF();
            System.out.println(str);
            din.close();
            s.close();
        }
        catch(Exception e)
        {
            System.out.println(e);
        }
    }
}

```

### **OUTPUT:**

The image displays two terminal windows side-by-side. The left window shows the execution of the server program, with the command 'javac dateServer.java' and 'java dateServer' resulting in the output 'Date Sent!'. The right window shows the execution of the client program, with the command 'javac dateClient.java' and 'java dateClient' resulting in the output 'Date : 2021-05-20'.

### **RESULT:**

The TCP client/server system in which the server program sends the date to a client program was implemented and executed successfully.

4. Write a TCP client/server system to illustrate two-way communication.

**AIM:**

To write a TCP client/server system to illustrate two-way communication.

**ALGORITHM:**

**a) Server:**

Step 1: Start.

Step 2: Import required packages.

Step 3: Create a server socket to accept client's request.

Step 4: Get the name and age of the user from the client.

Step 5: If age $\geq$ 18, send a string granting access to the client.

Step 6: Else, send a string denying access to the client.

Step 7: Close the server.

Step 8: End.

**b) Client:**

Step 1: Start.

Step 2: Import required packages.

Step 3: Create a socket for the client script.

Step 4: Get the name and age of the user and send it to the server.

Step 5: Fetch and print the string sent by the server regarding the access.

Step 6: Close the client.

Step 7: End.

**PROGRAM:**

**a) Server:**

```
import java.io.*;
import java.net.*;
public class commsServer
{
    public static void main(String[] args)
    {
        try
        {
            ServerSocket ss=new ServerSocket(3002);
            Socket s=ss.accept();
            DataOutputStream dout=new DataOutputStream(s.getOutputStream());
            DataInputStream din=new DataInputStream(s.getInputStream());
            String msg1="Enter your name : ";
            dout.writeUTF(msg1);
            System.out.println("Message Sent : "+msg1);
            String name=din.readUTF();
            String msg2="Hello "+name+", Enter your age : ";
            dout.writeUTF(msg2);
            System.out.println("Message Sent : "+msg2);
            int age=din.readInt();
```

```

        String msg3;
        if(age>=18)
            msg3="Access Granted!";
        else
            msg3="Access Denied! Underage!";
        dout.writeUTF(msg3);
        System.out.println("Message Sent : "+msg3);
        dout.close();
        din.close();
        s.close();
        ss.close();
    }
    catch(Exception e)
    {
        System.out.println(e);
    }
}

```

#### **b) Client:**


```

import java.io.*;
import java.net.*;
import java.util.Scanner;
public class commsClient
{
    public static void main(String[] args)
    {
        try
        {
            Socket s=new Socket("localhost",3002);
            Scanner sc=new Scanner(System.in);
            DataInputStream din=new DataInputStream(s.getInputStream());
            DataOutputStream dout=new DataOutputStream(s.getOutputStream());
            System.out.println(din.readUTF());
            String name=sc.nextLine();
            dout.writeUTF(name);
            System.out.println(din.readUTF());
            int age=sc.nextInt();
            dout.writeInt(age);
            System.out.println(din.readUTF());
            din.close();
            dout.close();
            s.close();
            sc.close();
        }
    }
}

```

```
        catch(Exception e)
        {
            System.out.println(e);
        }
    }
}
```

### **OUTPUT:**



```
E:\Java Programs>javac commsServer.java
E:\Java Programs>java commsServer
Message Sent : Enter your name :
Message Sent : Hello Dhoni, Enter your age :
Message Sent : Access Granted!
E:\Java Programs>_

E:\Java Programs>javac commsClient.java
E:\Java Programs>java commsClient
Enter your name :
Dhoni
Hello Dhoni, Enter your age :
39
Access Granted!
E:\Java Programs>_
```

### **RESULT:**

The TCP client/server system to illustrate two-way communication was implemented and executed successfully.

5. Write a UDP client/server system to illustrate communication.

**AIM:**

To write a UDP client/server system to illustrate communication.

**ALGORITHM:**

**a) Server:**

- Step 1: Start.
- Step 2: Import required packages.
- Step 3: Create a datagram socket for the server.
- Step 4: Receive the datagram packet from the client and print the message in it.
- Step 5: Continue the communication, until the client sends 'quit'.
- Step 6: Close the server.
- Step 7: End.

**b) Client:**

- Step 1: Start.
- Step 2: Import required packages.
- Step 3: Create a datagram socket for the client.
- Step 4: Get the message from the user and send the datagram packet to the server.
- Step 5: Continue the communication, until the user enters 'quit'.
- Step 6: Close the client.
- Step 7: End.

**PROGRAM:**

**a) Server:**

```
import java.net.*;
public class dataReceiver {
    public static void main(String[] args) {
        try
        {
            DatagramSocket ds=new DatagramSocket(3003);
            DatagramPacket dp;
            String msg;
            while(true)
            {
                byte[] receive= new byte[65535];
                dp=new DatagramPacket(receive, receive.length);
                ds.receive(dp);
                msg= new String(dp.getData(), 0, dp.getLength());
                if(msg.equals("quit"))
                {
                    System.out.println("Session Terinated");
                    break;
                }
                System.out.println("New message received : ");
                System.out.println(msg);
            }
        }
    }
}
```

```

        receive=null;
    }
    ds.close();
}
catch (Exception e)
{
    System.out.println(e);
}
}
}

```


## b) Client:

```

import java.net.*;
import java.util.Scanner;
public class dataTransmitter {
    public static void main(String[] args) {
        try
        {
            Scanner s=new Scanner(System.in);
            DatagramSocket ds=new DatagramSocket();
            InetAddress ip=InetAddress.getLocalHost();
            byte buf[]=null;
            System.out.println("Enter your messages, type 'quit' to end the session : ");
            while(true)
            {
                String msg=s.nextLine();
                buf=msg.getBytes();
                DatagramPacket dp=new DatagramPacket(buf,buf.length,ip,3003);
                ds.send(dp);
                if(msg.equals("quit"))
                {
                    System.out.println("Session Terminated");
                    break;
                }
            }
            s.close();
            ds.close();
        }
        catch (Exception e)
        {
            System.out.println(e);
        }
    }
}

```

## **OUTPUT:**



```
E:\Java Programs>javac dataReceiver.java
E:\Java Programs>java dataReceiver
New message received :
Hello
New message received :
Java
New message received :
is
New message received :
fun
Session Terminated
E:\Java Programs>_
```

```
E:\Java Programs>javac dataTransmitter.java
E:\Java Programs>java dataTransmitter
Enter your messages, type 'quit' to end the session :
Hello
Java
is
fun
quit
Session Terminated
E:\Java Programs>_
```

## **RESULT:**

The UDP client/server system to illustrate communication was implemented and executed successfully.