


7 Day Rolling Averag...


Coronavirus Deaths UK











End Date

38,783

51,165


50,509

Government Deaths

ONS Occurrences Deaths

ONS Registered Deaths





Deaths 2020

254K


259K

Deaths 2019

5 Year Average

UK Excess Deaths





303,685

Total of daily cases


2,566

Adjustment included in Overall

306,251

Overall Positive cases

Positive Coronavirus cases




157,015

159,328

Total of daily cases

Cumulative Tests

Positive Coronavirus cases England




15,065

Total of daily cases

15,295

Cumulative Tests

Positive Coronavirus cases Wales




15,520

Total of daily cases


15,794

Cumulative Tests

Positive Coronavirus cases Scotland



Positive Coronavirus cases Northern Ireland



192,385

Total Positive Cases by Nation


306,251

Overall Positive cases

159,328


Total Cases











Breakdown of testing by testing strategy 'pillars'

- **Pillar 1**: swab testing in Public Health England (PHE) labs and NHS hospitals for those with a clinical need, and health and care workers
- Pillar 2: swab testing for the wider population, as set out in government guidance
- Pillar 3: serology testing to show if people have antibodies from having had COVID-19
- **Pillar 4:** serology and swab testing for national surveillance supported by PHE, ONS, Biobank, universities and other partners to learn more about the prevalence and spread of the virus and for other testing research purposes, for example on the accuracy and ease of use of home testing

43,200 136,584 46,952 95,947 Max Pillar 1 Max Pillar 2 Max Pillar 3 Max Pillar 4


2,338,060 4,236,994 Total Pillar 2

744,758 507,493 Total Pillar 4

Total Tests

7.827.305

Tests per day



Breakdown of testing by testing strategy 'pillars'


Pillar 1: swab testing in Public Health England (PHE) labs and NHS hospitals for those with a clinical need, and health and care workers

Pillar 2: swab testing for the wider population, as set out in government guidance

Pillar 3: serology testing to show if people have antibodies from having had COVID-19

Pillar 4: serology and swab testing for national surveillance supported by PHE, ONS, Biobank, universities and other partners to learn more about the prevalence and spread of the virus and for other testing research purposes, for example on the accuracy and ease of use of home testing


Change in Cumulative tests




Breakdown of testing by testing strategy 'pillars'

- **Pillar 1**: swab testing in Public Health England (PHE) labs and NHS hospitals for those with a clinical need, and health and care workers
- **Pillar 2:** swab testing for the wider population, as set out in government guidance
- Pillar 3: serology testing to show if people have antibodies from having had COVID-19
- **Pillar 4:** serology and swab testing for national surveillance supported by PHE, ONS, Biobank, universities and other partners to learn more about the prevalence and spread of the virus and for other testing research purposes, for example on the accuracy and ease of use of home testing


Cumulative Deaths by Reported Date and Country



Cumulative Cases by Reported Date and Country




Deaths by Country



Country

- United_States_of_America
- Brazil
- United_Kingdom
- Italy
- France
- Spain
- Mexico
- India
- Iran
- Belgium
- Germany
- Canada
- Russia
- Peru
- Netherlands

Death Rates by Country



deaths by Country and continentExp

