


1717 Day Rolling Averag...














End Date

35,967

**Government Deaths** 


48,590

ONS Occurrences Deaths

ONS Registered Deaths

47,650





235K

240K

Deaths 2020 Deaths 2019

5 Year Average

### **UK Excess Deaths**





291,809

Total of daily cases


2,566

Adjustment included in Overall

294,375

Overall Positive cases

### Positive Coronavirus cases




154,469

156,782

Total of daily cases

**Cumulative Tests** 

#### Positive Coronavirus cases England




14,520

Total of daily cases

**Cumulative Tests** 

14.703

#### Positive Coronavirus cases Wales




15,368

15,730

Total of daily cases


**Cumulative Tests** 

#### Positive Coronavirus cases Scotland



4,755 4,841
Total of daily cases Cumulative Tests

# Positive Coronavirus cases Northern Ireland



189,112

Total Positive Cases by Nation


294,375

**Overall Positive cases** 

# 156,782

**Total Cases** 






 63,912
 125,000
 40,000
 11,100

 Max Piller 1
 Max Piller 2
 Max Piller 3
 Max Piller 4

# **Lab Capacity**



#### Breakdown of testing by testing strategy 'pillars'


- Pillar 1: swab testing in Public Health England (PHE) labs and NHS hospitals for those with a clinical need, and health and care workers
- Pillar 2: swab testing for the wider population, as set out in government guidance
- Pillar 3: serology testing to show if people have antibodies from having had COVID-19
- **Pillar 4:** serology and swab testing for national surveillance supported by PHE, ONS, Biobank, universities and other partners to learn more about the prevalence and spread of the virus and for other testing research purposes, for example on the accuracy and ease of use of home testing

 1,963,272
 3,511,766
 455,344
 316,944

 Total Pillar 1
 Total Pillar 2
 Total Pillar 3
 Total Pillar 4

6,247,326
Total Tests


### Tests per day



#### Breakdown of testing by testing strategy 'pillars'

- Pillar 1: swab testing in Public Health England (PHE) labs and NHS hospitals for those with a clinical need, and health and care workers
- Pillar 2: swab testing for the wider population, as set out in government guidance
- Pillar 3: serology testing to show if people have antibodies from having had COVID-19
- **Pillar 4:** serology and swab testing for national surveillance supported by PHE, ONS, Biobank, universities and other partners to learn more about the prevalence and spread of the virus and for other testing research purposes, for example on the accuracy and ease of use of home testing


### Change in Cumulative tests




#### Breakdown of testing by testing strategy 'pillars'

- Pillar 1: swab testing in Public Health England (PHE) labs and NHS hospitals for those with a clinical need, and health and care workers
- Pillar 2: swab testing for the wider population, as set out in government guidance
- Pillar 3: serology testing to show if people have antibodies from having had COVID-19
- **Pillar 4:** serology and swab testing for national surveillance supported by PHE, ONS, Biobank, universities and other partners to learn more about the prevalence and spread of the virus and for other testing research purposes, for example on the accuracy and ease of use of home testing


# Cumulative Deaths by Reported Date and Country



# Cumulative Cases by Reported Date and Country




# Deaths by Country



#### Country

- United\_States\_of\_America
- Brazil
- United\_Kingdom
- Italy
- France
- Spain
- Mexico
- Belgium
- India
- Germany
- Iran
- Canada
- Russia
- Peru
- Netherlands

# Death Rates by Country



#### deaths by Country and continentExp

