1,172

0.0632%


155


7 Day Rolling Averag...

Total Deaths Maximum Daily Deaths


Death Rate


Coronavirus Deaths UK











End Date

37,520

50,066


49,338

Government Deaths

ONS Occurrences Deaths

ONS Registered Deaths





Deaths 2020

245K


Deaths 2019

5 Year Average

250K

UK Excess Deaths






Adjustment included in Overall

Overall Positive cases

Positive Coronavirus cases




155,232

157,545

Total of daily cases

Cumulative Tests

Positive Coronavirus cases England




14,686

Total of daily cases

14,869

Cumulative Tests

Positive Coronavirus cases Wales




15,423

15,755

Total of daily cases


Cumulative Tests

Positive Coronavirus cases Scotland



4,768 4,854
Total of daily cases Cumulative Tests

Positive Coronavirus cases Northern Ireland



190,109


Total Positive Cases by Nation

298,224

Overall Positive cases

157,545


Total Cases



Specimen date







Breakdown of testing by testing strategy 'pillars'

- Pillar 1: swab testing in Public Health England (PHE) labs and NHS hospitals for those with a clinical need, and health and care workers
- Pillar 2: swab testing for the wider population, as set out in government guidance
- Pillar 3: serology testing to show if people have antibodies from having had COVID-19
- **Pillar 4:** serology and swab testing for national surveillance supported by PHE, ONS, Biobank, universities and other partners to learn more about the prevalence and spread of the virus and for other testing research purposes, for example on the accuracy and ease of use of home testing

43,200 136,584 46,952 31,347 Max Pillar 1 Max Pillar 2 Max Pillar 3 Max Pillar 4


 2,067,666
 3,678,550
 518,319
 333,926

 Total Pillar 1
 Total Pillar 2
 Total Pillar 3
 Total Pillar 4

6,598,461

Total Tests

Tests per day



Breakdown of testing by testing strategy 'pillars'


Pillar 1: swab testing in Public Health England (PHE) labs and NHS hospitals for those with a clinical need, and health and care workers

Pillar 2: swab testing for the wider population, as set out in government guidance

Pillar 3: serology testing to show if people have antibodies from having had COVID-19

Pillar 4: serology and swab testing for national surveillance supported by PHE, ONS, Biobank, universities and other partners to learn more about the prevalence and spread of the virus and for other testing research purposes, for example on the accuracy and ease of use of home testing


Change in Cumulative tests




Breakdown of testing by testing strategy 'pillars'

- **Pillar 1**: swab testing in Public Health England (PHE) labs and NHS hospitals for those with a clinical need, and health and care workers
- **Pillar 2:** swab testing for the wider population, as set out in government guidance
- Pillar 3: serology testing to show if people have antibodies from having had COVID-19
- **Pillar 4:** serology and swab testing for national surveillance supported by PHE, ONS, Biobank, universities and other partners to learn more about the prevalence and spread of the virus and for other testing research purposes, for example on the accuracy and ease of use of home testing


Cumulative Deaths by Reported Date and Country



Cumulative Cases by Reported Date and Country




Deaths by Country



Country

- United_States_of_America
- Brazil
- United_Kingdom
- Italy
- France
- Spain
- Mexico
- India
- Belgium
- Iran
- Germany
- Canada
- Russia
- Peru
- Netherlands

Death Rates by Country



deaths by Country and continentExp

