# **MATP@WER**

# MATPOWER Reference Manual Release 8.0b1

**Ray Zimmerman** 

# **Contents**

I	Intro	oduction	J
2	Fund 2.1 2.2	Top-Level Simulation Functions	3
3	Class	ses	7
	3.1	Task Classes	7
	3.2	Data Model Classes	27
	3.3	Data Model Converter Classes	58
	3.4	Network Model Classes	7
	3.5	Mathematical Model Classes	12
	3.6	Miscellaneous Classes	156
	3.7	MATPOWER Extension Classes	170
In	dev		211

1

# Introduction

The purpose of this Reference Manual is to provide reference documentation on each class and function in MATPOWER.

This documentation is automatically generated from the corresponding help text in the Matlab source for each function, class, property or method.

The GitHub icon in the upper right of each reference page links to the corresponding source file in the master branch on GitHub.

Currently, this manual includes *only* classes and functions that make up the new **MP-Core** and the **flexible** and **legacy** MATPOWER frameworks, but not the other legacy MATPOWER functions or the included packages MP-Opt-Model, MIPS, MP-Test, or MOST.

# **Functions**

# 2.1 Top-Level Simulation Functions

These are top-level functions intended as user commands for running power flow (PF), continuation power flow (CPF), optimal power flow (OPF) and other custom simulation or optimization tasks.

# 2.1.1 run\_mp

run\_mp(task\_class, d, mpopt, varargin)

run\_mp() (page 3) - Run any MATPOWER simulation.

```
run_mp(task_class, d, mpopt)
run_mp(task_class, d, mpopt, ...)
task = run_mp(...)
```

This is **the** main function in the **flexible framework** for running MATPOWER. It creates the task object, applying any specified extensions, runs the task, and prints or saves the solution, if desired.

It is typically called from one of the wrapper functions such as  $run_pf()$  (page 4),  $run_cpf()$  (page 5), or  $run_opf()$  (page 5).

# **Inputs**

- task\_class (function handle) handle to constructor of default task class for type of task to be run, e.g. mp.task\_pf (page 18) for power flow, mp.task\_cpf (page 20) for CPF, and mp.task\_opf (page 21) for OPF
- d data source specification, currently assumed to be a MATPOWER case name or case struct (mpc)
- mpopt (struct) MATPOWER options struct

Additional optional inputs can be provided as *<name>*, *<val>* pairs, with the following options:

- 'print\_fname' file name for saving pretty-printed output
- 'soln\_fname' file name for saving solved case

- 'mpx' - MATPOWER extension or cell array of MATPOWER extensions to apply

# Output

**task** (mp. task (page 7)) – task object containing the solved run including the data, network, and mathematical model objects.

Solution results are available in the data model, and its elements, contained in the returned task object. For example:

```
task = run_opf('case9');
lam_p = task.dm.elements.bus.tab.lam_p % nodal price
pg = task.dm.elements.gen.tab.pg % generator active dispatch
```

See also  $run_pf()$  (page 4),  $run_cpf()$  (page 5),  $run_opf()$  (page 5), mp.task (page 7).

# 2.1.2 run pf

run\_pf(varargin)

run\_pf() (page 4) - Run a power flow.

```
run_pf(d, mpopt)
run_pf(d, mpopt, ...)
task = run_pf(...)
```

This is the main function used to run power flow (PF) problems via the flexible MATPOWER framework.

This function is a simple wrapper around  $run\_mp()$  (page 3), calling it with the first argument set to @mp.task\_pf.

#### **Inputs**

- d data source specification, currently assumed to be a MATPOWER case name or case struct (mpc)
- mpopt (struct) MATPOWER options struct

Additional optional inputs can be provided as *<name>*, *<val>* pairs, with the following options:

- 'print\_fname' file name for saving pretty-printed output
- 'soln\_fname' file name for saving solved case
- 'mpx' MATPOWER extension or cell array of MATPOWER extensions to apply

# Output

**task** (*mp.task\_pf* (page 18)) – task object containing the solved run including the data, network, and mathematical model objects.

Solution results are available in the data model, and its elements, contained in the returned task object. For example:

See also run\_mp() (page 3), mp.task\_pf (page 18).

# 2.1.3 run\_cpf

run\_cpf(varargin)

run\_cpf() (page 5) Run a continuation power flow.

```
run_cpf(d, mpopt)
run_cpf(d, mpopt, ...)
task = run_cpf(...)
```

This is the main function used to run continuation power flow (CPF) problems via the **flexible MATPOWER** framework.

This function is a simple wrapper around *run\_mp()* (page 3), calling it with the first argument set to @mp.task\_cpf.

# **Inputs**

- d data source specification, currently assumed to be a cell array of two MATPOWER case names or case structs (mpc), the first being the base case, the second the target case
- mpopt (struct) MATPOWER options struct

Additional optional inputs can be provided as *<name>*, *<val>* pairs, with the following options:

- 'print\_fname' file name for saving pretty-printed output
- 'soln\_fname' file name for saving solved case
- 'mpx' MATPOWER extension or cell array of MATPOWER extensions to apply

# Output

**task** (*mp.task\_cpf* (page 20)) – task object containing the solved run including the data, network, and mathematical model objects.

Solution results are available in the data model, and its elements, contained in the returned task object. For example:

See also run\_mp() (page 3), mp.task\_cpf (page 20).

# 2.1.4 run opf

run\_opf(varargin)

run\_opf() (page 5) Run an optimal power flow.

```
run_opf(d, mpopt)
run_opf(d, mpopt, ...)
task = run_opf(...)
```

This is the main function used to run optimal power flow (OPF) problems via the **flexible MATPOWER framework**.

This function is a simple wrapper around  $run\_mp()$  (page 3), calling it with the first argument set to @mp.task\_opf.

# **Inputs**

- d data source specification, currently assumed to be a MATPOWER case name or case struct (mpc)
- mpopt (struct) MATPOWER options struct

Additional optional inputs can be provided as *<name>*, *<val>* pairs, with the following options:

- 'print\_fname' file name for saving pretty-printed output
- 'soln\_fname' file name for saving solved case
- 'mpx' MATPOWER extension or cell array of MATPOWER extensions to apply

# Output

**task** (*mp.task\_opf* (page 21)) – task object containing the solved run including the data, network, and mathematical model objects.

Solution results are available in the data model, and its elements, contained in the returned task object. For example:

See also run\_mp() (page 3), mp.task\_opf (page 21).

# 2.2 Other Functions

# 2.2.1 mp table class

# mp\_table\_class()

```
mp_table_class() (page 6) - Returns handle to constructor for table or mp_table (page 156).
```

Returns a handle to table constructor, if it is available, otherwise to *mp\_table* (page 156) constructor. Useful for table-based code that is compatible with both MATLAB (using native tables) and Octave (using *mp\_table* (page 156) or the table implementation from Tablicious, if available).

```
% Works in MATLAB or Octave, which does not (yet) natively support table().
table_class = mp_table_class();
T = table_class(var1, var2, ...);
```

See also table, mp\_table (page 156).

# **Classes**

# 3.1 Task Classes

# 3.1.1 Core Task Classes

# mp.task

# class mp.task

Bases: handle

mp. task (page 7) - MATPOWER task abstract base class.

Each task type (e.g. power flow, CPF, OPF) will inherit from mp. task (page 7).

Provides properties and methods related to the specific problem specification being solved (e.g. power flow, continuation power flow, optimal power flow, etc.). In particular, it coordinates all interactions between the 3 (data, network, mathematical) model layers.

The model objects, and indirectly their elements, as well as the solution success flag and messages from the mathematical model solver, are available in the properties of the task object.

# mp.task Properties:

- tag (page 9) task tag e.g. 'PF', 'CPF', 'OPF'
- name (page 9) task name e.g. 'Power Flow', etc.
- dmc (page 9) data model converter object
- dm (page 9) data model object
- nm (page 9) network model object
- mm (page 9) mathematical model object
- mm\_opt (page 9) solve options for mathematical model
- i\_dm (page 9) iteration counter for data model loop
- *i\_nm* (page 9) iteration counter for network model loop

- i\_mm (page 9) iteration counter for math model loop
- success (page 9) success flag, 1 math model solved, 0 didn't solve
- message (page 9) output message
- et (page 9) elapsed time (seconds) for run() (page 9) method

# mp.task Methods:

- run() (page 9) execute the task
- next\_mm() (page 10) controls iterations over mathematical models
- next\_nm() (page 10) controls iterations over network models
- next\_dm() (page 10) controls iterations over data models
- run\_pre() (page 11) called at beginning of run() (page 9) method
- run\_post() (page 11) called at end of run() (page 9) method
- print\_soln() (page 11) display pretty-printed results
- print\_soln\_header() (page 11) display success/failure, elapsed time
- save\_soln() (page 12) save solved case to file
- dm\_converter\_class() (page 12) get data model converter constructor
- dm\_converter\_class\_mpc2\_default() (page 12) get default data model converter constructor
- dm\_converter\_create() (page 12) create data model converter object
- data\_model\_class() (page 13) get data model constructor
- data\_model\_class\_default() (page 13) get default data model constructor
- data\_model\_create() (page 13) create data model object
- data\_model\_build() (page 14) create and build data model object
- data\_model\_build\_pre() (page 14) called at beginning of data\_model\_build() (page 14)
- data\_model\_build\_post() (page 14) called at end of data\_model\_build() (page 14)
- network\_model\_class() (page 14) get network model constructor
- network\_model\_class\_default() (page 15) get default network model constructor
- network\_model\_create() (page 15) create network model object
- network\_model\_build() (page 15) create and build network model object
- network\_model\_build\_pre() (page 15) called at beginning of network\_model\_build() (page 15)
- network\_model\_build\_post() (page 16) called at end of network\_model\_build() (page 15)
- network\_model\_x\_soln() (page 16) update network model state from math model solution
- network\_model\_update() (page 16) update net model state/soln from math model soln
- math\_model\_class() (page 16) get mathematical model constructor
- math\_model\_class\_default() (page 17) get default mathematical model constructor
- math\_model\_create() (page 17) create mathematical model object
- math\_model\_build() (page 17) create and build mathematical model object

```
• math_model_opt() (page 18) - get options struct to pass to mm.solve()
See the sec_task section in the MATPOWER Developer's Manual for more information.
See also mp.data_model (page 27), mp.net_model (page 90), mp.math_model (page 121), mp.
dm_converter (page 59).
Property Summary
     tag
         (char array) task tag (page 9) - e.g. 'PF', 'CPF', 'OPF'
     name
         (char array) task name (page 9) - e.g. 'Power Flow', etc.
     dmc
         (mp.dm_converter (page 59)) data model converter object
     dm
         (mp.data_model (page 27)) data model object
     nm
         (mp.net_model (page 90)) network model object
     mm
         (mp.math_model (page 121)) mathematical model object
     mm_opt
         (struct) solve options for mathematical model
     i_dm
         (integer) iteration counter for data model loop
     i_nm
         (integer) iteration counter for network model loop
     i_mm
         (integer) iteration counter for math model loop
     success
         (integer) success (page 9) flag, 1 - math model solved, 0 - didn't solve
     message
         (char array) output message (page 9)
     et
         (double) elapsed time (seconds) for run() (page 9) method
Method Summary
     run(d, mpopt, mpx)
         Execute the task.
         task.run(d, mpopt)
         task.run(d, mpopt, mpx)
```

# struct (mpc)

• d - data source specification, currently assumed to be a MATPOWER case name or case

**Inputs** 

- **mpopt** (*struct*) MATPOWER options struct
- mpx (cell array of mp. extension (page 170)) MATPOWER Extensions

#### Output

**task** (*mp.task* (page 7)) – task object containing the solved *run()* (page 9) including the data, network, and mathematical model objects.

Execute the task, creating the data model converter and the data, network and mathematical model objects, solving the math model and propagating the solution back to the data model.

See the sec task section in the MATPOWER Developer's Manual for more information.

 $next_m(mm, nm, dm, mpopt, mpx)$ 

Controls iterations over mathematical models.

```
[mm, nm, dm] = task.next_mm(mm, nm, dm, mpoopt, mpx)
```

#### Inputs

- mm (mp.math\_model (page 121)) mathmatical model object
- nm (mp.net\_model (page 90)) network model object
- dm (mp.data\_model (page 27)) data model object
- **mpopt** (*struct*) MATPOWER options struct
- mpx (cell array of mp.extension (page 170)) MATPOWER Extensions

#### Output

- mm (mp.math\_model (page 121)) new or updated mathmatical model object, or empty matrix
- **nm** (*mp.net\_model* (page 90)) potentially updated network model object
- **dm** (*mp.data\_model* (page 27)) potentially updated data model object

Called automatically by *run()* (page 9) method. Subclasses can override this method to return a new or updated math model object for use in the next iteration or an empty matrix (the default) if finished.

 $next_nm(mm, nm, dm, mpopt, mpx)$ 

Controls iterations over network models.

```
[nm, dm] = task.next_nm(mm, nm, dm, mpoopt, mpx)
```

# **Inputs**

- mm (mp.math\_model (page 121)) mathmatical model object
- nm (mp.net\_model (page 90)) network model object
- **dm** (*mp.data\_model* (page 27)) data model object
- mpopt (struct) MATPOWER options struct
- mpx (cell array of mp.extension (page 170)) MATPOWER Extensions

# **Output**

- nm (mp.net\_model (page 90)) new or updated network model object, or empty matrix
- **dm** (*mp.data\_mode1* (page 27)) potentially updated data model object

Called automatically by *run()* (page 9) method. Subclasses can override this method to return a new or updated network model object for use in the next iteration or an empty matrix (the default) if finished.

 $next_dm(mm, nm, dm, mpopt, mpx)$ 

Controls iterations over data models.

```
dm = task.next_dm(mm, nm, dm, mpoopt, mpx)
```

#### **Inputs**

- mm (mp.math\_model (page 121)) mathmatical model object
- nm (mp.net\_model (page 90)) network model object

- **dm** (*mp.data\_model* (page 27)) data model object
- **mpopt** (*struct*) MATPOWER options struct
- mpx (cell array of mp. extension (page 170)) MATPOWER Extensions

# Output

**dm** (mp.data\_model (page 27)) – new or updated data model object, or empty matrix

Called automatically by run() (page 9) method. Subclasses can override this method to return a new or updated data model object for use in the next iteration or an empty matrix (the default) if finished.

# run\_pre(d, mpopt)

Called at beginning of run() (page 9) method.

```
[d, mpopt] = task.run_pre(d, mpopt)
```

#### **Inputs**

- d data source specification, currently assumed to be a MATPOWER case name or case struct (mpc)
- **mpopt** (*struct*) MATPOWER options struct

# **Outputs**

- **d** updated value of corresponding input
- **mpopt** (*struct*) updated value of corresponding input

Subclasses can override this method to update the input data or options before beginning the run.

```
run_post(mm, nm, dm, mpopt)
```

Called at end of run() (page 9) method.

```
task.run_post(mm, nm, dm, mpopt)
```

# **Inputs**

- mm (mp.math\_model (page 121)) mathmatical model object
- **nm** (*mp.net\_model* (page 90)) network model object
- **dm** (*mp.data\_mode1* (page 27)) data model object
- mpopt (struct) MATPOWER options struct

# Output

```
task (mp. task (page 7)) – task object
```

Subclasses can override this method to do any final processing after the run is complete.

# print\_soln(mpopt, fname)

Display the pretty-printed results.

```
task.print_soln(mpopt)
task.print_soln(mpopt, fname)
```

#### Inputs

- **mpopt** (*struct*) MATPOWER options struct
- fname (char array) file name for saving pretty-printed output

Display to standard output and/or save to a file the pretty-printed solved case.

# print\_soln\_header(mpopt, fd)

Display solution header information.

```
task.print_soln_header(mpopt, fd)
```

# **Inputs**

• **mpopt** (*struct*) – MATPOWER options struct

• **fd** (*integer*) – file identifier (1 for standard output)

Called by print\_soln() (page 11) to print success/failure, elapsed time, etc. to a file identifier.

# save\_soln(fname)

Save the solved case to a file.

```
task.save_soln(fname)
```

# Input

**fname** (*char array*) – file name for saving solved case

# dm\_converter\_class(d, mpopt, mpx)

Get data model converter constructor.

```
dmc_class = task.dm_converter_class(d, mpopt, mpx)
```

#### **Inputs**

- d data source specification, currently assumed to be a MATPOWER case name or case struct (mpc)
- mpopt (struct) MATPOWER options struct
- mpx (cell array of mp.extension (page 170)) MATPOWER Extensions

# **Output**

**dmc\_class** (*function handle*) – handle to the constructor to be used to instantiate the data model converter object

Called by *dm\_converter\_create()* (page 12) to determine the class to use for the data model converter object. Handles any modifications specified by MATPOWER options or extensions.

# dm\_converter\_class\_mpc2\_default()

Get default data model converter constructor.

```
dmc_class = task.dm_converter_class_mpc2_default()
```

# Output

**dmc\_class** (*function handel*) – handle to default constructor to be used to instantiate the data model converter object

Called by *dm\_converter\_class()* (page 12) to determine the default class to use for the data model converter object when the input is a version 2 MATPOWER case struct.

# dm\_converter\_create(d, mpopt, mpx)

Create data model converter object.

```
dmc = task.dm_converter_create(d, mpopt, mpx)
```

# **Inputs**

- d data source specification, currently assumed to be a MATPOWER case name or case struct (mpc)
- **mpopt** (*struct*) MATPOWER options struct
- mpx (cell array of mp.extension (page 170)) MATPOWER Extensions

#### Output

**dmc** (mp. dm\_converter (page 59)) – data model converter object, ready to build

Called by *dm\_converter\_build()* (page 12) method to instantiate the data model converter object. Handles any modifications to data model converter elements specified by MATPOWER options or extensions.

# dm\_converter\_build(d, mpopt, mpx)

Create and build data model converter object.

```
dmc = task.dm_converter_build(d, mpopt, mpx)
```

# **Inputs**

- d data source specification, currently assumed to be a MATPOWER case name or case struct (mpc)
- **mpopt** (*struct*) MATPOWER options struct
- mpx (cell array of mp. extension (page 170)) MATPOWER Extensions

# Output

dmc (mp.dm\_converter (page 59)) – data model converter object, ready for use

Called by *run()* (page 9) method to instantiate and build the data model converter object, including any modifications specified by MATPOWER options or extensions.

# data\_model\_class(d, mpopt, mpx)

Get data model constructor.

```
dm_class = task.data_model_class(d, mpopt, mpx)
```

#### **Inputs**

- d data source specification, currently assumed to be a MATPOWER case name or case struct (mpc)
- **mpopt** (*struct*) MATPOWER options struct
- mpx (cell array of mp.extension (page 170)) MATPOWER Extensions

#### Output

**dm\_class** (*function handle*) – handle to the constructor to be used to instantiate the data model object

Called by data\_model\_create() (page 13) to determine the class to use for the data model object. Handles any modifications specified by MATPOWER options or extensions.

# data\_model\_class\_default()

Get default data model constructor.

```
dm_class = task.data_model_class_default()
```

# **Output**

**dm\_class** (*function handel*) – handle to default constructor to be used to instantiate the data model object

Called by data\_model\_class() (page 13) to determine the default class to use for the data model object.

# data\_model\_create(d, mpopt, mpx)

Create data model object.

```
dm = task.data_model_create(d, mpopt, mpx)
```

#### **Inputs**

- d data source specification, currently assumed to be a MATPOWER case name or case struct (mpc)
- **mpopt** (*struct*) MATPOWER options struct
- mpx (cell array of mp.extension (page 170)) MATPOWER Extensions

# Output

**dm** (mp.data\_model (page 27)) – data model object, ready to build

Called by data\_model\_build() (page 14) to instantiate the data model object. Handles any modifications to data model elements specified by MATPOWER options or extensions.

# data\_model\_build(d, dmc, mpopt, mpx)

Create and build data model object.

```
dm = task.data_model_create(d, dmc, mpopt, mpx)
```

# **Inputs**

- d data source specification, currently assumed to be a MATPOWER case name or case struct (mpc)
- dmc (mp. dm\_converter (page 59)) data model converter object
- **mpopt** (*struct*) MATPOWER options struct
- mpx (cell array of mp. extension (page 170)) MATPOWER Extensions

# Output

**dm** (mp. data\_model (page 27)) – data model object, ready for use

Called by *run()* (page 9) method to instantiate and build the data model object, including any modifications specified by MATPOWER options or extensions.

# data\_model\_build\_pre(dm, d, dmc, mpopt)

Called at beginning of data\_model\_build() (page 14).

```
[dm, d] = task.data_model_build_pre(dm, d, dmc, mpopt)
```

#### **Inputs**

- dm (mp.data\_model (page 27)) data model object
- d data source specification, currently assumed to be a MATPOWER case name or case struct (mpc)
- dmc (mp. dm\_converter (page 59)) data model converter object
- **mpopt** (*struct*) MATPOWER options struct

#### **Outputs**

- dm (mp.data\_model (page 27)) updated data model object
- **d** updated value of corresponding input

Called just before calling the data model's build() method. In this base class, this method does nothing.

# data\_model\_build\_post(dm, dmc, mpopt)

Called at end of data\_model\_build() (page 14).

```
dm = task.data_model_build_post(dm, dmc, mpopt)
```

#### **Inputs**

- dm (mp.data\_model (page 27)) data model object
- dmc (mp.dm\_converter (page 59)) data model converter object
- mpopt (struct) MATPOWER options struct

#### Output

**dm** (mp.data\_model (page 27)) – updated data model object

Called just *after* calling the data model's build() method. In this base class, this method does nothing.

# network\_model\_class(dm, mpopt, mpx)

Get network model constructor.

```
nm_class = task.network_model_class(dm, mpopt, mpx)
```

# **Inputs**

- dm (mp.data\_model (page 27)) data model object
- **mpopt** (*struct*) MATPOWER options struct
- mpx (cell array of mp. extension (page 170)) MATPOWER Extensions

# Output

**nm\_class** (*function handle*) – handle to the constructor to be used to instantiate the network model object

Called by *network\_model\_create()* (page 15) to determine the class to use for the network model object. Handles any modifications specified by MATPOWER options or extensions.

# network\_model\_class\_default(dm, mpopt)

Get default network model constructor.

```
nm_class = task.network_model_class_default(dm, mpopt)
```

# **Inputs**

- dm (mp.data\_model (page 27)) data model object
- mpopt (struct) MATPOWER options struct

#### Output

**nm\_class** (*function handle*) – handle to default constructor to be used to instantiate the network model object

Called by *network\_model\_class()* (page 14) to determine the default class to use for the network model object.

*Note: This is an abstract method that must be implemented by a subclass.* 

# network\_model\_create(dm, mpopt, mpx)

Create network model object.

```
nm = task.network_model_create(dm, mpopt, mpx)
```

#### **Inputs**

- dm (mp.data\_model (page 27)) data model object
- mpopt (struct) MATPOWER options struct
- mpx (cell array of mp.extension (page 170)) MATPOWER Extensions

#### Output

**nm** (*mp.net\_model* (page 90)) – network model object, ready to build

Called by *network\_model\_build()* (page 15) to instantiate the network model object. Handles any modifications to network model elements specified by MATPOWER options or extensions.

# network\_model\_build(dm, mpopt, mpx)

Create and build network model object.

```
nm = task.network_model_build(dm, mpopt, mpx)
```

#### **Inputs**

- dm (mp.data\_model (page 27)) data model object
- **mpopt** (*struct*) MATPOWER options struct
- mpx (cell array of mp. extension (page 170)) MATPOWER Extensions

# Output

```
nm (mp.net_model (page 90)) - network model object, ready for use
```

Called by *run()* (page 9) method to instantiate and build the network model object, including any modifications specified by MATPOWER options or extensions.

# network\_model\_build\_pre(nm, dm, mpopt)

Called at beginning of network\_model\_build() (page 15).

```
nm = task.network_model_build_pre(nm, dm, mpopt)
```

# **Inputs**

- nm (mp.net\_model (page 90)) network model object
- dm (mp.data\_model (page 27)) data model object
- **mpopt** (*struct*) MATPOWER options struct

#### Output

nm (mp.net\_model (page 90)) – updated network model object

Called just *before* calling the network model's build() method. In this base class, this method does nothing.

# network\_model\_build\_post(nm, dm, mpopt)

Called at end of network\_model\_build() (page 15).

```
nm = task.network_model_build_post(nm, dm, mpopt)
```

# **Inputs**

- **nm** (*mp.net\_model* (page 90)) network model object
- dm (mp.data\_model (page 27)) data model object
- $\bullet \ \ mpopt \ (\mathit{struct}) M \\ \mathsf{ATPOWER} \ options \ \mathsf{struct}$

#### Output

**nm** (*mp.net\_model* (page 90)) – updated network model object

Called just *after* calling the network model's build() method. In this base class, this method does nothing.

# network\_model\_x\_soln(mm, nm)

Update network model state from math model solution.

```
nm = task.network_model_x_soln(mm, nm)
```

# **Inputs**

- mm (mp.math\_model (page 121)) mathmatical model object
- nm (mp.net\_model (page 90)) network model object

#### Output

**nm** (*mp.net\_model* (page 90)) – updated network model object

Called by network\_model\_update() (page 16).

# network\_model\_update(mm, nm)

Update network model state, solution values from math model solution.

```
nm = task.network_model_update(mm, nm)
```

# **Inputs**

- mm (mp.math\_model (page 121)) mathmatical model object
- **nm** (*mp.net\_model* (page 90)) network model object

#### Output

**nm** (*mp.net\_model* (page 90)) – updated network model object

Called by run() (page 9) method.

# math\_model\_class(nm, dm, mpopt, mpx)

Get mathematical model constructor.

```
mm_class = task.math_model_class(nm, dm, mpopt, mpx)
```

# **Inputs**

- nm (mp.net\_model (page 90)) network model object
- dm (mp.data\_model (page 27)) data model object
- **mpopt** (*struct*) MATPOWER options struct
- mpx (cell array of mp. extension (page 170)) MATPOWER Extensions

# Output

**mm\_class** (*function handle*) – handle to the constructor to be used to instantiate the mathematical model object

Called by <code>math\_model\_create()</code> (page 17) to determine the class to use for the mathematical model object. Handles any modifications specified by MATPOWER options or extensions.

# math\_model\_class\_default(nm, dm, mpopt)

Get default mathematical model constructor.

```
mm_class = task.math_model_class_default(nm, dm, mpopt)
```

#### **Inputs**

- nm (mp.net\_model (page 90)) network model object
- dm (mp.data\_model (page 27)) data model object
- mpopt (struct) MATPOWER options struct

#### Output

**mm\_class** (*function handle*) – handle to the constructor to be used to instantiate the mathematical model object

Called by <code>math\_model\_class()</code> (page 16) to determine the default class to use for the mathematical model object.

Note: This is an abstract method that must be implemented by a subclass.

# math\_model\_create(nm, dm, mpopt, mpx)

Create mathematical model object.

```
mm = task.math_model_create(nm, dm, mpopt, mpx)
```

#### **Inputs**

- nm (mp.net\_model (page 90)) network model object
- **dm** (*mp.data\_model* (page 27)) data model object
- **mpopt** (*struct*) MATPOWER options struct
- mpx (cell array of mp.extension (page 170)) MATPOWER Extensions

# Output

mm (mp.math\_model (page 121)) – mathmatical model object, ready to build

Called by <code>math\_model\_build()</code> (page 17) to instantiate the mathematical model object. Handles any modifications to mathematical model elements specified by MATPOWER options or extensions.

# math\_model\_build(nm, dm, mpopt, mpx)

Create and build mathematical model object.

```
mm = task.math_model_build(nm, dm, mpopt, mpx)
```

# **Inputs**

- **nm** (*mp.net\_model* (page 90)) network model object
- **dm** (*mp.data\_model* (page 27)) data model object
- mpopt (struct) MATPOWER options struct
- mpx (cell array of mp.extension (page 170)) MATPOWER Extensions

# Output

mm (mp.math\_model (page 121)) – mathmatical model object, ready for use

Called by *run()* (page 9) method to instantiate and build the mathematical model object, including any modifications specified by MATPOWER options or extensions.

```
math_model_opt(mm, nm, dm, mpopt)
```

Get the options struct to pass to mm.solve().

```
opt = task.math_model_opt(mm, nm, dm, mpopt)
```

# **Inputs**

- mm (mp.math\_model (page 121)) mathmatical model object
- **nm** (*mp.net\_model* (page 90)) network model object
- dm (mp.data\_model (page 27)) data model object
- mpopt (struct) MATPOWER options struct

#### Output

**opt** (*struct*) – options struct for mathematical model solve() method

Called by run() (page 9) method.

# mp.task\_pf

# class mp.task\_pf

```
Bases: mp.task (page 7)
```

mp.task\_pf (page 18) - MATPOWER task for power flow (PF).

Provides task implementation for the power flow problem.

This includes the handling of iterative runs to enforce generator reactive power limits, if requested.

# mp.task\_pf Properties:

- tag (page 19) task tag 'PF'
- name (page 19) task name 'Power Flow'
- dc (page 19) true if using DC network model
- iterations (page 19) total number of power flow iterations
- ref (page 19) current ref node indices
- ref0 (page 19) initial ref node indices
- va\_ref0 (page 19) initial ref node voltage angles
- fixed\_q\_idx (page 19) indices of fixed Q gens
- fixed\_q\_qty (page 19) Q output of fixed Q gens

# mp.task\_pf Methods:

• run\_pre() (page 19) - set dc property

```
• next_dm() (page 19) - optionally iterate to enforce generator reactive limits
       • enforce_q_lims() (page 19) - implementation of generator reactive limits
       • network_model_class_default() (page 19) - select default network model constructor
       • network_model_build_post() (page 19) - initialize properties for reactive limits
       • network_model_x_soln() (page 19) - correct the voltage angles if necessary
       • math_model_class_default() (page 20) - select default math model constructor
See also mp.task (page 7).
Property Summary
     tag = 'PF'
     name = 'Power Flow'
     dc
         true if using DC network model (from mpopt.model, cached in run_pre() (page 19))
     iterations
         (integer) total number of power flow iterations (page 19)
     ref
         (integer) current ref (page 19) node indices
     ref0
         (integer) initial ref node indices
     va_ref0
         (double) initial ref node voltage angles
     fixed_q_idx
         (integer) indices of fixed Q gens
     fixed_q_qty
         (double) Q output of fixed Q gens
Method Summary
     run_pre(d, mpopt)
         Set dc property after calling superclass run_pre() (page 11).
     next_dm(mm, nm, dm, mpopt, mpx)
         Implement optional iterations to enforce generator reactive limits.
     enforce_q_lims(nm, dm, mpopt)
         Used by next_dm() (page 19) to implement enforcement of generator reactive limits.
     network_model_class_default(dm, mpopt)
         Implement selector for default network model constructor depending on mpopt.model and mpopt.
         pf.v_cartesian.
     network_model_build_post(nm, dm, mpopt)
         Initialize mp.task_pf (page 18) properties, if non-empty AC case with generator reactive limits en-
         forced.
```

#### network\_model\_x\_soln(mm, nm)

Call superclass <code>network\_model\_x\_soln()</code> (page 16) then correct the voltage angle if the ref node has been changed.

# math\_model\_class\_default(nm, dm, mpopt)

Implement selector for default mathematical model constructor depending on mpopt.model, mpopt.pf.v\_cartesian, and mpopt.pf.current\_balance.

# mp.task cpf

# class mp.task\_cpf

Bases: mp.task\_pf (page 18)

mp.task\_cpf (page 20) - MATPOWER task for continuation power flow (CPF).

Provides task implementation for the continuation power flow problem.

This includes the iterative solving of the mathematical model (using warm restarts) after updating the problem data, e.g. when enforcing certain limits.

# mp.task\_cpf Properties:

• warmstart (page 20) - warm start data

# mp.task\_cpf Methods:

- task\_cpf() (page 20) constructor, inherits from mp.task\_pf (page 18) constructor
- run\_pre() (page 21) call superclass run\_pre() (page 19) for base and target inputs
- next\_mm() (page 21) handle warm start of continuation iterations
- dm\_converter\_class() (page 21) select data model converter class
- data\_model\_class\_default() (page 21) select default data model constructor
- data\_model\_build() (page 21) build base and target data models
- network\_model\_build() (page 21) build base and target network models
- network\_model\_x\_soln() (page 21) update network model solution
- network\_model\_update() (page 21) evaluate port injection solution
- math\_model\_class\_default() (page 21) select default math model constructor
- math\_model\_opt() (page 21) add warmstart parameters to math model solve options

See also mp. task (page 7), mp. task\_pf (page 18).

# **Constructor Summary**

#### task\_cpf()

Constructor, inherits from mp.task\_pf (page 18) constructor.

# **Property Summary**

# warmstart

(struct) warm start data, with fields:

- clam corrector parameter lambda
- plam predictor parameter lambda

- cV corrector complex voltage vector
- pV predictor complex voltage vector

# **Method Summary**

```
run_pre(d, mpopt)
```

Call superclass run\_pre() (page 19) for base and target inputs.

```
next_mm(mm, nm, dm, mpopt, mpx)
```

Handle warm start of continuation iterations, after problem data update.

```
dm_converter_class(d, mpopt, mpx)
```

Implement selector for data model converter class based on superclass constructor.

# data\_model\_class\_default()

Implement selector for default data model constructor.

```
data_model_build(d, dmc, mpopt, mpx)
```

Call superclass data\_model\_build() for base and target models.

```
network_model_build(dm, mpopt, mpx)
```

Call superclass network\_model\_build() for base and target models.

```
network_model_x_soln(mm, nm)
```

Call superclass network\_model\_x\_soln() (page 19) then update solution in target network model.

```
network_model_update(mm, nm)
```

Call superclass network\_model\_update() then update port injection solution by interpolating with parameter lambda.

```
math_model_class_default(nm, dm, mpopt)
```

Implement selector for default mathematical model constructor depending on mpopt.pf. v\_cartesian and mpopt.pf.current\_balance.

```
math_model_opt(mm, nm, dm, mpopt)
```

Call superclass math\_model\_opt() then add warmstart parameters, if available.

# mp.task\_opf

# class mp.task\_opf

```
Bases: mp.task (page 7)
```

mp.task\_opf (page 21) - MATPOWER task for optimal power flow (OPF).

Provides task implementation for the optimal power flow problem.

# mp.task\_opf Properties:

- tag task tag 'OPF'
- name task name 'Optimal Power Flow'
- dc (page 22) true if using DC network model

#### mp.task opf Methods:

- run\_pre() (page 22) set dc property
- print\_soln\_header() (page 22) add printout of objective function value

- data\_model\_class\_default() (page 22) select default data model constructor
- data\_model\_build\_post() (page 22) adjust bus voltage limits, if requested
- network\_model\_class\_default() (page 22) select default network model constructor
- math\_model\_class\_default() (page 22) select default math model constructor

See also mp. task (page 7).

# **Property Summary**

dc

true if using DC network model (from mpopt.model, cached in run\_pre() (page 22))

# **Method Summary**

```
run_pre(d, mpopt)
```

Set dc property after calling superclass *run\_pre()* (page 11), then check for unsupported AC OPF solver selection.

# print\_soln\_header(mpopt, fd)

Call superclass *print\_soln\_header()* (page 11) the print out the objective function value.

# data\_model\_class\_default()

Implement selector for default data model constructor.

# data\_model\_build\_post(dm, dmc, mpopt)

Call superclass <code>data\_model\_build\_post()</code> (page 14) then adjust bus voltage magnitude limits based on generator <code>vm\_setpoint</code>, if requested.

# network\_model\_class\_default(dm, mpopt)

Implement selector for default network model constructor depending on mpopt.model and mpopt.opf.v\_cartesian.

# math\_model\_class\_default(nm, dm, mpopt)

Implement selector for default mathematical model constructor depending on mpopt.model, mpopt.opf.v\_cartesian, and mpopt.opf.current\_balance.

# 3.1.2 Legacy Task Classes

Used by MP-Core when called by the *legacy MATPOWER framework*.

# mp.task pf legacy

# class mp.task\_pf\_legacy

```
Bases: mp.task_pf (page 18), mp.task_shared_legacy (page 26)
```

```
mp.task_pf_legacy (page 22) - MATPOWER task for legacy power flow (PF).
```

Adds functionality needed by the *legacy MATPOWER framework* to the task implementation for the power flow problem. This consists of pre-processing some input data and exporting and packaging result data.

# mp.task\_pf Methods:

• run\_pre() (page 23) - pre-process inputs that are for legacy framework only

- run\_post() (page 23) export results back to data model source
- legacy\_post\_run() (page 23) post-process legacy framework outputs

See also mp.task\_pf (page 18), mp.task (page 7), mp.task\_shared\_legacy (page 26).

# **Method Summary**

# run\_pre(d, mpopt)

Pre-process inputs that are for *legacy framework* only.

```
[d, mpopt] = task.run_pre(d, mpopt)
```

#### **Inputs**

- d data source specification, currently assumed to be a MATPOWER case name or case struct (mpc)
- mpopt (struct) MATPOWER options struct

# **Outputs**

- **d** updated value of corresponding input
- mpopt (struct) updated value of corresponding input

Call run\_pre\_legacy() (page 27) method before calling parent.

# run\_post(mm, nm, dm, mpopt)

Export results back to data model source.

```
task.run_post(mm, nm, dm, mpopt)
```

#### **Inputs**

- mm (mp.math\_model (page 121)) mathmatical model object
- nm (mp.net\_model (page 90)) network model object
- dm (mp.data\_model (page 27)) data model object
- mpopt (struct) MATPOWER options struct

# Output

task (mp. task (page 7)) – task object

Calls mp. dm\_converter. export() (page 60) and saves the result in the data model source property.

# legacy\_post\_run(mpopt)

Post-process legacy framework outputs.

```
[results, success] = task.legacy_post_run(mpopt)
```

#### Input

**mpopt** (*struct*) – MATPOWER options struct

# **Outputs**

- **results** (*struct*) results struct for *legacy MATPOWER framework*, see Table 4.1 in legacy MATPOWER User's Manual.
- success (integer) 1 succeeded, 0 failed

Extract results and success and save the task object in results.task before returning.

# mp.task cpf legacy

# class mp.task\_cpf\_legacy

```
Bases: mp.task_cpf (page 20), mp.task_shared_legacy (page 26)
```

```
mp.task_cpf (page 20) - MATPOWER task for legacy continuation power flow (CPF).
```

Adds functionality needed by the *legacy MATPOWER framework* to the task implementation for the continuation power flow problem. This consists of pre-processing some input data and exporting and packaging result data.

# mp.task pf Methods:

- run\_pre() (page 24) pre-process inputs that are for legacy framework only
- run\_post() (page 24) export results back to data model source
- legacy\_post\_run() (page 24) post-process legacy framework outputs

See also mp.task\_cpf (page 20), mp.task (page 7), mp.task\_shared\_legacy (page 26).

# **Method Summary**

# run\_pre(d, mpopt)

Pre-process inputs that are for legacy framework only.

```
[d, mpopt] = task.run_pre(d, mpopt)
```

#### **Inputs**

- $\mathbf{d}$  data source specification, currently assumed to be a MATPOWER case name or case struct (mpc)
- **mpopt** (*struct*) MATPOWER options struct

#### **Outputs**

- d updated value of corresponding input
- mpopt (struct) updated value of corresponding input

Call run\_pre\_legacy() (page 27) method for both input cases before calling parent.

#### run\_post(mm, nm, dm, mpopt)

Export results back to data model source.

```
task.run_post(mm, nm, dm, mpopt)
```

#### Inputs

- mm (mp.math\_model (page 121)) mathmatical model object
- nm (mp.net\_model (page 90)) network model object
- dm (mp.data\_model (page 27)) data model object
- $\bullet \ \ mpopt \ (\mathit{struct}) M \\ \mathsf{ATPOWER} \ options \ struct$

# Output

```
task (mp. task (page 7)) – task object
```

Calls mp. dm\_converter. export() (page 60) and saves the result in the data model source property.

# legacy\_post\_run(mpopt)

Post-process legacy framework outputs.

```
[results, success] = task.legacy_post_run(mpopt)
```

# Input

```
\begin{array}{l} \textbf{mpopt} \; (\textit{struct}) - M \text{ATPOWER options struct} \\ \textbf{Outputs} \end{array}
```

- **results** (*struct*) results struct for *legacy MATPOWER framework*, see Table 5.1 in legacy MATPOWER User's Manual.
- success (integer) 1 succeeded, 0 failed

Extract results and success and save the task object in results.task before returning.

# mp.task\_opf\_legacy

# class mp.task\_opf\_legacy

```
Bases: mp.task_opf (page 21), mp.task_shared_legacy (page 26)
```

mp.task\_opf (page 21) - MATPOWER task for legacy optimal power flow (OPF).

Adds functionality needed by the *legacy MATPOWER framework* to the task implementation for the optimal power flow problem. This consists of pre-processing some input data and exporting and packaging result data, as well as using some legacy specific model sub-classes.

# mp.task\_pf Methods:

- run\_pre() (page 25) pre-process inputs that are for legacy framework only
- run\_post() (page 25) export results back to data model source
- dm\_converter\_class\_mpc2\_default() (page 26) set to mp.dm\_converter\_mpc2\_legacy (page 62)
- data\_model\_build\_post() (page 26) get data model converter to do more input pre-processing
- math\_model\_class\_default() (page 26) use legacy math model subclasses
- legacy\_post\_run() (page 26) post-process legacy framework outputs

See also mp.task\_opf (page 21), mp.task (page 7), mp.task\_shared\_legacy (page 26).

# **Method Summary**

# run\_pre(d, mpopt)

Pre-process inputs that are for *legacy framework* only.

```
[d, mpopt] = task.run_pre(d, mpopt)
```

# **Inputs**

- d data source specification, currently assumed to be a MATPOWER case name or case struct (mpc)
- mpopt (struct) MATPOWER options struct

#### **Outputs**

- **d** updated value of corresponding input
- mpopt (struct) updated value of corresponding input

Call run\_pre\_legacy() (page 27) method before calling parent.

run\_post(mm, nm, dm, mpopt)

Export results back to data model source.

```
task.run_post(mm, nm, dm, mpopt)
```

#### **Inputs**

• mm (mp.math\_model (page 121)) – mathmatical model object

- **nm** (*mp.net\_model* (page 90)) network model object
- **dm** (*mp.data\_model* (page 27)) data model object
- **mpopt** (*struct*) MATPOWER options struct

# **Output**

task (mp. task (page 7)) – task object

Calls mp. dm\_converter.export() (page 60) and saves the result in the data model source property.

# dm\_converter\_class\_mpc2\_default()

Set to mp.dm\_converter\_mpc2\_legacy (page 62).

```
dmc_class = task.dm_converter_class_mpc2_default()
```

# data\_model\_build\_post(dm, dmc, mpopt)

Get data model converter to do more input pre-processing after calling superclass data\_model\_build\_post() (page 22).

# math\_model\_class\_default(nm, dm, mpopt)

Use legacy math model subclasses to support legacy costs and callbacks.

Uses math model variations that inherit from mp.mm\_shared\_opf\_legacy (page 142) (compatible with the legacy opf\_model), in order to support legacy cost functions and callback functions that expect to find the MATPOWER case struct in mm.mpc.

# legacy\_post\_run(mpopt)

Post-process legacy framework outputs.

```
[results, success, raw] = task.legacy_post_run(mpopt)
```

#### Input

**mpopt** (*struct*) – MATPOWER options struct

#### **Outputs**

- **results** (*struct*) results struct for *legacy MATPOWER framework*, see Table 6.1 in legacy MATPOWER User's Manual.
- success (integer) 1 succeeded, 0 failed
- raw (struct) see raw field in Table 6.1 in legacy MATPOWER User's Manual.

Extract results and success and save the task object in results.task before returning. This method also creates and populates numerous other fields expected in the legacy OPF results struct, such as f, x, om, mu, g, dg, raw, var, nle, nli, lin, and cost. Based on code from the legacy functions opf\_execute(), dcopf\_solver(), and nlpopf\_solver().

# mp.task shared legacy

# class mp.task\_shared\_legacy

Bases: handle

mp.task\_shared\_legacy (page 26) - Shared legacy task functionality.

Provides legacy task functionality shared across different tasks (e.g. PF, CPF, OPF), specifically, the pre-processing of input data for the experimental system-wide ZIP load data.

# mp.task\_pf Methods:

• run\_pre\_legacy() (page 27) - handle experimental system-wide ZIP load inputs

See also mp. task (page 7).

# **Method Summary**

# run\_pre\_legacy(d, mpopt)

Handle experimental system-wide ZIP load inputs.

```
[d, mpopt] = task.run_pre_legacy(d, mpopt)
```

#### **Inputs**

- d data source specification, currently assumed to be a MATPOWER case name or case struct (mpc)
- mpopt (struct) MATPOWER options struct

#### Outputs

- **d** updated value of corresponding input
- mpopt (struct) updated value of corresponding input

Moves the legacy experimental system-wide ZIP load data from mpopt.exp.sys\_wide\_zip\_loads to d.sys\_wide\_zip\_loads to make it available to the data model converter (mp.dmce\_load\_mpc2 (page 70)).

Called by run\_pre() (page 11).

# 3.2 Data Model Classes

# 3.2.1 Containers

# mp.data model

# class mp.data\_model

Bases: mp.element\_container (page 165)

mp.data\_model (page 27) - Base class for MATPOWER data model objects.

The data model object encapsulates the input data provided by the user for the problem of interest and the output data presented back to the user upon completion. It corresponds roughly to the mpc (MATPOWER case) and results structs used throughout the legacy MATPOWER implementation, but encapsulated in an object with additional functionality. It includes tables of data for each type of element in the system.

A data model object is primarily a container for data model element (mp.dm\_element (page 35)) objects. Concrete data model classes may be specific to the task.

By convention, data model variables are named dm and data model class names begin with mp.data\_model.

# mp.data\_model Properties:

- base\_mva (page 28) system per unit MVA base
- base\_kva (page 28) system per unit kVA base
- source (page 28) source of data, e.g. mpc (MATPOWER case struct)
- userdata (page 28) arbitrary user data

#### mp.data model Methods:

- data\_model() (page 28) constructor, assign default data model element classes
- copy() (page 29) make duplicate of object
- build() (page 29) create, add, and build element objects
- count() (page 29) count instances of each element and remove if count is zero
- initialize() (page 29) initialize (online/offline) status of each element
- update\_status() (page 29) update (online/offline) status based on connectivity, etc
- build\_params() (page 30) extract/convert/calculate parameters for online elements
- online() (page 30) get number of online elements of named type
- display() (page 30) display the data model object
- pretty\_print() (page 30) pretty print data model to console or file
- pp\_flags() (page 31) from options, build flags to control pretty printed output
- pp\_section\_label() (page 31) construct section header lines for output
- pp\_section\_list() (page 31) return list of section tags
- pp\_have\_section() (page 32) return true if section exists for object
- pp\_section() (page 32) pretty print the given section
- pp\_get\_headers() (page 32) construct pretty printed lines for section headers
- pp\_get\_headers\_cnt() (page 32) construct pretty printed lines for **cnt** section headers
- pp\_get\_headers\_ext() (page 33) construct pretty printed lines for ext section headers
- pp\_data() (page 33) pretty print the data for the given section
- set\_bus\_v\_lims\_via\_vg() (page 33) set gen bus voltage limits based on gen voltage setpoints

See the sec\_data\_model section in the MATPOWER Developer's Manual for more information.

See also mp.task (page 7), mp.net\_model (page 90), mp.math\_model (page 121), mp.dm\_converter (page 59).

# **Constructor Summary**

# data\_model()

Constructor, assign default data model element classes.

```
dm = mp.data_model()
```

#### **Property Summary**

# base\_mva

(double) system per unit MVA base, for balanced single-phase systems/sections, must be provided if system includes any 'bus' elements

# base\_kva

(double) system per unit kVA base, for unbalanced 3-phase systems/sections, must be provided if system includes any 'bus3p' elements

#### source

source (page 28) of data, e.g. mpc (MATPOWER case struct)

#### userdata = struct()

(struct) arbitrary user data

# **Method Summary**

# copy()

Create a duplicate of the data model object, calling the *copy()* (page 40) method on each element.

```
new_dm = dm.copy()
```

#### build(d, dmc)

Create and add data model element objects.

```
dm.build(d, dmc)
```

#### **Inputs**

- **d** data source, type depends on the implementing subclass (e.g. MATPOWER case struct for mp.dm\_converter\_mpc2 (page 61))
- **dmc** (*mp.dm\_converter* (page 59)) data model converter

Create the data model element objects by instantiating each class in the *element\_classes* (page 165) property and adding the resulting object to the *elements* (page 165) property. Then proceed through the following additional *build()* (page 29) stages for each element.

- Import
- Count
- Initialize
- Update status
- Build parameters

See the sec\_building\_data\_model section in the MATPOWER Developer's Manual for more information.

# count()

Count instances of each element and remove if *count()* (page 29) is zero.

```
dm.count()
```

Call each element's *count()* (page 40) method to determine the number of instances of that element in the data, and remove the element type from *elements* (page 165) if the count is 0.

Called by *build()* (page 29) to perform its **count** stage. See the sec\_building\_data\_model section in the *MATPOWER Developer's Manual* for more information.

# initialize()

Initialize (online/offline) status of each element.

```
dm.initialize()
```

Call each element's <code>initialize()</code> (page 40) method to <code>initialize()</code> (page 29) statuses and create ID to row index mappings.

Called by *build()* (page 29) to perform its **initialize** stage. See the sec\_building\_data\_model section in the *MATPOWER Developer's Manual* for more information.

# update\_status()

Update (online/offline) status based on connectivity, etc.

```
dm.update_status()
```

Call each element's *update\_status()* (page 41) method to update statuses based on connectivity or other criteria and define element properties containing number and row indices of online elements, indices of offline elements, and mapping of row indices to indices in online and offline element lists.

Called by *build()* (page 29) to perform its **update status** stage. See the sec\_building\_data\_model section in the *MATPOWER Developer's Manual* for more information.

# build\_params()

Extract/convert/calculate parameters for online elements.

```
dm.build_params()
```

Call each element's *build\_params()* (page 41) method to build parameters as necessary for online elements from the original data tables (e.g. p.u. conversion, initial state, etc.) and store them in element-specific properties.

Called by *build()* (page 29) to perform its **build parameters** stage. See the sec\_building\_data\_model section in the *MATPOWER Developer's Manual* more information.

#### online(name)

Get number of online elements of named type.

```
n = dm.online(name)
```

# Input

```
name (char array) - name of element type (e.g. 'bus', 'gen') as returned by the element's
name() (page 37) method
```

# **Output**

**n** (*integer*) – number of online elements

#### display()

Display the data model object.

This method is called automatically when omitting a semicolon on a line that returns an object of this class.

Displays the details of the data model elements.

# pretty\_print(mpopt, fd)

Pretty print data model to console or file.

```
dm.pretty_print(mpopt)
dm.pretty_print(mpopt, fd)
[dm, out] = dm.pretty_print(mpopt, fd)
```

# **Inputs**

- mpopt (struct) MATPOWER options struct
- **fd** (*integer*) (*optional*, *default* = 1) file identifier to use for printing, (1 for standard output, 2 for standard error)

# **Outputs**

- **dm** (*mp.data\_model* (page 27)) the data model object
- out (struct) struct of output control flags

Displays the model parameters to a pretty-printed text format. The result can be output either to the console or to a file.

The output is organized into sections and each element type controls its own output for each section. The default sections are:

• cnt - counts, number of online, offline, and total elements of this type

- sum summary, e.g. total amount of capacity, load, line loss, etc.
- ext extremes, e.g. min and max voltages, nodal prices, etc.
- **det** details, table of detailed data, e.g. voltages, prices for buses, dispatch, limits for generators, etc.

# pp\_flags(mpopt)

From options, build flags to control pretty printed output.

```
[out, add] = dm.pp_flags(mpopt)
```

#### Input

 $\begin{array}{ll} \textbf{mpopt} \; (\textit{struct}) - \textbf{M} \\ \textbf{ATPOWER} \; \textbf{options} \; \textbf{struct} \\ \textbf{Outputs} \end{array}$ 

• **out** (*struct*) – struct of output control flags

```
.all
            (-1, 0 \text{ or } 1)
.any
            (0 \text{ or } 1)
.sec
   .cnt
                  (-1, 0 \text{ or } 1)
      .all
                  (0 \text{ or } 1)
      .any
   .sum
               (same as cnt)
               (same as cnt)
   .ext
   .det
      .all
                  (-1, 0 \text{ or } 1)
                  (0 \text{ or } 1)
      .any
      .elm
                         (0 \text{ or } 1)
         .<name>
```

where <name> is the name of the corresponding element type.

• add (struct) - additional data for subclasses to use

```
add
.s0
.<name> = 0
.s1
.<name> = 1
.suppress (-1, 0 or 1)
.names (cell array of element names)
.ne (number of element names)
```

See also pretty\_print() (page 30).

# pp\_section\_label(label, blank\_line)

Construct pretty printed lines for section label.

```
h = dm.pp_section_label(label, blank_line)
```

#### Inputs

- label (char array) label for the section header
- blank\_line (boolean) include a blank line before the section label if true

#### Output

**h** (cell array of char arrays) – individual lines of section label

See also *pretty\_print()* (page 30).

```
pp_section_list(out)
    Return list of section tags.
    sections = dm.pp_section_list(out)
        Input
          out (struct) – struct of output control flags (see pp_flags() (page 31) for details)
          sections (cell array of char arrays) - e.g. {'cnt', 'sum', 'ext', 'det'}
    See also pretty_print() (page 30).
pp_have_section(section, mpopt)
    Return true if section exists for object with given options.
    TorF = dm.pp_have_section(section, mpopt)
          • section (char array) - e.g. 'cnt', 'sum', 'ext', or 'det'
           • mpopt (struct) – MATPOWER options struct
          TorF (boolean) – true if section exists
    See also pretty_print() (page 30).
pp_section(section, out_s, mpopt, fd)
    Pretty print the given section.
    dm.pp_section(section, out_s, mpopt, fd)
        Inputs
          • section (char array) - e.g. 'cnt', 'sum', 'ext', or 'det'
          • out_s (struct) - output control flags for the section, out_s = out.sec.(section)
           • mpopt (struct) – MATPOWER options struct
           • fd (integer) – (optional, default = 1) file identifier to use for printing, (1 for standard
             output, 2 for standard error)
    See also pretty_print() (page 30).
pp_get_headers(section, out_s, mpopt)
    Construct pretty printed lines for section headers.
    h = dm.pp_get_headers(section, out_s, mpopt)
        Inputs
          • section (char array) - e.g. 'cnt', 'sum', 'ext', or 'det'
           • out s (struct) - output control flags for the section, out_s = out.sec.(section)
          • mpopt (struct) – MATPOWER options struct
        Output
          h (cell array of char arrays) – individual lines of section headers
    See also pretty_print() (page 30).
pp_get_headers_cnt(out_s, mpopt)
    Construct pretty printed lines for cnt section headers.
    h = dm.pp_get_headers_cnt(out_s, mpopt)
```

#### **Inputs**

- out s(struct) output control flags for the section, out\_s = out.sec.(section)
- mpopt (struct) MATPOWER options struct

#### Output

h (cell array of char arrays) – individual lines of cnt section headers

See also pretty\_print() (page 30), pp\_get\_headers() (page 32).

### pp\_get\_headers\_ext(out\_s, mpopt)

Construct pretty printed lines for ext section headers.

```
h = dm.pp_get_headers_cnt(out_s, mpopt)
```

#### **Inputs**

- out\_s (struct) output control flags for the section, out\_s = out.sec.(section)
- mpopt (struct) MATPOWER options struct

#### Output

**h** (cell array of char arrays) – individual lines of **ext** section headers

See also pretty\_print() (page 30), pp\_get\_headers() (page 32).

### pp\_get\_headers\_other(section, out\_s, mpopt)

Construct pretty printed lines for other section headers.

Returns nothing in base class, but subclasses can implement other section types (e.g. 'lim' for OPF).

```
h = dm.pp_get_headers_other(section, out_s, mpopt)
```

#### **Inputs**

- section (char array) e.g. 'cnt', 'sum', 'ext', or 'det'
- out\_s (struct) output control flags for the section, out\_s = out.sec.(section)
- mpopt (struct) MATPOWER options struct

#### Output

**h** (cell array of char arrays) – individual lines of **ext** section headers

See also pretty\_print() (page 30), pp\_get\_headers() (page 32).

# pp\_data(section, out\_s, mpopt, fd)

Pretty print the data for the given section.

```
dm.pp_data(section, out_s, mpopt, fd)
```

#### **Inputs**

- section (char array) e.g. 'cnt', 'sum', 'ext', or 'det'
- out\_s (struct) output control flags for the section, out\_s = out.sec.(section)
- mpopt (struct) MATPOWER options struct
- **fd** (*integer*) (*optional*, *default* = 1) file identifier to use for printing, (1 for standard output, 2 for standard error)

See also pretty\_print() (page 30), pp\_section() (page 32).

## set\_bus\_v\_lims\_via\_vg(use\_vg)

Set gen bus voltage limits based on gen voltage setpoints.

```
dm.set_bus_v_lims_via_vg(use_vg)
```

#### Input

 $\mathbf{use\_vg}\ (double) - 1$  if voltage setpoint should be used, 0 for original bus voltage bounds, or fractional value between 0 and 1 for bounds interpolated between the two.

33

3.2. Data Model Classes

### mp.data\_model\_cpf

### class mp.data\_model\_cpf

Bases: mp.data\_model (page 27)

mp.data\_model\_cpf (page 34) - MATPOWER data model for CPF tasks.

The purpose of this class is to include CPF-specific subclasses for the load and shunt elements, which need to be able to provide versions of their model parameters that are parameterized by the continuation parameter  $\lambda$ .

# data\_model\_cpf Methods:

• data\_model\_cpf() (page 34) - constructor, assign default data model element classes

See also mp.data\_model (page 27).

# **Constructor Summary**

# data\_model\_cpf()

Constructor, assign default data model element classes.

Create an empty data model object and assign the default data model element classes, which are the same as those defined by the base class, except for loads and shunts.

```
dm = mp.data_model_cpf()
```

### mp.data model opf

#### class mp.data\_model\_opf

Bases: mp.data\_model (page 27)

mp.data\_model\_opf (page 34) - MATPOWER data model for OPF tasks.

The purpose of this class is to include OPF-specific subclasses for its elements and to handle pretty-printing output for **lim** sections.

### mp.data\_model\_opf Methods:

- data\_model\_opf() (page 34) constructor, assign default data model element classes
- pp\_flags() (page 35) add flags for **lim** sections
- pp\_section\_list() (page 35) append 'lim' tag for **lim** sections to default list
- pp\_get\_headers\_other() (page 35) construct headers for **lim** section headers

See also mp.data\_model (page 27).

### **Constructor Summary**

# data\_model\_opf()

Constructor, assign default data model element classes.

Create an empty data model object and assign the default data model element classes, each specific to OPF.

```
dm = mp.data_model_opf()
```

# **Method Summary**

## pp\_flags(mpopt)

Add flags for lim sections.

See mp.data\_model.pp\_flags() (page 31).

### pp\_section\_list(out)

Append 'lim' tag for lim section to default list.

See mp.data\_model.pp\_section\_list() (page 31).

#### pp\_get\_headers\_other(section, out\_s, mpopt)

Construct pretty printed lines for lim section headers.

See mp.data\_model.pp\_get\_headers\_other() (page 33).

### 3.2.2 Elements

# mp.dm\_element

### class mp.dm\_element

Bases: handle

mp.dm\_element (page 35) - Abstract base class for MATPOWER data model element objects.

A data model element object encapsulates all of the input and output data for a particular element type. All data model element classes inherit from *mp.dm\_element* (page 35) and each element type typically implements its own subclass. A given data model element object contains the data for all instances of that element type, stored in one or more table data structures.

Defines the following columns in the main data table, which are inherited by all subclasses:

Name	Type	Description
uid	integer	unique ID
name	char array	element name
status	boolean	true = online, false = offline
source_uid	unde- fined	intended for any info required to link back to element instance in source data

By convention, data model element variables are named dme and data model element class names begin with mp.dme.

In addition to being containers for the data itself, data model elements are responsible for handling the on/off status of each element, preparation of parameters needed by network and mathematical models, definition of connections with other elements, defining solution data to be updated when exporting, and pretty-printing of data to the console or file.

Elements that create nodes (e.g. buses) are called **junction** elements. Elements that define ports (e.g. generators, branches, loads) can connect the ports of a particular instance to the nodes of a particular instance of a junction element by specifying two pieces of information for each port:

- the **type** of junction element it connects to
- the **index** of the specific junction element

## mp.dm\_element Properties:

- tab (page 37) main data table
- nr (page 37) total number of rows in table
- n (page 37) number of online elements
- ID2i (page 37) max(ID) x 1 vector, maps IDs to row indices
- on (page 37) n x 1 vector of row indices of online elements
- off (page 37) (nr-n) x 1 vector of row indices of offline elements
- i2on (page 37) nr x 1 vector mapping row index to index in on/off respectively

### mp.dm\_element Methods:

- name() (page 37) get name of element type, e.g. 'bus', 'gen'
- label() (page 38) get singular label for element type, e.g. 'Bus', 'Generator'
- labels() (page 38) get plural label for element type, e.g. 'Buses', 'Generators'
- cxn\_type() (page 38) type(s) of junction element(s) to which this element connects
- cxn\_idx\_prop() (page 38) name(s) of property(ies) containing indices of junction elements
- cxn\_type\_prop() (page 39) name(s) of property(ies) containing types of junction elements
- table\_exists() (page 39) check for existence of data in main data table
- main\_table\_var\_names() (page 39) names of variables (columns) in main data table
- export\_vars() (page 39) names of variables to be exported by DMCE to data source
- export\_vars\_offline\_val() (page 40) values of export variables for offline elements
- dm\_converter\_element() (page 40) get corresponding data model converter element
- copy() (page 40) create a duplicate of the data model element object
- count () (page 40) determine number of instances of this element in the data
- initialize() (page 40) initialize (online/offline) status of each element
- ID() (page 41) return unique ID's for all or indexed rows
- init\_status() (page 41) initialize status column
- update\_status() (page 41) update (online/offline) status based on connectivity, etc
- build\_params() (page 41) extract/convert/calculate parameters for online elements
- rebuild() (page 42) rebuild object, calling count() (page 40), initialize() (page 40), build\_params() (page 41)
- display() (page 42) display the data model element object
- pretty\_print() (page 42) pretty-print data model element to console or file
- pp\_have\_section() (page 42) true if pretty-printing for element has specified section

```
• pp_rows() (page 43) - indices of rows to include in pretty-printed output
```

- pp\_get\_headers() (page 43) get pretty-printed headers for this element/section
- pp\_get\_footers() (page 43) get pretty-printed footers for this element/section
- pp\_data() (page 43) pretty-print the data for this element/section
- pp\_have\_section\_cnt() (page 43) true if pretty-printing for element has counts section
- pp\_data\_cnt() (page 44) pretty-print the **counts** data for this element
- pp\_have\_section\_sum() (page 44) true if pretty-printing for element has summary section
- pp\_data\_sum() (page 44) pretty-print the summary data for this element
- pp\_have\_section\_ext() (page 44) true if pretty-printing for element has extremes section
- pp\_data\_ext() (page 44) pretty-print the extremes data for this element
- pp\_have\_section\_det() (page 44) true if pretty-printing for element has details section
- pp\_get\_title\_det() (page 44) get title of **details** section for this element
- pp\_get\_headers\_det() (page 45) get pretty-printed **details** headers for this element
- pp\_get\_footers\_det() (page 45) get pretty-printed **details** footers for this element
- pp\_data\_det() (page 45) pretty-print the **details** data for this element
- pp\_data\_row\_det() (page 45) get pretty-printed row of details data for this element

See the sec\_dm\_element section in the *MATPOWER Developer's Manual* for more information. See also mp.data\_model (page 27).

## **Property Summary**

```
tab
    (table) main data table

nr
    (integer) total number of rows in table

n    (integer) number of online elements

ID2i
    (integer) max(ID) x 1 vector, maps IDs to row indices

on
    (integer) n x 1 vector of row indices of online elements

off
    (integer) (nr-n) x 1 vector of row indices of offline elements

i2on
    (integer) nr x 1 vector mapping row index to index in on/off respectively
```

## **Method Summary**

3.2. Data Model Classes 37

#### name()

Get name of element type, e.g. 'bus', 'gen'.

```
name = dme.name()
```

#### Output

**name** (*char array*) – name of element type, must be a valid struct field name

Implementation provided by an element type specific subclass.

#### label()

Get singular label for element type, e.g. 'Bus', 'Generator'.

```
label = dme.label()
```

### Output

label (char array) – user-visible label for element type, when singular

Implementation provided by an element type specific subclass.

### labels()

Get plural label for element type, e.g. 'Buses', 'Generators'.

```
label = dme.labels()
```

### Output

**label** (*char array*) – user-visible label for element type, when plural

Implementation provided by an element type specific subclass.

# cxn\_type()

Type(s) of junction element(s) to which this element connects.

```
name = dme.cxn_type()
```

#### Output

**name** (*char array or cell array of char arrays*) – name(s) of type(s) of junction elements, i.e. node-creating elements (e.g. 'bus'), to which this element connects

Assuming an element with *nc* connections, there are three options for the return value:

- 1. Single char array with one type that applies to all connections, <code>cxn\_idx\_prop()</code> (page 38) returns <code>empty</code>.
- 2. Cell array with *nc* elements, one for each connection, *cxn\_idx\_prop()* (page 38) returns *empty*.
- 3. Cell array of valid junction element types,  $cxn\_idx\_prop()$  (page 38) return value *not empty*. See the sec\_dm\_element\_cxn section in the *MATPOWER Developer's Manual* for more information.

Implementation provided by an element type specific subclass.

See also cxn\_idx\_prop() (page 38), cxn\_type\_prop() (page 39).

# cxn\_idx\_prop()

Name(s) of property(ies) containing indices of junction elements.

```
name = dme.cxn_idx_prop()
```

#### Output

**name** (*char array or cell array of char arrays*) – name(s) of property(ies) containing indices of junction elements that define connections (e.g. {'fbus', 'tbus'})

See the sec\_dm\_element\_cxn section in the MATPOWER Developer's Manual for more information.

Implementation provided by an element type specific subclass.

```
See also cxn_type() (page 38), cxn_type_prop() (page 39).
```

### cxn\_type\_prop()

Name(s) of property(ies) containing types of junction elements.

```
name = dme.cxn_type_prop()
```

#### Output

**name** (*char array or cell array of char arrays*) – name(s) of properties containing type of junction elements for each connection

*Note:* If not empty, dimension must match cxn\_idx\_prop() (page 38)

This is only used if the junction element type can vary by individual element, e.g. some elements of this type connect to one kind of bus, some to another kind. Otherwise, it returns an empty string and the junction element types for the connections are determined solely by  $cxn_type()$  (page 38).

See the sec\_dm\_element\_cxn section in the MATPOWER Developer's Manual for more information.

Implementation provided by an element type specific subclass.

```
See also cxn_type() (page 38), cxn_idx_prop() (page 38).
```

### table\_exists()

Check for existence of data in main data table.

```
TorF = dme.table_exists()
```

### Output

**TorF** (boolean) – true if main data table is not empty

### main\_table\_var\_names()

Names of variables (columns) in main data table.

```
names = dme.main_table_var_names()
```

#### Output

names (cell array of char arrays) – names of variables (columns) in main table

This base class includes the following variables {'uid', 'name', 'status', 'source\_uid'} which are common to all element types and should therefore be included in all subclasses. That is, subclass methods should append their additional fields to those returned by this parent method. For example, a subclass method would like something like the following:

```
function names = main_table_var_names(obj)
  names = horzcat( main_table_var_names@mp.dm_element(obj), ...
  {'subclass_var1', 'subclass_var2'} );
end
```

# export\_vars()

Names of variables to be exported by DMCE to data source.

```
vars = dme.export_vars()
```

### Output

vars (cell array of char arrays) - names of variables to export

Return the names of the variables the data model converter element needs to export to the data source. This is typically the list of variables updated by the solution process, e.g. bus voltages, line flows, etc.

# export\_vars\_offline\_val()

Values of export variables for offline elements.

```
s = dme.export_vars_offline_val()
```

#### Output

**s** (*struct*) – keys are export variable names, values are the corresponding values to assign to these variables for offline elements.

Returns a struct defining the values of export variables for offline elements. Called by *mp. mm\_element.data\_model\_update()* (page 145) to define how to set export variables for offline elements.

Export variables not found in the struct are not modified.

For example, s = struct('va', 0, 'vm', 1) would assign the value 0 to the va variable and 1 to the vm variable for any offline elements.

See also export\_vars() (page 39).

## dm\_converter\_element(dmc, name)

Get corresponding data model converter element.

```
dmce = dme.dm_converter_element(dmc, name)
```

#### **Inputs**

- **dmc** (*mp.dm\_converter* (page 59)) data model converter object
- name (char array) name of element type

#### Output

**dmce** (mp.dmc\_element (page 62)) – data model converter element object

### copy()

Create a duplicate of the data model element object.

```
new_dme = dme.copy()
```

# Output

**new\_dme** (mp.dm\_element (page 35)) – copy() (page 40) of data model element object

#### count(dm)

Determine number of instances of this element in the data.

Store the count in the nr property.

```
nr = dme.count(dm);
```

### Input

```
dm (mp.data_model (page 27)) – data model
```

# Output

**nr** (*integer*) – number of instances (rows of data)

Called for each element by the *count()* (page 29) method of *mp.data\_mode1* (page 27) during the **count** stage of a data model build.

See the sec\_building\_data\_model section in the MATPOWER Developer's Manual for more information.

### initialize(dm)

Initialize a newly created data model element object.

```
dme.initialize(dm)
```

#### Input

```
dm (mp.data_model (page 27)) - data model
```

Initialize the (online/offline) status of each element and create a mapping of ID to row index in the ID2i element property, then call *init\_status()* (page 41).

Called for each element by the <code>initialize()</code> (page 29) method of <code>mp.data\_model</code> (page 27) during the <code>initialize</code> stage of a data model build.

See the sec\_building\_data\_model section in the MATPOWER Developer's Manual for more information.

### ID(idx)

Return unique ID's for all or indexed rows.

```
uid = dme.ID()
uid = dme.ID(idx)
```

## Input

```
idx (integer) – (optional) row index vector
```

Return an *nr* x 1 vector of unique IDs for all rows, i.e. a map of row index to unique ID or, if a row index vector is provided just the ID's of the indexed rows.

### init\_status(dm)

Initialize status column.

```
dme.init_status(dm)
```

#### Input

```
dm (mp.data_model (page 27)) – data model
```

Called by *initialize()* (page 40). Does nothing in the base class.

# update\_status(dm)

Update (online/offline) status based on connectivity, etc.

```
dme.update_status(dm)
```

# Input

```
dm (mp. data_model (page 27)) – data model
```

Update status of each element based on connectivity or other criteria and define element properties containing number and row indices of online elements (n and on), indices of offline elements (off), and mapping (i2on) of row indices to corresponding entries in on or off.

Called for each element by the *update\_status()* (page 29) method of *mp.data\_model* (page 27) during the **update status** stage of a data model build.

See the sec\_building\_data\_model section in the MATPOWER Developer's Manual for more information.

### build\_params(dm)

Extract/convert/calculate parameters for online elements.

```
dme.build_params(dm)
```

#### Input

```
dm (mp.data_model (page 27)) – data model
```

Extract/convert/calculate parameters as necessary for online elements from the original data tables (e.g. p.u. conversion, initial state, etc.) and store them in element-specific properties.

Called for each element by the *build\_params()* (page 30) method of *mp.data\_model* (page 27) during the **build parameters** stage of a data model build.

See the sec\_building\_data\_model section in the MATPOWER Developer's Manual for more information.

Does nothing in the base class.

# rebuild(dm)

Rebuild object, calling count() (page 40), initialize() (page 40), build\_params() (page 41).

```
dme.rebuild(dm)
```

### Input

```
dm (mp.data_model (page 27)) – data model
```

Typically used after modifying data in the main table.

## display()

Display the data model element object.

This method is called automatically when omitting a semicolon on a line that returns an object of this class.

Displays the details of the elements, including total number of rows, number of online elements, and the main data table.

```
pretty_print(dm, section, out_e, mpopt, fd, pp_args)
```

Pretty print data model element to console or file.

```
dme.pretty_print(dm, section, out_e, mpopt, fd, pp_args)
```

## **Inputs**

- **dm** (*mp.data\_model* (page 27)) data model
- section (char array) section identifier, e.g. 'cnt', 'sum', 'ext', or 'det', for counts, summary, extremes, or details sections, respectively
- out e (boolean) output control flag for this element/section
- **mpopt** (*struct*) MATPOWER options struct
- **fd** (*integer*) (*optional*, *default* = 1) file identifier to use for printing, (1 for standard output, 2 for standard error)
- **pp\_args** (*struct*) arbitrary struct of additional pretty printing arguments passed to all sub-methods, allowing a single sub-method to be used for multiple output portions (e.g. for active and reactive power) by passing in a different argument; by convention, arguments for a **branch** element, for example, are passed in **pp\_args.branch**, etc.

# pp\_have\_section(section, mpopt, pp\_args)

True if pretty-printing for element has specified section.

```
TorF = dme.pp_have_section(section, mpopt, pp_args)
```

# Inputs

```
see pretty_print() (page 42) for details
```

#### **Output**

**TorF** (boolean) – true if output includes specified section

Implementation handled by section-specific *pp\_have\_section* methods or *pp\_have\_section\_other()* (page 58).

See also pp\_have\_section\_cnt() (page 43), pp\_have\_section\_sum() (page 44), pp\_have\_section\_ext() (page 44), pp\_have\_section\_det() (page 44).

#### pp\_rows(dm, section, out\_e, mpopt, pp\_args)

Indices of rows to include in pretty-printed output.

```
rows = dme.pp_rows(dm, section, out_e, mpopt, pp_args)
```

### **Inputs**

see pretty\_print() (page 42) for details

#### Output

rows (integer) – index vector of rows to be included in output

- 0 = no rows
- -1 = all rows

Includes all rows by default.

### pp\_get\_headers(dm, section, out\_e, mpopt, pp\_args)

Get pretty-printed headers for this element/section.

```
h = dme.pp_get_headers(dm, section, out_e, mpopt, pp_args)
```

#### **Inputs**

see pretty\_print() (page 42) for details

## Output

**h** (cell array of char arrays) – lines of pretty printed header output for this element/section

Empty by default for counts, summary and extremes sections, and handled by  $pp\_get\_headers\_det()$  (page 45) for details section.

## pp\_get\_footers(dm, section, out\_e, mpopt, pp\_args)

Get pretty-printed footers for this element/section.

```
f = dme.pp_get_footers(dm, section, out_e, mpopt, pp_args)
```

#### **Inputs**

see pretty\_print() (page 42) for details

#### Output

f (cell array of char arrays) – lines of pretty printed footer output for this element/section

Empty by default for counts, summary and extremes sections, and handled by  $pp\_get\_headers\_det()$  (page 45) for details section.

### pp\_data(dm, section, rows, out\_e, mpopt, fd, pp\_args)

Pretty-print the data for this element/section.

```
dme.pp_data(dm, section, rows, out_e, mpopt, fd, pp_args)
```

### **Inputs**

- rows (integer) indices of rows to include, from pp\_rows() (page 43)
- ... see *pretty\_print()* (page 42) for details of other inputs

Implementation handled by section-specific pp\_data methods or pp\_data\_other() (page 58).

See also pp\_data\_cnt() (page 44), pp\_data\_sum() (page 44), pp\_data\_ext() (page 44), pp\_data\_det() (page 45).

```
pp_have_section_cnt(mpopt, pp_args)
```

True if pretty-printing for element has **counts** section.

```
TorF = dme.pp_have_section_cnt(mpopt, pp_args)
```

Default is true.

See also *pp\_have\_section()* (page 42).

### pp\_data\_cnt(dm, rows, out\_e, mpopt, fd, pp\_args)

Pretty-print the **counts** data for this element.

```
dme.pp_data_cnt(dm, rows, out_e, mpopt, fd, pp_args)
```

See also *pp\_data()* (page 43).

### pp\_have\_section\_sum(mpopt, pp\_args)

True if pretty-printing for element has **summary** section.

```
TorF = dme.pp_have_section_sum(mpopt, pp_args)
```

Default is **false**.

See also *pp\_have\_section()* (page 42).

# pp\_data\_sum(dm, rows, out\_e, mpopt, fd, pp\_args)

Pretty-print the **summary** data for this element.

Does nothing by default.

See also pp\_data() (page 43).

# pp\_have\_section\_ext(mpopt, pp\_args)

True if pretty-printing for element has **extremes** section.

```
TorF = dme.pp_have_section_ext(mpopt, pp_args)
```

Default is **false**.

See also pp\_have\_section() (page 42).

# pp\_data\_ext(dm, rows, out\_e, mpopt, fd, pp\_args)

Pretty-print the **extremes** data for this element.

```
dme.pp_data_ext(dm, rows, out_e, mpopt, fd, pp_args)
```

Does nothing by default.

See also *pp\_data()* (page 43).

### pp\_have\_section\_det(mpopt, pp\_args)

True if pretty-printing for element has **details** section.

```
TorF = dme.pp_have_section_det(mpopt, pp_args)
```

Default is false.

See also *pp\_have\_section()* (page 42).

```
pp_get_title_det(mpopt, pp_args)
    Get title of details section for this element.
    str = dme.pp_get_title_det(mpopt, pp_args)
        Inputs
          see pretty_print() (page 42) for details
       Output
          str (char array) - title of details section, e.g. 'Bus Data', 'Generator Data', etc.
    Called by pp_get_headers_det() (page 45) to insert title into detail section header.
pp_get_headers_det(dm, out_e, mpopt, pp_args)
    Get pretty-printed details headers for this element.
    h = dme.pp_get_headers_det(dm, out_e, mpopt, pp_args)
    See also pp_get_headers() (page 43).
pp_get_footers_det(dm, out_e, mpopt, pp_args)
    Get pretty-printed details footers for this element.
    f = dme.pp_get_footers_det(dm, out_e, mpopt, pp_args)
    Empty by default.
    See also pp_get_footers() (page 43).
pp_data_det(dm, rows, out_e, mpopt, fd, pp_args)
    Pretty-print the details data for this element.
    dme.pp_data_det(dm, rows, out_e, mpopt, fd, pp_args)
    Calls pp_data_row_det() (page 45) for each row.
    See also pp_data() (page 43), pp_data_row_det() (page 45).
pp_data_row_det(dm, k, out_e, mpopt, fd, pp_args)
    Get pretty-printed row of details data for this element.
    str = dme.pp_data_row_det(dm, k, out_e, mpopt, fd, pp_args)
```

## **Inputs**

• **k** (*integer*) – index of row to print

• ... – see pretty\_print() (page 42) for details of other inputs

#### Output

**str** (*char array*) – row of data (*without newline*)

Called by *pp\_data\_det()* (page 45) for each row.

# mp.dme branch

### class mp.dme\_branch

Bases: mp.dm\_element (page 35)

mp.dme\_branch (page 46) - Data model element for branch.

Implements the data element model for branch elements, including transmission lines and transformers.

Adds the following columns in the main data table, found in the tab property:

Name	Туре	Description
bus_fr	integer	bus ID (uid) of "from" bus
bus_to	integer	bus ID (uid) of "to" bus
r	double	per unit series resistance
x	double	per unit series reactance
$g\_fr$	double	per unit shunt conductance at "from" end
b_fr	double	per unit shunt susceptance at "from" end
g_to	double	per unit shunt conductance at "to" end
b_to	double	per unit shunt susceptance at "to" end
sm_ub_a	double	long term apparent power rating (MVA)
sm_ub_b	double	short term apparent power rating (MVA)
sm_ub_c	double	emergency apparent power rating (MVA)
cm_ub_a	double	long term current magnitude rating (MVA equivalent at 1 p.u. voltage)
cm_ub_b	double	short term current magnitude rating (MVA equivalent at 1 p.u. voltage)
cm_ub_c	double	emergency current magnitude rating (MVA equivalent at 1 p.u. voltage)
vad_lb	double	voltage angle difference lower bound
vad_ub	double	voltage angle difference upper bound
tm	double	transformer off-nominal turns ratio
ta	double	transformer phase-shift angle (degrees)
pl_fr	double	active power injection at "from" end
ql_fr	double	reactive power injection at "from" end
pl_to	double	active power injection at "to" end
ql_to	double	reactive power injection at "to" end

# **Property Summary**

```
fbus
```

bus index vector for "from" port (port 1) (all branches)

# tbus

bus index vector for "to" port (port 2) (all branches)

 ${f r}$  series resistance (p.u.) for branches that are on

 $\mathbf{x}$  series reactance (p.u.) for branches that are on

### g\_fr

shunt conductance (p.u.) at "from" end for branches that are on

# g\_to

shunt conductance (p.u.) at "to" end for branches that are on

```
b_fr
         shunt susceptance (p.u.) at "from" end for branches that are on
    b_to
         shunt susceptance (p.u.) at "to" end for branches that are on
    tm
         transformer off-nominal turns ratio for branches that are on
    ta
         xformer phase-shift angle (radians) for branches that are on
    rate_a
        long term flow limit (p.u.) for branches that are on
Method Summary
    name()
    label()
    labels()
     cxn_type()
    cxn_idx_prop()
    main_table_var_names()
    export_vars()
    export_vars_offline_val()
    initialize(dm)
    update_status(dm)
    build_params(dm)
    pp_data_cnt(dm, rows, out_e, mpopt, fd, pp_args)
    pp_have_section_sum(mpopt, pp_args)
    pp_data_sum(dm, rows, out_e, mpopt, fd, pp_args)
    pp_get_headers_det(dm, out_e, mpopt, pp_args)
    pp_have_section_det(mpopt, pp_args)
    pp_data_row_det(dm, k, out_e, mpopt, fd, pp_args)
```

3.2. Data Model Classes 47

# mp.dme branch opf

### class mp.dme\_branch\_opf

```
Bases: mp.dme_branch (page 46), mp.dme_shared_opf (page 58)
```

mp.dme\_branch\_opf (page 48) - Data model element for branch for OPF.

To parent class *mp.dme\_branch* (page 46), adds shadow prices on flow and angle difference limits, and pretty-printing for **lim** sections.

Adds the following columns in the main data table, found in the tab property:

Name	Туре	Description
mu_flow_fr_uk	dou- ble	shadow price on flow constraint at "from" end $(u/MVA)^1$
mu_flow_to_uk	dou- ble	shadow price on flow constraint at "to" end $(u/MVA)^1$
mu_vad_lb	dou- ble	shadow price on lower bound of voltage angle difference constraint $(u/degree)^1$
mu_vad_ub	dou- ble	shadow price on upper bound of voltage angle difference constraint $(u/degree)^1$

# **Method Summary**

```
main_table_var_names()
export_vars()
export_vars_offline_val()
pretty_print(dm, section, out_e, mpopt, fd, pp_args)
pp_have_section_lim(mpopt, pp_args)
pp_binding_rows_lim(dm, out_e, mpopt, pp_args)
pp_get_title_lim(mpopt, pp_args)
pp_get_headers_lim(dm, out_e, mpopt, pp_args)
pp_data_row_lim(dm, k, out_e, mpopt, fd, pp_args)
```

 $<sup>^{1}</sup>$  Here u denotes the units of the objective function, e.g. USD.

# mp.dme bus

### class mp.dme\_bus

```
Bases: mp.dm_element (page 35)
```

mp.dme\_bus (page 49) - Data model element for bus.

Implements the data element model for bus elements.

Adds the following columns in the main data table, found in the tab property:

Name	Туре	Description
base_kv	double	base voltage (kV)
type	integer	bus type $(1 = PQ, 2 = PV, 3 = ref, 4 = isolated)$
area	integer	area number
zone	integer	loss zone
vm_lb	double	voltage magnitude lower bound (p.u.)
vm_ub	double	voltage magnitude upper bound (p.u.)
va	double	voltage angle (degrees)
vm	double	voltage magnitude (p.u.)

# **Property Summary**

```
type
```

node type (page 49) vector for buses that are on

#### vm\_start

initial voltage magnitudes (p.u.) for buses that are on

# va\_start

initial voltage angles (radians) for buses that are on

#### vm\_lb

voltage magnitude lower bounds for buses that are on

# vm\_ub

voltage magnitude upper bounds for buses that are on

### vm\_control

true if voltage is controlled, for buses that are on

# **Method Summary**

name()

label()

labels()

main\_table\_var\_names()

export\_vars()

export\_vars\_offline\_val()

init\_status(dm)

```
update_status(dm)
build_params(dm)

pp_data_cnt(dm, rows, out_e, mpopt, fd, pp_args)

pp_have_section_ext(mpopt, pp_args)

pp_data_ext(dm, rows, out_e, mpopt, fd, pp_args)

pp_have_section_det(mpopt, pp_args)

pp_get_headers_det(dm, out_e, mpopt, pp_args)

pp_data_row_det(dm, k, out_e, mpopt, fd, pp_args)

set_bus_type_ref(dm, idx)

set_bus_type_pv(dm, idx)
```

# mp.dme\_bus\_opf

### class mp.dme\_bus\_opf

```
Bases: mp.dme_bus (page 49), mp.dme_shared_opf (page 58)
```

mp.dme\_bus\_opf (page 50) - Data model element for bus for OPF.

To parent class *mp.dme\_bus* (page 49), adds shadow prices on power balance and voltage magnitude limits, and pretty-printing for **lim** sections.

Adds the following columns in the main data table, found in the tab property:

Name	Type	Description
lam_p	dou- ble	active power nodal price, i.e. shadow price on active power balance constraint $(u/MW)^1$
lam_q	dou- ble	reactive power nodal price, i.e. shadow price on reactive power balance constraint $(u/MVAr)^1$
mu_vm_1}	dou- ble	shadow price on voltage magnitude lower bound $(u/p.u.)^1$
mu_vm_ul	dou- ble	shadow price on voltage magnitude upper bound $(u/p.u.)^1$

# **Method Summary**

```
main_table_var_names()
export_vars()
export_vars_offline_val()
```

 $<sup>\</sup>frac{1}{1}$  Here u denotes the units of the objective function, e.g. USD.

```
pp_data_ext(dm, rows, out_e, mpopt, fd, pp_args)
pp_get_headers_det(dm, out_e, mpopt, pp_args)
pp_data_row_det(dm, k, out_e, mpopt, fd, pp_args)
pp_have_section_lim(mpopt, pp_args)
pp_binding_rows_lim(dm, out_e, mpopt, pp_args)
pp_get_headers_lim(dm, out_e, mpopt, pp_args)
pp_data_row_lim(dm, k, out_e, mpopt, fd, pp_args)
```

# mp.dme\_gen

## class mp.dme\_gen

Bases: mp.dm\_element (page 35)

mp.dme\_gen (page 51) - Data model element for generator.

Implements the data element model for generator elements.

Adds the following columns in the main data table, found in the tab property:

Name	Туре	Description
bus	integer	bus ID (uid)
vm_setpoint	double	voltage magnitude setpoint (p.u.)
pg_lb	double	active power output lower bound (MW)
pg_ub	double	active power output upper bound (MW)
qg_lb	double	reactive power output lower bound (MVAr)
qg_ub	double	reactive power output upper bound (MVAr)
pg	double	active power output (MW)
qg	double	reactive power output (MVAr)
startup_cost_cold	double	cold startup cost (USD)
pc1	double	lower active power output of PQ capability curve (MW)
pc2	double	upper active power output of PQ capability curve (MW)
qc1_lb	double	lower bound on reactive power output at pc1 (MVAr)
qc1_ub	double	upper bound on reactive power output at pc1 (MVAr)
qc2_lb	double	lower bound on reactive power output at pc2 (MVAr)
qc2_ub	double	upper bound on reactive power output at pc2 (MVAr)

# **Property Summary**

bus

bus (page 51) index vector (all gens)

bus\_on

vector of indices into online buses for gens that are on

pg\_start

initial active power (p.u.) for gens that are on

3.2. Data Model Classes

```
qg_start
         initial reactive power (p.u.) for gens that are on
     vm_setpoint
         generator voltage setpoint for gens that are on
    pg_lb
         active power lower bound (p.u.) for gens that are on
    pg_ub
         active power upper bound (p.u.) for gens that are on
    qg_lb
         reactive power lower bound (p.u.) for gens that are on
    qg_ub
         reactive power upper bound (p.u.) for gens that are on
Method Summary
    name()
     label()
    labels()
     cxn_type()
     cxn_idx_prop()
    main_table_var_names()
     export_vars()
     export_vars_offline_val()
    have_cost()
     initialize(dm)
    update_status(dm)
     apply_vm_setpoint(dm)
    build_params(dm)
    violated_q_lims(dm, mpopt)
     isload(idx)
    pp_have_section_sum(mpopt, pp_args)
    pp_data_sum(dm, rows, out_e, mpopt, fd, pp_args)
    pp_have_section_det(mpopt, pp_args)
    pp_get_headers_det(dm, out_e, mpopt, pp_args)
    pp_get_footers_det(dm, out_e, mpopt, pp_args)
    pp_data_row_det(dm, k, out_e, mpopt, fd, pp_args)
```

# mp.dme gen opf

### class mp.dme\_gen\_opf

```
Bases: mp.dme_gen (page 51), mp.dme_shared_opf (page 58)
```

mp.dme\_gen\_opf (page 53) - Data model element for generator for OPF.

To parent class *mp.dme\_gen* (page 51), adds costs, shadow prices on active and reactive generation limits, and pretty-printing for *lim* sections.

Adds the following columns in the main data table, found in the tab property:

Name	Туре	Description
cost_pg	mp.cost_table	active power cost $(u/MW)^{1}$
cost_qg	mp.cost_table	reactive power cost $(u/MVAr)^1$
mu_pg_lb	double	shadow price on active power output lower bound $(u/MW)^1$
mu_pg_ub	double	shadow price on active power output upper bound $(u/MW)^1$
mu_qg_lb	double	shadow price on reactive power output lower bound $(u/MVAr)^1$
mu_qg_ub	double	shadow price on reactive power output upper bound $(u/MVAr)^1$

The cost tables cost\_pg and cost\_qg are defined as tables with the following columns:

See also mp.cost\_table (page 161).

# **Method Summary**

```
main_table_var_names()
export_vars()
export_vars_offline_val()
have_cost()
build_cost_params(dm, dc)
max_pwl_gencost()
pretty_print(dm, section, out_e, mpopt, fd, pp_args)
pp_have_section_lim(mpopt, pp_args)
pp_binding_rows_lim(dm, out_e, mpopt, pp_args)
pp_get_headers_lim(dm, out_e, mpopt, pp_args)
pp_data_row_lim(dm, k, out_e, mpopt, fd, pp_args)
```

 $<sup>^{1}</sup>$  Here u denotes the units of the objective function, e.g. USD.

# mp.dme load

### class mp.dme\_load

Bases: mp.dm\_element (page 35)

mp.dme\_load (page 54) - Data model element for load.

Implements the data element model for load elements, using a ZIP load model.

Adds the following columns in the main data table, found in the tab property:

Name	Туре	Description
bus	integer	bus ID (uid)
pd	double	$p_p$ , active constant power demand (MW)
qd	double	$q_p$ , reactive constant power demand (MVAr)
pd_i	double	$p_i$ , active nominal constant current demand $(MW)$
qd_i	double	$q_i$ , reactive nominal constant current demand (MVAr)
pd_z	double	$p_z$ , active nominal constant impedance demand (MW)
qd_z	double	$q_z$ , reactive nominal constant impedance demand (MVAr)
p	double	p, total active demand $(MW)$
q	double	q, total reactive demand (MVAr)

Implements a ZIP load model, where each load has three components, and total demand for the load i is given by

$$s = s_p + s_i |\mathbf{v}| + s_z |\mathbf{v}|^2$$

$$p + jq = (p_p + jq_p) + (p_i + jq_i) |\mathbf{v}| + (p_z + jq_z) |\mathbf{v}|^2$$
(3.1)

# **Property Summary**

bus

bus (page 54) index vector (all loads)

pd

active power demand (p.u.) for constant power loads that are on

qd

reactive power demand (p.u.) for constant power loads that are on

pd\_i

active power demand (p.u.) for constant current loads that are on

qd\_i

reactive power demand (p.u.) for constant current loads that are on

pd\_z

active power demand (p.u.) for constant impedance loads that are on

qd\_z

reactive power demand (p.u.) for constant impedance loads that are on

# **Method Summary**

name()

<sup>&</sup>lt;sup>1</sup> Nominal means for a voltage of 1 p.u.

```
label()
          labels()
          cxn_type()
          cxn_idx_prop()
          main_table_var_names()
          count(dm)
          update_status(dm)
          build_params(dm)
          pp_have_section_sum(mpopt, pp_args)
          pp_data_sum(dm, rows, out_e, mpopt, fd, pp_args)
          pp_have_section_det(mpopt, pp_args)
          pp_get_headers_det(dm, out_e, mpopt, pp_args)
          pp_get_footers_det(dm, out_e, mpopt, pp_args)
          pp_data_row_det(dm, k, out_e, mpopt, fd, pp_args)
mp.dme load cpf
class mp.dme_load_cpf
     Bases: mp.dme_load (page 54)
     mp.dme_load_cpf (page 55) - Data model element for load for CPF.
     To parent class mp.dme_load (page 54), adds method for adjusting model parameters based on value of contin-
     uation parameter \lambda, and overrides export_vars to export these updated parameter values.
     Method Summary
          export_vars()
          parameterized(dm, dmb, dmt, lam)
mp.dme load opf
class mp.dme_load_opf
     Bases: mp.dme_load (page 54), mp.dme_shared_opf (page 58)
     mp.dme_load_opf (page 55) - Data model element for load for OPF.
     To parent class mp.dme_load (page 54), adds pretty-printing for lim sections.
```

3.2. Data Model Classes 55

# mp.dme shunt cpf

### class mp.dme\_shunt\_cpf

```
Bases: mp.dme_shunt (page 56)
```

mp.dme\_shunt\_cpf (page 56) - Data model element for shunt for CPF.

To parent class  $mp.dme\_shunt$  (page 56), adds method for adjusting model parameters based on value of continuation parameter  $\lambda$ , and overrides  $export\_vars()$  (page 56) to export these updated parameter values.

### **Method Summary**

```
export_vars()
```

parameterized(dm, dmb, dmt, lam)

## mp.dme shunt

### class mp.dme\_shunt

Bases: mp.dm\_element (page 35)

mp.dme\_shunt (page 56) - Data model element for shunt.

Implements the data element model for shunt elements.

Adds the following columns in the main data table, found in the tab property:

Name	Туре	Description
bus	inte- ger	bus ID (uid)
gs	dou- ble	$g_s$ , shunt conductance, specified as nominal active power demand (MW)
bs	dou- ble	$b_s$ , shunt susceptance, specified as nominal reactive power injection (MVAr)
p	dou- ble	p, total active power absorbed ( $MW$ )
q	dou- ble	q, total reactive power absorbed ( $MVAr$ )

# **Property Summary**

bus

bus (page 56) index vector (all shunts)

gs

shunt conductance (p.u. active power demanded at

<sup>&</sup>lt;sup>1</sup> Nominal means for a voltage of 1 p.u.

```
bs
              V = 1.0 \text{ p.u.}) for shunts that are on
     Method Summary
          name()
          label()
          labels()
          cxn_type()
          cxn_idx_prop()
          main_table_var_names()
          count(dm)
          update_status(dm)
          build_params(dm)
          pp_have_section_sum(mpopt, pp_args)
          pp_data_sum(dm, rows, out_e, mpopt, fd, pp_args)
          pp_have_section_det(mpopt, pp_args)
          pp_get_headers_det(dm, out_e, mpopt, pp_args)
          pp_get_footers_det(dm, out_e, mpopt, pp_args)
          pp_data_row_det(dm, k, out_e, mpopt, fd, pp_args)
mp.dme_shunt_opf
class mp.dme_shunt_opf
     Bases: mp.dme_shunt (page 56), mp.dme_shared_opf (page 58)
     mp.dme_shunt_opf (page 57) - Data model element for shunt for OPF.
     To parent class mp.dme_shunt (page 56), adds pretty-printing for lim sections.
```

# 3.2.3 Element Mixins

3.2. Data Model Classes

```
mp.dme shared opf
class mp.dme_shared_opf
     Bases: handle
     mp.dme_shared_opf (page 58) - Mixin class for OPF data model element objects.
     For all elements of mp. data_model_opf (page 34), adds shared functionality for pretty-printing of lim sections.
     Property Summary
          ctol
              constraint violation tolerance
          ptol
              shadow price tolerance
     Method Summary
          pp_set_tols_lim(mpopt)
          pp_have_section_other(section, mpopt, pp_args)
          pp_rows_other(dm, section, out_e, mpopt, pp_args)
          pp_get_headers_other(dm, section, out_e, mpopt, pp_args)
          pp_get_footers_other(dm, section, out_e, mpopt, pp_args)
          pp_data_other(dm, section, rows, out_e, mpopt, fd, pp_args)
          pp_have_section_lim(mpopt, pp_args)
          pp_rows_lim(dm, out_e, mpopt, pp_args)
          pp_binding_rows_lim(dm, out_e, mpopt, pp_args)
          pp_get_title_lim(mpopt, pp_args)
          pp_get_headers_lim(dm, out_e, mpopt, pp_args)
          pp_get_footers_lim(dm, out_e, mpopt, pp_args)
          pp_data_lim(dm, rows, out_e, mpopt, fd, pp_args)
```

# 3.3 Data Model Converter Classes

pp\_data\_row\_lim(dm, k, out\_e, mpopt, fd, pp\_args)

# 3.3.1 Containers

### mp.dm converter

#### class mp.dm\_converter

Bases: mp.element\_container (page 165)

mp.dm\_converter (page 59) - Abstract base class for MATPOWER data model converter objects.

A data model converter provides the ability to convert data between a data model and a specific data source or format, such as the PSS/E RAW format or version 2 of the MATPOWER case format. It is used, for example, during the import stage of the data model build process.

A data model converter object is primarily a container for data model converter element (mp.dmc\_element (page 62)) objects. Concrete data model converter classes are specific to the type or format of the data source.

By convention, data model converter variables are named dmc and data model converter class names begin with mp.dm\_converter.

#### mp.dm\_converter Methods:

- format\_tag() (page 59) return char array identifier for data source/format
- copy() (page 59) make duplicate of object
- build() (page 59) create and add element objects
- import () (page 59) import data from a data source into a data model
- export () (page 60) export data from a data model to a data source
- init\_export() (page 60) initialize a data source for export
- save() (page 60) save data source to a file
- display() (page 60) display the data model converter object

See the sec\_dm\_converter section in the MATPOWER Developer's Manual for more information.

See also mp.data\_model (page 27), mp.task (page 7).

#### **Method Summary**

#### format\_tag()

Return a short char array identifier for data source/format.

```
tag = dmc.format_tag()
```

E.g. the subclass for the MATPOWER case format returns 'mpc2'.

Note: This is an abstract method that must be implemented by a subclass.

### copy()

Create a duplicate of the data model converter object, calling the copy() method on each element.

```
new_dmc = dmc.copy()
```

## build()

Create and add data model converter element objects.

```
dmc.build()
```

Create the data model converter element objects by instantiating each class in the *element\_classes* (page 165) property and adding the resulting object to the *elements* (page 165) property.

### import(dm, d)

Import data from a data source into a data model.

```
dm = dmc.import(dm, d)
```

## **Inputs**

- **dm** (*mp.data\_model* (page 27)) data model
- **d** data source, type depends on the implementing subclass (e.g. MATPOWER case struct for *mp.dm\_converter\_mpc2* (page 61))

### Output

**dm** (mp.data\_model (page 27)) – updated data model

Calls the *import()* (page 59) method for each data model converter element and its corresponding data model element.

# export(dm, d)

Export data from a data model to a data source.

```
d = dmc.export(dm, d)
```

#### **Inputs**

- dm (mp.data\_model (page 27)) data model
- **d** data source, type depends on the implementing subclass (e.g. MATPOWER case struct for mp.dm\_converter\_mpc2 (page 61))

## Output

**d** – updated data source

Calls the *export()* (page 60) method for each data model converter element and its corresponding data model element.

#### init\_export(dm)

Initialize a data source for export.

```
d = dmc.export(dm)
```

# Input

dm (mp.data\_model (page 27)) - data model

#### Output

d – new empty data source, type depends on the implementing subclass (e.g. MATPOWER case struct for  $mp.dm\_converter\_mpc2$  (page 61))

Creates a new data source of the appropriate type in preparation for calling *export()* (page 60).

### save(fname, d)

Save data source to a file.

```
fname_out = dmc.save(fname, d)
```

### **Inputs**

- **fname** (char array)
- **d** data source, type depends on the implementing subclass (e.g. MATPOWER case struct for mp.dm\_converter\_mpc2 (page 61))

# Output

**fname\_out** (*char array*) – final file name after saving, possibly modified from input (e.g. extension added)

Note: This is an abstract method that must be implemented by a subclass.

## display()

Display the data model converter object.

This method is called automatically when omitting a semicolon on a line that returns an object of this class.

Displays the details of the data model converter elements.

### mp.dm converter mpc2

#### class mp.dm\_converter\_mpc2

```
Bases: mp.dm_converter (page 59)
```

```
mp.dm_converter_mpc2 (page 61) - MATPOWER data model converter for MATPOWER case v2.
```

This class implements importing/exporting of data models for version 2 of the classic MATPOWER case format. That is, the *data source* **d** for this class is expected to be a MATPOWER case struct.

# mp.dm\_converter\_mpc2 Methods:

- dm\_converter\_mpc2() (page 61) constructor
- format\_tag() (page 61) return char array identifier for data source/format ('mpc2')
- import () (page 61) import data from a MATPOWER case struct into a data model
- export() export data from a data model to a MATPOWER case struct
- save () (page 61) save MATPOWER case struct to a file

See also mp.dm\_converter (page 59).

# **Constructor Summary**

```
dm_converter_mpc2()
```

Specify the element classes for handling MATPOWER case format.

# **Method Summary**

```
format_tag()
```

Return identifier tag  $\mbox{'mpc2'}$  for version 2 MATPOWER case format.

```
import(dm, d)
```

Import data from a version 2 MATPOWER case struct into a data model.

## init\_export(dm)

Initialize a MATPOWER case struct for export.

```
save(fname, d)
```

Save a MATPOWER case struct to a file.

## mp.dm converter mpc2 legacy

#### class mp.dm\_converter\_mpc2\_legacy

Bases: mp.dm\_converter\_mpc2 (page 61)

mp.dm\_converter\_mpc2\_legacy (page 62) - Legacy MATPOWER data model converter for MATPOWER case v2.

Adds to mp.dm\_converter\_mpc2 (page 61) the ability to handle legacy user customization.

### mp.dm\_converter\_mpc2\_legacy Methods:

- legacy\_user\_mod\_inputs() (page 62) pre-process legacy inputs for use-defined customization
- legacy\_user\_nln\_constraints() (page 62) pre-process legacy inputs for user-defined nonlinear constraints

See also mp. dm\_converter (page 59), mp. dm\_converter\_mpc2 (page 61), mp. task\_opf\_legacy (page 25).

### **Method Summary**

# legacy\_user\_mod\_inputs(dm, mpopt, dc)

Handle pre-processing of inputs related to legacy user-defined variables, costs, and constraints. This includes optional mpc fields A, l, u, N, fparm, H1, Cw, z0, z1, zu and user\_constraints.

# legacy\_user\_nln\_constraints(dm, mpopt)

Handle pre-processing of inputs related to legacy user-defined non-linear constraints, specifically optional mpc fields user\_constraints.nle and user\_constraints.nli.

Called by legacy\_user\_mod\_inputs() (page 62) method.

# 3.3.2 Elements

### mp.dmc element

### class mp.dmc\_element

Bases: handle

mp.dmc\_element (page 62)- Abstract base class for data model converter element objects.

A data model converter element object implements the functionality needed to import and export a particular element type from and to a given data format. All data model converter element classes inherit from mp. dmc\_element (page 62) and each element type typically implements its own subclass.

By convention, data model converter element variables are named dmce and data model converter element class names begin with mp.dmce.

Typically, much of the import/export functionality for a particular concrete subclass can be defined simply by implementing the *table\_var\_map()* (page 65) method.

### mp.dmc element Methods:

- name() (page 63) get name of element type, e.g. 'bus', 'gen'
- data\_model\_element() (page 63) get corresponding data model element
- data\_field() (page 63) get name of field in data source corresponding to default data table

- data\_subs() (page 64) get subscript reference struct for accessing data source
- data\_exists() (page 64) check if default field exists in data source
- get\_import\_spec() (page 64) get import specification
- get\_export\_spec() (page 64) get export specification
- get\_import\_size() (page 65) get dimensions of data to be imported
- get\_export\_size() (page 65) get dimensions of data to be exported
- table\_var\_map() (page 65) get variable map for import/export
- import () (page 65) import data from data source into data model element
- import\_table\_values() (page 66) import table values for given import specification
- get\_input\_table\_values() (page 66) get values to insert in data model element table
- import\_col() (page 66) extract and optionally modify values from data source column
- export () (page 67) export data from data model element to data source
- export\_table\_values() (page 67) export table values for given import specification
- init\_export\_data() (page 67) initialize data source for export from data model element
- default\_export\_data\_table() (page 68) create default (empty) data table for data source
- default\_export\_data\_nrows() (page 68) get number of rows default\_export\_data\_table() (page 68)
- export\_col() (page 68) export a variable (table column) to the data source

See the sec\_dmc\_element section in the MATPOWER Developer's Manual for more information.

See also mp.dm\_converter (page 59).

### **Method Summary**

#### name()

Get name of element type, e.g. 'bus', 'gen'.

```
name = dmce.name()
```

# Output

name (char array) – name of element type, must be a valid struct field name

Implementation provided by an element type specific subclass.

#### data\_model\_element(dm, name)

Get the corresponding data model element.

```
dme = dmce.data_model_element(dm, name)
```

# **Inputs**

- **dm** (*mp.data\_model* (page 27)) data model object
- name (char array) name of element type

#### Output

**dme** (mp.dm\_element (page 35)) – data model element object

### data\_field()

Get name of field in data source corresponding to default data table.

```
df = dmce.data_field()
```

## Output

df (char array) – field name

#### data\_subs()

Get subscript reference struct for accessing data source.

```
s = dmce.data_subs()
```

#### Output

s (*struct*) – same as the s input argument to the built-in subsref(), to access this element's data in data source, with fields:

- type character vector or string containing '()', '{}', or '.' specifying the subscript type
- subs cell array, character vector, or string containing the actual subscripts

The default implementation in this base class uses the return value of the <code>data\_field()</code> (page 63) method to access a field of the data source struct. That is:

```
s = struct('type', '.', 'subs', dmce.data_field());
```

#### data\_exists(d)

Check if default field exists in data source.

```
TorF = dmce.data_exists(d)
```

### Input

d – data source, type depends on the implementing subclass (e.g. MATPOWER case struct for  $mp.dm\_converter\_mpc2$  (page 61))

#### Output

**TorF** (boolean) – true if field exists

Check if value returned by data\_field() (page 63) exists as a field in d.

## get\_import\_spec(dme, d)

Get import specification.

```
spec = dmce.get_import_spec(dme, d)
```

# Inputs

- **dme** (*mp.dm\_element* (page 35)) data model element object
- **d** data source, type depends on the implementing subclass (e.g. MATPOWER case struct for *mp.dm\_converter\_mpc2* (page 61))

## Output

**spec** (*struct*) – import specification, with keys:

- 'subs' subscript reference struct for accessing data source, as returned by data\_subs() (page 64)
- 'nr', 'nc', 'r' number of rows, number of columns, row index vector, as returned by get\_import\_size() (page 65)
- 'vmap' variable map, as returned by table\_var\_map() (page 65)

See also *get\_export\_spec()* (page 64).

#### get\_export\_spec(dme, d)

Get export specification.

```
spec = dmce.get_export_spec(dme, d)
```

## **Inputs**

- dme (mp.dm\_element (page 35)) data model element object
- **d** data source, type depends on the implementing subclass (e.g. MATPOWER case struct for *mp.dm\_converter\_mpc2* (page 61))

#### Output

spec (struct) - export specification, see get\_import\_spec() (page 64)

See also get\_import\_spec() (page 64).

### get\_import\_size(d)

Get dimensions of data to be imported.

#### Input

**d** – data source, type depends on the implementing subclass (e.g. MATPOWER case struct for mp.dm\_converter\_mpc2 (page 61))

## **Outputs**

- **nr** (*integer*) number of rows of data
- nc (integer) number of columns of data
- **r** (*integer*) optional index vector (*empty by default*) of rows in data source field that correspond to data to be imported

### get\_export\_size(dme)

Get dimensions of data to be exported.

```
[nr, nc, r] = dmce.get_export_size(dme)
```

# Input

dme (mp.dm\_element (page 35)) – data model element object

#### **Outputs**

- **nr** (*integer*) number of rows of data
- nc (integer) number of columns of data
- **r** (*integer*) optional index vector (*empty by default*) of rows in main table of dme that correspond to data to be exported

## table\_var\_map(dme, d)

Get variable map for import/export.

```
vmap = dmce.table_var_map(dme, d)
```

#### **Inputs**

- **dme** (*mp.dm\_element* (page 35)) data model element object
- **d** data source, type depends on the implementing subclass (e.g. MATPOWER case struct for mp.dm\_converter\_mpc2 (page 61))

# Output

**vmap** (*struct*) – variable map, see tab\_var\_map in the *MATPOWER Developer's Manual* for details

This method initializes each entry to {'col', []} by default, so subclasses only need to assign vmap. (vn) {2} for columns that map directly from a column of the data source.

```
import(dme, d, var\ names, ridx)
```

Import data from data source into data model element.

```
dme = dmce.import(dme, d, var_names, ridx)
```

#### **Inputs**

- **dme** (*mp.dm\_element* (page 35)) data model element object
- **d** data source, type depends on the implementing subclass (e.g. MATPOWER case struct for *mp.dm\_converter\_mpc2* (page 61))
- **var\_names** (*cell array*) (*optional*) list of names of variables (columns of main table) to import (*default is all variables*)
- ridx (integer) (optional) vector of row indices of data to import (default is all rows)

#### Output

**dme** (mp.dm\_element (page 35)) – updated data model element object

See also *export()* (page 67).

import\_table\_values(dme, d, spec, var\_names, ridx)

Import table values for given import specification.

```
dme = dmce.import_table_values(dme, d, spec, var_names, ridx)
```

#### **Inputs**

- **dme** (*mp.dm\_element* (page 35)) data model element object
- **d** data source, type depends on the implementing subclass (e.g. MATPOWER case struct for mp.dm\_converter\_mpc2 (page 61))
- **spec** (*struct*) import specification, see *get\_import\_spec()* (page 64)
- var\_names (*cell array*) (*optional*) list of names of variables (columns of main table) to import (*default is all variables*)
- ridx (integer) (optional) vector of row indices of data to import (default is all rows)

#### Output

**dme** (*mp.dm\_element* (page 35)) – updated data model element object

Called by import() (page 65).

get\_input\_table\_values(d, spec, var\_names, ridx)

Get values to insert in data model element table.

```
vals = dmce.get_input_table_values(d, spec, var_names, ridx)
```

### **Inputs**

- **d** data source, type depends on the implementing subclass (e.g. MATPOWER case struct for mp.dm\_converter\_mpc2 (page 61))
- **spec** (*struct*) import specification, see *get\_import\_spec()* (page 64)
- var\_names (*cell array*) (*optional*) list of names of variables (columns of main table) to import (*default is all variables*)
- ridx (integer) (optional) vector of row indices of data to import (default is all rows)
  Output

vals (cell array) – values to assign to table columns in data model element

Called by import\_table\_values() (page 66).

 $import\_col(d, spec, vn, c, sf)$ 

Extract and optionally modify values from data source column.

```
vals = dmce.import_col(d, spec, vn, c, sf)
```

## **Inputs**

- **d** data source, type depends on the implementing subclass (e.g. MATPOWER case struct for mp.dm\_converter\_mpc2 (page 61))
- **spec** (*struct*) import specification, see *get\_import\_spec(*) (page 64)
- vn (char array) variable name
- c (integer) column index for data in data source
- **sf** (double or function handle) (optional) scale factor, function is called as sf(dmce, vn)

#### Output

vals (cell array) – values to assign to table columns in data model element

Called by get\_input\_table\_values() (page 66).

```
export(dme, d, var_names, ridx)
```

Export data from data model element to data source.

```
d = dmce.export(dme, d, var_names, ridx)
```

#### **Inputs**

- **dme** (*mp.dm\_element* (page 35)) data model element object
- **d** data source, type depends on the implementing subclass (e.g. MATPOWER case struct for mp.dm\_converter\_mpc2 (page 61))
- **var\_names** (*cell array*) (*optional*) list of names of variables (columns of main table) to export (*default is all variables*)
- ridx (integer) (optional) vector of row indices of data to export (default is all rows)

#### Output

**d** – updated data source

See also import() (page 65).

export\_table\_values(dme, d, spec, var\_names, ridx)

Export table values for given import specification.

```
d = dmce.export_table_values(dme, d, spec, var_names, ridx)
```

# **Inputs**

- **dme** (*mp.dm\_element* (page 35)) data model element object
- **d** data source, type depends on the implementing subclass (e.g. MATPOWER case struct for mp.dm\_converter\_mpc2 (page 61))
- **spec** (*struct*) export specification, see *get\_export\_spec()* (page 64)
- **var\_names** (*cell array*) (*optional*) list of names of variables (columns of main table) to export (*default is all variables*)
- ridx (integer) (optional) vector of row indices of data to export (default is all rows)

### Output

**d** – updated data source

Called by export() (page 67).

init\_export\_data(dme, d, spec)

Initialize data source for export from data model element.

```
d = dmce.init_export_data(dme, d, spec)
```

## **Inputs**

- **dme** (*mp.dm\_element* (page 35)) data model element object
- **d** data source, type depends on the implementing subclass (e.g. MATPOWER case struct for *mp*. *dm*\_*converter*\_*mpc2* (page 61))
- **spec** (*struct*) export specification, see *get\_export\_spec(*) (page 64)

```
Output
          d – updated data source
    Called by export_table_values() (page 67).
default_export_data_table(spec)
    Create default (empty) data table for data source.
    dt = dmce.default_export_data_table(spec)
          spec (struct) – export specification, see get_export_spec() (page 64)
        Output
          dt – data table for data source, type depends on implementing subclass
    Called by init_export_data() (page 67).
default_export_data_nrows(spec)
    Get number of rows for default_export_data_table() (page 68).
    nr = default_export_data_nrows(spec)
          spec (struct) - export specification, see get_export_spec() (page 64)
        Output
          nr (integer) – number of rows
    Called by default_export_data_table() (page 68).
export\_col(dme, d, spec, vn, ridx, c, sf)
    Export a variable (table column) to the data source.
    d = dmce.export_col(dme, d, spec, vn, ridx, c, sf)
        Inputs
          • dme (mp.dm_element (page 35)) – data model element object
          • d – data source, type depends on the implementing subclass (e.g. MATPOWER case struct
            for mp.dm_converter_mpc2 (page 61))
          • spec (struct) – export specification, see get_export_spec() (page 64)
          • vn (char array) – variable name
          • ridx (integer) – (optional) vector of row indices of data to export (default is all rows)
          • c (integer) – column index for data in data source
          • sf (double or function handle) – (optional) scale factor, function is called as sf(dmce, vn)
        Output
          d - updated data source
    Called by export_table_values() (page 67).
```

```
mp.dmce branch mpc2
class mp.dmce_branch_mpc2
     Bases: mp.dmc_element (page 62)
     mp.dmce_branch_mpc2 (page 69) - Data model converter element for branch for MATPOWER case v2.
     Method Summary
         name()
          data_field()
          table_var_map(dme, mpc)
          default_export_data_table(spec)
mp.dmce bus mpc2
class mp.dmce_bus_mpc2
     Bases: mp.dmc_element (page 62)
     mp.dmce_bus_mpc2 (page 69) - Data model converter element for bus for MATPOWER case v2.
     Method Summary
         name()
          data_field()
          table_var_map(dme, mpc)
          init_export_data(dme, d, spec)
          default_export_data_table(spec)
         bus_name_import(mpc, spec, vn, c)
         bus_name_export(dme, mpc, spec, vn, ridx, c)
         bus_status_import(mpc, spec, vn, c)
mp.dmce_gen_mpc2
class mp.dmce_gen_mpc2
     Bases: mp.dmc_element (page 62)
     mp.dmce_gen_mpc2 (page 69) - Data model converter element for generator for MATPOWER case v2.
     Property Summary
```

```
pwl1
              indices of single-block piecewise linear costs, all gens (automatically converted to linear cost)
     Method Summary
          name()
          data_field()
          table_var_map(dme, mpc)
          default_export_data_table(spec)
          start_cost_import(mpc, spec, vn)
          start_cost_export(dme, mpc, spec, vn, ridx)
          gen_cost_import(mpc, spec, vn, p_or_q)
          gen_cost_export(dme, mpc, spec, vn, p_or_q, ridx)
          static gencost2cost_table(gencost)
          static cost_table2gencost(gencost0, cost, ridx)
mp.dmce load mpc2
class mp.dmce_load_mpc2
     Bases: mp.dmc_element (page 62)
     mp.dmce_load_mpc2 (page 70) - Data model converter element for load for MATPOWER case v2.
     Property Summary
          bus
     Method Summary
          name()
          data_field()
          get_import_size(mpc)
          get_export_size(dme)
          table_var_map(dme, mpc)
          scale_factor_fcn(vn, zip_sf)
          sys_wide_zip_loads(mpc)
```

# mp.dmce shunt mpc2

# class mp.dmce\_shunt\_mpc2 Bases: mp.dmc\_element (page 62) mp.dmce\_shunt\_mpc2 (page 71) - Data model converter element for shunt for MATPOWER case v2. Property Summary bus Method Summary name() data\_field() get\_import\_size(mpc) get\_export\_size(dme)

# 3.4 Network Model Classes

table\_var\_map(dme, mpc)

## 3.4.1 Containers

#### mp.form

# class mp.form

Bases: handle

mp. form (page 71) - Abstract base class for MATPOWER formulation.

Used as a mix-in class for all **network model element** classes. That is, each concrete network model element class must inherit, at least indirectly, from both mp.nm\_element (page 107) and mp.form (page 71).

mp. form (page 71) provides properties and methods that are specific to the network model formulation (e.g. DC version, AC polar power version, etc.).

For more details, see the sec\_net\_model\_formulations section in the MATPOWER Developer's Manual and the derivations in MATPOWER Technical Note 5.

# mp.form Properties:

subclasses provide properties for model parameters

#### mp.form Methods:

- form\_name() (page 72) get char array w/name of formulation
- form\_tag() (page 72) get char array w/short label of formulation
- model\_params() (page 72) get cell array of names of model parameters
- model\_vvars() (page 72) get cell array of names of voltage state variables
- model\_zvars() (page 72) get cell array of names of non-voltage state variables

- get\_params() (page 73) get network model element parameters
- find\_form\_class() (page 73) get name of network element object's formulation subclass

See also mp.nm\_element (page 107).

## **Method Summary**

#### form\_name()

Get user-readable name of formulation, e.g. 'DC', 'AC-cartesian', 'AC-polar'.

```
name = nme.form_name()
```

#### **Output**

**name** (*char array*) – name of formulation

Note: This is an abstract method that must be implemented by a subclass.

## form\_tag()

Get short label of formulation, e.g. 'dc', 'acc', 'acp'.

```
tag = nme.form_tag()
```

#### **Output**

tag (char array) – short label of formulation

Note: This is an abstract method that must be implemented by a subclass.

# model\_params()

Get cell array of names of model parameters.

```
params = nme.model_params()
```

#### Output

params (cell array of char arrays) – names of object properies for model parameters

*Note: This is an abstract method that must be implemented by a subclass.* 

## model\_vvars()

Get cell array of names of voltage state variables.

```
vtypes = nme.model_vvars()
```

#### Output

**vtypes** (cell array of char arrays) – names of network object properties for voltage state variables

The network model object, which inherits from mp\_idx\_manager, uses these values as set types for tracking its voltage state variables.

*Note: This is an abstract method that must be implemented by a subclass.* 

## model\_zvars()

Get cell array of names of non-voltage state variables.

```
vtypes = nme.model_zvars()
```

#### Output

**vtypes** (*cell array of char arrays*) – names of network object properties for voltage state variables

The network model object, which inherits from mp\_idx\_manager, uses these values as set types for tracking its non-voltage state variables.

*Note: This is an abstract method that must be implemented by a subclass.* 

## get\_params(idx, names)

Get network model element parameters.

```
[p1, p2, ..., pN] = nme.get_params(idx)
pA = nme.get_params(idx, nameA)
[pA, pB, ...] = nme.get_params(idx, {nameA, nameB, ...})
```

## **Inputs**

- idx (integer) (optional) vector of indices of ports of interest, if empty or missing, returns parameters corresponding to all ports
- names (char array or cell array of char arrays) (optional) name(s) of parameters to return

#### **Outputs**

- p1, p2, ..., pN full set of parameters in canonical order
- pA, pB parameters specified by names

If a particular parameter in the object is empty, this method returns a sparse zero matrix or vector of the appropriate size.

#### find\_form\_class()

Get name of network element object's formulation subclass.

```
form_class = nme.find_form_class()
```

#### Output

form\_class (char array)

Selects from this netork model elements parent classes, the mp.form (page 71) subclass, that is not a subclass of mp.nm\_element (page 107), with the longest inheritance path back to mp.form (page 71).

## mp.form\_ac

## class mp.form\_ac

Bases: mp.form (page 71)

mp.form\_ac (page 73) - Abstract base class for MATPOWER AC formulations.

Used as a mix-in class for all **network model element** classes with an AC network model formulation. That is, each concrete network model element class with an AC formulation must inherit, at least indirectly, from both <code>mp.nm\_element</code> (page 107) and <code>mp.form\_ac</code> (page 73).

 $mp.form\_ac$  (page 73) defines the complex port injections as functions of the state variables x, that is, the complex voltages v and non-voltage states z. The are defined in terms of 3 compoents, the linear current injection and linear power injection components,

$$\mathbf{i}^{lin}(\mathbf{x}) = \begin{bmatrix} \underline{\mathbf{Y}} & \underline{\mathbf{L}} \end{bmatrix} \mathbf{x} + \underline{\mathbf{i}}$$
$$= \underline{\mathbf{Y}} \mathbf{v} + \underline{\mathbf{L}} \mathbf{z} + \underline{\mathbf{i}}$$
(3.2)

$$\mathbf{s}^{lin}(\mathbf{x}) = \begin{bmatrix} \underline{\mathbf{M}} & \underline{\mathbf{N}} \end{bmatrix} \mathbf{x} + \underline{\mathbf{s}}$$
$$= \underline{\mathbf{M}} \mathbf{v} + \underline{\mathbf{N}} \mathbf{z} + \underline{\mathbf{s}}, \tag{3.3}$$

and an arbitrary nonlinear injection component represented by  $\mathbf{s}^{nln}(\mathbf{x})$  or  $\mathbf{i}^{nln}(\mathbf{x})$ . The full complex power and current port injection functions implemented by  $mp.form\_ac$  (page 73), are respectively

$$\mathbf{g}^{S}(\mathbf{x}) = \left[ \mathbf{v}_{\setminus} \right] \left( \mathbf{i}^{lin}(\mathbf{x}) \right)^{*} + \mathbf{s}^{lin}(\mathbf{x}) + \mathbf{s}^{nln}(\mathbf{x})$$

$$= \left[ \mathbf{v}_{\setminus} \right] \left( \underline{\mathbf{Y}} \mathbf{v} + \underline{\mathbf{L}} \mathbf{z} + \underline{\mathbf{i}} \right)^{*} + \underline{\mathbf{M}} \mathbf{v} + \underline{\mathbf{N}} \mathbf{z} + \underline{\mathbf{s}} + \mathbf{s}^{nln}(\mathbf{x})$$
(3.4)

$$\mathbf{g}^{I}(\mathbf{x}) = \mathbf{i}^{lin}(\mathbf{x}) + \left[\mathbf{s}^{lin}(\mathbf{x})\right]^{*} \mathbf{\Lambda}^{*} + \mathbf{i}^{nln}(\mathbf{x})$$

$$= \underline{\mathbf{Y}}\mathbf{v} + \underline{\mathbf{L}}\mathbf{z} + \underline{\mathbf{i}} + \left[\mathbf{M}\mathbf{v} + \underline{\mathbf{N}}\mathbf{z} + \underline{\mathbf{s}}\right]^{*} \mathbf{\Lambda}^{*} + \mathbf{i}^{nln}(\mathbf{x})$$
(3.5)

where  $\underline{Y}, \underline{L}, \underline{M}, \underline{N}, \underline{i}$ , and  $\underline{s}$ , along with  $s^{nln}(x)$  or  $i^{nln}(x)$ , are the model parameters.

For more details, see the sec\_nm\_formulations\_ac section in the MATPOWER Developer's Manual and the derivations in MATPOWER Technical Note 5.

## mp.form\_dc Properties:

- Y (page 75)  $n_p n_k \times n_n$  matrix  $\underline{\mathbf{Y}}$  of model parameters
- L (page 75)  $n_p n_k \times n_{\mathbf{z}}$  matrix  $\underline{\mathbf{L}}$  of model parameters
- M (page 75)  $n_p n_k \times n_n$  matrix M of model parameters
- N (page 75)  $n_n n_k \times n_z$  matrix N of model parameters
- i (page 75)  $n_p n_k \times 1$  vector i of model parameters
- s (page 75)  $n_p n_k \times 1$  vector  $\underline{\mathbf{s}}$  of model parameters
- params\_ncols specify number of columns for each parameter
- inln (page 75) function to compute  $i^{nln}(x)$
- snln (page 75) function to compute  $s^{nln}(x)$
- $inln\_hess$  (page 75) function to compute Hessian of  $i^{nln}(x)$
- $snln\_hess$  (page 75) function to compute Hessian of  $s^{nln}(x)$

## mp.form dc Methods:

- model\_params() (page 76) get network model element parameters ({'Y', 'L', 'M', 'N', 'i', 's'})
- model\_zvars() (page 76) get cell array of names of non-voltage state variables ({'zr', 'zi'})
- port\_inj\_current() (page 76) compute port current injections from network state
- port\_inj\_power() (page 76) compute port power injections from network state
- port\_inj\_current\_hess() (page 77) compute Hessian of port current injections
- port\_inj\_power\_hess() (page 78) compute Hessian of port power injections
- port\_inj\_current\_jac() (page 78) abstract method to compute voltage-related Jacobian terms
- port\_inj\_current\_hess\_v() (page 78) abstract method to compute voltage-related Hessian terms
- port\_inj\_current\_hess\_vz() (page 78) abstract method to compute voltage-related Hessian terms
- port\_inj\_power\_jac() (page 78) abstract method to compute voltage-related Jacobian terms
- port\_inj\_power\_hess\_v() (page 78) abstract method to compute voltage-related Hessian terms
- port\_inj\_power\_hess\_vz() (page 79) abstract method to compute voltage-related Hessian terms

- port\_apparent\_power\_lim\_fcn() (page 79) compute port squared apparent power injection constraints
- port\_active\_power\_lim\_fcn() (page 79) compute port active power injection constraints
- port\_active\_power2\_lim\_fcn() (page 79) compute port squared active power injection constraints
- port\_current\_lim\_fcn() (page 80) compute port squared current injection constraints
- port\_apparent\_power\_lim\_hess() (page 80) compute port squared apparent power injection Hessian
- port\_active\_power\_lim\_hess() (page 81) compute port active power injection Hessian
- port\_active\_power2\_lim\_hess() (page 81) compute port squared active power injection Hessian
- port\_current\_lim\_hess() (page 81) compute port squared current injection Hessian
- aux\_data\_va\_vm() (page 82) abstract method to return voltage angles/magnitudes from auxiliary data

See also mp.form (page 71), mp.form\_acc (page 82), mp.form\_acp (page 86), mp.form\_dc (page 88), mp.nm\_element (page 107).

# **Property Summary**

```
Y = []
      (double) n_p n_k \times n_n matrix \underline{\mathbf{Y}} of model parameter coefficients for \mathbf{v}
      (double) n_p n_k \times n_z matrix \underline{\mathbf{L}} of model parameter coefficients for \mathbf{z}
M = []
      (double) n_p n_k \times n_n matrix \underline{\mathbf{M}} of model parameter coefficients for \mathbf{v}
N = []
      (double) n_p n_k \times n_z matrix \underline{\mathbf{N}} of model parameter coefficients for \mathbf{z}
i = []
      (double) n_p n_k \times 1 vector \mathbf{i} of model parameters
s = []
      (double) n_p n_k \times 1 vector \underline{\mathbf{s}} of model parameters
param_ncols = struct('Y',2,'L',3,'M',2,'N',3,'i',1,'s',1)
      (struct) specify number of columns for each parameter, where
        • 1 => single column (i.e. a vector)
        • 2 \Rightarrow n_p columns
        • 3 \Rightarrow n_z columns
      (function handle) function to compute i^{nln}(x)
snln = ''
      (function handle) function to compute s^{nln}(x)
inln_hess = ''
      (function handle) function to compute Hessian of i^{nln}(x)
```

```
snln_hess = ''
```

(function handle) function to compute Hessian of  $s^{nln}(x)$ 

## **Method Summary**

#### model\_params()

Get cell array of names of model parameters, i.e. {'Y', 'L', 'M', 'N', 'i', 's'}.

```
See mp.form.model_params() (page 72).
```

## model\_zvars()

Get cell array of names of non-voltage state variables, i.e. {'zr', 'zi'}.

```
See mp.form.model_zvars() (page 72).
```

# port\_inj\_current(x\_, sysx, idx)

Compute port complex current injections from network state.

```
I = nme.port_inj_current(x_, sysx)
I = nme.port_inj_current(x_, sysx, idx)
[I, Iv1, Iv2] = nme.port_inj_current(...)
[I, Iv1, Iv2, Izr, Izi] = nme.port_inj_current(...)
```

Compute the complex current injections for all or a selected subset of ports and, optionally, the components of the Jacobian, that is, the sparse matrices of partial derivatives with respect to each real component of the state. The voltage portion, which depends on the formulation (polar vs cartesian), is delegated to the port\_inj\_current\_jac() method implemented by the appropriate subclass.

The state can be provided as a stacked aggregate of the state variables (port voltages and non-voltage states) for the full collection of network model elements of this type, or as the combined state for the entire network.

## **Inputs**

- x (complex double) state vector x
- sysx (0 or 1) which state is provided in x\_
  - **−** 0 − class aggregate state
  - -1 (default) full system state
- idx (integer) (optional) vector of indices of ports of interest, if empty or missing, returns results corresponding to all ports

## **Outputs**

- I (complex double) vector of port complex current injections,  $\mathbf{g}^{I}(\mathbf{x})$
- Iv1 (complex double) Jacobian of port complex current injections w.r.t 1st voltage component,  $\mathbf{g}_{\theta}^{I}$  (polar) or  $\mathbf{g}_{u}^{I}$  (cartesian)
- Iv2 (complex double) Jacobian of port complex current injections w.r.t 2nd voltage component,  $\mathbf{g}_{\nu}^{I}$  (polar) or  $\mathbf{g}_{w}^{I}$  (cartesian)
- Izr (complex double) Jacobian of port complex current injections w.r.t real part of non-voltage state,  $\mathbf{g}_{\mathbf{z}_{-}}^{I}$
- Izi (complex double) Jacobian of port complex current injections w.r.t imaginary part of non-voltage state,  $\mathbf{g}_{\mathbf{z}_i}^I$

For details on the derivations of the formulas used, see MATPOWER Technical Note 5.

See also port\_inj\_power() (page 76).

#### port\_inj\_power(x\_, sysx, idx)

Compute port complex power injections from network state.

```
S = nme.port_inj_power(x_, sysx)
S = nme.port_inj_power(x_, sysx, idx)
(continues on next page)
```

(continued from previous page)

```
[S, Sv1, Sv2] = nme.port_inj_power(...)
[S, Sv1, Sv2, Szr, Szi] = nme.port_inj_power(...)
```

Compute the complex power injections for all or a selected subset of ports and, optionally, the components of the Jacobian, that is, the sparse matrices of partial derivatives with respect to each real component of the state. The voltage portion, which depends on the formulation (polar vs cartesian), is delegated to the port\_inj\_power\_jac() method implemented by the appropriate subclass.

The state can be provided as a stacked aggregate of the state variables (port voltages and non-voltage states) for the full collection of network model elements of this type, or as the combined state for the entire network.

# **Inputs**

- **x**\_ (complex double) state vector **x**
- sysx (0 or 1) which state is provided in x\_
  - **−** 0 − class aggregate state
  - -1 (default) full system state
- idx (integer) (optional) vector of indices of ports of interest, if empty or missing, returns results corresponding to all ports

## **Outputs**

- S (complex double) vector of port complex power injections,  $\mathbf{g}^{S}(\mathbf{x})$
- Sv1 (complex double) Jacobian of port complex power injections w.r.t 1st voltage component,  $\mathbf{g}_{\theta}^{S}$  (polar) or  $\mathbf{g}_{u}^{S}$  (cartesian)
- Sv2 (complex double) Jacobian of port complex power injections w.r.t 2nd voltage component,  $\mathbf{g}_{\boldsymbol{\nu}}^S$  (polar) or  $\mathbf{g}_{\boldsymbol{w}}^S$  (cartesian)
- Szr (complex double) Jacobian of port complex power injections w.r.t real part of non-voltage state,  $\mathbf{g}_{z_n}^S$
- Szi (complex double) Jacobian of port complex power injections w.r.t imaginary part of non-voltage state,  $\mathbf{g}_{\mathbf{z}_i}^S$ .

For details on the derivations of the formulas used, see MATPOWER Technical Note 5.

See also port\_inj\_current() (page 76).

## port\_inj\_current\_hess(x , lam, sysx, idx)

Compute Hessian of port current injections from network state.

```
H = nme.port_inj_current_hess(x_, lam)
H = nme.port_inj_current_hess(x_, lam, sysx)
H = nme.port_inj_current_hess(x_, lam, sysx, idx)
```

Compute a sparse Hessian matrix for all or a selected subset of ports. Rather than a full, 3-dimensional Hessian, it computes the Jacobian of the vector obtained by muliplying the transpose of the port current injection Jacobian by a vector  $\lambda$ .

# Inputs

- x (complex double) state vector x
- lam (double) vector  $\lambda$  of multipliers, one for each port
- sysx (0 or 1) which state is provided in x\_
  - 0 class aggregate state
  - -1 (default) full system state
- idx (integer) (optional) vector of indices of ports of interest, if empty or missing, returns results corresponding to all ports

#### **Outputs**

**H** (*complex double*) – sparse Hessian matrix of port complex current injections corresponding to specified  $\lambda$ , namely  $\mathbf{g}_{\mathbf{x}\mathbf{x}}^{I}(\lambda)$ 

For details on the derivations of the formulas used, see MATPOWER Technical Note 5.

See also port\_inj\_current() (page 76).

```
port_inj_power_hess(x , lam, sysx, idx)
```

Compute Hessian of port power injections from network state.

```
H = nme.port_inj_power_hess(x_, lam)
H = nme.port_inj_power_hess(x_, lam, sysx)
H = nme.port_inj_power_hess(x_, lam, sysx, idx)
```

Compute a sparse Hessian matrix for all or a selected subset of ports. Rather than a full, 3-dimensional Hessian, it computes the Jacobian of the vector obtained by muliplying the transpose of the port power injection Jacobian by a vector  $\lambda$ .

#### **Inputs**

- **x**\_ (complex double) state vector **x**
- lam (double) vector  $\lambda$  of multipliers, one for each port
- sysx (0 or 1) which state is provided in x\_
  - − 0 − class aggregate state
  - -1 (default) full system state
- idx (integer) (optional) vector of indices of ports of interest, if empty or missing, returns results corresponding to all ports

#### **Outputs**

**H** (complex double) – sparse Hessian matrix of port complex power injections corresponding to specified  $\lambda$ , namely  $\mathbf{g}_{\mathbf{x}\mathbf{x}}^{S}(\lambda)$ 

For details on the derivations of the formulas used, see MATPOWER Technical Note 5.

See also port\_inj\_power() (page 76).

```
port_inj_current_jac(n, v_, Y, M, invdiagvic, diagSlincJ)
```

Abstract method to compute voltage-related Jacobian terms.

Called by port\_inj\_current() (page 76) to compute voltage-related Jacobian terms. See mp. form\_acc.port\_inj\_current\_jac() (page 83) and mp.form\_acp.port\_inj\_current\_jac() (page 87) for details.

```
port_inj_current_hess_v(x_, lam, v_, z_, diaginvic, Y, M, diagSlincJ, dlamJ)
```

Abstract method to compute voltage-related Hessian terms.

Called by port\_inj\_current\_hess() (page 77) to compute voltage-related Hessian terms. See mp.form\_acc.port\_inj\_current\_hess\_v() (page 83) and mp.form\_acp.port\_inj\_current\_hess\_v() (page 87) for details.

```
port_inj_current_hess_vz(x_, lam, v_, z_, diaginvic, N, dlamJ)
```

Abstract method to compute voltage-related Hessian terms.

Called by port\_inj\_current\_hess() (page 77) to compute voltage/non-voltage-related Hessian terms. See mp.form\_acc.port\_inj\_current\_hess\_vz() (page 83) and mp.form\_acp.port\_inj\_current\_hess\_vz() (page 87) for details.

```
port_inj_power_jac(n, v_, Y, M, diagv, diagvi, diagIlincJ)
```

Abstract method to compute voltage-related Jacobian terms.

Called by port\_inj\_power() (page 76) to compute voltage-related Jacobian terms. See mp.form\_acc.port\_inj\_power\_jac() (page 84) and mp.form\_acp.port\_inj\_power\_jac() (page 87) for details.

```
port_inj_power_hess_v(x_, lam, v_, z_, diagvi, Y, M, diagIlincJ, dlamJ)
```

Abstract method to compute voltage-related Hessian terms.

Called by port\_inj\_power\_hess() (page 78) to compute voltage-related Hessian terms. See mp.form\_acc.port\_inj\_power\_hess\_v() (page 84) and mp.form\_acp.port\_inj\_power\_hess\_v() (page 87) for details.

```
port_inj_power_hess_vz(x_, lam, v_, z_, diagvi, L, dlamJ)
```

Abstract method to compute voltage-related Hessian terms.

Called by port\_inj\_power\_hess() (page 78) to compute voltage/non-voltage-related Hessian terms. See mp.form\_acc.port\_inj\_power\_hess\_vz() (page 84) and mp.form\_acp.port\_inj\_power\_hess\_vz() (page 88) for details.

## port\_apparent\_power\_lim\_fcn(x\_, nm, idx, hmax)

Compute port squared apparent power injection constraints.

```
h = nme.port_apparent_power_lim_fcn(x_, nm, idx, hmax)
[h, dh] = nme.port_apparent_power_lim_fcn(x_, nm, idx, hmax)
```

Compute constraint function and optionally the Jacobian for the limit on port squared apparent power injections based on complex outputs of *port\_inj\_power()* (page 76).

#### **Inputs**

- x (complex double) state vector x
- nm (mp.net\_model (page 90)) network model object
- idx (integer) (optional) vector of indices of ports of interest, if empty or missing, returns results corresponding to all ports
- hmax (double) vector of squared apparent power limits

## **Outputs**

- $\mathbf{h}$  (double) constraint function,  $\boldsymbol{h}^{\mathrm{flow}}(\boldsymbol{x})$
- **dh** (double) constraint Jacobian,  $h_x^{\text{flow}}$

For details on the derivations of the formulas used, see MATPOWER Technical Note 5.

See also port\_inj\_power() (page 76).

#### port\_active\_power\_lim\_fcn(x , nm, idx, hmax)

Compute port active power injection constraints.

```
h = nme.port_active_power_lim_fcn(x_, nm, idx, hmax)
[h, dh] = nme.port_active_power_lim_fcn(x_, nm, idx, hmax)
```

Compute constraint function and optionally the Jacobian for the limit on port active power injections based on complex outputs of *port\_inj\_power()* (page 76).

## **Inputs**

- $\mathbf{x}_{-}$  (complex double) state vector  $\mathbf{x}$
- **nm** (*mp.net\_model* (page 90)) network model object
- idx (integer) (optional) vector of indices of ports of interest, if empty or missing, returns results corresponding to all ports
- hmax (double) vector of active power limits

#### Outputs

- $\mathbf{h}$  (double) constraint function,  $\mathbf{h}^{\mathrm{flow}}(\mathbf{x})$
- **dh** (*double*) constraint Jacobian,  $m{h}_{m{x}}^{ ext{flow}}$

For details on the derivations of the formulas used, see MATPOWER Technical Note 5.

See also port\_inj\_power() (page 76).

#### port\_active\_power2\_lim\_fcn(x\_, nm, idx, hmax)

Compute port squared active power injection constraints.

```
h = nme.port_active_power2_lim_fcn(x_, nm, idx, hmax)
[h, dh] = nme.port_active_power2_lim_fcn(x_, nm, idx, hmax)
```

Compute constraint function and optionally the Jacobian for the limit on port squared active power injections based on complex outputs of port\_inj\_power() (page 76).

#### Inputs

- **x**\_ (complex double) state vector **x**
- **nm** (*mp.net\_model* (page 90)) network model object
- idx (integer) (optional) vector of indices of ports of interest, if empty or missing, returns results corresponding to all ports
- hmax (double) vector of squared active power limits

#### **Outputs**

- $\mathbf{h}$  (double) constraint function,  $\boldsymbol{h}^{\mathrm{flow}}(\boldsymbol{x})$
- $\mathbf{dh}$  (double) constraint Jacobian,  $h_{m{x}}^{\mathrm{flow}}$

For details on the derivations of the formulas used, see MATPOWER Technical Note 5.

See also port\_inj\_power() (page 76).

```
port_current_lim_fcn(x_, nm, idx, hmax)
```

Compute port squared current injection constraints.

```
h = nme.port_current_lim_fcn(x_, nm, idx, hmax)
[h, dh] = nme.port_current_lim_fcn(x_, nm, idx, hmax)
```

Compute constraint function and optionally the Jacobian for the limit on port squared current injections based on complex outputs of *port\_inj\_current()* (page 76).

#### **Inputs**

- **x**\_ (*complex double*) state vector **x**
- **nm** (*mp.net\_model* (page 90)) network model object
- idx (integer) (optional) vector of indices of ports of interest, if empty or missing, returns results corresponding to all ports
- hmax (double) vector of squared current limits

#### **Outputs**

- **h** (double) constraint function,  $h^{\text{flow}}(x)$
- **dh** (double) constraint Jacobian,  $h_x^{\text{flow}}$

For details on the derivations of the formulas used, see MATPOWER Technical Note 5.

See also port\_inj\_current() (page 76).

```
port_apparent_power_lim_hess(x , lam, nm, idx)
```

Compute port squared apparent power injection Hessian.

```
d2H = nme.port_apparent_power_lim_hess(x_, lam, nm, idx)
```

Compute a sparse Hessian matrix for all or a selected subset of ports. Rather than a full, 3-dimensional Hessian, it computes the Jacobian of the vector obtained by muliplying the transpose of the constraint Jacobian by a vector  $\mu$ . Results are based on the complex outputs of  $port_inj_power()$  (page 76) and  $port_inj_power_hess()$  (page 78).

# **Inputs**

- **x**\_ (*complex double*) state vector **x**
- lam (double) vector  $\mu$  of multipliers, one for each port
- nm (mp.net\_model (page 90)) network model object
- idx (integer) (optional) vector of indices of ports of interest, if empty or missing, returns results corresponding to all ports

#### **Outputs**

 $extbf{d2H}$  (double) — sparse constraint Hessian matrix,  $m{h}_{xx}^{ ext{flow}}(m{\mu})$ 

For details on the derivations of the formulas used, see MATPOWER Technical Note 5.

See also port\_inj\_power() (page 76), port\_inj\_power\_hess() (page 78).

## port\_active\_power\_lim\_hess(x\_, lam, nm, idx)

Compute port active power injection Hessian.

```
d2H = nme.port_active_power_lim_hess(x_, lam, nm, idx)
```

Compute a sparse Hessian matrix for all or a selected subset of ports. Rather than a full, 3-dimensional Hessian, it computes the Jacobian of the vector obtained by muliplying the transpose of the constraint Jacobian by a vector  $\mu$ . Results are based on the complex outputs of  $port_inj_power()$  (page 76) and  $port_inj_power_hess()$  (page 78).

#### **Inputs**

- **x**\_ (complex double) state vector **x**
- lam (double) vector  $\mu$  of multipliers, one for each port
- nm (mp.net\_model (page 90)) network model object
- idx (integer) (optional) vector of indices of ports of interest, if empty or missing, returns results corresponding to all ports

#### **Outputs**

**d2H** (double) – sparse constraint Hessian matrix,  $h_{xx}^{\text{flow}}(\mu)$ 

For details on the derivations of the formulas used, see MATPOWER Technical Note 5.

See also port\_inj\_power() (page 76), port\_inj\_power\_hess() (page 78).

## port\_active\_power2\_lim\_hess(x\_, lam, nm, idx)

Compute port squared active power injection Hessian.

```
d2H = nme.port_active_power2_lim_hess(x_, lam, nm, idx)
```

Compute a sparse Hessian matrix for all or a selected subset of ports. Rather than a full, 3-dimensional Hessian, it computes the Jacobian of the vector obtained by muliplying the transpose of the constraint Jacobian by a vector  $\mu$ . Results are based on the complex outputs of  $port_inj_power()$  (page 76) and  $port_inj_power_hess()$  (page 78).

## **Inputs**

- **x**\_ (*complex double*) state vector **x**
- lam (double) vector  $\mu$  of multipliers, one for each port
- nm (mp.net\_model (page 90)) network model object
- idx (integer) (optional) vector of indices of ports of interest, if empty or missing, returns results corresponding to all ports

#### **Outputs**

**d2H** (double) – sparse constraint Hessian matrix,  $h_{xx}^{\text{flow}}(\mu)$ 

For details on the derivations of the formulas used, see MATPOWER Technical Note 5.

See also port\_inj\_power() (page 76), port\_inj\_power\_hess() (page 78).

# port\_current\_lim\_hess(x\_, lam, nm, idx)

Compute port squared current injection Hessian.

```
d2H = nme.port_current_lim_hess(x_, lam, nm, idx)
```

Compute a sparse Hessian matrix for all or a selected subset of ports. Rather than a full, 3-dimensional Hessian, it computes the Jacobian of the vector obtained by muliplying the transpose of the constraint Jacobian by a vector  $\mu$ . Results are based on the complex outputs of  $port_inj_current()$  (page 76) and  $port_inj_current_hess()$  (page 77).

#### **Inputs**

- **x**\_ (*complex double*) state vector **x**
- lam (double) vector  $\mu$  of multipliers, one for each port
- nm (mp.net\_model (page 90)) network model object
- idx (integer) (optional) vector of indices of ports of interest, if empty or missing, returns results corresponding to all ports

## **Outputs**

**d2H** (double) – sparse constraint Hessian matrix,  $h_{xx}^{\text{flow}}(\mu)$ 

For details on the derivations of the formulas used, see MATPOWER Technical Note 5.

See also port\_inj\_current() (page 76), port\_inj\_current\_hess() (page 77).

#### aux\_data\_va\_vm(ad)

Abstract method to return voltage angles/magnitudes from auxiliary data.

```
[va, vm] = nme.aux_data_va_vm(ad)
```

#### Input

ad (struct) – struct of auxiliary data

#### **Outputs**

- va (double) vector of voltage angles corresponding to voltage information stored in auxiliary data
- **vm** (*double*) vector of voltage magnitudes corresponding to voltage information stored in auxiliary data

Implemented by mp.form\_acc.aux\_data\_va\_vm() (page 84) and mp.form\_acp.aux\_data\_va\_vm() (page 88).

# mp.form\_acc

## class mp.form\_acc

Bases: mp.form\_ac (page 73)

mp. form\_acc (page 82) - Base class for MATPOWER AC cartesian formulations.

Used as a mix-in class for all **network model element** classes with an AC network model formulation with a **cartesian** repesentation for voltages. That is, each concrete network model element class with an AC cartesian formulation must inherit, at least indirectly, from both *mp.nm\_element* (page 107) and *mp.form\_acc* (page 82).

Provides implementation of evaluation of voltage-related Jacobian and Hessian terms needed by some *mp*. form\_ac (page 73) methods.

## mp.form\_dc Methods:

- form\_name() (page 83) get char array w/name of formulation ('AC-cartesian')
- form\_tag() (page 83) get char array w/short label of formulation ('acc')
- model\_vvars() (page 83) get cell array of names of voltage state variables ({'vr', 'vi'})
- port\_inj\_current\_jac() (page 83) compute voltage-related terms of current injection Jacobian
- port\_inj\_current\_hess\_v() (page 83) compute voltage-related terms of current injection Hessian
- port\_inj\_current\_hess\_vz() (page 83) compute voltage/non-voltage-related terms of current injection Hessian

- port\_inj\_power\_jac() (page 84) compute voltage-related terms of power injection Jacobian
- port\_inj\_power\_hess\_v() (page 84) compute voltage-related terms of power injection Hessian
- port\_inj\_power\_hess\_vz() (page 84) compute voltage/non-voltage-related terms of power injection Hessian
- aux\_data\_va\_vm() (page 84) return voltage angles/magnitudes from auxiliary data
- va\_fcn() (page 84) compute voltage angle constraints and Jacobian
- va\_hess() (page 85) compute voltage angle Hessian
- vm2\_fcn() (page 85) compute squared voltage magnitude constraints and Jacobian
- vm2\_hess() (page 85) compute squared voltage magnitude Hessian

For more details, see the sec\_nm\_formulations\_ac section in the MATPOWER Developer's Manual and the derivations in MATPOWER Technical Note 5.

See also mp. form (page 71), mp. form\_ac (page 73), mp. form\_acp (page 86), mp.nm\_element (page 107).

## **Method Summary**

#### form\_name()

Get user-readable name of formulation, i.e. 'AC-cartesian'.

```
See mp.form.form_name() (page 72).
```

#### form\_tag()

Get short label of formulation, i.e. 'acc'.

```
See mp.form.form_tag() (page 72).
```

# model\_vvars()

Get cell array of names of voltage state variables, i.e. {'vr', 'vi'}.

```
See mp.form.model_vvars() (page 72).
```

```
port_inj_current_jac(n, v_, Y, M, invdiagvic, diagSlincJ)
```

Compute voltage-related terms of current injection Jacobian.

```
[Iu, Iw] = nme.port_inj_current_jac(n, v_, Y, M, invdiagvic, diagSlincJ)
```

Called by mp.form\_ac.port\_inj\_current() (page 76) to compute voltage-related Jacobian terms.

```
port_inj_current_hess_v(x_, lam, v_, z_, diaginvic, Y, M, diagSlincJ, dlamJ)
```

Compute voltage-related terms of current injection Hessian.

Called by mp.form\_ac.port\_inj\_current\_hess() (page 77) to compute voltage-related Hessian terms.

```
port_inj_current_hess_vz(x_, lam, v_, z_, diaginvic, N, dlamJ)
```

Compute voltage/non-voltage-related terms of current injection Hessian.

```
[Iuzr, Iuzi, Iwzr, Iwzi] = nme.port_inj_current_hess_vz(x_, lam)
[...] = nme.port_inj_current_hess_vz(x_, lam, sysx)
[...] = nme.port_inj_current_hess_vz(x_, lam, sysx, idx)
[...] = nme.port_inj_current_hess_vz(x_, lam, v_, z_, diaginvic, N, dlamJ)
```

Called by <code>mp.form\_ac.port\_inj\_current\_hess()</code> (page 77) to compute voltage/non-voltage-related Hessian terms.

```
port_inj_power_jac(n, v_, Y, M, diagv, diagvi, diagIlincJ)
```

Compute voltage-related terms of power injection Jacobian.

```
[Su, Sw] = nme.port_inj_power_jac(...)
```

Called by mp.form\_ac.port\_inj\_power() (page 76) to compute voltage-related Jacobian terms.

```
port_inj_power_hess_v(x_, lam, v_, z_, diagvi, Y, M, diagIlincJ, dlamJ)
```

Compute voltage-related terms of power injection Hessian.

```
[Suu, Suw, Sww] = nme.port_inj_power_hess_v(x_, lam)
[Suu, Suw, Sww] = nme.port_inj_power_hess_v(x_, lam, sysx)
[Suu, Suw, Sww] = nme.port_inj_power_hess_v(x_, lam, sysx, idx)
[...] = nme.port_inj_power_hess_v(x_, lam, v_, z_, diagvi, Y, M, diagIlincJ, dlamJ)
```

Called by mp.form\_ac.port\_inj\_power\_hess() (page 78) to compute voltage-related Hessian terms.

```
port_inj_power_hess_vz(x_, lam, v_, z_, diagvi, L, dlamJ)
```

Compute voltage/non-voltage-related terms of power injection Hessian.

```
[Suzr, Suzi, Swzr, Swzi] = nme.port_inj_power_hess_vz(x_, lam)
[...] = nme.port_inj_power_hess_vz(x_, lam, sysx)
[...] = nme.port_inj_power_hess_vz(x_, lam, sysx, idx)
[...] = nme.port_inj_power_hess_vz(x_, lam, v_, z_, diagvi, L, dlamJ)
```

Called by mp.form\_ac.port\_inj\_power\_hess() (page 78) to compute voltage/non-voltage-related Hessian terms.

## aux\_data\_va\_vm(ad)

Return voltage angles/magnitudes from auxiliary data.

```
[va, vm] = nme.aux_data_va_vm(ad)
```

Connverts from cartesian voltage data stored in ad.vr and ad.vi.

#### Input

```
ad (struct) – struct of auxiliary data
```

#### Outputs

- va (double) vector of voltage angles corresponding to voltage information stored in auxiliary data
- vm (double) vector of voltage magnitudes corresponding to voltage information stored in auxiliary data

#### $va_fcn(xx, idx, lim)$

Compute voltage angle constraints and Jacobian.

```
g = nme.va_fcn(xx, idx, lim)
[g, dg] = nme.va_fcn(xx, idx, lim)
```

Compute constraint function and optionally the Jacobian for voltage angle limits.

#### **Inputs**

- xx (1 x 2 cell array) real part of complex voltage in xx{1}, imaginary part in xx{2}
- idx (integer) index of subset of voltages of interest to include in constraint; if empty, include all
- **lim** (*double or cell array of double*) constraint bound(s), can be a vector, for equality constraints or an upper bound, or a cell array with {va\_lb, va\_ub} for dual-bound constraints

#### **Outputs**

- $\mathbf{g}$  (double) constraint function,  $\mathbf{g}(\mathbf{x})$
- dg (double) constraint Jacobian,  $g_x$

 $va_hess(xx, lam, idx)$ 

Compute voltage angle Hessian.

```
d2G = nme.va_hess(xx, lam, idx)
```

Compute a sparse Hessian matrix for all or a selected subset of voltages. Rather than a full, 3-dimensional Hessian, it computes the Jacobian of the vector obtained by muliplying the transpose of the constraint Jacobian by a vector  $\lambda$ .

#### **Inputs**

- xx (1 x 2 cell array) real part of complex voltage in xx{1}, imaginary part in xx{2}
- lam (double) vector  $\lambda$  of multipliers, one for each constraint
- idx (integer) index of subset of voltages of interest to include in constraint; if empty, include all

#### **Outputs**

**d2G** (double) – sparse constraint Hessian,  $g_{xx}(\lambda)$ 

 $vm2\_fcn(xx, idx, lim)$ 

Compute squared voltage magnitude constraints and Jacobian.

```
g = nme.vm2_fcn(xx, idx, lim)
[g, dg] = nme.vm2_fcn(xx, idx, lim)
```

Compute constraint function and optionally the Jacobian for squared voltage magnitude limits.

#### **Inputs**

- xx (1 x 2 cell array) real part of complex voltage in xx{1}, imaginary part in xx{2}
- idx (integer) index of subset of voltages of interest to include in constraint; if empty, include all
- lim (double or cell array of double) constraint bound(s), can be a vector, for equality constraints or an upper bound, or a cell array with {vm2\_lb, vm2\_ub} for dual-bound constraints

#### **Outputs**

- $\mathbf{g}$  (double) constraint function,  $\mathbf{g}(\mathbf{x})$
- dg (double) constraint Jacobian,  $g_x$

 $vm2\_hess(xx, lam, idx)$ 

Compute squared voltage magnitude Hessian.

```
d2G = nme.vm2\_hess(xx, lam, idx)
```

Compute a sparse Hessian matrix for all or a selected subset of voltages. Rather than a full, 3-dimensional Hessian, it computes the Jacobian of the vector obtained by muliplying the transpose of the constraint Jacobian by a vector  $\lambda$ .

## **Inputs**

- $xx (1 \times 2 \text{ cell array})$  real part of complex voltage in  $xx\{1\}$ , imaginary part in  $xx\{2\}$
- lam (double) vector  $\lambda$  of multipliers, one for each constraint
- idx (integer) index of subset of voltages of interest to include in constraint; if empty, include all

#### **Outputs**

 $\mathbf{d2G}$  (double) – sparse constraint Hessian,  $g_{xx}(\lambda)$ 

# mp.form\_acp

#### class mp.form\_acp

```
Bases: mp.form_ac (page 73)
```

mp. form\_acp (page 86) - Base class for MATPOWER AC polar formulations.

Used as a mix-in class for all **network model element** classes with an AC network model formulation with a **polar** repesentation for voltages. That is, each concrete network model element class with an AC polar formulation must inherit, at least indirectly, from both mp.nm\_element (page 107) and mp.form\_acp (page 86).

Provides implementation of evaluation of voltage-related Jacobian and Hessian terms needed by some *mp*. *form\_ac* (page 73) methods.

## mp.form\_dc Methods:

- form\_name() (page 86) get char array w/name of formulation ('AC-polar')
- form\_tag() (page 87) get char array w/short label of formulation ('acp')
- model\_vvars() (page 87) get cell array of names of voltage state variables ({ 'va', 'vm'})
- port\_inj\_current\_jac() (page 87) compute voltage-related terms of current injection Jacobian
- port\_inj\_current\_hess\_v() (page 87) compute voltage-related terms of current injection Hessian
- port\_inj\_current\_hess\_vz() (page 87) compute voltage/non-voltage-related terms of current injection Hessian
- port\_inj\_power\_jac() (page 87) compute voltage-related terms of power injection Jacobian
- port\_inj\_power\_hess\_v() (page 87) compute voltage-related terms of power injection Hessian
- port\_inj\_power\_hess\_vz() (page 88) compute voltage/non-voltage-related terms of power injection Hessian
- aux\_data\_va\_vm() (page 88) return voltage angles/magnitudes from auxiliary data

For more details, see the sec\_nm\_formulations\_ac section in the MATPOWER Developer's Manual and the derivations in MATPOWER Technical Note 5.

See also mp.form (page 71), mp.form\_ac (page 73), mp.form\_acc (page 82), mp.nm\_element (page 107).

# **Method Summary**

## form\_name()

Get user-readable name of formulation, i.e. 'AC-polar'.

```
See mp. form. form_name() (page 72).
```

# form\_tag()

Get short label of formulation, i.e. 'acp'.

```
See mp.form.form_tag() (page 72).
```

## model\_vvars()

Get cell array of names of voltage state variables, i.e. {'va', 'vm'}.

```
See mp.form.model_vvars() (page 72).
```

# port\_inj\_current\_jac(n, v\_, Y, M, invdiagvic, diagSlincJ)

Compute voltage-related terms of current injection Jacobian.

```
[Iva, Ivm] = nme.port_inj_current_jac(n, v_, Y, M, invdiagvic, diagSlincJ)
```

Called by mp.form\_ac.port\_inj\_current() (page 76) to compute voltage-related Jacobian terms.

## port\_inj\_current\_hess\_v(x\_, lam, v\_, z\_, diaginvic, Y, M, diagSlincJ, dlamJ)

Compute voltage-related terms of current injection Hessian.

```
[Ivava, Ivavm, Ivmvm] = nme.port_inj_current_hess_v(x_, lam)
[Ivava, Ivavm, Ivmvm] = nme.port_inj_current_hess_v(x_, lam, sysx)
[Ivava, Ivavm, Ivmvm] = nme.port_inj_current_hess_v(x_, lam, sysx, idx)
[...] = nme.port_inj_current_hess_vz(x_, lam, v_, z_, diaginvic, Y, M, diagSlincJ, dlamJ)
```

Called by <code>mp.form\_ac.port\_inj\_current\_hess()</code> (page 77) to compute voltage-related Hessian terms.

## port\_inj\_current\_hess\_vz(x\_, lam, v\_, z\_, diaginvic, N, dlamJ)

Compute voltage/non-voltage-related terms of current injection Hessian.

```
[Ivazr, Ivazi, Ivmzr, Ivmzi] = nme.port_inj_current_hess_vz(x_, lam)
[...] = nme.port_inj_current_hess_vz(x_, lam, sysx)
[...] = nme.port_inj_current_hess_vz(x_, lam, sysx, idx)
[...] = nme.port_inj_current_hess_vz(x_, lam, v_, z_, diaginvic, N, dlamJ)
```

Called by <code>mp.form\_ac.port\_inj\_current\_hess()</code> (page 77) to compute voltage/non-voltage-related Hessian terms.

# port\_inj\_power\_jac(n, v\_, Y, M, diagv, diagvi, diagIlincJ)

Compute voltage-related terms of power injection Jacobian.

```
[Sva, Svm] = nme.port_inj_power_jac(...)
```

Called by <code>mp.form\_ac.port\_inj\_power()</code> (page 76) to compute voltage-related Jacobian terms.

```
port_inj_power_hess_v(x_, lam, v_, z_, diagvi, Y, M, diagIlincJ, dlamJ)
```

Compute voltage-related terms of power injection Hessian.

```
[Svava, Svavm, Svmvm] = nme.port_inj_power_hess_v(x_, lam)
[Svava, Svavm, Svmvm] = nme.port_inj_power_hess_v(x_, lam, sysx)
[Svava, Svavm, Svmvm] = nme.port_inj_power_hess_v(x_, lam, sysx, idx)
[...] = nme.port_inj_power_hess_v(x_, lam, v_, z_, diagvi, Y, M, diagIlincJ, dlamJ)
```

Called by mp.form\_ac.port\_inj\_power\_hess() (page 78) to compute voltage-related Hessian terms.

```
port_inj_power_hess_vz(x_, lam, v_, z_, diagvi, L, dlamJ)
```

Compute voltage/non-voltage-related terms of power injection Hessian.

```
[Svazr, Svazi, Svmzr, Svmzi] = nme.port_inj_power_hess_vz(x_, lam)
[...] = nme.port_inj_power_hess_vz(x_, lam, sysx)
[...] = nme.port_inj_power_hess_vz(x_, lam, sysx, idx)
[...] = nme.port_inj_power_hess_vz(x_, lam, v_, z_, diagvi, L, dlamJ)
```

Called by <code>mp.form\_ac.port\_inj\_power\_hess()</code> (page 78) to compute voltage/non-voltage-related Hessian terms.

#### aux\_data\_va\_vm(ad)

Return voltage angles/magnitudes from auxiliary data.

```
[va, vm] = nme.aux_data_va_vm(ad)
```

Simply returns voltage data stored in ad.va and ad.vm.

## Input

**ad** (*struct*) – struct of auxiliary data

# **Outputs**

- va (double) vector of voltage angles corresponding to voltage information stored in auxiliary data
- vm (double) vector of voltage magnitudes corresponding to voltage information stored in auxiliary data

#### mp.form dc

## class mp.form\_dc

Bases: mp.form (page 71)

mp.form\_dc (page 88) - Base class for MATPOWER DC formulations.

Used as a mix-in class for all **network model element** classes with a DC network model formulation. That is, each concrete network model element class with a DC formulation must inherit, at least indirectly, from both <code>mp.nm\_element</code> (page 107) and <code>mp.form\_dc</code> (page 88).

mp.form\_dc (page 88) defines the port active power injection as a linear function of the state variables x, that is, the voltage angles  $\theta$  and non-voltage states z, as

$$g^{P}(x) = \begin{bmatrix} \underline{B} & \underline{K} \end{bmatrix} x + \underline{p}$$

$$= \underline{B}\theta + \underline{K}z + p,$$
(3.6)

where  $\underline{\boldsymbol{B}},\,\underline{\boldsymbol{K}},$  and  $\underline{\boldsymbol{p}}$  are the model parameters.

For more details, see the sec\_nm\_formulations\_dc section in the MATPOWER Developer's Manual and the derivations in MATPOWER Technical Note 5.

# mp.form\_dc Properties:

- B (page 89)  $n_p n_k \times n_n$  matrix  $\underline{B}$  of model parameters
- K (page 89)  $n_p n_k \times n_z$  matrix  $\underline{K}$  of model parameters
- p (page 89)  $n_p n_k \times 1$  vector p of model parameters
- params\_ncols specify number of columns for each parameter

## mp.form\_dc Methods:

- form\_name() (page 89) get char array w/name of formulation ('DC')
- form\_tag() (page 89) get char array w/short label of formulation ('dc')
- model\_params() (page 89) get network model element parameters ({'B', 'K', 'p'})
- model\_vvars() (page 89) get cell array of names of voltage state variables ({ 'va'})
- model\_zvars() (page 90) get cell array of names of non-voltage state variables ({'z'})
- port\_inj\_power() (page 90) compute port power injections from network state

See also mp.form (page 71), mp.form\_ac (page 73), mp.nm\_element (page 107).

## **Property Summary**

```
\mathbf{B} = []
(double) n_p n_k \times n_n \text{ matrix } \underline{\mathbf{B}} \text{ of model parameter coefficients for } \boldsymbol{\theta}
\mathbf{K} = []
(double) n_n n_k \times n_k \text{ matrix } \mathbf{K} \text{ of model parameter coefficients for } \boldsymbol{z}
```

(double)  $n_p n_k imes n_z$  matrix  $\underline{m{K}}$  of model parameter coefficients for  ${m z}$ 

 $\mathbf{p} = []$ (double)  $n_p n_k \times 1$  vector  $\mathbf{p}$  of model parameters

# param\_ncols = struct('B',2,'K',3,'p',1)

(struct) specify number of columns for each parameter, where

- 1 => single column (i.e. a vector)
- $2 \Rightarrow n_p$  columns
- $3 \Rightarrow n_z$  columns

# **Method Summary**

# form\_name()

Get user-readable name of formulation, i.e. 'DC'.

See mp.form.form\_name() (page 72).

#### form\_tag()

Get short label of formulation, i.e. 'dc'.

See mp.form.form\_tag() (page 72).

## model\_params()

Get cell array of names of model parameters, i.e. {'B', 'K', 'p'}.

See mp.form.model\_params() (page 72).

#### model\_vvars()

```
Get cell array of names of voltage state variables, i.e. {'va'}.
```

```
See mp.form.model_vvars() (page 72).
```

#### model\_zvars()

Get cell array of names of non-voltage state variables, i.e. {'z'}.

```
See mp.form.model_zvars() (page 72).
```

```
port_inj_power(x, sysx, idx)
```

Compute port power injections from network state.

```
P = nme.port_inj_power(x, sysx, idx)
```

Compute the active power injections for all or a selected subset of ports.

The state can be provided as a stacked aggregate of the state variables (port voltages and non-voltage states) for the full collection of network model elements of this type, or as the combined state for the entire network.

#### **Inputs**

- $\mathbf{x}$  (double) state vector  $\mathbf{x}$
- $\mathbf{sysx}$  (0 or 1) which state is provided in  $\mathbf{x}$ 
  - − 0 − class aggregate state
  - − 1 − (default) full system state
- idx (integer) (optional) vector of indices of ports of interest, if empty or missing, returns injections corresponding to all ports

## **Outputs**

**P** (double) – vector of port power injections,  $g^P(x)$ 

# mp.net\_model

### class mp.net\_model

```
Bases: mp.nm_element (page 107), mp.element_container (page 165), mp_idx_manager
```

```
mp.net_mode1 (page 90) - Abstract base class for MATPOWER network model objects.
```

The network model defines the states of and connections between network elements, as well as the parameters and functions defining the relationships between states and port injections. A given network model implements a specific network model **formulation**, and defines sets of **nodes**, **ports**, and **states**.

A network model object is primarily a container for network model element (mp.nm\_element (page 107)) objects and is itself a network model element. All network model classes inherit from mp.net\_model (page 90) and therefore also from mp.element\_container (page 165), mp\_idx\_manager, and mp.nm\_element (page 107). Concrete network model classes are also formulation-specific, inheriting from a corresponding subclass of mp. form (page 71).

By convention, network model variables are named nm and network model class class names begin with mp.net\_model.

#### mp.net model Properties:

- the\_np (page 92) total number of ports
- the\_nz (page 92) total number of non-voltage states
- nv (page 92) total number of (real) voltage variables

- node (page 92) mp\_idx\_manager data for nodes
- port (page 92) mp\_idx\_manager data for ports
- state (page 92) mp\_idx\_manager data for non-voltage states

## mp.net\_model Methods:

- name() (page 92) return name of this network element type ('network')
- np() (page 92) return number of ports for this network element
- nz() (page 92) return number of (possibly complex) non-voltage states for this network element
- build() (page 92) create, add, and build network model element objects
- add\_nodes() (page 92) elements add nodes, then add corresponding voltage variables
- add\_states() (page 93) elements add states, then add corresponding state variables
- build\_params() (page 93) build incidence matrices, parameters, add ports for each element
- stack\_matrix\_params() (page 93) form network matrix parameter by stacking corresponding element parameters
- stack\_vector\_params() (page 93) form network vector parameter by stacking corresponding element parameters
- add\_vvars() (page 94) add voltage variable(s) for each network node
- add\_zvars() (page 94) add non-voltage state variable(s) for each network state
- def\_set\_types() (page 94) define node, state, and port set types for mp\_idx\_manager
- init\_set\_types() (page 94) initialize structures for tracking/indexing nodes, states, ports
- display() (page 94) display the network model object
- add\_node() (page 95) add named set of nodes
- add\_port() (page 95) add named set of ports
- add\_state() (page 95) add named set of states
- set\_type\_idx\_map() (page 95) map node/port/state index back to named set & index within set
- set\_type\_label() (page 96) create a user-readable label to identify a node, port, or state
- add\_var() (page 96) add a set of variables to the model
- params\_var() (page 97) return initial value, bounds, and variable type for variables
- get\_node\_idx() (page 98) get index information for named node set
- get\_port\_idx() (page 98) get index information for named port set
- get\_state\_idx() (page 98) get index information for named state set
- node\_types() (page 98) get node type information
- ensure\_ref\_node() (page 99) -
- set\_node\_type\_ref() (page 99) make the specified node a reference node
- set\_node\_type\_pv() (page 100) make the specified node a PV node
- set\_node\_type\_pq() (page 100) make the specified node a PQ node

See the sec\_net\_model section in the MATPOWER Developer's Manual for more information.

See also mp.form (page 71), mp.nm\_element (page 107), mp.task (page 7), mp.data\_model (page 27), mp.math\_model (page 121).

# **Property Summary**

#### $the_np = 0$

(integer) total number of ports

# $the_nz = 0$

(integer) total number of non-voltage states

#### nv = 0

(integer) total number of (real) voltage variables

### node = []

(struct) mp\_idx\_manager data for nodes

#### port = []

(struct) mp\_idx\_manager data for ports

# state = []

(struct) mp\_idx\_manager data for non-voltage states

## **Method Summary**

#### name()

Return the name of this network element type ('network').

```
name = nm.name()
```

np()

Return the number of ports for this network element.

```
np = nm.np()
```

nz()

Return the number of (possibly complex) non-voltage states for this network element.

```
nz = nm.nz()
```

# build(dm)

Create, add, and build() (page 92) network model element objects.

```
nm.build(dm)
```

# Input

dm (mp.data\_model (page 27)) - data model object

Create and add network model element objects, add nodes and states, and build the parameters for all elements.

See also add\_nodes() (page 92), add\_states() (page 93), build\_params() (page 93).

# add\_nodes(nm, dm)

Elements add nodes, then add corresponding voltage variables.

## nm.add\_nodes(nm, dm)

## **Inputs**

- **nm** (*mp.net\_model* (page 90)) network model object
- dm (mp.data\_model (page 27)) data model object

Each element can add its nodes, then the network model itself can add additional nodes, and finally corresponding voltage variables are added for each node.

See also add\_vvars() (page 94), add\_states() (page 93).

## add\_states(nm, dm)

Elements add states, then add corresponding state variables.

```
nm.add_states(nm, dm)
```

## **Inputs**

- **nm** (*mp.net\_model* (page 90)) network model object
- **dm** (*mp.data\_mode1* (page 27)) data model object

Each element can add its states, then corresponding non-voltage state variables are added for each state.

See also add\_zvars() (page 94), add\_nodes() (page 92).

## build\_params(nm, dm)

Build incidence matrices and parameters, and add ports for each element.

```
nm.build_params(nm, dm)
```

## **Inputs**

- nm (mp.net\_model (page 90)) network model object
- dm (mp.data\_model (page 27)) data model object

For each element, build connection and state variable incidence matrices and element parameters, and add ports. Then construct the full network connection and state variable incidence matrices.

## stack\_matrix\_params(name, vnotz)

Form network matrix parameter by stacking corresponding element parameters.

```
M = nm.stack_matrix_params(name, vnotz)
```

#### **Inputs**

- name (char array) name of the parameter of interest
- **vnotz** (*boolean*) true if columns of parameter correspond to voltage variables, false otherwise

## Output

M (double) – matrix parameter of interest for the full network

A given matrix parameter (e.g. Y) for the full network is formed by stacking the corresponding matrix parameters for each element along the matrix block diagonal.

## stack\_vector\_params(name)

Form network vector parameter by stacking corresponding element parameters.

```
v = nm.stack_vector_params(name)
```

#### Input

**name** (*char array*) – name of the parameter of interest

#### Output

v (double) – vector parameter of interest for the full network

A given vector parameter (e.g. s) for the full network is formed by vertically stacking the corresponding vector parameters for each element.

## $add_vvars(nm, dm, idx)$

Add voltage variable(s) for each network node.

```
nm.add_vvars(nm, dm)
nm.add_vvars(nm, dm, idx)
```

#### **Inputs**

- nm (mp.net\_model (page 90)) network model object
- **dm** (*mp.data\_model* (page 27)) data model object
- idx (integer) index for name and indexed variables (currently unused here)

Also updates the nv property.

See also add\_zvars() (page 94), add\_nodes() (page 92).

## $add_zvars(nm, dm, idx)$

Add non-voltage state variable(s) for each network state.

```
nm.add_zvars(nm, dm)
nm.add_zvars(nm, dm, idx)
```

#### **Inputs**

- **nm** (*mp.net\_model* (page 90)) network model object
- dm (mp.data\_model (page 27)) data model object
- idx (cell array) indices for named and indexed variables (currently unused here)

See also add\_vvars() (page 94), add\_states() (page 93).

## def\_set\_types()

Define node, state, and port set types for mp\_idx\_manager.

```
nm.def_set_types()
```

Define the following set types:

- 'node' NODES
- 'state' STATES
- 'port' PORTS

See also mp\_idx\_manager.

## init\_set\_types()

Initialize structures for tracking/indexing nodes, states, ports.

```
nm.init_set_types()
```

See also mp\_idx\_manager.

#### display()

Display the network model object.

This method is called automatically when omitting a semicolon on a line that returns an object of this class.

Displays the details of the nodes, ports, states, voltage variables, non-voltage state variables, and network model elements.

See also mp\_idx\_manager.

```
add_node(name, idx, N)
```

Add named set of nodes.

```
nm.add_node(name, N)
nm.add_node(name, idx, N)
```

## **Inputs**

- name (char array) name for set of nodes
- idx (cell array) indices for named, indexed set of nodes
- N (integer) number of nodes in set

See also mp\_idx\_manager.add\_named\_set.

#### $add_port(name, idx, N)$

Add named set of ports.

```
nm.add_port(name, N)
nm.add_port(name, idx, N)
```

#### **Inputs**

- name (char array) name for set of ports
- idx (cell array) indices for named, indexed set of ports
- N (integer) number of ports in set

 $See\ also\ {\tt mp\_idx\_manager.add\_named\_set}.$ 

#### $add_state(name, idx, N)$

Add named set of states.

```
nm.add_state(name, N)
nm.add_state(name, idx, N)
```

## **Inputs**

- name (char array) name for set of states
- idx (cell array) indices for named, indexed set of states
- N (integer) number of states in set

See also mp\_idx\_manager.add\_named\_set.

## set\_type\_idx\_map(set\_type, idxs, dm, group\_by\_name)

Map node/port/state index back to named set & index within set.

```
s = obj.set_type_idx_map(set_type)
s = obj.set_type_idx_map(set_type, idxs)
s = obj.set_type_idx_map(set_type, idxs, dm)
s = obj.set_type_idx_map(set_type, idxs, dm, group_by_name)
```

## **Inputs**

- **set\_type** (*char array*) 'node', 'port', or 'state'
- idxs (integer) vector of indices, defaults to [1:ns]', where ns is the full dimension of the set corresponding to the all elements for the specified set type (i.e. node, port, or state)
- dm (mp.data\_model (page 27)) data model object

• **group\_by\_name** (*boolean*) – if true, results are consolidated, with a single entry in s for each unique name/idx pair, where the i and j fields are vectors

#### Output

 $s\ (\mathit{struct})\ -\ index\ map\ of\ same\ dimensions\ as\ idxs,\ unless\ group\_by\_name\ is\ true,\ in\ which\ case\ it\ is\ 1\ dimensional$ 

Returns a struct of same dimensions as idxs specifying, for each index, the corresponding named set and element within the named set for the specified set\_type. The return struct has the following fields:

- name : name of corresponding set
- idx : cell array of indices for the name, if named set is indexed
- i : index of element within the set
- e : external index (i.e. corresponding row in data model)
- ID : external ID (i.e. corresponding element ID in data model)
- j : (only if group\_by\_name == 1), corresponding index of set type, equal to a particular element of idxs

Examples:

```
s = nm.set_type_idx_map('node', 87, dm));
s = nm.set_type_idx_map('port', [38; 49; 93], dm));
s = nm.set_type_idx_map('state'));
s = nm.set_type_idx_map('node', [], dm, 1));
```

## set\_type\_label(set\_type, idxs, dm)

Create a user-readable label to identify a node, port, or state.

```
label = nm.set_type_label(set_type, idxs)
label = nm.set_type_label(set_type, idxs, dm)
```

#### **Inputs**

- set\_type (char array) 'node', 'port', or 'state'
- idxs (integer) vector of indices
- dm (mp.data\_model (page 27)) data model object

#### Output

label (cell array) – same dimensions as idxs, where each entry is a char array

Example:

**add\_var**(*vtype*, *name*, *idx*, *varargin*)

Add a set of variables to the model.

```
nm.add_var(vtype, name, N, v0, v1, vu, vt)
nm.add_var(vtype, name, N, v0, v1, vu)
nm.add_var(vtype, name, N, v0, v1)
```

(continues on next page)

(continued from previous page)

```
nm.add_var(vtype, name, N, v0)
nm.add_var(vtype, name, N)
nm.add_var(vtype, name, idx_list, N, v0, vl, vu, vt)
nm.add_var(vtype, name, idx_list, N, v0, vl, vu)
nm.add_var(vtype, name, idx_list, N, v0, vl)
nm.add_var(vtype, name, idx_list, N, v0)
nm.add_var(vtype, name, idx_list, N, v0)
nm.add_var(vtype, name, idx_list, N)
```

#### **Inputs**

- vtype (char array) variable type, must be a valid struct field name
- name (char array) name of variable set
- idx list (cell array) optional index list
- **N** (*integer*) number of variables in the set
- v0 (double) N x 1 col vector, initial value of variables, default is 0
- vl (double) N x 1 col vector, lower bounds, default is -Inf
- vu (double) N x 1 col vector, upper bounds, default is Inf
- **vt** (*char*) scalar or 1 x N row vector, variable type, default is 'C', valid element values are:
  - 'C' continuous
  - 'I' integer
  - 'B' binary

Essentially identical to the add\_var() method from opt\_model of MP-Opt-Model, with the addition of a variable type (vtype).

See also opt\_model.add\_var.

## $params_var(vtype, name, idx)$

Return initial value, bounds, and variable type for variables.

```
[v0, v1, vu] = nm.params_var(vtype)
[v0, v1, vu] = nm.params_var(vtype, name)
[v0, v1, vu] = nm.params_var(vtype, name, idx_list)
[v0, v1, vu, vt] = nm.params_var(...)
```

## **Inputs**

- **vtype** (*char array*) variable type, must be a valid struct field name
- name (char array) name of variable set
- idx\_list (cell array) optional index list

#### **Outputs**

- v0 (double) N x 1 col vector, initial value of variables
- vl (double) N x 1 col vector, lower bounds
- vu (double) N x 1 col vector, upper bounds
- vt (char) scalar or 1 x N row vector, variable type, valid element values are:
  - 'C' continuous
  - 'I' integer
  - 'B' binary

Essentially identical to the params\_var() method from opt\_model of MP-Opt-Model, with the addition of a variable type (vtype).

Returns the initial value v0, lower bound v1 and upper bound vu for the full variable vector, or for a specific named or named and indexed variable set. Optionally also returns a corresponding char vector vt of variable types, where 'C', 'I' and 'B' represent continuous, integer, and binary variables, respectively.

Examples:

```
[vr0, vrmin, vrmax] = obj.params_var('vr');
[pg0, pg_lb, pg_ub] = obj.params_var('zr', 'pg');
[zij0, zij_lb, zij_ub, ztype] = obj.params_var('zi', 'z', {i, j});
```

See also opt\_model.params\_var.

#### get\_node\_idx(name)

Get index information for named node set.

```
[i1 iN] = nm.get_node_idx(name)
nidx = nm.get_node_idx(name)
```

#### Input

**name** (*char array*) – name of node set

## **Outputs**

- i1 (integer) index of first node for name
- iN (integer) index of last node for name
- **nidx** (*integer or cell array*) indices of nodes for name, equal to either [i1:iN]' or {[i1(1):iN(1)]', ..., [i1(n):iN(n)]'}

## get\_port\_idx(name)

Get index information for named port set.

```
[i1 iN] = nm.get_port_idx(name)
pidx = nm.get_port_idx(name)
```

# Input

name (char array) – name of port set

#### **Outputs**

- i1 (integer) index of first port for name
- iN (integer) index of last port for name
- **pidx** (integer or cell array) indices of ports for name, equal to either [i1:iN]' or {[i1(1):iN(1)]', ..., [i1(n):iN(n)]'}

# get\_state\_idx(name)

Get index information for named state set.

```
[i1 iN] = nm.get_state_idx(name)
sidx = nm.get_state_idx(name)
```

#### Input

**name** (char array) – name of state set

# **Outputs**

- i1 (integer) index of first state for name
- iN (integer) index of last state for name
- sidx (integer or cell array) indices of states for name, equal to either [i1:iN]' or {[i1(1):iN(1)]', ..., [i1(n):iN(n)]'}

node\_types(nm, dm, idx, skip\_ensure\_ref)

Get node type information.

```
ntv = nm.node_types(nm, dm)
[ntv, by_elm] = nm.node_types(nm, dm)

(continues on next near)
```

(continues on next page)

(continued from previous page)

```
[ref, pv, pq] = nm.node_types(nm, dm)
[ref, pv, pq, by_elm] = nm.node_types(nm, dm)
... = nm.node_types(nm, dm, idx)
... = nm.node_types(nm, dm, idx, skip_ensure_ref)
```

## **Inputs**

- **nm** (*mp.net\_model* (page 90)) network model object
- **dm** (*mp.data\_model* (page 27)) data model object
- **idx** (*integer*) index (*not used in base method*)
- **skip\_ensure\_ref** (*boolean*) unless true, if there is no reference node, the first PV node will be converted to a new reference

## **Outputs**

- **ntv** (*integer*) node type vector, valid element values are:
  - mp.NODE\_TYPE.REF (page 169)
  - mp.NODE\_TYPE.PV (page 169)
  - mp.NODE\_TYPE.PQ (page 169)
- **ref** (*integer*) vector of indices of reference nodes
- **pv** (*integer*) vector of indices of PV nodes
- pq (integer) vector of indices of PQ nodes
- **by\_elm** (*struct*) **by\_elm**(**k**) is struct for k-th node-creating element type, with fields:
  - 'name' name of corresponding node-creating element type
  - 'ntv' node type vector (if by\_elm is 2nd output arg)
  - 'ref'/'pv'/'pq' index vectors into elements of corresponding node-creating element type (if by\_elm is 4th output arg)

See also mp.NODE\_TYPE (page 169), ensure\_ref\_node() (page 99).

# ensure\_ref\_node(dm, ref, pv, pq)

Ensure there is at least one reference node.

```
[ref, pv, pq] = nm.ensure_ref_node(dm, ref, pv, pq)
ntv = nm.ensure_ref_node(dm, ntv)
```

#### **Inputs**

- dm (mp.data\_model (page 27)) data model object
- ref (integer) vector of indices of reference nodes
- pv (integer) vector of indices of PV nodes
- pq (integer) vector of indices of PQ nodes
- **ntv** (*integer*) node type vector, valid element values are:
  - mp.NODE\_TYPE.REF (page 169)
  - mp.NODE\_TYPE.PV (page 169)
  - mp.NODE\_TYPE.PQ (page 169)

## **Outputs**

- **ref** (*integer*) updated vector of indices of reference nodes
- **pv** (*integer*) updated vector of indices of PV nodes
- pq (integer) updated vector of indices of PQ nodes
- **ntv** (*integer*) updated node type vector

#### set\_node\_type\_ref(dm, idx)

Make the specified node a reference node.

```
nm.set_node_type_ref(dm, idx)
```

# **Inputs**

- dm (mp.data\_model (page 27)) data model object
- idx (integer) index of node to modify, this is the internal network model element index

Set the specified node to type mp. NODE\_TYPE.REF (page 169).

## $set_node_type_pv(dm, idx)$

Make the specified node a PV node.

```
nm.set_node_type_pv(dm, idx)
```

#### Inputs

- dm (mp.data\_model (page 27)) data model object
- idx (integer) index of node to modify, this is the internal network model element index

Set the specified node to type mp. NODE\_TYPE.PV (page 169).

# set\_node\_type\_pq(dm, idx)

Make the specified node a PQ node.

```
nm.set_node_type_pq(dm, idx)
```

## **Inputs**

- dm (mp.data\_model (page 27)) data model object
- idx (integer) index of node to modify, this is the internal network model element index

Set the specified node to type mp. NODE\_TYPE.PQ (page 169).

#### mp.net model ac

## class mp.net\_model\_ac

Bases: mp.net\_model (page 90)

mp.net\_model\_ac (page 100) - Abstract base class for MATPOWER AC network model objects.

Explicitly a subclass of mp.net\_model (page 90) and implicitly assumed to be a subclass of mp.form\_ac (page 73) as well.

## mp.net\_model\_ac Properties:

- zr vector of real part of complex non-voltage states,  $z_r$
- zi vector of imaginary part of complex non-voltage states,  $z_i$

# mp.net\_model\_ac Methods:

- def\_set\_types() (page 101) add non-voltage state variable set types for mp\_idx\_manager
- build\_params() (page 101) build incidence matrices, parameters, add ports for each element
- port\_inj\_nln() (page 101) compute general nonlinear port injection functions and Jacobians
- port\_inj\_nln\_hess() (page 102) compute general nonlinear port injection Hessian
- nodal\_complex\_current\_balance() (page 102) compute nodal complex current balance constraints
- nodal\_complex\_power\_balance() (page 102) compute nodal complex power balance constraints
- nodal\_complex\_current\_balance\_hess() (page 103) compute nodal complex current balance Hessian

- nodal\_complex\_power\_balance\_hess() (page 103) compute nodal complex power balance Hessian
- port\_inj\_soln() (page 103) compute the network port power injections at the solution
- get\_va() (page 103) get node voltage angle vector

See also mp.net\_model (page 90), mp.form (page 71), mp.form\_ac (page 73), mp.nm\_element (page 107).

#### **Method Summary**

## def\_set\_types()

Add non-voltage state variable set types for mp\_idx\_manager.

```
nm.def_set_types()
```

Add the following set types:

- 'zr' NON-VOLTAGE VARS REAL (zr)
- 'zi' NON-VOLTAGE VARS IMAG (zi)

See also mp.net\_model.def\_set\_types() (page 94), mp\_idx\_manager.

## build\_params(nm, dm)

Build incidence matrices and parameters, and add ports for each element.

```
nm.build_params(nm, dm)
```

#### **Inputs**

- nm (mp.net\_model (page 90)) network model object
- dm (mp.data\_model (page 27)) data model object

Call the parent method to do most of the work, then build the aggregate network model parameters and add the general nonlinear function terms,  $\mathbf{s}^{nln}(\mathbf{x})$  or  $\mathbf{i}^{nln}(\mathbf{x})$ , for any elements that define them.

```
port_inj_nln(si, x_, sysx, idx)
```

Compute general nonlinear port injection functions and Jacobians

```
g = nm.port_inj_nln(si, x_, sysx, idx)
[g, gv1, gv2] = nm.port_inj_nln(si, x_, sysx, idx)
[g, gv1, gv2, gzr, gzi] = nm.port_inj_nln(si, x_, sysx, idx)
```

Compute and assemble the functions, and optionally Jacobians, for the general nonlinear injection functions  $\mathbf{s}^{nln}(\mathbf{x})$  and  $\mathbf{i}^{nln}(\mathbf{x})$  for the full aggregate network model, for all or a selected subset of ports.

#### Inputs

- si ('S' or 'I') select power or current injection function:
  - 'S' for complex power  $s^{nln}(x)$
  - 'I' for complex current  $i^{nln}(x)$
- **x** (complex double) state vector **x**
- sysx (0 or 1) which state is provided in x\_
  - **−** 0 − class aggregate state
  - -1 (default) full system state
- idx (integer) (optional) vector of indices of ports of interest, if empty or missing, returns results corresponding to all ports

#### **Outputs**

- $\mathbf{g}$  (complex double) nonlinear injection function,  $\mathbf{s}^{nln}(\mathbf{x})$  (or  $\mathbf{i}^{nln}(\mathbf{x})$ )
- gv1 (complex double) Jacobian w.r.t. 1st voltage variable,  $\mathbf{s}_{\theta}^{nln}$  or  $\mathbf{s}_{u}^{nln}$  (or  $\mathbf{i}_{\theta}^{nln}$  or  $\mathbf{i}_{u}^{nln}$ ) gv2 (complex double) Jacobian w.r.t. 2nd voltage variable,  $\mathbf{s}_{v}^{nln}$  or  $\mathbf{s}_{w}^{nln}$  (or  $\mathbf{i}_{\theta}^{nln}$  or  $\mathbf{i}_{w}^{nln}$ )

```
• gzr (complex double) – Jacobian w.r.t. real non-voltage variable, \mathbf{s}_{z_r}^{nln} (or \mathbf{i}_{z_r}^{nln})
```

• **gzi** (complex double) – Jacobian w.r.t. imaginary non-voltage variable,  $\mathbf{s}_{z_i}^{nln}$  (or  $\mathbf{i}_{z_i}^{nln}$ )

See also port\_inj\_nln\_hess() (page 102).

```
port_inj_nln_hess(si, x_, lam, sysx, idx)
```

Compute general nonlinear port injection Hessian.

```
H = nm.port_inj_nln_hess(si, x_, lam)
H = nm.port_inj_nln_hess(si, x_, lam, sysx)
H = nm.port_inj_nln_hess(si, x_, lam, sysx, idx)
```

Compute and assemble the Hessian for the general nonlinear injection functions  $\mathbf{s}^{nln}(\mathbf{x})$  and  $\mathbf{i}^{nln}(\mathbf{x})$  for the full aggregate network model, for all or a selected subset of ports. Rather than a full, 3-dimensional Hessian, it computes the Jacobian of the vector obtained by muliplying the transpose of the corresponding Jacobian by a vector  $\lambda$ .

#### **Inputs**

- si ('S' or 'I') select power or current injection function:
  - 'S' for complex power  $s^{nln}(x)$
- 'I' for complex current  $\mathbf{i}^{nln}(\mathbf{x})$
- x (complex double) state vector x
- lam (double) vector  $\lambda$  of multipliers, one for each port
- sysx (0 or 1) which state is provided in x\_
  - − 0 − class aggregate state
  - **−** 1 − (default) full system state
- idx (integer) (optional) vector of indices of ports of interest, if empty or missing, returns results corresponding to all ports

#### Output

```
H (complex double) – sparse Hessian matrix, \mathbf{s}_{xx}^{nln}(\lambda) or \mathbf{i}_{xx}^{nln}(\lambda) See also port\_inj\_nln() (page 101).
```

#### nodal\_complex\_current\_balance(x )

Compute nodal complex current balance constraints.

```
G = nm.nodal_complex_current_balance(x_)
[G, Gv1, Gv2, Gzr, Gzi] = nm.nodal_complex_current_balance(x_)
```

Compute constraint function and optionally the Jacobian for the complex current balance equality constraints based on outputs of <code>mp.form\_ac.port\_inj\_current()</code> (page 76) and the node incidence matrix.

#### Input

**x**\_ (*complex double*) – state vector **x** (full system state)

#### **Outputs**

- **G** (complex double) nodal complex current balance constraint function,  $\mathbf{g}^{\mathrm{kcl}}(x)$
- **Gv1** (complex double) Jacobian w.r.t. 1st voltage variable,  $\mathbf{g}_{\theta}^{\mathrm{kcl}}$  or  $\mathbf{g}_{u}^{\mathrm{kcl}}$
- Gv2 (complex double) Jacobian w.r.t. 2nd voltage variable,  $\mathbf{g}_{\nu}^{\mathrm{kcl}}$  or  $\mathbf{g}_{w}^{\mathrm{kcl}}$
- Gzr (complex double) Jacobian w.r.t. real non-voltage variable,  $\mathbf{g}_{x}^{\text{kcl}}$
- Gzi (complex double) Jacobian w.r.t. imaginary non-voltage variable,  $\mathbf{g}_{\infty}^{\mathrm{kcl}}$

See also mp.form\_ac.port\_inj\_current() (page 76), nodal\_complex\_current\_balance\_hess() (page 103).

#### nodal\_complex\_power\_balance(x )

Compute nodal complex power balance constraints.

```
G = nm.nodal_complex_power_balance(x_)
[G, Gv1, Gv2, Gzr, Gzi] = nm.nodal_complex_power_balance(x_)
```

Compute constraint function and optionally the Jacobian for the complex power balance equality constraints based on outputs of <code>mp.form\_ac.port\_inj\_power()</code> (page 76) and the node incidence matrix.

## Input

**x**\_ (*complex double*) – state vector **x** (full system state)

#### **Outputs**

- $\mathbf{G}$  (complex double) nodal complex power balance constraint function,  $\mathbf{g}^{\mathrm{kcl}}(x)$
- **Gv1** (complex double) Jacobian w.r.t. 1st voltage variable,  $\mathbf{g}^{\text{kcl}}_{m{ heta}}$  or  $\mathbf{g}^{\text{kcl}}_{m{u}}$
- Gv2 (complex double) Jacobian w.r.t. 2nd voltage variable,  $\mathbf{g}_{\nu}^{\mathrm{kcl}}$  or  $\mathbf{g}_{w}^{\mathrm{kcl}}$
- Gzr (complex double) Jacobian w.r.t. real non-voltage variable,  $\mathbf{g}_z^{\mathrm{kcl}}$
- Gzi (complex double) Jacobian w.r.t. imaginary non-voltage variable, gkcl

See also mp.form\_ac.port\_inj\_power() (page 76), nodal\_complex\_power\_balance\_hess() (page 103).

# nodal\_complex\_current\_balance\_hess(x\_, lam)

Compute nodal complex current balance Hessian.

```
d2G = nm.nodal_complex_current_balance_hess(x_, lam)
```

Compute the Hessian of the nodal complex current balance constraint. Rather than a full, 3-dimensional Hessian, it computes the Jacobian of the vector obtained by muliplying the transpose of the constraint Jacobian by a vector  $\lambda$ . Based on  $mp.form\_ac.port\_inj\_current\_hess()$  (page 77).

#### **Inputs**

- **x**\_ (*complex double*) state vector **x** (full system state)
- lam (double) vector  $\lambda$  of multipliers, one for each node

#### Output

```
d2G (complex double) – sparse Hessian matrix, \mathbf{g}_{xx}^{\mathrm{kcl}}(\lambda)
```

See also mp.form\_ac.port\_inj\_current\_hess() (page 77),
nodal\_complex\_current\_balance() (page 102).

# $nodal\_complex\_power\_balance\_hess(x\_, lam)$

Compute nodal complex power balance Hessian.

```
d2G = nm.nodal_complex_power_balance_hess(x_, lam)
```

Compute the Hessian of the nodal complex power balance constraint. Rather than a full, 3-dimensional Hessian, it computes the Jacobian of the vector obtained by muliplying the transpose of the constraint Jacobian by a vector  $\lambda$ . Based on  $mp.form\_ac.port\_inj\_power\_hess()$  (page 78).

#### Innuts

- **x**\_ (*complex double*) state vector **x** (full system state)
- lam (double) vector  $\lambda$  of multipliers, one for each node

#### Output

```
\mathbf{d2G} (complex double) – sparse Hessian matrix, \mathbf{g}^{\mathrm{kcl}}_{\boldsymbol{x}\boldsymbol{x}}(\boldsymbol{\lambda})
```

See also mp.form\_ac.port\_inj\_power\_hess() (page 78), nodal\_complex\_power\_balance() (page 102).

## port\_inj\_soln()

Compute the network port power injections at the solution.

```
nm.port_inj_soln()
```

Takes the solved network state, computes the port power injections, and saves them in nm.soln.gs\_.

### get\_va(idx)

Get node voltage angle vector.

```
va = nm.get_va()
va = nm.get_va(idx)
```

Get vector of node voltage angles for all or a selected subset of nodes. Values come from the solution if available, otherwise from the provided initial voltages.

#### Input

idx (integer) – index of subset of voltages of interest; if missing or empty, include allOutput

va (double) – vector of voltage angles

## mp.net\_model\_acc

## class mp.net\_model\_acc

```
Bases: mp.net_model_ac (page 100), mp.form_acc (page 82)
```

mp.net\_model\_acc (page 104) - Concrete class for MATPOWER AC cartesian network model objects.

This network model class and all of its network model element classes are specific to the AC cartesian formulation and therefore inherit from mp. form\_acc (page 82).

#### mp.net\_model\_acc Properties:

- ullet vr vector of real part of complex voltage state variables, u
- vi vector of imaginary part of complex voltage state variables,  $\boldsymbol{w}$

### mp.net\_model\_acc Methods:

- net\_model\_acc() (page 104) constructor, assign default network model element classes
- def\_set\_types() (page 104) add voltage state variable set types for mp\_idx\_manager
- initial\_voltage\_angle() (page 105) get vector of initial node voltage angles

See also mp.net\_model\_ac (page 100), mp.net\_model (page 90), mp.form\_acc (page 82), mp.form\_ac (page 73), mp.form (page 71), mp.nm\_element (page 107).

# **Constructor Summary**

## net\_model\_acc()

Constructor, assign default network model element classes.

```
nm = net_model_acc()
```

This network model class and all of its network model element classes are specific to the AC cartesian formulation and therefore inherit from *mp.form\_acc* (page 82).

## **Method Summary**

## def\_set\_types()

Add voltage state variable set types for mp idx manager.

```
nm.def_set_types()
```

Add the following set types:

- 'vr' REAL VOLTAGE VARS (vr)
- 'vi' IMAG VOLTAGE VARS (vi)

See also mp.net\_model\_ac.def\_set\_types() (page 101), mp.net\_model.def\_set\_types() (page 94), mp\_idx\_manager.

# initial\_voltage\_angle(idx)

Get vector of initial node voltage angles.

```
va = nm.initial_voltage_angle()
va = nm.initial_voltage_angle(idx)
```

Get vector of initial node voltage angles for all or a selected subset of nodes.

#### Input

idx (integer) – index of subset of voltages of interest; if missing or empty, include all **Output** 

**va** (*double*) – vector of initial voltage angles

#### mp.net model acp

# class mp.net\_model\_acp

Bases: mp.net\_model\_ac (page 100), mp.form\_acp (page 86)

mp.net\_model\_acp (page 105) - Concrete class for MATPOWER AC polar network model objects.

This network model class and all of its network model element classes are specific to the AC polar formulation and therefore inherit from mp.form\_acp (page 86).

#### mp.net\_model\_acp Properties:

- va vector of angles of complex voltage state variables,  $\theta$
- ullet vm vector of magnitudes of complex voltage state variables, u

# mp.net\_model\_acp Methods:

- net\_model\_acp() (page 105) constructor, assign default network model element classes
- def\_set\_types() (page 105) add voltage state variable set types for mp\_idx\_manager
- initial\_voltage\_angle() (page 106) get vector of initial node voltage angles

See also mp.net\_model\_ac (page 100), mp.net\_model (page 90), mp.form\_acp (page 86), mp.form\_ac (page 73), mp.form (page 71), mp.nm\_element (page 107).

#### **Constructor Summary**

#### net\_model\_acp()

Constructor, assign default network model element classes.

```
nm = net_model_acp()
```

This network model class and all of its network model element classes are specific to the AC polar formulation and therefore inherit from mp.form\_acp (page 86).

#### **Method Summary**

```
def_set_types()
```

Add voltage state variable set types for mp\_idx\_manager.

```
nm.def_set_types()
```

Add the following set types:

- 'va' VOLTAGE ANG VARS (va)
- 'vm' VOLTAGE MAG VARS (vm)

See also mp.net\_model\_ac.def\_set\_types() (page 101), mp.net\_model.def\_set\_types() (page 94), mp\_idx\_manager.

# initial\_voltage\_angle(idx)

Get vector of initial node voltage angles.

```
va = nm.initial_voltage_angle()
va = nm.initial_voltage_angle(idx)
```

Get vector of initial node voltage angles for all or a selected subset of nodes.

#### Input

idx (integer) – index of subset of voltages of interest; if missing or empty, include all Output

va (double) – vector of initial voltage angles

#### mp.net model dc

#### class mp.net\_model\_dc

Bases: mp.net\_model (page 90), mp.form\_dc (page 88)

mp.net\_model\_dc (page 106) - Concrete class for MATPOWER DC network model objects.

This network model class and all of its network model element classes are specific to the DC formulation and therefore inherit from *mp.form\_dc* (page 88).

# mp.net\_model\_dc Properties:

- va (page 107) vector of voltage states (voltage angles  $\theta$ )
- z (page 107) vector of non-voltage states z

# mp.net\_model\_dc Methods:

- net\_model\_dc() (page 106) constructor, assign default network model element classes
- def\_set\_types() (page 107) add voltage and non-voltage variable set types for mp\_idx\_manager
- build\_params() (page 107) build incidence matrices, parameters, add ports for each element
- port\_inj\_soln() (page 107) compute the network port injections at the solution

See also mp.net\_model (page 90), mp.form\_dc (page 88), mp.form (page 71), mp.nm\_element (page 107).

# **Constructor Summary**

#### net\_model\_dc()

Constructor, assign default network model element classes.

```
nm = net_model_dc()
```

This network model class and all of its network model element classes are specific to the DC formulation and therefore inherit from *mp. form\_dc* (page 88).

# **Property Summary**

```
va = []
(double) vector of voltage states (voltage angles \theta)
z = []
```

(double) vector of non-voltage states z

#### **Method Summary**

# def\_set\_types()

Add voltage and non-voltage variable set types for mp\_idx\_manager.

```
nm.def_set_types()
```

Add the following set types:

- 'va' VOLTAGE VARS (va)
- 'z' NON-VOLTAGE VARS (z)

See also mp.net\_model.def\_set\_types() (page 94), mp\_idx\_manager.

# build\_params(nm, dm)

Build incidence matrices and parameters, and add ports for each element.

```
nm.build_params(nm, dm)
```

#### **Inputs**

- nm (mp.net\_model (page 90)) network model object
- **dm** (*mp.data\_model* (page 27)) data model object

Call the parent method to do most of the work, then build the aggregate network model parameters.

#### port\_inj\_soln()

Compute the network port injections at the solution.

```
nm.port_inj_soln()
```

Takes the solved network state, computes the port power injections, and saves them in nm.soln.gp.

#### 3.4.2 Elements

# mp.nm\_element

# class mp.nm\_element

Bases: handle

mp.nm\_element (page 107) - Abstract base class for MATPOWER network model element objects.

A network model element object encapsulates all of the network model parameters for a particular element type. All network model element classes inherit from <code>mp.nm\_element</code> (page 107) and also, like the container, from a formulation-specific subclass of <code>mp.form</code> (page 71). Each element type typically implements its own subclasses, which are further subclassed per formulation. A given network model element object contains the aggregate network model parameters for all online instances of that element type, stored in the set of matrices and vectors that correspond to the formulation.

By convention, network model element variables are named nme and network model element class names begin with mp.nme.

# mp.mm\_element Properties:

- nk (page 108) number of elements of this type
- C (page 108) stacked sparse element-node incidence matrices
- D (page 109) stacked sparse incidence matrices for z-variables
- soln (page 109) struct for storing solved states, quantities

### mp.mm\_element Methods:

- name() (page 109) get name of element type, e.g. 'bus', 'gen'
- np() (page 109) number of ports per element of this type
- nn() (page 109) number of nodes per element, created by this element type
- nz() (page 109) number of non-voltage state variables per element of this type
- data\_model\_element() (page 109) get the corresponding data model element
- math\_model\_element() (page 109) get the corresponding math model element
- count() (page 110) get number of online elements in dm, set nk
- add\_nodes() (page 110) add nodes to network model
- add\_states() (page 110) add non-voltage states to network model
- add\_vvars() (page 110) add real-valued voltage variables to network object
- add\_zvars() (page 111) add real-valued non-voltage state variables to network object
- build\_params() (page 111) build model parameters from data model
- get\_nv\_() (page 111) get number of (possibly complex) voltage variables
- x2vz() (page 111) get port voltages and non-voltage states from combined state vector
- node\_indices() (page 112) construct node indices from data model element connection info
- incidence\_matrix() (page 112) construct stacked incidence matrix from set of index vectors
- node\_types() (page 113) get node type information
- set\_node\_type\_ref() (page 113) make the specified node a reference node
- set\_node\_type\_pv() (page 113) make the specified node a PV node
- set\_node\_type\_pg() (page 114) make the specified node a PQ node
- display() (page 114) display the network model element object

See the sec\_nm\_element section in the MATPOWER Developer's Manual for more information.

See also mp.net\_model (page 90).

#### **Property Summary**

# nk = 0

(integer) number of elements of this type

# C = []

(sparse integer matrix) stacked element-node incidence matrices, where C(i,kk) is 1 if port j of element k is connected to node i, and kk = k + (j-1)\*np

#### D = []

(sparse integer matrix) stacked incidence matrices for z-variables (non-voltage state variables), where D(i,kk) is 1 if z-variable j of element k is the i-th system z-variable and kk = k + (j-1)\*nz

#### soln

(struct) for storing solved states, quantities

#### **Method Summary**

#### name()

Get name of element type, e.g. 'bus', 'gen'.

#### Output

name (char array) – name of element type, must be a valid struct field name

Implementation provided by an element type specific subclass.

#### np()

Number of ports per element of this type.

#### Output

**np** (*integer*) – number of ports per element of this type

#### nn()

Number of nodes per element, created by this element type.

$$nn = nme.nn()$$

# **Output**

**nn** (integer) – number of ports per element of this type

#### nz()

Number of non-voltage state variables per element of this type.

```
nz = nme.nz()
```

#### Output

**nz** (integer) – number of non-voltage state variables per element of this type

# data\_model\_element(dm, name)

Get the corresponding data model element.

```
dme = nme.data_model_element(dm, name)
```

#### **Inputs**

- dm (mp.data\_model (page 27)) data model object
- name (char array) name of element type

#### Output

**dme** (mp.dm\_element (page 35)) – data model element object

# math\_model\_element(mm, name)

Get the corresponding math model element.

```
mme = nme.math_model_element(mm, name)
```

#### **Inputs**

- mm (mp.math\_model (page 121)) math model object
- name (char array) name of element type

#### Output

**mme** (*mp.mm\_element* (page 143)) – math model element object

#### count(dm)

Get number of online elements of this type in dm, set nk.

```
nk = nme.count(dm)
```

#### Input

**dm** (*mp.data\_mode1* (page 27)) – data model object

#### Output

**nk** (*integer*) – number of online elements of this type

#### add\_nodes(nm, dm)

Add nodes to network model for this element.

```
nme.add_nodes(nm, dm)
```

#### **Inputs**

- nm (mp.net\_model (page 90)) network model object
- dm (mp.data\_model (page 27)) data model object

Add nodes to the network model object, based on value *nn* returned by *nn()* (page 109). Calls the network model's *add\_node()* (page 95) *nn* times.

#### add\_states(nm, dm)

Add non-voltage states to network model for this element.

```
nme.add_states(nm, dm)
```

# **Inputs**

- **nm** (*mp.net\_model* (page 90)) network model object
- dm (mp.data\_model (page 27)) data model object

Add non-voltage states to the network model object, based on value nz returned by nz (page 109). Calls the network model's  $add\_state$  () (page 95) nz times.

# $add_vvars(nm, dm, idx)$

Add real-valued voltage variables to network object.

```
nme.add_vvars(nm, dm, idx)
```

#### **Inputs**

- nm (mp.net\_model (page 90)) network model object
- dm (mp.data\_model (page 27)) data model object

Add real-valued voltage variables (*v*-variables) to the network model object, for each port. Implementation depends on the specific formulation (i.e. subclass of *mp. form* (page 71)).

For example, consider an element with *np* ports and an AC formulation with polar voltage representation. The actual port voltages are complex, but this method would call the network model's *add\_var()* (page 96) twice for each port, once for the voltage angle variables and once for the voltage magnitude variables.

Implemented by a formulation-specific subclass.

#### $add_zvars(nm, dm, idx)$

Add real-valued non-voltage state variables to network object.

```
nme.add_zvars(nm, dm, idx)
```

#### **Inputs**

- nm (mp.net\_model (page 90)) network model object
- **dm** (*mp.data\_model* (page 27)) data model object
- idx (cell array) indices for named and indexed variables

Add real-valued non-voltage state variables (z-variables) to the network model object. Implementation depends on the specific formulation (i.e. subclass of mp. form (page 71)).

For example, consider an element with nz z-variables and a formulation in which these are complex. This method would call the network model's  $add\_var()$  (page 96) twice for each complex z-variable, once for the variables representing the real part and once for the imaginary part.

Implemented by a formulation-specific subclass.

#### build\_params(nm, dm)

Build model parameters from data model.

```
nme.build_params(nm, dm)
```

#### **Inputs**

- **nm** (*mp.net\_model* (page 90)) network model object
- dm (mp.data\_model (page 27)) data model object

Construction of incidence matrices C and D are handled in this base class. Building of the formulation-specific model parameters must be implemented by a formulation-specific subclass. The subclass should call its parent in order to construct the incidence matrices.

See also incidence\_matrix() (page 112), node\_indices() (page 112).

#### get\_nv\_(sysx)

Get number of (possibly complex) voltage variables.

```
nv_ = nme.get_nv_(sysx)
```

# Input

**sysx** (boolean) – if true the state  $\mathbf{x}_{-}$  refers to the full (possibly complex) system state (all node voltages and system non-voltage states), otherwise it is the state vector for this specific element type (port voltages and element non-voltage states)

#### Output

 $nv_{-}$  (integer) – number of (possibly complex) voltage variables in the state variable  $x_{-}$ , whose meaning depends on the sysx input

#### $\mathbf{x2vz}(x_-, sysx, idx)$

Get port voltages and non-voltage states from combined state vector.

```
[v_{-}, z_{-}, vi_{-}] = nme.x2vz(x_{-}, sysx, idx)
```

#### **Inputs**

- **x**\_ (*double*) *possibly complex* state vector
- **sysx** (*boolean*) if true the state **x**\_ refers to the full (*possibly complex*) system state (*all node voltages and system non-voltage states*), otherwise it is the state vector for this specific element type (*port voltages and element non-voltage states*)
- idx (integer) vector of port indices of interest

#### **Outputs**

- v (double) vector of (possibly complex) port voltages
- **z** (double) vector of (possibly complex) non-voltage state variables
- vi\_ (double) vector of (possibly complex) port voltages for selected ports only, as indexed by idx

This method extracts voltage and non-voltage states from a combined state vector, optionally with voltages for specific ports only.

Note, that this method can operate on multiple state vectors simultaneously, by specifying  $\mathbf{x}_{-}$  as a matrix. In this case, each output will have the same number of columns, one for each column of the input  $\mathbf{x}_{-}$ .

node\_indices(nm, dm, cxn\_type, cxn\_idx\_prop, cxn\_type\_prop)

Construct node indices from data model element connection info.

```
nidxs = nme.node_indices(nm, dm)
nidxs = nme.node_indices(nm, dm, cxn_type, cxn_idx_prop)
nidxs = nme.node_indices(nm, dm, cxn_type, cxn_idx_prop, cxn_type_prop)
```

#### Inputs

- nm (mp.net\_model (page 90)) network model object
- **dm** (*mp.data\_model* (page 27)) data model object
- **cxn\_type** (*char array or cell array of char arrays*) name(s) of type(s) of junction elements, i.e. node-creating elements (e.g. 'bus'), to which this element connects; see *mp.dm\_element.cxn\_type()* (page 38) for more info
- **cxn\_idx\_prop** (*char array or cell array of char arrays*) name(s) of property(ies) containing indices of junction elements that define connections (e.g. {'fbus', 'tbus'}); see *mp.dm\_element.cxn\_idx\_prop(*) (page 38) for more info
- **cxn\_type\_prop** (*char array or cell array of char arrays*) name(s) of properties containing type of junction elements for each connection, defaults to '' if **cxn\_type** and **cxn\_type\_prop** are provided, but not **cxn\_type\_prop**; see **mp.dm\_element. cxn\_type\_prop**() (page 39) for more info

# **Output**

**nidxs** (*cell array*) − 1 x *np* cell array of node index vectors for each port

This method constructs the node index vectors for each port. That is, element p of nidxs is the vector of indices of the nodes to which port p of these elements are connected. These node indices can be used to construct the element-node incidence matrices that form C.

By default, the connection information is obtained from the corresponding data model element, as described in the sec\_dm\_element\_cxn section in the MATPOWER Developer's Manual.

See also incidence\_matrix() (page 112), mp.dm\_element.cxn\_type() (page 38), mp.dm\_element.cxn\_idx\_prop() (page 38), mp.dm\_element.cxn\_type\_prop() (page 39).

#### incidence\_matrix(m, varargin)

Construct stacked incidence matrix from set of index vectors.

```
CD = nme.incidence_matrix(m, idx1, idx2, ...)
```

#### **Inputs**

- **m** (*integer*) total number of nodes or states
- idx1 (integer) index vector for nodes corresponding to this element's first port, or state variables corresponding to this element's first non-voltage state
- idx2 (integer) same as idx1 for second port or non-voltage state, and so on

#### Output

**CD** (*sparse matrix*) – stacked incidence matrix (C for ports, D for states)

Forms an  $m \times n$  incidence matrix for each input index vector idx, where n is the dimension of idx, and column j of the corresponding incidence matrix consists of all zeros with a 1 in row idx(j).

These incidence matrices are then stacked horizontally to form a single matrix return value.

#### $node_types(nm, dm, idx)$

Get node type information.

#### **Inputs**

- **nm** (*mp.net\_model* (page 90)) network model object
- **dm** (*mp.data\_model* (page 27)) data model object
- **idx** (*integer*) index (*not used in base method*)

#### **Outputs**

- **ntv** (*integer*) node type vector, valid element values are:
  - mp.NODE\_TYPE.REF (page 169)
  - mp.NODE\_TYPE.PV (page 169)
  - mp.NODE\_TYPE.PQ (page 169)
- **ref** (*integer*) vector of indices of reference nodes
- **pv** (*integer*) vector of indices of PV nodes
- pq (integer) vector of indices of PQ nodes

See also mp. NODE\_TYPE (page 169).

#### set\_node\_type\_ref(dm, idx)

Make the specified node a reference node.

```
nme.set_node_type_ref(dm, idx)
```

#### **Inputs**

- **dm** (*mp.data\_model* (page 27)) data model object
- idx (integer) index of node to modify, this is the internal network model element index

Set the specified node to type mp.NODE\_TYPE.REF (page 169).

Implementation provided by node-creating subclass.

#### set\_node\_type\_pv(dm, idx)

Make the specified node a PV node.

```
nme.set_node_type_pv(dm, idx)
```

#### **Inputs**

- dm (mp.data\_model (page 27)) data model object
- idx (integer) index of node to modify, this is the internal network model element index

Set the specified node to type mp. NODE\_TYPE.PV (page 169).

Implementation provided by node-creating subclass.

```
set_node_type_pq(dm, idx)
```

Make the specified node a PQ node.

```
nme.set_node_type_pq(dm, idx)
```

#### **Inputs**

- **dm** (*mp.data\_model* (page 27)) data model object
- idx (integer) index of node to modify, this is the internal network model element index

Set the specified node to type mp. NODE\_TYPE.PQ (page 169).

Implementation provided by node-creating subclass.

#### display()

Display the network model element object.

This method is called automatically when omitting a semicolon on a line that returns an object of this class.

Displays the details of the elements, including total number of elements, nodes per element, ports per element, non-voltage state per element, formulation name, tag, and class, and names and dimensions of the model parameters.

# mp.nme\_branch

#### class mp.nme\_branch

```
Bases: mp.nm_element (page 107)
```

mp.nme\_branch (page 114) - Network model element abstract base class for branch.

Implements the network model element for branch elements, including transmission lines and transformers, with 2 ports per branch.

# **Method Summary**

```
name()
```

np()

# mp.nme\_branch\_ac

# class mp.nme\_branch\_ac

```
Bases: mp.nme_branch (page 114)
```

mp.nme\_branch\_ac (page 114) - Network model element abstract base class for branch for AC formulations.

Implements building of the admittance parameter  $\underline{\mathbf{Y}}$  for branches.

# **Method Summary**

```
build_params(nm, dm)
```

Builds the admittance parameter  $\underline{\mathbf{Y}}$  for branches.

## mp.nme branch acc

# class mp.nme\_branch\_acc

```
Bases: mp.nme_branch_ac (page 114), mp.form_acc (page 82)
```

mp.nme\_branch\_acc (page 115) - Network model element for branch for AC cartesian voltage formulations.

Implements functions for the voltage angle difference limits and their derivatives and inherits from mp.form\_acc (page 82).

# **Method Summary**

```
ang_diff_fcn(xx, Aang, lang, uang)
ang_diff_hess(xx, lambda, Aang)
```

# mp.nme\_branch\_acp

#### class mp.nme\_branch\_acp

```
Bases: mp.nme_branch_ac (page 114), mp.form_acp (page 86)
```

mp.nme\_branch\_acp (page 115) - Network model element for branch for AC polar voltage formulations.

Inherits from mp. form\_acp (page 86).

#### mp.nme branch dc

#### class mp.nme\_branch\_dc

```
Bases: mp.nme_branch (page 114), mp.form_dc (page 88)
```

mp.nme\_branch\_dc (page 115) - Network model element for branch for DC formulations.

Implements building of the branch parameters  $\underline{B}$  and p, and inherits from  $mp.form\_dc$  (page 88).

# **Method Summary**

```
build_params(nm, dm)
```

# mp.nme bus class mp.nme\_bus Bases: mp.nm\_element (page 107) mp.nme\_bus (page 116) - Network model element abstract base class for bus. Implements the network model element for bus elements, with 1 node per bus. Implements node type methods. **Method Summary** name() nn() $node_types(nm, dm, idx)$ set\_node\_type\_ref(nm, dm, idx) $set_node_type_pv(nm, dm, idx)$ $set_node_type_pq(nm, dm, idx)$ mp.nme\_bus\_acc class mp.nme\_bus\_acc Bases: mp.nme\_bus (page 116), mp.form\_acc (page 82) mp.nme\_bus\_acc (page 116) - Network model element for bus for AC cartesian voltage formulations. Adds voltage variables Vr and Vi to the network model and inherits from mp. form\_acc (page 82). **Method Summary** $add_vvars(nm, dm, idx)$ mp.nme bus acp class mp.nme\_bus\_acp Bases: mp.nme\_bus (page 116), mp.form\_acp (page 86)

#### .

**Method Summary** 

```
add_vvars(nm, dm, idx)
```

116 Chapter 3. Classes

mp.nme\_bus\_acp (page 116) - Network model element for bus for AC cartesian polar formulations. Adds voltage variables Va and Vm to the network model and inherits from mp.form\_acp (page 86).

# mp.nme bus dc class mp.nme\_bus\_dc Bases: mp.nme\_bus (page 116), mp.form\_dc (page 88) mp.nme\_bus\_dc (page 117) - Network model element for bus for DC formulations. Adds voltage variable Va to the network model and inherits from mp.form\_dc (page 88). **Method Summary** $add_vvars(nm, dm, idx)$ mp.nme gen class mp.nme\_gen Bases: mp.nm\_element (page 107) mp.nme\_gen (page 117) - Network model element abstract base class for generator. Implements the network model element for generator elements, with 1 port and 1 non-voltage state per generator. **Method Summary** name() np() nz() mp.nme\_gen\_ac class mp.nme\_gen\_ac Bases: mp.nme\_gen (page 117) mp.nme\_gen\_ac (page 117) - Network model element abstract base class for generator for AC formulations. Adds non-voltage state variables Pg and Qg to the network model and builds the parameter $\underline{N}$ . **Method Summary** $add_zvars(nm, dm, idx)$ $build_params(nm, dm)$

```
mp.nme gen acc
class mp.nme_gen_acc
     Bases: mp.nme_gen_ac (page 117), mp.form_acc (page 82)
     mp.nme_gen_acc (page 118) - Network model element for generator for AC cartesian voltage formulations.
     Inherits from mp.form_acc (page 82).
mp.nme_gen_acp
class mp.nme_gen_acp
     Bases: mp.nme_gen_ac (page 117), mp.form_acp (page 86)
     mp.nme_gen_acp (page 118) - Network model element for generator for AC polar voltage formulations.
     Inherits from mp. form_acp (page 86).
mp.nme_gen_dc
class mp.nme_gen_dc
     Bases: mp.nme_gen (page 117), mp.form_dc (page 88)
     mp.nme_gen_dc (page 118) - Network model element for generator for DC formulations.
     Adds non-voltage state variable Pq to the network model, builds the parameter K, and inherits from mp. form_dc
     (page 88).
     Method Summary
          add_zvars(nm, dm, idx)
          build_params(nm, dm)
mp.nme_load
class mp.nme_load
     Bases: mp.nm_element (page 107)
     mp.nme_load (page 118) - Network model element abstract base class for load.
     Implements the network model element for load elements, with 1 port per load.
     Method Summary
          name()
          np()
```

# mp.nme load ac class mp.nme\_load\_ac Bases: mp.nme\_load (page 118) mp.nme\_load\_ac (page 119) - Network model element abstract base class for load for AC formulations. Builds the parameters $\underline{\mathbf{s}}$ and $\underline{\mathbf{Y}}$ and nonlinear functions $\mathbf{s}^{nln}(\mathbf{x})$ and $\mathbf{i}^{nln}(\mathbf{x})$ . **Method Summary** build\_params(nm, dm) port\_inj\_current\_nln(Sd, x\_, sysx, idx) port\_inj\_power\_nln(Sd, x , sysx, idx) mp.nme\_load\_acc class mp.nme\_load\_acc Bases: mp.nme\_load\_ac (page 119), mp.form\_acc (page 82) mp.nme\_load\_acc (page 119) - Network model element for load for AC cartesian voltage formulations. Inherits from mp. form\_acc (page 82). mp.nme\_load\_acp class mp.nme\_load\_acp Bases: mp.nme\_load\_ac (page 119), mp.form\_acp (page 86) mp.nme\_load\_acp (page 119) - Network model element for load for AC polar voltage formulations. Inherits from mp. form\_acp (page 86). mp.nme load dc class mp.nme\_load\_dc Bases: mp.nme\_load (page 118), mp.form\_dc (page 88) mp.nme\_load\_dc (page 119) - Network model element for load for DC formulations. Builds the parameter p and inherits from $mp.form\_dc$ (page 88).

# **Method Summary**

build\_params(nm, dm)

# mp.nme shunt class mp.nme\_shunt Bases: mp.nm\_element (page 107) mp.nme\_shunt (page 120) - Network model element abstract base class for shunt. Implements the network model element for shunt elements, with 1 port per shunt. **Method Summary** name() np() mp.nme\_shunt\_ac class mp.nme\_shunt\_ac Bases: mp.nme\_shunt (page 120) mp.nme\_shunt\_ac (page 120) - Network model element abstract base class for shunt for AC formulations. Builds the parameter $\underline{\mathbf{Y}}$ . **Method Summary** build\_params(nm, dm) mp.nme\_shunt\_acc class mp.nme\_shunt\_acc Bases: mp.nme\_shunt\_ac (page 120), mp.form\_acc (page 82) mp.nme\_shunt\_acc (page 120) - Network model element for shunt for AC cartesian voltage formulations. Inherits from mp. form\_acc (page 82). mp.nme\_shunt\_acp

#### class mp.nme\_shunt\_acp

```
Bases: mp.nme_shunt_ac (page 120), mp.form_acp (page 86)
mp.nme_shunt_acp (page 120) - Network model element for shunt for AC polar voltage formulations.
Inherits from mp. form_acp (page 86).
```

# mp.nme shunt dc

#### class mp.nme\_shunt\_dc

```
Bases: mp.nme_shunt (page 120), mp.form_dc (page 88)
```

mp.nme\_shunt\_dc (page 121) - Network model element for shunt for DC formulations.

Builds the parameter p and inherits from  $mp.form\_dc$  (page 88).

#### **Method Summary**

build\_params(nm, dm)

# 3.5 Mathematical Model Classes

#### 3.5.1 Containers

#### mp.math model

#### class mp.math\_model

Bases: mp.element\_container (page 165), opt\_model

mp.math\_model (page 121) - Abstract base class for MATPOWER mathematical model objects.

The mathematical model, or math model, formulates and defines the mathematical problem to be solved. That is, it determines the variables, constraints, and objective that define the problem. This takes on different forms depending on the task (e.g. power flow, optimal power flow, etc.) and the formulation (e.g. DC, AC-polar-power, etc.).

A math model object is a container for math model element (mp.mm\_element (page 143)) objects and it is also an MP-Opt-Model (opt\_model) object. All math model classes inherit from mp.math\_model (page 121) and therefore also from mp.element\_container (page 165), opt\_model, and mp\_idx\_manager. Concrete math model classes are task and formulation specific. They also sometimes inherit from abstract mix-in classes that are shared across tasks or formulations.

By convention, math model variables are named mm and math model class names begin with mp.math\_model.

# mp.math\_model Properties:

• aux\_data (page 122) - auxiliary data relevant to the model

#### mp.math model Methods:

- task\_tag() (page 122) returns task tag, e.g. 'PF', 'OPF'
- task\_name() (page 122) returns task name, e.g. 'Power Flow', 'Optimal Power Flow'
- form\_tag() (page 122) returns network formulation tag, e.g. 'dc', 'acps'
- form\_name() (page 122) returns network formulation name, e.g. 'DC', 'AC-polar-power'
- build() (page 122) create, add, and build math model element objects
- display() (page 123) display the math model object
- add\_aux\_data() (page 123) builds auxiliary data and adds it to the model

- build\_base\_aux\_data() (page 123) builds base auxiliary data, including node types & variable initial values
- add\_vars() (page 123) add variables to the model
- add\_system\_vars() (page 123) add system variables to the model
- add\_constraints() (page 124) add constraints to the model
- add\_system\_constraints() (page 124) add system constraints to the model
- add\_node\_balance\_constraints() (page 124) add node balance constraints to the model
- add\_costs() (page 124) add costs to the model
- add\_system\_costs() (page 125) add system costs to the model
- solve\_opts() (page 125) return an options struct to pass to the solver
- update\_nm\_vars() (page 125) update network model variables from math model solution
- data\_model\_update() (page 126) update data model from math model solution
- network\_model\_x\_soln() (page 126) convert solved state from math model to network model solution

See the sec\_math\_model section in the MATPOWER Developer's Manual for more information.

See also mp.task (page 7), mp.data\_model (page 27), mp.net\_model (page 90).

# **Property Summary**

#### aux data

(struct) auxiliary data relevant to the model, e.g. can be passed to model constraint functions

# **Method Summary**

# task\_tag()

Returns task tag, e.g. 'PF', 'OPF'.

```
tag = mm.task_tag()
```

#### task\_name()

Returns task name, e.g. 'Power Flow', 'Optimal Power Flow'.

```
name = mm.task_name()
```

# form\_tag()

Returns network formulation tag, e.g. 'dc', 'acps'.

```
tag = mm.form_tag()
```

#### form\_name()

Returns network formulation name, e.g. 'DC', 'AC-polar-power'.

```
name = mm.form_name()
```

# build(nm, dm, mpopt)

Create, add, and build() (page 122) math model element objects.

```
mm.build(nm, dm, mpopt);
```

### **Inputs**

- nm (mp.net\_model (page 90)) network model object
- dm (mp.data\_model (page 27)) data model object
- mpopt (struct) MATPOWER options struct

Create and add network model objects, create and add auxiliary data, and add variables, constraints, and costs.

#### display()

Display the math model object.

This method is called automatically when omitting a semicolon on a line that returns an object of this class.

Displays the details of the variables, constraints, costs, and math model elements.

See also mp\_idx\_manager.

# add\_aux\_data(nm, dm, mpopt)

Builds auxiliary data and adds it to the model.

```
mm.add_aux_data(nm, dm, mpopt)
```

# **Inputs**

- nm (mp.net\_model (page 90)) network model object
- **dm** (*mp.data\_mode1* (page 27)) data model object
- mpopt (struct) MATPOWER options struct

Calls the build\_aux\_data() method and assigns the result to the aux\_data property. The base build\_aux\_data() method, which simply calls build\_base\_aux\_data() (page 123), is defined in mp.mm\_shared\_pfcpf (page 138) (and in mp.math\_model\_opf (page 131)) allowing it to be shared across math models for different tasks (PF and CPF).

#### build\_base\_aux\_data(nm, dm, mpopt)

Builds base auxiliary data, including node types & variable initial values.

```
ad = mm.build_base_aux_data(nm, dm, mpopt)
```

# **Inputs**

- nm (mp.net\_model (page 90)) network model object
- **dm** (*mp.data\_model* (page 27)) data model object
- mpopt (struct) MATPOWER options struct

#### Output

ad (struct) – struct of auxiliary data

# add\_vars(nm, dm, mpopt)

Add variables to the model.

```
mm.add_vars(nm, dm, mpopt)
```

### **Inputs**

- **nm** (*mp.net\_model* (page 90)) network model object
- dm (mp.data\_model (page 27)) data model object
- mpopt (struct) MATPOWER options struct

Adds system variables, then calls the add\_vars() (page 144) method for each math model element.

#### add\_system\_vars(nm, dm, mpopt)

Add system variables to the model.

```
mm.add_system_vars(nm, dm, mpopt)
```

# **Inputs**

- nm (mp.net\_model (page 90)) network model object
- dm (mp.data\_model (page 27)) data model object
- **mpopt** (*struct*) MATPOWER options struct

Variables which correspond to a specific math model element should be added by that element's *add\_vars()* (page 144) method. Other variables can be added by *add\_system\_vars()* (page 123). In this base class this method does nothing.

#### add\_constraints(nm, dm, mpopt)

Add constraints to the model.

```
mm.add_constraints(nm, dm, mpopt)
```

#### **Inputs**

- nm (mp.net\_model (page 90)) network model object
- dm (mp.data\_model (page 27)) data model object
- mpopt (struct) MATPOWER options struct

Adds system constraints, then calls the *add\_constraints()* (page 144) method for each math model element.

#### add\_system\_constraints(nm, dm, mpopt)

Add system constraints to the model.

```
mm.add_system_constraints(nm, dm, mpopt)
```

#### **Inputs**

- nm (mp.net\_model (page 90)) network model object
- dm (mp.data\_model (page 27)) data model object
- **mpopt** (*struct*) MATPOWER options struct

Constraints which correspond to a specific math model element should be added by that element's add\_constraints() (page 144) method. Other constraints can be added by add\_system\_constraints() (page 124). In this base class, it simply calls add\_node\_balance\_constraints() (page 124).

#### add\_node\_balance\_constraints(nm, dm, mpopt)

Add node balance constraints to the model.

```
mm.add_node_balance_constraints(nm, dm, mpopt)
```

# **Inputs**

- **nm** (*mp.net\_model* (page 90)) network model object
- dm (mp.data\_model (page 27)) data model object
- mpopt (struct) MATPOWER options struct

In this base class this method does nothing.

### add\_costs(nm, dm, mpopt)

Add costs to the model.

```
mm.add_costs(nm, dm, mpopt)
```

### **Inputs**

- nm (mp.net\_model (page 90)) network model object
- **dm** (*mp.data\_model* (page 27)) data model object
- mpopt (struct) MATPOWER options struct

Adds system costs, then calls the add\_costs() (page 145) method for each math model element.

# add\_system\_costs(nm, dm, mpopt)

Add system costs to the model.

```
mm.add_system_costs(nm, dm, mpopt)
```

#### **Inputs**

- nm (mp.net\_model (page 90)) network model object
- **dm** (*mp.data\_model* (page 27)) data model object
- mpopt (struct) MATPOWER options struct

Costs which correspond to a specific math model element should be added by that element's  $add\_costs()$  (page 145) method. Other variables can be added by  $add\_system\_costs()$  (page 125). In this base class this method does nothing.

#### solve\_opts(nm, dm, mpopt)

Return an options struct to pass to the solver.

```
opt = mm.solve_opts(nm, dm, mpopt)
```

#### **Inputs**

- nm (mp.net\_model (page 90)) network model object
- dm (mp.data\_model (page 27)) data model object
- mpopt (struct) MATPOWER options struct

#### Output

**opt** (*struct*) – options struct for solver

In this base class, returns an empty struct.

# update\_nm\_vars(mmx, nm)

Update network model variables from math model solution.

```
nm_vars = mm.update_nm_vars(mmx, nm)
```

#### **Inputs**

- mmx (double) vector of math model variable x
- nm (mp.net\_model (page 90)) network model object

#### Output

nm\_vars (struct) – updated network model variables

Returns a struct with the network model variables as fields. The mm.aux\_data.var\_map cell array is used to track mappings of math model variables back to network model variables. Each entry is itself a 7-element cell array of the form

```
{nm_var_type, nm_i1, nm_iN, nm_idx, mm_i1, mm_iN, mm_idx}
```

where

- nm\_var\_type network model variable type (e.g. va, vm, zr, zi)
- nm\_i1 starting index for network model variable type
- nm\_iN ending index for network model variable type

- nm\_idx vector of indices for network model variable type
- mm\_i1 starting index for math model variable
- mm\_iN ending index for math model variable
- mm\_idx vector of indices for math model variable

Uses either i1:iN (if i1 is not empty) or idx as the indices, unless both are empty, in which case it uses ':'.

# data\_model\_update(nm, dm, mpopt)

Update data model from math model solution.

```
dm = mm.data_model_update(nm, dm, mpopt)
```

#### **Inputs**

- nm (mp.net\_model (page 90)) network model object
- dm (mp.data\_model (page 27)) data model object
- mpopt (struct) MATPOWER options struct

#### **Output**

**dm** (mp.data\_model (page 27)) – updated data model object

Calls the data\_model\_update() (page 145) method for each math model element.

# network\_model\_x\_soln(nm)

Convert solved state from math model to network model solution.

```
nm = mm.network_model_x_soln(nm)
```

# Input

```
nm (mp.net_model (page 90)) - network model object
Output
```

**nm** (*mp.net\_model* (page 90)) – updated network model object

Calls convert\_x\_m2n() to which is defined in a subclass of in mp.mm\_shared\_pfcpf (page 138) (and of mp.math\_model\_opf (page 131)) allowing it to be shared across math models for different tasks (PF and CPF).

### mp.math\_model\_pf

# class mp.math\_model\_pf

```
Bases: mp.math_model (page 121)
```

mp.math\_model\_pf (page 126) - Abstract base class for power flow (PF) math model objects.

Implements setting up of solver options from MATPOWER options struct.

### **Method Summary**

```
task_tag()
task_name()
add_costs(nm, dm, mpopt)
add_system_vars(nm, dm, mpopt)
```

```
solve_opts(nm, dm, mpopt)
mp.math_model_pf_ac
class mp.math_model_pf_ac
     Bases: mp.math_model_pf (page 126)
     mp.math_model_pf_ac (page 127) - Power flow (PF) math model for AC formulations.
     Provides AC-specific and PF-specific subclasses for elements.
     Constructor Summary
          math_model_pf_ac()
mp.math_model_pf_acci
class mp.math_model_pf_acci
     Bases: mp.math_model_pf_ac (page 127), mp.mm_shared_pfcpf_acci (page 140)
     mp.math_model_pf_acci (page 127) - Power flow (PF) math model for AC-cartesian-current formulation.
     Implements formulation-specific node balance constraints and inherits from formulation-specific class for shared
     PF/CPF code.
     Method Summary
          form_tag()
          form_name()
          add_node_balance_constraints(nm, dm, mpopt)
mp.math_model_pf_accs
class mp.math_model_pf_accs
     Bases: mp.math_model_pf_ac (page 127), mp.mm_shared_pfcpf_accs (page 140)
     mp.math_model_pf_accs (page 127) - Power flow (PF) math model for AC-cartesian-power formulation.
     Implements formulation-specific node balance constraints and inherits from formulation-specific class for shared
     PF/CPF code.
     Method Summary
          form_tag()
```

form\_name()

```
add_node_balance_constraints(nm, dm, mpopt)
```

#### mp.math model pf acpi

# class mp.math\_model\_pf\_acpi

```
Bases: mp.math_model_pf_ac (page 127), mp.mm_shared_pfcpf_acpi (page 141)
```

```
mp.math_model_pf_acpi (page 128) - Power flow (PF) math model for AC-polar-current formulation.
```

Implements formulation-specific node balance constraints and inherits from formulation-specific class for shared PF/CPF code.

### **Method Summary**

```
form_tag()
form_name()
add_node_balance_constraints(nm, dm, mpopt)
```

# mp.math\_model\_pf\_acps

# class mp.math\_model\_pf\_acps

```
Bases: mp.math_model_pf_ac (page 127), mp.mm_shared_pfcpf_acps (page 141)
```

mp.math\_model\_pf\_acps (page 128) - Power flow (PF) math model for AC-polar-power formulation.

Implements formulation-specific node balance constraints and inherits from formulation-specific class for shared PF/CPF code.

Also includes implementations of methods specific to fast-decoupled power flow.

#### **Method Summary**

```
form_tag()
form_name()
add_node_balance_constraints(nm, dm, mpopt)
gs_x_update(x, f, nm, dm, mpopt)
zg_x_update(x, f, nm, dm, mpopt)
fd_jac_approx(nm, dm, mpopt)
fdpf_B_matrix_models(dm, alg)
```

# mp.math\_model\_pf\_dc

# class mp.math\_model\_pf\_dc

```
Bases: mp.math_model_pf (page 126), mp.mm_shared_pfcpf_dc (page 141)
```

```
mp.math_model_pf_dc (page 129) - Power flow (PF) math model for DC formulation.
```

Provides formulation-specific and PF-specific subclasses for elements and implements formulation-specific node balance constraints.

Overrides the default solve\_opts() (page 129) method.

#### **Constructor Summary**

```
math_model_pf_dc()
```

# **Method Summary**

```
form_tag()
```

form\_name()

add\_node\_balance\_constraints(nm, dm, mpopt)

solve\_opts(nm, dm, mpopt)

# mp.math model cpf acc

# class mp.math\_model\_cpf\_acc

```
Bases: mp.math_model_cpf
```

mp.math\_model\_cpf\_acc (page 129) - Abstract base class for AC cartesian CPF math model objects.

Provides formulation-specific and CPF-specific subclasses for elements.

# **Constructor Summary**

```
math_model_cpf_acc()
```

Constructor, assign default network model element classes.

```
mm = math_model_cpf_acc()
```

# mp.math model cpf acci

#### class mp.math\_model\_cpf\_acci

```
Bases: mp.math_model_cpf_acc (page 129), mp.mm_shared_pfcpf_acci (page 140)
```

mp.math\_model\_cpf\_acci (page 129) - CPF math model for AC-cartesian-current formulation.

Implements formulation-specific and CPF-specific node balance constraint.

# **Method Summary**

```
form_tag()
          form_name()
          add_node_balance_constraints(nm, dm, mpopt)
mp.math model cpf accs
class mp.math_model_cpf_accs
     Bases: mp.math_model_cpf_acc (page 129), mp.mm_shared_pfcpf_accs (page 140)
     mp.math_model_cpf_accs (page 130) - CPF math model for AC-cartesian-power formulation.
     Implements formulation-specific and CPF-specific node balance constraint.
     Method Summary
          form_tag()
          form_name()
          add_node_balance_constraints(nm, dm, mpopt)
mp.math model cpf acp
class mp.math_model_cpf_acp
     Bases: mp.math_model_cpf
     mp.math_model_cpf_acp (page 130) - Abstract base class for AC polar CPF math model objects.
     Provides formulation-specific and CPF-specific subclasses for elements and implementations of event and call-
     back functions for handling voltage limits.
     Constructor Summary
          math_model_cpf_acp()
              Constructor, assign default network model element classes.
              mm = math_model_cpf_acp()
     Method Summary
          event_vlim(cx, opt, nm, dm, mpopt)
          callback\_vlim(k, nx, cx, px, s, opt, nm, dm, mpopt)
```

# mp.math model cpf acpi class mp.math\_model\_cpf\_acpi Bases: mp.math\_model\_cpf\_acp (page 130), mp.mm\_shared\_pfcpf\_acpi (page 141) mp.math\_model\_cpf\_acpi (page 131) - CPF math model for AC-polar-current formulation. Implements formulation-specific and CPF-specific node balance constraint. **Method Summary** form\_tag() form\_name() add\_node\_balance\_constraints(nm, dm, mpopt) mp.math\_model\_cpf\_acps class mp.math\_model\_cpf\_acps Bases: mp.math\_model\_cpf\_acp (page 130), mp.mm\_shared\_pfcpf\_acps (page 141) mp.math\_model\_cpf\_acps (page 131) - CPF math model for AC-polar-power formulation. Implements formulation-specific and CPF-specific node balance constraint. Provides methods for warm-starting solver with updated data. **Method Summary** form\_tag() form\_name() add\_node\_balance\_constraints(nm, dm, mpopt) expand\_z\_warmstart(nm, ad, varargin) solve\_opts\_warmstart(opt, ws, nm) mp.math model opf class mp.math\_model\_opf Bases: mp.math\_model (page 121) mp.math\_model\_opf (page 131) - Abstract base class for optimal power flow (OPF) math model objects. Provide implementations for adding system variables to the mathematical model and creating an interior starting

**Method Summary** 

task\_tag()

point.

```
task_name()
          build_aux_data(nm, dm, mpopt)
          add_system_vars(nm, dm, mpopt)
          interior_x0(mm, nm, dm, x0)
          interior_va(nm, dm)
mp.math model opf ac
class mp.math_model_opf_ac
     Bases: mp.math_model_opf (page 131)
     mp.math_model_opf_ac (page 132) - Abstract base class for AC OPF math model objects.
     Provide implementation of nodal current and power balance functions and their derivatives, and setup of solver
     options.
     Method Summary
          nodal_current_balance_fcn(x, nm)
          nodal_power_balance_fcn(x, nm)
         nodal_current_balance_hess(x, lam, nm)
          nodal_power_balance_hess(x, lam, nm)
          solve_opts(nm, dm, mpopt)
mp.math_model_opf_acc
class mp.math_model_opf_acc
     Bases: mp.math_model_opf_ac (page 132)
     mp.math_model_opf_acc (page 132) - Abstract base class for AC cartesian OPF math model objects.
     Provides formulation-specific and OPF-specific subclasses for elements.
     Implements convert_x_m2n() (page 132) to convert from math model state to network model state.
     Constructor Summary
          math_model_opf_acc()
     Method Summary
          convert_x_m2n(mmx, nm)
          interior_va(nm, dm)
```

# mp.math\_model\_opf\_acci

# class mp.math\_model\_opf\_acci

```
Bases: mp.math_model_opf_acc (page 132)
```

mp.math\_model\_opf\_acci (page 133) - OPF math model for AC-cartesian-current formulation.

Implements formulation-specific and OPF-specific node balance constraint and node balance price methods.

#### **Method Summary**

```
form_tag()
form_name()
add_node_balance_constraints(nm, dm, mpopt)
node_power_balance_prices(nm)
```

# mp.math\_model\_opf\_acci\_legacy

# class mp.math\_model\_opf\_acci\_legacy

Bases: mp.math\_model\_opf\_acci (page 133), mp.mm\_shared\_opf\_legacy (page 142)

mp.math\_model\_opf\_acci\_legacy (page 133) - OPF math model for AC-cartesian-current formulation w/legacy extensions.

Provides formluation-specific methods for handling legacy user customization of OPF problem.

# **Constructor Summary**

```
math_model_opf_acci_legacy()
```

# **Method Summary**

```
add_named_set(varargin)

def_set_types()

init_set_types()

build(nm, dm, mpopt)

add_vars(nm, dm, mpopt)

add_system_costs(nm, dm, mpopt)

add_system_constraints(nm, dm, mpopt)

legacy_user_var_names()
```

add\_vars(nm, dm, mpopt)

legacy\_user\_var\_names()

add\_system\_costs(nm, dm, mpopt)

add\_system\_constraints(nm, dm, mpopt)

# mp.math model opf accs class mp.math\_model\_opf\_accs Bases: mp.math\_model\_opf\_acc (page 132) mp.math\_model\_opf\_accs (page 134) - OPF math model for AC-cartesian-power formulation. Implements formulation-specific and OPF-specific node balance constraint and node balance price methods. **Method Summary** form\_tag() form\_name() add\_node\_balance\_constraints(nm, dm, mpopt) node\_power\_balance\_prices(nm) mp.math\_model\_opf\_accs\_legacy class mp.math\_model\_opf\_accs\_legacy Bases: mp.math\_model\_opf\_accs (page 134), mp.mm\_shared\_opf\_legacy (page 142) mp.math\_model\_opf\_accs\_legacy (page 134) - OPF math model for AC-cartesian-power formulation w/legacy extensions. Provides formluation-specific methods for handling legacy user customization of OPF problem. **Constructor Summary** math\_model\_opf\_accs\_legacy() **Method Summary** add\_named\_set(varargin) def\_set\_types() init\_set\_types() build(nm, dm, mpopt)

# mp.math model opf acp class mp.math\_model\_opf\_acp Bases: mp.math\_model\_opf\_ac (page 132) mp.math\_model\_opf\_acp (page 135) - Abstract base class for AC polar OPF math model objects. Provides formulation-specific and OPF-specific subclasses for elements. Implements *convert\_x\_m2n()* (page 135) to convert from math model state to network model state. **Constructor Summary** math\_model\_opf\_acp() **Method Summary** convert\_x\_m2n(mmx, nm) mp.math model opf acpi class mp.math\_model\_opf\_acpi Bases: mp.math\_model\_opf\_acp (page 135) mp.math\_model\_opf\_acpi (page 135) - OPF math model for AC-polar-current formulation. Implements formulation-specific and OPF-specific node balance constraint and node balance price methods. **Method Summary** form\_tag() form\_name() add\_node\_balance\_constraints(nm, dm, mpopt) node\_power\_balance\_prices(nm) mp.math\_model\_opf\_acpi\_legacy class mp.math\_model\_opf\_acpi\_legacy Bases: mp.math\_model\_opf\_acpi (page 135), mp.mm\_shared\_opf\_legacy (page 142) mp.math\_model\_opf\_acpi\_legacy (page 135) - OPF math model for AC-polar-current formulation w/legacy extensions. Provides formluation-specific methods for handling legacy user customization of OPF problem. **Constructor Summary** math\_model\_opf\_acpi\_legacy() **Method Summary**

```
add_named_set(varargin)
          def_set_types()
          init_set_types()
          build(nm, dm, mpopt)
          add_vars(nm, dm, mpopt)
          add_system_costs(nm, dm, mpopt)
          add_system_constraints(nm, dm, mpopt)
          legacy_user_var_names()
mp.math_model_opf_acps
class mp.math_model_opf_acps
     Bases: mp.math_model_opf_acp (page 135)
     mp.math_model_opf_acps (page 136) - OPF math model for AC-polar-power formulation.
     Implements formulation-specific and OPF-specific node balance constraint and node balance price methods.
     Method Summary
          form_tag()
          form_name()
          add_node_balance_constraints(nm, dm, mpopt)
          node_power_balance_prices(nm)
mp.math_model_opf_acps_legacy
class mp.math_model_opf_acps_legacy
     Bases: mp.math_model_opf_acps (page 136), mp.mm_shared_opf_legacy (page 142)
     mp.math_model_opf_acps_legacy (page 136) - OPF math model for AC-polar-power formulation w/legacy
     extensions.
     Provides formluation-specific methods for handling legacy user customization of OPF problem.
     Constructor Summary
         math_model_opf_acps_legacy()
     Method Summary
          add_named_set(varargin)
```

```
def_set_types()
          init_set_types()
          build(nm, dm, mpopt)
          add_vars(nm, dm, mpopt)
          add_system_costs(nm, dm, mpopt)
          add_system_constraints(nm, dm, mpopt)
          legacy_user_var_names()
mp.math_model_opf_dc
class mp.math_model_opf_dc
     Bases: mp.math_model_opf (page 131)
     mp.math_model_opf_dc (page 137) - Optimal Power flow (OPF) math model for DC formulation.
     Provides formulation-specific and OPF-specific subclasses for elements.
     Provides implementation of nodal balance constraint method and setup of solver options.
     Implements convert_x_m2n() (page 137) to convert from math model state to network model state.
     Constructor Summary
          math_model_opf_dc()
     Method Summary
          form_tag()
          form_name()
          convert_x_m2n(mmx, nm)
          add_node_balance_constraints(nm, dm, mpopt)
          solve_opts(nm, dm, mpopt)
mp.math_model_opf_dc_legacy
class mp.math_model_opf_dc_legacy
     Bases: mp.math_model_opf_dc (page 137), mp.mm_shared_opf_legacy (page 142)
     mp.math_model_opf_dc (page 137) - OPF math model for DC formulation w/legacy extensions.
     Provides formluation-specific methods for handling legacy user customization of OPF problem.
```

**Constructor Summary** 

```
math_model_opf_dc_legacy(mpc)

Method Summary
   add_named_set(varargin)
   def_set_types()
   init_set_types()
   build(nm, dm, mpopt)
   add_vars(nm, dm, mpopt)
   add_system_costs(nm, dm, mpopt)
   add_system_constraints(nm, dm, mpopt)
   legacy_user_var_names()
```

# 3.5.2 Container Mixins

```
mp.mm_shared_pfcpf
```

```
class mp.mm_shared_pfcpf
```

Bases: handle

mp.mm\_shared\_pfcpf (page 138) - Mixin class for PF/CPF math model objects.

An abstract mixin class inherited by all power flow (PF) and continuation power flow (CPF) math model objects.

# **Method Summary**

```
build_aux_data(nm, dm, mpopt)
```

```
mp.mm_shared_pfcpf_ac
```

#### class mp.mm\_shared\_pfcpf\_ac

```
Bases: mp.mm_shared_pfcpf (page 138)
```

mp.mm\_shared\_pfcpf\_ac (page 138) - Mixin class for AC PF/CPF math model objects.

An abstract mixin class inherited by all AC power flow (PF) and continuation power flow (CPF) **math model** objects.

#### **Method Summary**

```
add_system_varset_pf(nm, vvar, typ)
```

```
update_z(nm, v_-, z_-, ad, Sinj, idx)
```

update\_z() (page 138) - Update/allocate active/reactive injections at slack/PV nodes.

Update/allocate slack know active power injections and slack/PV node reactive power injections.

# mp.mm shared pfcpf ac i

# class mp.mm\_shared\_pfcpf\_ac\_i

Bases: handle

mp.mm\_shared\_pfcpf\_ac\_i (page 139) - Mixin class for AC-current PF/CPF math model objects.

An abstract mixin class inherited by all AC power flow (PF) and continuation power flow (CPF) **math model** objects that use a current balance formulation.

Code shared between AC cartesian and polar formulations with current balance belongs in this class.

# **Method Summary**

```
build_aux_data_i(nm, ad)
```

# mp.mm\_shared\_pfcpf\_acc

#### class mp.mm\_shared\_pfcpf\_acc

```
Bases: mp.mm_shared_pfcpf_ac (page 138)
```

mp.mm\_shared\_pfcpf\_acc (page 139) - Mixin class for AC cartesian PF/CPF math model objects.

An abstract mixin class inherited by all AC power flow (PF) and continuation power flow (CPF) **math model** objects that use a cartesian voltage formulation.

# **Method Summary**

```
convert_x_m2n(mmx, nm, only_v)
```

convert\_x\_m2n() (page 139) - Convert math model state to network model state.

```
x = mm.pf_convert(mmx, nm)
[v, z] = mm.pf_convert(mmx, nm)
[v, z, x] = mm.pf_convert(mmx, nm,)
... = mm.pf_convert(mmx, nm, only_v)
```

# mp.mm shared pfcpf acci

# class mp.mm\_shared\_pfcpf\_acci

```
Bases: mp.mm_shared_pfcpf_acc (page 139), mp.mm_shared_pfcpf_ac_i (page 139)
```

mp.mm\_shared\_pfcpf\_acci (page 140) - Mixin class for AC-cartesian-current PF/CPF math model objects.

An abstract mixin class inherited by AC power flow (PF) and continuation power flow (CPF) **math model** objects that use a cartesian voltage and current balance formuation.

#### **Method Summary**

```
build_aux_data(nm, dm, mpopt)
add_system_vars_pf(nm, dm, mpopt)
node_balance_equations(x, nm)
```

# mp.mm\_shared\_pfcpf\_accs

# class mp.mm\_shared\_pfcpf\_accs

```
Bases: mp.mm_shared_pfcpf_acc (page 139)
```

mp.mm\_shared\_pfcpf\_accs (page 140) - Mixin class for AC-cartesian-power PF/CPF math model objects.

An abstract mixin class inherited by AC power flow (PF) and continuation power flow (CPF) **math model** objects that use a cartesian voltage and power balance formulation.

#### **Method Summary**

```
add_system_vars_pf(nm, dm, mpopt)
node_balance_equations(x, nm)
```

# mp.mm\_shared\_pfcpf\_acp

#### class mp.mm\_shared\_pfcpf\_acp

```
Bases: mp.mm_shared_pfcpf_ac (page 138)
```

mp.mm\_shared\_pfcpf\_acp (page 140) - Mixin class for AC polar PF/CPF math model objects.

An abstract mixin class inherited by all AC power flow (PF) and continuation power flow (CPF) **math model** objects that use a polar voltage formulation.

#### **Method Summary**

```
convert_x_m2n(mmx, nm, only_v)
```

convert\_x\_m2n() (page 140) - Convert math model state to network model state.

```
x = mm.pf_convert(mmx, nm)
[v, z] = mm.pf_convert(mmx, nm)
[v, z, x] = mm.pf_convert(mmx, nm)
... = mm.pf_convert(mmx, nm, only_v)
```

# mp.mm\_shared\_pfcpf\_acpi

# class mp.mm\_shared\_pfcpf\_acpi

```
Bases: mp.mm_shared_pfcpf_acp (page 140), mp.mm_shared_pfcpf_ac_i (page 139)
```

mp.nm\_shared\_pfcpf\_acpi (page 141) - Mixin class for AC-polar-current PF/CPF math model objects.

An abstract mixin class inherited by AC power flow (PF) and continuation power flow (CPF) **math model** objects that use a polar voltage and current balance formulation.

#### **Method Summary**

```
build_aux_data(nm, dm, mpopt)
add_system_vars_pf(nm, dm, mpopt)
node_balance_equations(x, nm)
```

### mp.mm\_shared\_pfcpf\_acps

# class mp.mm\_shared\_pfcpf\_acps

```
Bases: mp.mm_shared_pfcpf_acp (page 140)
```

mp.mm\_shared\_pfcpf\_acps (page 141) - Mixin class for AC-polar-power PF/CPF math model objects.

An abstract mixin class inherited by AC power flow (PF) and continuation power flow (CPF) **math model** objects that use a polar voltage and power balance formulation.

### **Method Summary**

```
build_aux_data(nm, dm, mpopt)
add_system_vars_pf(nm, dm, mpopt)
node_balance_equations(x, nm, fdpf)
```

#### mp.mm shared pfcpf dc

### class mp.mm\_shared\_pfcpf\_dc

```
Bases: mp.mm_shared_pfcpf (page 138)
```

mp.mm\_shared\_pfcpf\_dc (page 141) - Mixin class for DC power flow (PF) math model objects.

An abstract mixin class inherited by DC power flow (PF) math model objects.

```
build_aux_data(nm, dm, mpopt)
```

```
add_system_vars_pf(nm, dm, mpopt)
          convert_x_m2n(mmx, nm, only_v)
              convert_x_m2n() (page 142) - Convert math model state to network model state.
             x = mm.pf_convert(mmx, nm)
              [v, z] = mm.pf_convert(mmx, nm)
              [v, z, x] = mm.pf_convert(mmx, nm)
              ... = mm.pf_convert(mmx, nm, only_v)
         update_z(nm, v, z, ad)
              update_z() (page 142) - Update/allocate slack node active power injections.
mp.mm shared opf legacy
class mp.mm_shared_opf_legacy
     Bases: handle
     mp.mm_shared_opf_legacy (page 142) - Mixin class for legacy optimal power flow (OPF) math model ob-
     jects.
     An abstract mixin class inherited by optimal power flow (OPF) math model objects that need to handle legacy
     user customization mechanisms.
     Method Summary
          def_set_types_legacy()
          init_set_types_legacy()
          get_mpc(om)
          build_legacy(nm, dm, mpopt)
          add_legacy_user_vars(nm, dm, mpopt)
          add_legacy_user_costs(nm, dm, dc)
          add_legacy_user_constraints(nm, dm, mpopt)
          add_legacy_user_constraints_ac(nm, dm, mpopt)
          add_legacy_cost(om, name, idx, varargin)
              add_legacy_cost() (page 142) - Add a set of user costs to the model
             mm.add_legacy_cost(name, cp)
             mm.add_legacy_cost(name, idx, varsets)
             mm.add_legacy_cost(name, idx_list, cp)
```

```
eval_legacy_cost(om, x, name, idx)

eval_legacy_cost() (page 142) - Evaluate individual or full set of legacy user costs.
```

mm.add\_legacy\_cost(name, idx\_list, cp, varsets)

```
f = mm.eval_legacy_cost(x ...)
[f, df] = mm.eval_legacy_cost(x ...)
[f, df, d2f] = mm.eval_legacy_cost(x ...)
[f, df, d2f] = mm.eval_legacy_cost(x, name)
[f, df, d2f] = mm.eval_legacy_cost(x, name, idx_list)
```

# params\_legacy\_cost(om, name, idx)

params\_legacy\_cost() (page 143) - Return cost parameters for legacy user-defined costs.

```
cp = mm.params_legacy_cost()
cp = mm.params_legacy_cost(name)
cp = mm.params_legacy_cost(name, idx)
[cp, vs] = mm.params_legacy_cost(...)
[cp, vs, i1, iN] = mm.params_legacy_cost(...)
```

# 3.5.3 Elements

#### mp.mm element

# class mp.mm\_element

Bases: handle

mp.mm\_element (page 143) - Abstract base class for MATPOWER mathematical model element objects.

A math model element object typically does not contain any data, but only the methods that are used to build the math model and update the corresponding data model element once the math model has been solved.

All math model element classes inherit from *mp.mm\_element* (page 143). Each element type typically implements its own subclasses, which are further subclassed where necessary per task and formulation, as with the container class.

By convention, math model element variables are named mme and math model element class names begin with mp.mme.

### mp.mm\_element Methods:

- name() (page 144) get name of element type, e.g. 'bus', 'gen'
- data\_model\_element() (page 144) get corresponding data model element
- network\_model\_element() (page 144) get corresponding network model element
- add\_vars() (page 144) add math model variables for this element
- add\_constraints() (page 144) add math model constraints for this element
- add\_costs() (page 145) add math model costs for this element
- data\_model\_update() (page 145) update the corresponding data model element
- data\_model\_update\_off() (page 145) update offline elements in corresponding data model element
- data\_model\_update\_on() (page 145) update online elements in corresponding data model element

See the sec\_mm\_element section in the MATPOWER Developer's Manual for more information.

See also mp.math\_model (page 121).

# **Method Summary**

#### name()

Get name of element type, e.g. 'bus', 'gen'.

```
name = mme.name()
```

### Output

**name** (char array) – name of element type, must be a valid struct field name

Implementation provided by an element type specific subclass.

### data\_model\_element(dm, name)

Get corresponding data model element.

```
dme = mme.data_model_element(dm, name)
```

### **Inputs**

- **dm** (*mp.data\_mode1* (page 27)) data model object
- name (char array) name of element type

#### Output

**dme** (mp. dm\_element (page 35)) – data model element object

### network\_model\_element(nm, name)

Get corresponding network model element.

```
nme = mme.network_model_element(nm, name)
```

#### **Inputs**

- **nm** (*mp.net\_model* (page 90)) network model object
- name (char array) name of element type

#### Output

**nme** (*mp.nm\_element* (page 107)) – network model element object

# add\_vars(mm, nm, dm, mpopt)

Add math model variables for this element.

```
mme.add_vars(mm, nm, dm, mpopt)
```

# Inputs

- mm (mp.math\_model (page 121)) mathmatical model object
- **nm** (*mp.net\_model* (page 90)) network model object
- dm (mp.data\_model (page 27)) data model object
- mpopt (struct) MATPOWER options struct

Implementation provided by a subclass.

### add\_constraints(mm, nm, dm, mpopt)

Add math model constraints for this element.

```
mme.add_constraints(obj, mm, nm, dm, mpopt)
```

### **Inputs**

• mm (mp.math\_model (page 121)) – mathmatical model object

- **nm** (*mp.net\_model* (page 90)) network model object
- **dm** (*mp.data\_model* (page 27)) data model object
- mpopt (struct) MATPOWER options struct

Implementation provided by a subclass.

## add\_costs(mm, nm, dm, mpopt)

Add math model costs for this element.

```
mme.add_costs(obj, mm, nm, dm, mpopt)
```

### **Inputs**

- mm (mp.math\_model (page 121)) mathmatical model object
- nm (mp.net\_model (page 90)) network model object
- **dm** (*mp.data\_model* (page 27)) data model object
- mpopt (struct) MATPOWER options struct

Implementation provided by a subclass.

# data\_model\_update(mm, nm, dm, mpopt)

Update the corresponding data model element.

```
mme.data_model_update(mm, nm, dm, mpopt)
```

#### **Inputs**

- mm (mp.math\_model (page 121)) mathmatical model object
- **nm** (*mp.net\_model* (page 90)) network model object
- **dm** (*mp.data\_mode1* (page 27)) data model object
- **mpopt** (*struct*) MATPOWER options struct

Call data\_model\_update\_off() (page 145) then data\_model\_update\_on() (page 145) to update the data model for this element based on the math model solution.

See also data\_model\_update\_off() (page 145), data\_model\_update\_on() (page 145).

# data\_model\_update\_off(mm, nm, dm, mpopt)

Update offline elements in the corresponding data model element.

```
mme.data_model_update_off(mm, nm, dm, mpopt)
```

# **Inputs**

- mm (mp.math\_model (page 121)) mathmatical model object
- nm (mp.net\_model (page 90)) network model object
- **dm** (*mp.data\_model* (page 27)) data model object
- mpopt (struct) MATPOWER options struct

Set export variables for offline elements based on specs returned by mp.dm\_element. export\_vars\_offline\_val() (page 40).

See also data\_model\_update() (page 145), data\_model\_update\_on() (page 145).

#### data\_model\_update\_on(mm, nm, dm, mpopt)

Update online elements in the corresponding data model element.

```
mme.data_model_update_on(mm, nm, dm, mpopt)
```

# **Inputs**

- mm (mp.math\_model (page 121)) mathmatical model object
- nm (mp.net\_model (page 90)) network model object

- **dm** (*mp.data\_model* (page 27)) data model object
- mpopt (struct) MATPOWER options struct

Extract the math model solution relevant to this particular element and update the corresponding data model element for online elements accordingly.

Implementation provided by a subclass.

See also data\_model\_update() (page 145), data\_model\_update\_off() (page 145).

# mp.mme\_branch

# class mp.mme\_branch

```
Bases: mp.mm_element (page 143)
```

mp.mme\_branch (page 146) - Math model element abstract base class for branch.

Abstract math model element base class for branch elements, including transmission lines and transformers.

### **Method Summary**

name()

## mp.mme\_branch\_pf\_ac

# class mp.mme\_branch\_pf\_ac

```
Bases: mp.mme_branch (page 146)
```

mp.mme\_branch\_pf\_ac (page 146) - Math model element for branch for AC power flow.

Math model element class for branch elements, including transmission lines and transformers, for AC power flow problems.

Implements updating the output data in the corresponding data model element for in-service branches from the math model solution.

### **Method Summary**

```
data_model_update_on(mm, nm, dm, mpopt)
```

### mp.mme branch pf dc

#### class mp.mme\_branch\_pf\_dc

```
Bases: mp.mme_branch (page 146)
```

mp.mme\_branch\_pf\_dc (page 146) - Math model element for branch for DC power flow.

Math model element class for branch elements, including transmission lines and transformers, for DC power flow problems.

Implements updating the output data in the corresponding data model element for in-service branches from the math model solution.

## **Method Summary**

```
data_model_update_on(mm, nm, dm, mpopt)
```

#### mp.mme branch opf

#### class mp.mme\_branch\_opf

```
Bases: mp.mme_branch (page 146)
```

mp.mme\_branch\_opf (page 147) - Math model element abstract base class for branch for OPF.

Math model element abstract base class for branch elements, including transmission lines and transformers, for OPF problems.

Implements methods to prepare data required for angle difference limit constraints and to extract shadow prices for these constraints from the math model solution.

# **Method Summary**

```
ang_diff_params(dm, ignore)
ang_diff_prices(mm, nme)
```

# mp.mme\_branch\_opf\_ac

# class mp.mme\_branch\_opf\_ac

```
Bases: mp.mme_branch_opf (page 147)
```

mp.mme\_branch\_opf\_ac (page 147) - Math model element abstract base class for branch for AC OPF.

Math model element abstract base class for branch elements, including transmission lines and transformers, for AC OPF problems.

Implements methods for adding of branch flow constraints and for updating the output data in the corresponding data model element for in-service branches from the math model solution.

```
add_constraints(mm, nm, dm, mpopt)
data_model_update_on(mm, nm, dm, mpopt)
```

# mp.mme\_branch\_opf\_acc

## class mp.mme\_branch\_opf\_acc

```
Bases: mp.mme_branch_opf_ac (page 147)
```

mp.mme\_branch\_opf\_acc (page 148) - Math model element for branch for AC cartesian voltage OPF.

Math model element class for branch elements, including transmission lines and transformers, for AC cartesian voltage OPF problems.

Implements method for adding branch angle difference constraints and overrides method to extract shadow prices for these constraints from the math model solution.

# **Method Summary**

```
add_constraints(mm, nm, dm, mpopt)
ang_diff_prices(mm, nme)
```

# mp.mme\_branch\_opf\_acp

# class mp.mme\_branch\_opf\_acp

Bases: mp.mme\_branch\_opf\_ac (page 147)

mp.mme\_branch\_opf\_acp (page 148) - Math model element for branch for AC polar voltage OPF.

Math model element class for branch elements, including transmission lines and transformers, for AC polar voltage OPF problems.

Implements method for adding branch angle difference constraints.

### **Method Summary**

```
add_constraints(mm, nm, dm, mpopt)
```

### mp.mme branch opf dc

### class mp.mme\_branch\_opf\_dc

```
Bases: mp.mme_branch_opf (page 147)
```

mp.mme\_branch\_opf\_dc (page 148) - Math model element for branch for DC OPF.

Math model element class for branch elements, including transmission lines and transformers, for DC OPF problems.

Implements methods for adding of branch flow and angle difference constraints and for updating the output data in the corresponding data model element for in-service branches from the math model solution.

# **Method Summary**

```
add_constraints(mm, nm, dm, mpopt)
```

## data\_model\_update\_on(mm, nm, dm, mpopt)

# mp.mme\_bus

#### class mp.mme\_bus

```
Bases: mp.mm_element (page 143)
```

mp.mme\_bus (page 149) - Math model element abstract base class for bus.

Abstract math model element base class for bus elements.

### **Method Summary**

name()

# mp.mme\_bus\_pf\_ac

### class mp.mme\_bus\_pf\_ac

```
Bases: mp.mme_bus (page 149)
```

mp.mme\_bus\_pf\_ac (page 149) - Math model element for bus for AC power flow.

Math model element class for bus elements for AC power flow problems.

Implements method for updating the output data in the corresponding data model element for in-service buses from the math model solution.

# **Method Summary**

```
data_model_update_on(mm, nm, dm, mpopt)
```

# mp.mme\_bus\_pf\_dc

# class mp.mme\_bus\_pf\_dc

```
Bases: mp.mme_bus (page 149)
```

mp.mme\_bus\_pf\_dc (page 149) - Math model element for bus for DC power flow.

Math model element class for bus elements for DC power flow problems.

Implements method for updating the output data in the corresponding data model element for in-service buses from the math model solution.

```
data_model_update_on(mm, nm, dm, mpopt)
```

## mp.mme bus opf ac

#### class mp.mme\_bus\_opf\_ac

```
Bases: mp.mme_bus (page 149)
```

 $mp.mme\_bus\_opf\_ac$  (page 150) - Math model element abstract base class for bus for AC OPF.

Abstract math model element class for bus elements for AC OPF problems.

Implements method for forming an interior initial point for voltage magnitudes.

# **Method Summary**

```
interior_vm(mm, nm, dm)
```

return vm equal to avg of clipped limits

## mp.mme\_bus\_opf\_acc

# class mp.mme\_bus\_opf\_acc

```
Bases: mp.mme_bus_opf_ac (page 150)
```

mp.mme\_bus\_opf\_acc (page 150) - Math model element for bus for AC cartesian voltage OPF.

Math model element class for bus elements for AC cartesian voltage OPF problems.

Implements methods for adding constraints for reference voltage angle, fixed voltage magnitudes and voltage magnitude limits, for forming an interior initial point and for updating the output data in the corresponding data model element for in-service buses from the math model solution.

# **Method Summary**

```
add_constraints(mm, nm, dm, mpopt)
interior_x0(mm, nm, dm, x0)
data_model_update_on(mm, nm, dm, mpopt)
```

# mp.mme\_bus\_opf\_acp

# class mp.mme\_bus\_opf\_acp

```
Bases: mp.mme_bus_opf_ac (page 150)
```

mp.mme\_bus\_opf\_acp (page 150) - Math model element for bus for AC polar voltage OPF.

Math model element class for bus elements for AC polar voltage OPF problems.

Implements methods for forming an interior initial point and for updating the output data in the corresponding data model element for in-service buses from the math model solution.

# **Method Summary**

```
interior_x0(mm, nm, dm, x0)
```

```
data_model_update_on(mm, nm, dm, mpopt)
```

# mp.mme\_bus\_opf\_dc

# class mp.mme\_bus\_opf\_dc

```
Bases: mp.mme_bus (page 149)
```

mp.mme\_bus\_opf\_dc (page 151) - Math model element for bus for DC OPF.

Math model element class for bus elements for DC OPF problems.

Implements methods for forming an interior initial point and for updating the output data in the corresponding data model element for in-service buses from the math model solution.

#### **Method Summary**

```
interior_x0(mm, nm, dm, x0)
data_model_update_on(mm, nm, dm, mpopt)
```

# mp.mme\_gen

### class mp.mme\_gen

```
Bases: mp.mm_element (page 143)
```

mp.mme\_gen (page 151) - Math model element abstract base class for generator.

Abstract math model element base class for generator elements.

# **Method Summary**

name()

# mp.mme\_gen\_pf\_ac

### class mp.mme\_gen\_pf\_ac

```
Bases: mp.mme_gen (page 151)
```

mp.mme\_gen\_pf\_ac (page 151) - Math model element for generator for AC power flow.

Math model element class for generator elements for AC power flow problems.

Implements method for updating the output data in the corresponding data model element for in-service generators from the math model solution.

```
data_model_update_on(mm, nm, dm, mpopt)
```

## mp.mme gen pf dc

## class mp.mme\_gen\_pf\_dc

```
Bases: mp.mme_gen (page 151)
```

mp.mme\_gen\_pf\_dc (page 152) - Math model element for generator for DC power flow.

Math model element class for generator elements for DC power flow problems.

Implements method for updating the output data in the corresponding data model element for in-service generators from the math model solution.

# **Method Summary**

```
data_model_update_on(mm, nm, dm, mpopt)
```

## mp.mme\_gen\_opf

# class mp.mme\_gen\_opf

```
Bases: mp.mme_gen (page 151)
```

mp.mme\_gen\_opf (page 152) - Math model element abstract base class for generator for OPF.

Math model element abstract base class for generator elements for OPF problems.

Implements methods to add costs, including piecewise linear cost variables, and to form an interior initial point for cost variables.

# **Property Summary**

#### cost

struct for *cost* (page 152) parameters with fields:

- poly\_p polynomial costs for active power, struct returned by mp.cost\_table.poly\_params() (page 162), with fields:
  - have\_quad\_cost
  - i0, i1, i2, i3
  - k, c, Q
- poly\_q polynomial costs for reactive power (same struct as poly\_p)
- pwl piecewise linear costs for active & reactive struct returned by mp.cost\_table. pwl\_params() (page 163), with fields:
  - -n, i, A, b

# **Method Summary**

```
add_vars(mm, nm, dm, mpopt)
add_costs(mm, nm, dm, mpopt)
interior_x0(mm, nm, dm, x0)
```

## mp.mme gen opf ac

# class mp.mme\_gen\_opf\_ac

```
Bases: mp.mme_gen_opf (page 152)
```

mp.mme\_gen\_opf\_ac (page 153) - Math model element for generator for AC OPF.

Math model element class for generator elements for AC OPF problems.

Implements methods for buliding and adding PQ capability constraints, dispatchable load power factor constraints, polynomial costs, and for updating the output data in the corresponding data model element for in-service generators from the math model solution.

# **Method Summary**

```
add_constraints(mm, nm, dm, mpopt)
add_costs(mm, nm, dm, mpopt)
pq_capability_constraint(dme, base_mva)
    from legacy makeApq()
has_pq_cap(gen, upper_lower)
    from legacy hasPQcap()
disp_load_constant_pf_constraint(dm)
    from legacy makeAvl()
build_cost_params(dm)
data_model_update_on(mm, nm, dm, mpopt)
```

### mp.mme gen opf dc

#### class mp.mme\_gen\_opf\_dc

```
Bases: mp.mme_gen_opf (page 152)
```

mp.mme\_gen\_opf\_dc (page 153) - Math model element for generator for DC OPF.

Math model element class for generator elements for DC OPF problems.

Implements methods for building cost parameters, adding piecewise linear cost constraints, and for updating the output data in the corresponding data model element for in-service generators from the math model solution.

```
add_constraints(mm, nm, dm, mpopt)
build_cost_params(dm)
data_model_update_on(mm, nm, dm, mpopt)
```

## mp.mme load

#### class mp.mme\_load

```
Bases: mp.mm_element (page 143)
```

mp.mme\_load (page 154) - Math model element abstract base class for load.

Abstract math model element base class for load elements.

# **Method Summary**

name()

# mp.mme load pf ac

# class mp.mme\_load\_pf\_ac

```
Bases: mp.mme_load (page 154)
```

mp.mme\_load\_pf\_ac (page 154) - Math model element for load for AC power flow.

Math model element class for load elements for AC power flow problems.

Implements method for updating the output data in the corresponding data model element for in-service loads from the math model solution.

# **Method Summary**

```
data_model_update_on(mm, nm, dm, mpopt)
```

# mp.mme\_load\_pf\_dc

# class mp.mme\_load\_pf\_dc

```
Bases: mp.mme_load (page 154)
```

mp.mme\_load\_pf\_dc (page 154) - Math model element for load for DC power flow.

Math model element class for load elements for DC power flow problems.

Implements method for updating the output data in the corresponding data model element for in-service loads from the math model solution.

# **Method Summary**

```
data_model_update_on(mm, nm, dm, mpopt)
```

## mp.mme load cpf

## class mp.mme\_load\_cpf

```
Bases: mp.mme_load_pf_ac (page 154)
```

mp.mme\_load\_cpf (page 155) - Math model element for load for CPF.

Math model element class for load elements for AC CPF problems.

Implements method for updating the output data in the corresponding data model element for in-service loads from the math model solution.

# **Method Summary**

```
data_model_update_on(mm, nm, dm, mpopt)
```

## mp.mme\_shunt

# class mp.mme\_shunt

```
Bases: mp.mm_element (page 143)
```

mp.mme\_shunt (page 155) - Math model element abstract base class for shunt.

Abstract math model element base class for shunt elements.

# **Method Summary**

name()

# mp.mme\_shunt\_pf\_ac

# class mp.mme\_shunt\_pf\_ac

```
Bases: mp.mme_shunt (page 155)
```

mp.mme\_shunt\_pf\_ac (page 155) - Math model element for shunt for AC power flow.

Math model element class for shunt elements for AC power flow problems.

Implements method for updating the output data in the corresponding data model element for in-service shunts from the math model solution.

```
data_model_update_on(mm, nm, dm, mpopt)
```

# mp.mme\_shunt\_pf\_dc

## class mp.mme\_shunt\_pf\_dc

```
Bases: mp.mme_shunt (page 155)
```

mp.mme\_shunt\_pf\_dc (page 156) - Math model element for shunt for DC power flow.

Math model element class for shunt elements for DC power flow problems.

Implements method for updating the output data in the corresponding data model element for in-service shunts from the math model solution.

# **Method Summary**

```
data_model_update_on(mm, nm, dm, mpopt)
```

#### mp.mme\_shunt\_cpf

# class mp.mme\_shunt\_cpf

```
Bases: mp.mme_shunt_pf_ac (page 155)
```

mp.mme\_shunt\_cpf (page 156) - Math model element for shunt for CPF.

Math model element class for shunt elements for AC CPF problems.

Implements method for updating the output data in the corresponding data model element for in-service shunts from the math model solution.

# **Method Summary**

```
data_model_update_on(mm, nm, dm, mpopt)
```

# 3.6 Miscellaneous Classes

# 3.6.1 mp\_table

### class mp\_table

mp\_table (page 156) - Very basic table-compatible class for Octave or older Matlab.

```
T = mp_table(var1, var2, ...);
T = mp_table(..., 'VariableNames', {name1, name2, ...}});
T = mp_table(..., 'RowNames', {name1, name2, ...}});
T = mp_table(..., 'DimensionNames', {name1, name2, ...}});
```

Implements a very basic table array class focused the ability to store and access named variables of different types in a way that is compatible with MATLAB's built-in table class. Other features, such as table joining, etc., are not implemented.

**Important:** Since the dot syntax T.<var\_name> is used to access table variables, you must use a functional syntax <method>(T,...), as opposed to the object-oriented T.<method>(...), to call mp\_table methods.

# mp\_table Methods:

- mp\_table() (page 157) construct object
- istable() (page 157) true for mp\_table (page 156) objects
- size() (page 157) dimensions of table
- isempty() (page 157) true if table has no columns or no rows
- end() (page 158) used to index last row or variable/column
- subsref() (page 158) indexing a table to retrieve data
- subsasgn() (page 158) indexing a table to assign data
- horzcat() (page 159) concatenate tables horizontally
- vertcat() (page 159) concatenate tables vertically
- display() (page 159) display table contents

See also table.

# **Constructor Summary**

### mp\_table(varargin)

Constructs the object.

```
T = mp_table(var1, var2, ...)
T = mp_table(..., 'VariableNames', {name1, name2, ...})
T = mp_table(..., 'RowNames', {name1, name2, ...})
T = mp_table(..., 'DimensionNames', {name1, name2, ...})
```

### **Method Summary**

#### istable()

Returns true.

```
TorF = istable(T)
```

Unfortunately, this is not really useful until Octave implements a built-in <code>istable()</code> (page 157) that this can override.

#### size(dim)

Returns dimensions of table.

```
[m, n] = size(T)

m = size(T, 1)

n = size(T, 2)
```

#### isempty()

Returns true if the table has no columns or no rows.

```
TorF = isempty(T)
```

### end(k, n)

Used to index the last row or column of the table.

```
last_var = T{:, end}
last_row = T(end, :)
```

# subsref(s)

Called when indexing a table to retrieve data.

```
sub_T = T(i, *)
sub_T = T(i1:iN, *)
sub_T = T(:, *)
sub_T = T(*, j)
sub_T = T(*, j1:jN)
sub_T = T(*, :)
sub_T = T(*, <str>)
sub_T = T(*, <cell>)
var_<name> = T.<name>
val = T.<name>(i)
val = T.<name>(i1:iN)
val = T.<name>{i}
val = T.<name>{i1:iN}
val = T.<name>(*, :)
val = T.<name>(*, j)
var_{j} = T\{:, j\}
var_<str> = T{:, <str>}
val = T{i, *}
val = T{i1:iN, *}
val = T{:, *}
val = T\{*, j\}
val = T{*, j1:jN}
val = T\{*, :\}
val = T{*, <str>}
val = T{*, <cell>}
```

### subsasgn(s, b)

Called when indexing a table to assign data.

```
T(i, *) = sub_T
T(i1:iN, *) = sub_T
T(:, *) = sub_T
T(*, j) = sub_T
T(*, j1:jN) = sub_T
T(*, :) = sub_T
T(*, :) = sub_T
T(*, <str>) = sub_T
T(*, <cell>) = sub_T
T.<name> = val
T.<name>(i) = val
T.<name>(i1:iN) = val
T.<name>{i} = val
T.<name>{i} = val
T.<name>{i} = val
T.<name>{i} = val
```

(continued from previous page)

```
T.<name>(*, :) = val
T.<name>(*, j) = val
T{:, j} = var_<j>
T{:, <str>} = var_<str>
T{i, *} = val
T{i1:iN, *} = val
T{:, *} = val
T{:, *} = val
T{:, *} = val
T{*, j} = val
T{*, j} = val
T{*, j} = val
T{*, j} = val
T{*, ;} = val
```

# horzcat(varargin)

Concatenate tables horizontally.

```
 T = [T1 \ T2]
```

# vertcat(varargin)

Concatenate tables vertically.

```
T = [T1; T2]
```

# display()

Display the table contents.

This method is called automatically when omitting a semicolon on a line that returns an object of this class.

By default it displays only the first and last 10 rows if there are more than 25 rows.

Does not currently display the contents of any nested tables.

# static extract\_named\_args(args)

Extracts special named constructor arguments.

Used to extract named arguments, 'VariableNames', 'RowNames', and 'DimensionNames', to pass to constructor.

# 3.6.2 mp table subclass

### class mp\_table\_subclass

mp\_table\_subclass (page 160) - Class that acts like a table but isn't one.

Addresses two issues with inheriting from **table** classes (table) or *mp\_table* (page 156)).

- 1. In MATLAB, table is a sealed class, so you cannot inherit from it. You can, however, use a subclass of *mp\_table* (page 156), but that can result in the next issue under Octave.
- 2. While nesting of tables works just fine in general, when using *mp\_table* (page 156) in Octave (at least up through 8.4.0), you cannot nest a subclass of *mp\_table* (page 156) inside another *mp\_table* (page 156) object because of this bug: https://savannah.gnu.org/bugs/index.php?65037.

To work around these issues, your "table subclass" can inherit from **this** class. An object of this class **isn't** a table or *mp\_table* (page 156) object, but rather it **contains** one and attempts to act like one. That is, it delegates method calls (currently only those available in *mp\_table* (page 156), listed below) to the contained table object.

The class of the contained table object is either table or *mp\_table* (page 156) and is determined by *mp\_table\_class()* (page 6).

#### Limitations

- 1. The Octave bug mentioned above also affects tables that inherit from <code>mp\_table\_subclass</code> (page 160). That is, such tables can be nested inside tables of type table or <code>mp\_table</code> (page 156), but not inside tables that are or inherit from <code>mp\_table\_subclass</code> (page 160).
- 2. In MATLAB, when nesting an *mp\_table\_subclass* (page 160) object within another *mp\_table\_subclass* (page 160) object, one cannot use multi-level indexing directly. E.g. If T2 is a variable in T1 and x is a variable in T2, attempting x = T1.T2.x will result in an error. The indexing must be done in multiple steps T2 = T1.T2; x = T2.x. Note: This only applies to MATLAB, where the contained table is a table. It works just fine in Octave, where the contained table is an *mp\_table* (page 156).

**Important:** Since the dot syntax T.<var\_name> is used to access table variables, you must use a functional syntax <method>(T,...), as opposed to the object-oriented T.<method>(...), to call methods of this class or subclasses, as with mp\_table.

### mp.mp\_table\_subclass Properties:

• tab - (table or mp\_table) contained table object this class emulates

# mp.cost\_table Methods:

- mp\_table\_subclass() construct object
- get\_table() (page 161) return the table stored in tab
- set\_table() (page 161) assign a table to tab
- istable() true for mp\_table (page 156) objects
- size() dimensions of table
- isempty() true if table has no columns or no rows
- end() used to index last row or variable/column
- subsref() indexing a table to retrieve data

- subsasgn() indexing a table to assign data
- horzcat() concatenate tables horizontally
- vertcat() concatenate tables vertically
- display() display table contents

See also mp\_table (page 156), mp\_table\_class() (page 6).

# **Method Summary**

```
get_table()
```

```
T = get_table(obj)
```

set\_table(T)

```
set_table(obj, T)
```

# 3.6.3 mp.cost\_table

#### class mp.cost\_table

Bases: mp\_table\_subclass (page 160)

mp.cost\_table (page 161) - Table for (polynomial and piecewise linear) cost parameters.

```
T = cost_table(poly_n, poly_coef, pwl_n, pwl_qty, pwl_cost);
```

**Important:** Since the dot syntax  $T.<var_name>$  is used to access table variables, you must use a functional syntax <method>(T,...), as opposed to the object-oriented T.<method>(...), to call standard mp.cost\_table methods.

Standard table subscripting syntax is not available within methods of this class (references built-in subsref() and subsasgn() rather than the versions overridden by the table class). For this reason, some method implementations are delegated to static methods in *mp.cost\_table\_utils* (page 164) where that syntax is available, making the code more readable.

## mp.cost\_table Methods:

- cost\_table() (page 162) construct object
- poly\_params() (page 162) create struct of polynomial parameters from mp.cost\_table (page 161)
- pwl\_params() (page 163) create struct of piecewise linear parameters from mp.cost\_table (page 161)
- max\_pwl\_cost() (page 163) get maximum cost component used to specify pwl costs

An mp.cost\_table (page 161) has the following columns:

Name	Type	Description	
poly_n	in- te- ger	$n_{\rm poly},$ number of coefficients in polynomial cost curve, $f_{\rm poly}(x)=c_0+c_1x+c_Nx^N,$ where $n_{\rm poly}=N+1$	
poly_co	dou- ble	matrix of coefficients $c_j$ , of polynomial cost $f_{\text{poly}}(x)$ , where $c_j$ is found in column $j+1$	
pwl_n	dou- ble	$n_{\mathrm{pwl}}$ , number of data points $(x_1, f_1), (x_2, f_2),, (x_N, f_N)$ defining a piecewise linear cost curve, $f_{\mathrm{pwl}}(x)$ where $N = n_{\mathrm{pwl}}$	
pwl_qty	dou- ble	matrix of quantity coordinates $x_j$ for piecwise linear cost $f_{pwl}(x)$ , where $x_j$ is found in column $j$	
pwl_cos	dou- ble	matrix of $cost$ coordinates $f_j$ for piecwise linear cost $f_{pwl}(x)$ , where $f_j$ is found in column $j$	

See also mp.cost\_table\_utils (page 164), mp\_table\_subclass (page 160).

# **Constructor Summary**

cost\_table(varargin)

```
T = cost_table()
T = cost_table(poly_n, poly_coef, pwl_n, pwl_qty, pwl_cost)
```

For descriptions of the inputs, see the corresponding column in the class documentation above.

### **Inputs**

- poly\_n (col vector of integers)
- poly\_coef (matrix of doubles)
- **pwl\_n** (col vector of integers)
- **pwl\_qty** (*matrix of doubles*)
- **pwl\_cost** (*matrix of doubles*)

### **Outputs**

T (mp.cost\_table (page 161)) – the cost table object

## **Method Summary**

```
poly_params(idx, pu_base)
```

```
p = poly_params(obj, idx, pu_base)
```

#### **Inputs**

- **obj** (*mp.cost\_table* (page 161)) the cost table
- idx (integer): index vector of rows of interest, empty for all rows
- pu\_base (double) base used to scale quantities to per unit

# **Outputs**

**p** (*struct*) – polynomial cost parameters, struct with fields:

- have\_quad\_cost true if any polynmial costs have order quadratic or less
- i0 row indices for constant costs
- i1 row indices for linear costs
- i2 row indices for quadratic costs
- i3 row indices for order 3 or higher costs
- k constant term for all quadratic and lower order costs
- c linear term for all quadratic and lower order costs
- Q quadratic term for all quadratic and lower order costs

Implementation in mp.cost\_table\_utils.poly\_params() (page 164).

pwl\_params(idx, pu\_base, varargin)

```
p = pwl_params(obj, idx, pu_base)
p = pwl_params(obj, idx, pu_base, ng, dc)
```

#### **Inputs**

- **obj** (*mp.cost\_table* (page 161)) the cost table
- idx (integer): index vector of rows of interest, empty for all rows
- pu\_base (double) base used to scale quantities to per unit
- **ng** (*integer*) number of units, default is # of rows in cost
- **dc** (*boolean*) true if DC formulation (ng variables), otherwise AC formulation (2\*ng variables), default is 1

# **Outputs**

**p** (*struct*) – piecewise linear cost parameters, struct with fields:

- n number of piecewise linear costs
- i row indices for piecewise linear costs
- A constraint coefficient matrix for CCV formulation
- b constraint RHS vector for CCV formulation

Implementation in mp.cost\_table\_utils.pwl\_params() (page 165).

## max\_pwl\_cost()

```
maxc = max_pwl_cost(obj)
```

#### Input

**obj** (mp.cost\_table (page 161)) – the cost table

#### Output

**maxc** (*double*) – maximum cost component of all breakpoints used to specify piecewise linear costs

Implementation in mp.cost\_table\_utils.max\_pwl\_cost() (page 165).

static poly\_cost\_fcn(xx, x\_scale, ccm, idx)

```
f = mp.cost_table.poly_cost_fcn(xx, x_scale, ccm, idx)
[f, df] = mp.cost_table.poly_cost_fcn(...)
[f, df, d2f] = mp.cost_table.poly_cost_fcn(...)
```

Evaluates the sum of a set of polynomial cost functions  $f(x) = \sum_{i \in I} f_i(x_i)$ , and optionally the gradient and Hessian.

# **Inputs**

- $\mathbf{xx}$  (single element cell array of double) first element is a vector of the pre-scaled quantities  $x/\alpha$  used to compute the costs
- x\_scale (double) scalar α used to scale the quantity value before evaluating the polynomial cost
- ccm (double) cost coefficient matrix, element (i,j) is the coefficient of the (j-1) order term for cost i
- idx (integer) index vector of subset I of rows of  $xx\{1\}$  and ccm of interest

# **Outputs**

- **f** (double) value of cost function f(x)
- **df** (*vector of double*) (optional) gradient of cost function
- **d2f** (matrix of double) (optional) Hessian of cost function

# $static eval_poly_fcn(c, x)$

```
f = mp.cost_table.eval_poly_fcn(c, x)
```

Evaluate a vector of polynomial functions, where ...

```
f = c(:,1) + c(:,2) \cdot x + c(:,3) \cdot x^2 + \dots
```

#### **Inputs**

- **c** (*matrix of double*) coefficient matrix, element (*i,j*) is the coefficient of the (*j-1*) order term for *i*-th element of *f*
- x (vector of double) vector of input values

#### **Outputs**

**f** (vector of double) – value of functions

# static diff\_poly\_fcn(c)

```
c = mp.cost_table.diff_poly_fcn(c)
```

Compute the coefficient matrix for the derivatives of a set of polynomial functions from the coefficients of the functions.

#### **Inputs**

**c** (*matrix of double*) – coefficient matrix for the functions, element (i,j) is the coefficient of the (j-1) order term of the i-th function

#### **Outputs**

**c**  $(matrix\ of\ double)$  – coefficient matrix for the derivatives of the functions, element (i,j) is the coefficient of the (j-1) order term of the derivative of the i-th function

# 3.6.4 mp.cost\_table\_utils

# class mp.cost\_table\_utils

```
mp.cost_table_utils (page 164) - Static methods for mp.cost_table (page 161).
```

Contains the implementation of some methods that would ideally belong in mp.cost\_table (page 161).

Within classes that inherit from <code>mp\_table\_subclass</code> (page 160), such as <code>mp.cost\_table</code> (page 161), any subscripting to access the elements of the table must be done through explicit calls to the table's <code>subsref()</code> and <code>subsasgn()</code> methods. That is, the normal table subscripting syntax will not work, so working with the table becomes extremely cumbersome.

This purpose of this class is to provide the implementation for *mp.cost\_table* (page 161) methods that **do** allow access to that table via normal table subscripting syntax.

### mp.cost\_table\_util Methods:

- poly\_params() (page 164) create struct of polynomial parameters from mp.cost\_table (page 161)
- pwl\_params() (page 165) create struct of piecewise linear parameters from mp.cost\_table (page 161)
- max\_pwl\_cost() (page 165) get maximum cost component used to specify pwl costs

See also mp.cost\_table (page 161).

### **Method Summary**

#### static poly\_params(cost, idx, pu\_base)

```
p = mp.cost_table_utils.poly_params(cost, idx, pu_base)
```

Implementation for mp.cost\_table.poly\_params() (page 162). See mp.cost\_table.poly\_params() (page 162) for details.

static pwl\_params(cost, idx, pu\_base, ng, dc)

```
p = mp.cost_table_utils.pwl_params(cost, idx, pu_base)
p = mp.cost_table_utils.pwl_params(cost, idx, pu_base, ng, dc)
```

Implementation for mp.cost\_table.pwl\_params() (page 163). See mp.cost\_table.pwl\_params() (page 163) for details.

### static max\_pwl\_cost(cost)

```
maxc = mp.cost_table_utils.max_pwl_cost(cost)
```

Implementation for mp.cost\_table.max\_pwl\_cost() (page 163). See mp.cost\_table.max\_pwl\_cost() (page 163) for details.

# 3.6.5 mp.element\_container

#### class mp.element\_container

Bases: handle

mp.element\_container (page 165) - Mix-in class to handle named/ordered element object array.

Implements an element container that is used for MATPOWER model and data model converter objects. Provides the properties to store the constructors for each element and the elements themselves. Also provides a method to modify an existing set of element constructors.

## mp.element\_container Properties:

- element\_classes (page 165) cell array of element constructors
- elements (page 165) a mp.mapped\_array (page 166) to hold the element objects

#### mp.element container Methods:

• modify\_element\_classes() (page 165) - modify an existing set of element constructors

See also mp.mapped\_array (page 166).

# **Property Summary**

# element\_classes

Cell array of function handles of constructors for individual elements, filled by constructor of subclass.

# elements

A mapped array (mp.mapped\_array (page 166)) to hold the element objects included inside this container object.

## modify\_element\_classes(class\_list)

Modify an existing set of element constructors.

```
obj.modify_element_classes(class_list)
```

#### Input

**class\_list** (*cell array*) – list of **element class modifiers**, where each modifier is one of the following:

- 1. a handle to a constructor to **append** to obj.element\_classes, or
- a char array B, indicating to **remove** any element E in the list for which isa(E(), B) is true, or
- 3. a 2-element cell array {A,B} where A is a handle to a constructor to **replace** any element E in the list for which isa(E(), B) is true, i.e. B is a char array

Also accepts a single element class modifier of type 1 or 2 (A single type 3 modifier has to be enclosed in a single-element cell array to keep it from being interpreted as a list of 2 modifiers).

Can be used to modify the list of element constructors in the element\_classes property by appending, removing, or replacing entries. See tab\_element\_class\_modifiers in the MATPOWER Developer's Manual for more information.

# 3.6.6 mp.mapped array

# class mp.mapped\_array

Bases: handle

mp.mapped\_array (page 166) - Cell array indexed by name as well as numeric index.

Currently, arrays are only 1-D.

Example usage:

```
% create a mapped array object
ma = mp.mapped_array({30, 40, 50}, {'width', 'height', 'depth'});
% treat it like a cell array
ma{3} = 60;
height = ma\{2\};
for i = 1:length(ma)
    disp( ma{i} );
end
% treat it like a struct
ma.width = 20;
depth = ma.depth;
% add elements
ma.add_elements({'red', '25 lbs'}, {'color', 'weight'});
% delete elements
ma.delete_elements([3 5]);
ma.delete_elements('height');
```

(continues on next page)

(continued from previous page)

```
% check for named element
ma.has_name('color');
```

### mp.mapped\_array Methods:

- mapped\_array() (page 167) constructor
- copy() (page 167) create a duplicate of the mapped array object
- length() (page 167) return number of elements in mapped array
- size() (page 167) return dimensions of mapped array
- add\_names() (page 168) add or modify names of elements
- add\_elements() (page 168) append elements to the end of the mapped array
- delete\_elements() (page 168) delete elements from the mapped array
- has\_name() (page 168) return true if the name exists in the mapped array
- name2idx() (page 168) return the index corresponding to a name
- subsref() (page 168) called when indexing a mapped array to retrieve data
- subsasgn() (page 169) called when indexing a mapped array to assign data
- display() (page 169) display the mapped array structure

### **Constructor Summary**

# mapped\_array(varargin)

```
obj = mp.mapped_array(vals)
obj = mp.mapped_array(vals, names)
```

#### **Inputs**

- vals (cell array) values to be stored
- **names** (*cell array of char arrays*) names for each element in vals, where a valid name is any valid variable name that is not one of the methods of this class. If names are not provided, it is equivalent to a cell array, except that names can be added later.

## **Method Summary**

#### copy()

Create a duplicate of the mapped array object.

```
new_obj = obj.copy();
```

## length()

Return number of elements in mapped array.

```
num_elements = obj.length();
```

#### size(dim)

Return dimensions of mapped array. First dimension is 1, second matches the length.

```
[m, n] = obj.size();
m = obj.size(1);
n = obj.size(2);
```

#### add\_names(i0, names)

Add or modify names of elements.

```
obj.add_names(i0, names)
```

#### **Inputs**

- i0 (cell array) index of element corresponding to first name provided in names
- names (char array or cell array of char arrays) the names to assign

Adds or overwrites the names for elements starting at the specified index.

# add\_elements(vals, names)

Append elements to the end of the mapped array.

```
obj.add_elements(vals);
obj.add_elements(vals, names);
```

#### **Inputs**

- vals single value or cell array of values
- names (char array or cell array of char arrays) (optional) corresponding names

The two arguments must be both cell arrays of the same dimension or a single value and single name.

See also delete\_elements() (page 168).

# delete\_elements(refs)

Delete elements from the mapped array.

```
obj.delete_elements(idx);
obj.delete_elements(names);
```

#### **Inputs**

- idx (scalar or vector integer) index(indices) of element(s) to delete
- names (char array or cell array of char arrays) name(s) of element(s) to delete

See also add\_elements() (page 168).

# has\_name(name)

Return true if the name exists in the mapped array.

```
TorF = obj.has_name(name);
```

#### Input

name (char array) – name to check

# name2idx(name)

Return the numerical index in the array corrsponding to a name.

```
idx = obj.name2idx(name);
```

#### Input

**name** (*char array*) – name corresponding to desired index

#### subsref(s)

Called when indexing a table to retrieve data.

```
val = obj.<name>;
val = obj{idx};
```

# subsasgn(s, b)

Called when indexing a table to assign data.

```
obj.<name> = val;
obj{idx} = val;
```

### display()

Display the mapped array structure.

This method is called automatically when omitting a semicolon on a line that returns an object of this class.

# 3.6.7 mp.NODE TYPE

# class mp.NODE\_TYPE

mp.NODE\_TYPE (page 169) - Defines enumerated type for node types.

# mp.NODE\_TYPE Properties:

- PQ (page 169) PQ node (= 1)
- PV (page 169) PV node (= 2)
- REF (page 169) reference node (= 3)
- NONE (page 169) isolated node (= 4)

# mp.NODE\_TYPE Methods:

• is\_valid() (page 169) - returns true if the value is a valid node type

All properties are Constant properties and the class is a Sealed class. So the properties function as global constants which do not create an instance of the class, e.g. mp.NODE\_TYPE.REF (page 169).

# **Property Summary**

```
PQ = 1
PQ node

PV = 2
PV node

REF = 3
reference node

NONE = 4
isolated node
```

#### static is\_valid(val)

Returns true if the value is a valid node type.

```
TorF = mp.NODE_TYPE.is_valid(val)
```

```
Input
  val (integer) - node type value to check for validity
Output
  TorF (boolean) - true if val is a valid node type
```

# 3.7 MATPOWER Extension Classes

#### 3.7.1 Base

# mp.extension

#### class mp.extension

Bases: handle

mp.extension (page 170) - Abstract base class for MATPOWER extensions.

This class serves as the framework for the **MATPOWER extension** API, providing a way to bundle a set of class additions and modifications together into a single named package.

By default the methods in this class do nothing, but they can be overridden to customize essentially any aspect of a MATPOWER run. The first 5 methods are used to modify the default classes used to construct the task, data model converter, data, network, and/or mathematical model objects. The last 4 methods are used to add to or modify the classes used to construct the elements for each of the container types.

By convention, MATPOWER extension objects (or cell arrays of them) are named mpx and MATPOWER extension class names begin with mp.xt.

# mp.extension Methods:

- task\_class() (page 171) return handle to constructor for task object
- dmc\_class() return handle to constructor for data model converter object
- dm\_class() return handle to constructor for data model object
- nm\_class() return handle to constructor for network model object
- mm\_class() return handle to constructor for mathematical object
- dmc\_element\_classes() (page 172) return element class modifiers for data model converter elements
- $\bullet \ \, dm\_element\_classes() \ (page \ 172) return \ element \ class \ modifiers \ for \ data \ model \ elements$
- nm\_element\_classes() (page 172) return element class modifiers for network model elements
- mm\_element\_classes() (page 172) return element class modifiers for mathematical model elements

See the sec\_customizing and sec\_extensions sections in the *MATPOWER Developer's Manual* for more information, and specifically the sec\_element\_classes section and the tab\_element\_class\_modifiers table for details on *element class modifiers*.

Example MATPOWER extensions:

- mp.xt\_reserves (page 173) adds fixed zonal reserves to OPF
- mp.xt\_3p (page 178) adds example prototype unbalanced three-phase elements for AC PF, CPF, and OPF

See also mp.task (page 7), mp.dm\_converter (page 59), mp.data\_model (page 27), mp.net\_model (page 90), mp.math\_model (page 121), mp.dmc\_element (page 62), mp.dm\_element (page 35), mp.nm\_element (page 107), mp.mm\_element (page 143).

# **Method Summary**

task\_class(task\_class, mpopt)

Return handle to constructor for task object.

```
task_class = mpx.task_class(task_class, mpopt)
```

#### **Inputs**

- task\_class (function handle) default task constructor
- mpopt (struct) MATPOWER options struct

#### Output

task class (function handle) – updated task constructor

dm\_converter\_class(dmc\_class, fmt, mpopt)

Return handle to constructor for data model converter object.

```
dmc_class = mpx.dm_converter_class(dmc_class, fmt, mpopt)
```

#### **Inputs**

- dmc\_class (function handle) default data model converter constructor
- **fmt** (*char array*) data format tag, e.g. 'mpc2'
- mpopt (struct) MATPOWER options struct

#### Output

dmc\_class (function handle) – updated data model converter constructor

data\_model\_class(dm\_class, task\_tag, mpopt)

Return handle to constructor for data model object.

```
dm_class = mpx.data_model_class(dm_class, task_tag, mpopt)
```

# **Inputs**

- dm\_class (function handle) default data model constructor
- task\_tag (char array) task tag, e.g. 'PF', 'CPF', 'OPF'
- $\bullet \ \ mpopt \ (\mathit{struct}) M \\ \mathsf{ATPOWER} \ options \ \mathsf{struct}$

#### Output

**dm** class (function handle) – updated data model constructor

network\_model\_class(nm\_class, task\_tag, mpopt)

Return handle to constructor for network model object.

```
nm_class = mpx.network_model_class(nm_class, task_tag, mpopt)
```

# **Inputs**

• nm\_class (function handle) – default network model constructor

- task\_tag (char array) task tag, e.g. 'PF', 'CPF', 'OPF'
- **mpopt** (*struct*) MATPOWER options struct

#### Output

nm\_class (function handle) - updated network model constructor

### math\_model\_class(mm\_class, task\_tag, mpopt)

Return handle to constructor for mathematical model object.

```
mm_class = mpx.math_model_class(mm_class, task_tag, mpopt)
```

#### **Inputs**

- mm\_class (function handle) default math model constructor
- task\_tag (char array) task tag, e.g. 'PF', 'CPF', 'OPF'
- **mpopt** (*struct*) MATPOWER options struct

# Output

mm\_class (function handle) - updated math model constructor

#### dmc\_element\_classes(dmc\_class, fmt, mpopt)

Return element class modifiers for data model converter elements.

```
dmc_elements = mpx.dmc_element_classes(dmc_class, fmt, mpopt)
```

#### **Inputs**

- dmc\_class (function handle) data model converter constructor
- **fmt** (*char array*) data format tag, e.g. 'mpc2'
- mpopt (struct) MATPOWER options struct

#### Output

**dmc\_elements** (*cell array*) – element class modifiers (see tab\_element\_class\_modifiers in the *MATPOWER Developer's Manual*)

#### dm\_element\_classes(dm\_class, task\_tag, mpopt)

Return element class modifiers for data model elements.

```
dm_elements = mpx.dm_element_classes(dm_class, task_tag, mpopt)
```

#### **Inputs**

- dm\_class (function handle) data model constructor
- task\_tag (char array) task tag, e.g. 'PF', 'CPF', 'OPF'
- $\bullet \ \ mpopt \ (\mathit{struct}) M \\ \mathsf{ATPOWER} \ options \ struct$

#### Output

**dm\_elements** (*cell array*) – element class modifiers (see tab\_element\_class\_modifiers in the *MATPOWER Developer's Manual*)

# nm\_element\_classes(nm\_class, task\_tag, mpopt)

Return element class modifiers for network model elements.

```
nm_elements = mpx.nm_element_classes(nm_class, task_tag, mpopt)
```

#### **Inputs**

- nm\_class (function handle) network model constructor
- task\_tag (char array) task tag, e.g. 'PF', 'CPF', 'OPF'
- **mpopt** (*struct*) MATPOWER options struct

### Output

**nm\_elements** (*cell array*) – element class modifiers (see tab\_element\_class\_modifiers in the *MATPOWER Developer's Manual*)

#### mm\_element\_classes(mm\_class, task\_tag, mpopt)

Return element class modifiers for mathematical model elements.

```
mm_elements = mpx.mm_element_classes(mm_class, task_tag, mpopt)
```

# **Inputs**

- mm\_class (function handle) mathematical model constructor
- task\_tag (char array) task tag, e.g. 'PF', 'CPF', 'OPF'
- **mpopt** (*struct*) MATPOWER options struct

#### Output

**mm\_elements** (*cell array*) – element class modifiers (see tab\_element\_class\_modifiers in the *MATPOWER Developer's Manual*)

# 3.7.2 OPF Fixed Zonal Reserves Extension

## mp.xt\_reserves

### class mp.xt\_reserves

Bases: mp.extension (page 170)

mp.xt\_reserves (page 173) - MATPOWER extension for OPF with fixed zonal reserves.

For OPF problems, this extension adds two types of elements to the data and mathematical model containers, as well as the data model converter.

The 'reserve\_gen' element handles all of the per-generator aspects, such as reserve cost and quantity limit parameters, reserve variables, and constraints on reserve capacity.

The 'reserve\_zone' element handles the per-zone aspects, such as generator/zone mappings, zonal reserve requirement parameters and constraints, and zonal reserve prices.

# mp.xt\_reserves Methods:

- dmc\_element\_classes() (page 173) add two classes to data model converter elements
- dm\_element\_classes() (page 173) add two classes to data model elements
- mm\_element\_classes() (page 174) add two classes to mathematical model elements

See the sec\_customizing and sec\_extensions sections in the *MATPOWER Developer's Manual* for more information, and specifically the sec\_element\_classes section and the tab\_element\_class\_modifiers table for details on *element class modifiers*.

See also mp. extension (page 170).

### **Method Summary**

dmc\_element\_classes(dmc\_class, fmt, mpopt)

Add two classes to data model converter elements.

For 'mpc2 data formats, adds the classes:

- mp.dmce\_reserve\_gen\_mpc2 (page 174)
- mp.dmce\_reserve\_zone\_mpc2 (page 175)

dm\_element\_classes(dm\_class, task\_tag, mpopt)
Add two classes to data model elements.

```
For 'OPF' tasks, adds the classes:
                • mp.dme_reserve_gen (page 175)
                • mp.dme_reserve_zone (page 176)
          mm_element_classes(mm_class, task_tag, mpopt)
              Add two classes to mathematical model elements.
              For 'OPF' tasks, adds the classes:
                • mp.mme_reserve_gen (page 177)
                • mp.mme_reserve_zone (page 178)
Other classes belonging to mp.xt_reserves (page 173) extension:
     mp.dmce_reserve_gen_mpc2
     class mp.dmce_reserve_gen_mpc2
          Bases: mp.dmc_element (page 62)
          mp.dmce_reserve_gen_mpc2 (page 174) - Data model converter element for reserve generator for
          MATPOWER case v2.
          Method Summary
              name()
              data_field()
              data_subs()
              get_import_size(mpc)
              get_export_size(dme)
              table_var_map(dme, mpc)
              import_cost(mpc, spec, vn)
              import_qty(mpc, spec, vn)
              import_ramp(mpc, spec, vn)
              import(dme, mpc, varargin)
```

## mp.dmce reserve zone mpc2

# class mp.dmce\_reserve\_zone\_mpc2

Bases: mp.dmc\_element (page 62)

mp.dmce\_reserve\_zone\_mpc2 (page 175) - Data model converter element for reserve zone for MATPOWER case v2.

# **Method Summary**

```
name()
data_field()
data_subs()
table_var_map(dme, mpc)
import_req(mpc, spec, vn)
```

import\_zones(mpc, spec, vn)

### mp.dme reserve gen

#### class mp.dme\_reserve\_gen

Bases: mp.dm\_element (page 35), mp.dme\_shared\_opf (page 58)

mp.dme\_reserve\_gen (page 175) - Data model element for reserve generator.

Implements the data element model for reserve generator elements.

Adds the following columns in the main data table, found in the tab property:

Name	Туре	Description
gen	integer	ID (uid) of corresponding generator
cost	double	reserve cost $(u/MW)^1$
qty	double	available reserve quantity (MW)
ramp10	double	10-minute ramp rate (MW)
r	double	r, reserve allocation $(MW)$
r_lb	double	lower bound on reserve allocation (MW)
r_ub	double	upper bound on reserve allocation (MW)
total_cost	double	total cost of allocated reserves $(u)^1$
prc	double	reserve price $(u/MVAr)^1$
mu_lb	double	shadow price on $r$ lower bound $(u/MW)^1$
mu_ub	double	shadow price on $r$ upper bound $(u/MW)^1$
mu_pg_ub	double	shadow price on capacity constraint $(u/MW)^1$

# **Property Summary**

gen

index of online gens (for online reserve gens)

 $<sup>^{1}</sup>$  Here u denotes the units of the objective function, e.g. USD.

```
r_ub
            upper bound on reserve qty (p.u.) for units that are on
    Method Summary
        name()
        label()
        labels()
        main_table_var_names()
        export_vars()
        export_vars_offline_val()
        update_status(dm)
        build_params(dm)
        pp_have_section_sum(mpopt, pp_args)
        pp_data_sum(dm, rows, out_e, mpopt, fd, pp_args)
        pp_have_section_det(mpopt, pp_args)
        pp_get_headers_det(dm, out_e, mpopt, pp_args)
        pp_data_row_det(dm, k, out_e, mpopt, fd, pp_args)
        pp_have_section_lim(mpopt, pp_args)
        pp_binding_rows_lim(dm, out_e, mpopt, pp_args)
        pp_get_headers_lim(dm, out_e, mpopt, pp_args)
        pp_data_row_lim(dm, k, out_e, mpopt, fd, pp_args)
        pp_get_footers_det(dm, out_e, mpopt, pp_args)
mp.dme reserve zone
class mp.dme_reserve_zone
    Bases: mp.dm_element (page 35), mp.dme_shared_opf (page 58)
    mp.dme_reserve_zone (page 176) - Data model element for reserve zone.
```

Implements the data element model for reserve zone elements.

Adds the following columns in the main data table, found in the tab property:

```
    Name
    Type
    Description

    req
    double
    zonal reserve requirement (MW)

    zones
    integer
    matrix defining generators included in the zone

    prc
    double
    zonal reserve price (u/MW)<sup>1</sup>
```

## **Property Summary** zones zone map for online zones (page 177) / gens req reserve requirement in p.u. for each active zone **Method Summary** name() label() labels() main\_table\_var\_names() export\_vars() export\_vars\_offline\_val() update\_status(dm) build\_params(dm) pp\_have\_section\_det(mpopt, pp\_args) pp\_get\_headers\_det(dm, out\_e, mpopt, pp\_args) pp\_data\_row\_det(dm, k, out\_e, mpopt, fd, pp\_args)

## mp.mme\_reserve\_gen

## ${\tt class\ mp.mme\_reserve\_gen}$

```
Bases: mp.mm_element (page 143)
```

mp.mme\_reserve\_gen (page 177) - Mathematical model element for reserve generator.

Math model element class for reserve generator elements.

Implements methods for adding reserve variables, costs, and per-generator reserve constraints, and for updating the output data in the corresponding data model element for in-service reserve generators from the math model solution.

## **Method Summary**

```
name()
add_vars(mm, nm, dm, mpopt)
add_costs(mm, nm, dm, mpopt)
add_constraints(mm, nm, dm, mpopt)
data_model_update_on(mm, nm, dm, mpopt)
```

 $<sup>^{1}</sup>$  Here u denotes the units of the objective function, e.g. USD.

#### mp.mme reserve zone

#### class mp.mme\_reserve\_zone

```
Bases: mp.mm_element (page 143)
```

mp.mme\_reserve\_zone (page 178) - Mathematical model element for reserve zone.

Math model element class for reserve zone elements.

Implements methods for adding reserve zone constraints, and for updating the output data in the corresponding data model element for in-service reserve zones from the math model solution.

## **Method Summary**

```
name()
add_constraints(mm, nm, dm, mpopt)
data_model_update_on(mm, nm, dm, mpopt)
```

## 3.7.3 Three-Phase Prototype Extension

## mp.xt\_3p

#### class mp.xt\_3p

Bases: mp.extension (page 170)

mp.xt\_3p (page 178) - MATPOWER extension to add unbalanced three-phase elements.

For AC power flow, continuation power flow, and optimial power flow problems, adds six new element types:

- 'bus3p' 3-phase bus
- 'gen3p' 3-phase generator
- 'load3p' 3-phase load
- 'line3p' 3-phase distribution line
- 'xfmr3p' 3-phase transformer
- 'buslink' 3-phase to single phase linking element

No changes are required for the task or container classes, so only the ...\_element\_classes methods are overridden.

The set of data model element classes depends on the task, with each OPF class inheriting from the corresponding class used for PF and CPF.

The set of network model element classes depends on the formulation, specifically whether cartesian or polar representations are used for voltages.

And the set of mathematical model element classes depends on both the task and the formulation.

#### mp.xt 3p Methods:

- dmc\_element\_classes() (page 179) add six classes to data model converter elements
- dm\_element\_classes() (page 179) add six classes to data model elements

- nm\_element\_classes() (page 179) add six classes to network model elements
- mm\_element\_classes() (page 180) add six classes to mathematical model elements

See the sec\_customizing and sec\_extensions sections in the *MATPOWER Developer's Manual* for more information, and specifically the sec\_element\_classes section and the tab\_element\_class\_modifiers table for details on *element class modifiers*.

See also mp.extension (page 170).

## **Method Summary**

#### dmc\_element\_classes(dmc\_class, fmt, mpopt)

Add six classes to data model converter elements.

For 'mpc2 data formats, adds the classes:

- mp.dmce\_bus3p\_mpc2 (page 180)
- mp.dmce\_gen3p\_mpc2 (page 180)
- mp.dmce\_load3p\_mpc2 (page 181)
- mp.dmce\_line3p\_mpc2 (page 181)
- mp.dmce\_xfmr3p\_mpc2 (page 182)
- mp.dmce\_buslink\_mpc2 (page 182)

## dm\_element\_classes(dm\_class, task\_tag, mpopt)

Add six classes to data model elements.

For 'PF' and 'CPF' tasks, adds the classes:

- mp.dme\_bus3p (page 182)
- mp.dme\_gen3p (page 184)
- mp.dme\_load3p (page 185)
- mp.dme\_line3p (page 187)
- mp.dme\_xfmr3p (page 189)
- mp.dme\_buslink (page 190)

For 'OPF' tasks, adds the classes:

- mp.dme\_bus3p\_opf (page 191)
- mp.dme\_gen3p\_opf (page 191)
- mp.dme\_load3p\_opf (page 192)
- mp.dme\_line3p\_opf (page 192)
- mp.dme\_xfmr3p\_opf (page 192)
- mp.dme\_buslink\_opf (page 192)

## nm\_element\_classes(nm\_class, task\_tag, mpopt)

Add six classes to network model elements.

For cartesian voltage formulations, adds the classes:

- mp.nme\_bus3p\_acc (page 193)
- mp.nme\_gen3p\_acc (page 194)
- mp.nme\_load3p (page 194)
- *mp.nme\_line3p* (page 195)
- mp.nme\_xfmr3p (page 195)
- mp.nme\_buslink\_acc (page 196)

For *polar* voltage formulations, adds the classes:

- mp.nme\_bus3p\_acp (page 193)
- mp.nme\_gen3p\_acp (page 194)
- *mp.nme\_load3p* (page 194)
- mp.nme\_line3p (page 195)
- *mp.nme\_xfmr3p* (page 195)
- mp.nme\_buslink\_acp (page 196)

mm\_element\_classes(mm\_class, task\_tag, mpopt)

```
Add five classes to mathematical model elements.
              For 'PF' and 'CPF' tasks, adds the classes:
                • mp.mme_bus3p (page 196)
                • mp.mme_gen3p (page 197)
                • mp.mme_line3p (page 197)
                • mp.mme_xfmr3p (page 197)
                • mp.mme_buslink_pf_acc (page 198) (cartesian) or mp.mme_buslink_pf_acp (page 199) (po-
                 lar)
              For 'OPF' tasks, adds the classes:
                • mp.mme_bus3p_opf_acc(page 199)(cartesian) or mp.mme_bus3p_opf_acp(page 199)(polar)
                • mp.mme_gen3p_opf (page 200)
                • mp.mme_line3p_opf (page 200)
                • mp.mme_xfmr3p_opf (page 200)
                • mp.mme_buslink_opf_acc (page 201) (cartesian) or mp.mme_buslink_opf_acp (page 201)
                 (polar)
Data model converter element classes belonging to mp. xt_3p (page 178) extension:
     mp.dmce bus3p mpc2
     class mp.dmce_bus3p_mpc2
          Bases: mp.dmc_element (page 62)
          mp.dmce_bus3p_mpc2 (page 180) - Data model converter element for 3-phase bus for MATPOWER case
          v2.
          Method Summary
              name()
              data_field()
              table_var_map(dme, mpc)
              bus_status_import(mpc, spec, vn, c)
     mp.dmce gen3p mpc2
     class mp.dmce_gen3p_mpc2
          Bases: mp.dmc_element (page 62)
          mp.dmce_gen3p_mpc2 (page 180) - Data model converter element for 3-phase generator for MATPOWER
          case v2.
          Method Summary
              name()
              data_field()
```

```
table_var_map(dme, mpc)
mp.dmce_load3p_mpc2
class mp.dmce_load3p_mpc2
    Bases: mp.dmc_element (page 62)
    mp.dmce_load3p_mpc2 (page 181) - Data model converter element for 3-phase load for MATPOWER case
    v2.
    Property Summary
        bus
    Method Summary
        name()
        data_field()
        table_var_map(dme, mpc)
mp.dmce line3p mpc2
class mp.dmce_line3p_mpc2
    Bases: mp.dmc_element (page 62)
    mp.dmce_line3p_mpc2 (page 181) - Data model converter element for 3-phase line for MATPOWER case
    v2.
    Method Summary
        name()
        data_field()
        table_var_map(dme, mpc)
        create_line_construction_table(dme, lc)
        import(dme, mpc, varargin)
```

```
mp.dmce xfmr3p mpc2
     class mp.dmce_xfmr3p_mpc2
          Bases: mp.dmc_element (page 62)
          mp.dmce_xfmr3p_mpc2 (page 182) - Data model converter element for 3-phase transformer for
          MATPOWER case v2.
          Method Summary
             name()
             data_field()
             table_var_map(dme, mpc)
     mp.dmce buslink mpc2
     class mp.dmce_buslink_mpc2
          Bases: mp.dmc_element (page 62)
          mp.dmce_buslink_mpc2 (page 182) - Data model converter element for 1-to-3-phase buslink for MAT-
         POWER case v2.
          Method Summary
             name()
             data_field()
             table_var_map(dme, mpc)
Data model element classes belonging to mp.xt_3p (page 178) extension:
     mp.dme bus3p
     class mp.dme_bus3p
          Bases: mp.dm_element (page 35)
          mp.dme_bus3p (page 182) - Data model element for 3-phase bus.
          Implements the data element model for 3-phase bus elements.
```

182 Chapter 3. Classes

Adds the following columns in the main data table, found in the tab property:

Name	Туре	Description
type	integer	bus type $(1 = PQ, 2 = PV, 3 = ref, 4 = isolated)$
base_kv	double	base voltage $(kV)$
vm1	double	phase 1 voltage magnitude (p.u.)
vm2	double	phase 2 voltage magnitude (p.u.)
vm3	double	phase 3 voltage magnitude (p.u.)
va1	double	phase 1 voltage angle (degrees)
va2	double	phase 2 voltage angle (degrees)
va3	double	phase 3 voltage angle (degrees)

#### **Property Summary**

```
type
        node type (page 183) vector for buses that are on
    vm1_start
        initial phase 1 voltage magnitudes (p.u.) for buses that are on
    vm2_start
        initial phase 2 voltage magnitudes (p.u.) for buses that are on
    vm3_start
        initial phase 3 voltage magnitudes (p.u.) for buses that are on
    va1_start
        initial phase 1 voltage angles (radians) for buses that are on
    va2_start
        initial phase 2 voltage angles (radians) for buses that are on
    va3_start
        initial phase 3 voltage angles (radians) for buses that are on
    vm_control
        true if voltage is controlled, for buses that are on
Method Summary
    name()
    label()
    labels()
    main_table_var_names()
    init_status(dm)
    update_status(dm)
    build_params(dm)
    pp_have_section_det(mpopt, pp_args)
    pp_get_headers_det(dm, out_e, mpopt, pp_args)
```

pp\_data\_row\_det(dm, k, out\_e, mpopt, fd, pp\_args)

## mp.dme\_gen3p

#### class mp.dme\_gen3p

Bases: mp.dm\_element (page 35)

mp.dme\_gen3p (page 184) - Data model element for 3-phase generator.

Implements the data element model for 3-phase generator elements.

Adds the following columns in the main data table, found in the tab property:

Name	Type	Description
bus	integer	bus ID (uid) of 3-phase bus
vm1_setpoint	double	phase 1 voltage magnitude setpoint (p.u.)
vm2_setpoint	double	phase 2 voltage magnitude setpoint (p.u.)
vm3_setpoint	double	phase 3 voltage magnitude setpoint (p.u.)
pg1	double	phase 1 active power output (kW)
pg2	double	phase 2 active power output (kW)
pg3	double	phase 3 active power output (kW)
qg1	double	phase 1 reactive power output (kVAr)
qg2	double	phase 2 reactive power output (kVAr)
qg3	double	phase 3 reactive power output (kVAr)

#### **Property Summary**

#### bus

bus (page 184) index vector (all gens)

#### bus\_on

vector of indices into online buses for gens that are on

#### pg1\_start

initial phase 1 active power (p.u.) for gens that are on

#### pg2\_start

initial phase 2 active power (p.u.) for gens that are on

#### pg3\_start

initial phase 3 active power (p.u.) for gens that are on

## qg1\_start

initial phase 1 reactive power (p.u.) for gens that are on

#### qq2\_start

initial phase 2 reactive power (p.u.) for gens that are on

#### qg3\_start

initial phase 3 reactive power (p.u.) for gens that are on

#### vm1\_setpoint

phase 1 generator voltage setpoint for gens that are on

```
vm2_setpoint
       phase 2 generator voltage setpoint for gens that are on
    vm3_setpoint
       phase 3 generator voltage setpoint for gens that are on
Method Summary
   name()
    label()
    labels()
    cxn_type()
    cxn_idx_prop()
   main_table_var_names()
    initialize(dm)
   update_status(dm)
    apply_vm_setpoint(dm)
   build_params(dm)
   pp_have_section_sum(mpopt, pp_args)
   pp_data_sum(dm, rows, out_e, mpopt, fd, pp_args)
   pp_have_section_det(mpopt, pp_args)
   pp_get_headers_det(dm, out_e, mpopt, pp_args)
    pp_data_row_det(dm, k, out_e, mpopt, fd, pp_args)
```

## mp.dme\_load3p

## class mp.dme\_load3p

Bases: mp.dm\_element (page 35)

mp.dme\_load3p (page 185) - Data model element for 3-phase load.

Implements the data element model for 3-phase load elements.

Adds the following columns in the main data table, found in the tab property:

Name	Туре	Description
bus	integer	bus ID (uid) of 3-phase bus
pd1	double	phase 1 active power demand (kW)
pd2	double	phase 2 active power demand (kW)
pd3	double	phase 3 active power demand (kW)
pf1	double	phase 1 power factor
pf2	double	phase 2 power factor
pf3	double	phase 3 power factor

**Property Summary** 

```
bus
        bus (page 186) index vector (all loads)
   pd1
       phase 1 active power demand (p.u.) for loads that are on
   pd2
       phase 2 active power demand (p.u.) for loads that are on
   pd3
       phase 3 active power demand (p.u.) for loads that are on
   pf1
       phase 1 power factor for loads that are on
   pf2
        phase 2 power factor for loads that are on
   pf3
       phase 3 power factor for loads that are on
Method Summary
   name()
   label()
   labels()
   cxn_type()
    cxn_idx_prop()
   main_table_var_names()
    initialize(dm)
    update_status(dm)
   build_params(dm)
   pp_have_section_sum(mpopt, pp_args)
   pp_data_sum(dm, rows, out_e, mpopt, fd, pp_args)
   pp_have_section_det(mpopt, pp_args)
   pp_get_headers_det(dm, out_e, mpopt, pp_args)
   pp_data_row_det(dm, k, out_e, mpopt, fd, pp_args)
```

## mp.dme line3p

## class mp.dme\_line3p

Bases: mp.dm\_element (page 35)

mp.dme\_line3p (page 187) - Data model element for 3-phase line.

Implements the data element model for 3-phase distribution line elements.

Adds the following columns in the main data table, found in the tab property:

Name	Туре	Description
bus_fr	integer	bus ID (uid) of "from" 3-phase bus
bus_to	integer	bus ID (uid) of "to" 3-phase bus
lc	double	index into line construction table
len	double	line length (?)
pl1_fr	double	phase 1 active power injection at "from" end (kW)
ql1_fr	double	phase 1 reactive power injection at "from" end (kVAr)
pl2_fr	double	phase 2 active power injection at "from" end (kW)
ql2_fr	double	phase 2 reactive power injection at "from" end (kVAr)
pl3_fr	double	phase 3 active power injection at "from" end (kW)
ql3_fr	double	phase 3 reactive power injection at "from" end (kVAr)
pl1_to	double	phase 1 active power injection at "to" end (kW)
ql1_to	double	phase 1 reactive power injection at "to" end $(kVAr)$
pl2_to	double	phase 2 active power injection at "to" end (kW)
q12_to	double	phase 2 reactive power injection at "to" end $(kVAr)$
pl3_to	double	phase 3 active power injection at "to" end (kW)
q13_to	double	phase 3 reactive power injection at "to" end (kVAr)

The line construction table in the lc\_tab property is defined as a table with the following columns:

Name	Туре	Description
id	inte- ger	unique line construction ID, referenced from 1c column of main data table
r	dou- ble	6 resistence parameters for forming symmetric 3x3 series impedance matrix
X	dou- ble	6 reactance parameters for forming symmetric 3x3 series impedance matrix
С	dou- ble	6susceptance parameters for forming symmetric $3x3shunt$ susceptance matrix

## **Property Summary**

## fbus

bus index vector for "from" bus (all lines)

#### tbus

bus index vector for "to" bus (all lines)

#### freq

system frequency, in Hz

```
1c
       index into lc_tab for lines that are on
    len
       length for lines that are on
   lc_tab
       line construction table
   уs
       cell array of 3x3 series admittance matrices for lc rows
   уc
       cell array of 3x3 shunt admittance matrices for lc rows
Method Summary
   name()
    label()
   labels()
    cxn_type()
    cxn_idx_prop()
   main_table_var_names()
   lc_table_var_names()
    create_line_construction_table(id, r, x, c)
    initialize(dm)
    update_status(dm)
    build_params(dm)
    vec2symmat(v)
       Make a symmetric matrix from a vector of 6 values.
    symmat2vec(M)
       Extract a vector of 6 values from a matrix assumed to be symmetric.
   pretty_print(dm, section, out_e, mpopt, fd, pp_args)
   pp_have_section_sum(mpopt, pp_args)
    pp_data_sum(dm, rows, out_e, mpopt, fd, pp_args)
    pp_have_section_det(mpopt, pp_args)
    pp_get_headers_det(dm, out_e, mpopt, pp_args)
    pp_data_row_det(dm, k, out_e, mpopt, fd, pp_args)
```

## mp.dme xfmr3p

## class mp.dme\_xfmr3p

```
Bases: mp.dm_element (page 35)
```

mp.dme\_xfmr3p (page 189) - Data model element for 3-phase transformer.

Implements the data element model for 3-phase transformer elements.

Adds the following columns in the main data table, found in the tab property:

Name	Туре	Description
bus_fr	integer	bus ID (uid) of "from" 3-phase bus
bus_to	integer	bus ID (uid) of "to" 3-phase bus
r	double	series resistance $(p.u.)$
x	double	series reactance (p.u.)
base_kva	double	transformer kVA base (kVA)
base_kv	double	transformer kV base (kV)
pl1_fr	double	phase 1 active power injection at "from" end (kW)
ql1_fr	double	phase 1 reactive power injection at "from" end (kVAr)
pl2_fr	double	phase 2 active power injection at "from" end (kW)
ql2_fr	double	phase 2 reactive power injection at "from" end (kVAr)
pl3_fr	double	phase 3 active power injection at "from" end (kW)
ql3_fr	double	phase 3 reactive power injection at "from" end (kVAr)
pl1_to	double	phase 1 active power injection at "to" end (kW)
ql1_to	double	phase 1 reactive power injection at "to" end (kVAr)
pl2_to	double	phase 2 active power injection at "to" end (kW)
q12_to	double	phase 2 reactive power injection at "to" end (kVAr)
pl3_to	double	phase 3 active power injection at "to" end (kW)
q13_to	double	phase 3 reactive power injection at "to" end (kVAr)

## **Property Summary**

## fbus

bus index vector for "from" bus (all transformers)

#### tbus

bus index vector for "to" bus (all transformers)

r

series resistance (p.u.) for transformers that are on

x

series reactance (p.u.) for transformers that are on

## **Method Summary**

name()

label()

labels()

cxn\_type()

cxn\_idx\_prop()

```
main_table_var_names()
initialize(dm)
update_status(dm)
build_params(dm)
pretty_print(dm, section, out_e, mpopt, fd, pp_args)
pp_have_section_sum(mpopt, pp_args)
pp_data_sum(dm, rows, out_e, mpopt, fd, pp_args)
pp_have_section_det(mpopt, pp_args)
pp_have_section_det(mpopt, pp_args)
pp_get_headers_det(dm, out_e, mpopt, fd, pp_args)
pp_data_row_det(dm, k, out_e, mpopt, fd, pp_args)
```

## mp.dme\_buslink

#### class mp.dme\_buslink

Bases: mp.dm\_element (page 35)

mp.dme\_buslink (page 190) - Data model element for 1-to-3-phase buslink.

Implements the data element model for 1-to-3-phase buslink elements.

Adds the following columns in the main data table, found in the tab property:

Name	Type	Description
bus	integer	bus ID (uid) of single phase bus
bus3p	integer	bus ID (uid) of 3-phase bus

#### **Property Summary**

### bus

bus (page 190) index vector (all buslinks)

## bus3p

bus3p (page 190) index vector (all buslinks)

#### pg1\_start

initial phase 1 active power (p.u.) for buslinks that are on

## pg2\_start

initial phase 2 active power (p.u.) for buslinks that are on

#### pg3\_start

initial phase 3 active power (p.u.) for buslinks that are on

#### qg1\_start

initial phase 1 reactive power (p.u.) for buslinks that are on

```
qg2_start
            initial phase 2 reactive power (p.u.) for buslinks that are on
         qg3_start
            initial phase 3 reactive power (p.u.) for buslinks that are on
     Method Summary
        name()
         label()
         labels()
         cxn_type()
         cxn_idx_prop()
        main_table_var_names()
         initialize(dm)
         update_status(dm)
         build_params(dm)
         pp_have_section_det(mpopt, pp_args)
         pp_get_headers_det(dm, out_e, mpopt, pp_args)
         pp_data_row_det(dm, k, out_e, mpopt, fd, pp_args)
mp.dme_bus3p_opf
class mp.dme_bus3p_opf
     Bases: mp.dme_bus3p (page 182), mp.dme_shared_opf (page 58)
     mp.dme_bus3p_opf (page 191) - Data model element for 3-phase bus for OPF.
     To parent class mp.dme_bus3p (page 182), adds pretty-printing for lim sections.
mp.dme_gen3p_opf
class mp.dme_gen3p_opf
     Bases: mp.dme_gen3p (page 184), mp.dme_shared_opf (page 58)
     mp.dme_gen3p_opf (page 191) - Data model element for 3-phase generator for OPF.
     To parent class mp.dme_gen3p (page 184), adds pretty-printing for lim sections.
```

# mp.dme load3p opf class mp.dme\_load3p\_opf Bases: mp.dme\_load3p (page 185), mp.dme\_shared\_opf (page 58) mp.dme\_load3p\_opf (page 192) - Data model element for 3-phase load for OPF. To parent class mp.dme\_load3p (page 185), adds pretty-printing for **lim** sections. mp.dme\_line3p\_opf class mp.dme\_line3p\_opf Bases: mp.dme\_line3p (page 187), mp.dme\_shared\_opf (page 58) mp.dme\_line3p\_opf (page 192) - Data model element for 3-phase line for OPF. To parent class mp.dme\_line3p (page 187), adds pretty-printing for **lim** sections. mp.dme xfmr3p opf class mp.dme\_xfmr3p\_opf Bases: mp.dme\_xfmr3p (page 189), mp.dme\_shared\_opf (page 58) mp.dme\_xfmr3p\_opf (page 192) - Data model element for 3-phase transformer for OPF. To parent class mp. dme\_xfmr3p (page 189), adds pretty-printing for **lim** sections. mp.dme buslink opf class mp.dme\_buslink\_opf Bases: mp.dme\_buslink (page 190), mp.dme\_shared\_opf (page 58) mp.dme\_buslink\_opf (page 192) - Data model element for 1-to-3-phase buslink for OPF. To parent class mp.dme\_buslink (page 190), adds pretty-printing for **lim** sections. Network model element classes belonging to mp.xt\_3p (page 178) extension: mp.nme bus3p class mp.nme\_bus3p Bases: mp.nm\_element (page 107) mp.nme\_bus3p (page 192) - Network model element abstract base class for 3-phase bus. Implements the network model element for 3-phase bus elements, with 3 nodes per 3-phase bus.

192 Chapter 3. Classes

Implements node\_types() (page 193) method.

**Method Summary** 

```
name()
        nn()
        node_types(nm, dm, idx)
            ntv = nme.node_types(nm, dm, idx)
             [ref, pv, pq] = nme.node_types(nm, dm, idx)
            Called by the node_types() (page 98) method of mp.net_model (page 90).
mp.nme_bus3p_acc
class mp.nme_bus3p_acc
    Bases: mp.nme_bus3p (page 192), mp.form_acc (page 82)
    mp.nme_bus3p_acc (page 193) - Network model element for 3-phase bus, AC cartesian voltage formula-
    tion.
    Adds voltage variables Vr3 and Vi3 to the network model and inherits from mp. form_acc (page 82).
    Method Summary
        add_vvars(nm, dm, idx)
mp.nme bus3p acp
class mp.nme_bus3p_acp
    Bases: mp.nme_bus3p (page 192), mp.form_acp (page 86)
    mp.nme_bus3p_acp (page 193) - Network model element for 3-phase bus, AC polar voltage formulation.
    Adds voltage variables Va3 and Vm3 to the network model and inherits from mp. form_acp (page 86).
    Method Summary
        add_vvars(nm, dm, idx)
```

#### mp.nme gen3p

#### class mp.nme\_gen3p

Bases: mp.nm\_element (page 107)

mp.nme\_gen3p (page 193) - Network model element abstract base class for 3-phase generator.

Implements the network model element for 3-phase generator elements, with 3 ports and 3 non-voltage states per 3-phase generator.

Adds non-voltage state variables Pg3 and Qg3 to the network model and builds the parameter  $\underline{N}$ .

```
Method Summary
        name()
        np()
        nz()
         add_zvars(nm, dm, idx)
         build_params(nm, dm)
mp.nme_gen3p_acc
class mp.nme_gen3p_acc
     Bases: mp.nme_gen3p (page 193), mp.form_acc (page 82)
     mp.nme_gen3p_acc (page 194) - Network model element for 3-phase generator, AC cartesian voltage
     formulation.
     Inherits from mp. form_acc (page 82).
mp.nme gen3p acp
class mp.nme_gen3p_acp
     Bases: mp.nme_gen3p (page 193), mp.form_acp (page 86)
     mp.nme_gen3p_acp (page 194) - Network model element for 3-phase generator, AC polar voltage formu-
    lation.
     Inherits from mp. form_acp (page 86).
mp.nme load3p
class mp.nme_load3p
     Bases: mp.nm_element (page 107), mp.form_acp (page 86)
     mp.nme_load3p (page 194) - Network model element for 3-phase load.
     Implements the network model element for 3-phase load elements, with 3 ports per 3-phase load.
     Builds the parameter s and inherits from mp. form_acp (page 86).
     Method Summary
        name()
        np()
         build_params(nm, dm)
```

## mp.nme\_line3p

#### class mp.nme\_line3p

```
Bases: mp.nm_element (page 107), mp.form_acp (page 86)
```

mp.nme\_line3p (page 195) - Network model element for 3-phase line.

Implements the network model element for 3-phase line elements, with 6 ports per 3-phase line.

Implements building of the admittance parameter  $\underline{\mathbf{Y}}$  for 3-phase lines and inherits from  $mp.form\_acp$  (page 86).

#### **Method Summary**

```
name()
np()
build_params(nm, dm)
vec2symmat_stacked(vv)
```

## mp.nme\_xfmr3p

## class mp.nme\_xfmr3p

```
Bases: mp.nm_element (page 107), mp.form_acp (page 86)
```

mp.nme\_xfmr3p (page 195) - Network model element for 3-phase transformer.

Implements the network model element for 3-phase transformer elements, with 6 ports per transformer.

Implements building of the admittance parameter  $\underline{\mathbf{Y}}$  for 3-phase transformers and inherits from mp.  $form\_acp$  (page 86).

#### **Method Summary**

```
name()
np()
build_params(nm, dm)
```

## mp.nme\_buslink

#### class mp.nme\_buslink

```
Bases: mp.nm_element (page 107)
```

mp.nme\_buslink (page 195) - Network model element abstract base class for 1-to-3-phase buslink.

Implements the network model element for 1-to-3-phase buslink elements, with 4 ports and 3 non-voltage states per buslink.

Adds non-voltage state variables Plink and Qlink to the network model, builds the parameter  $\underline{\mathbf{N}}$ , and constructs voltage constraints.

name()

```
Method Summary
              name()
              np()
              nz()
              add_zvars(nm, dm, idx)
              build_params(nm, dm)
              voltage_constraints()
     mp.nme buslink acc
     class mp.nme_buslink_acc
          Bases: mp.nme_buslink (page 195), mp.form_acc (page 82)
          mp.nme_buslink_acc (page 196) - Network model element for 1-to-3-phase buslink, AC cartesian voltage
          formulation.
          Inherits from mp.form_acc (page 82).
     mp.nme buslink acp
     class mp.nme_buslink_acp
          Bases: mp.nme_buslink (page 195), mp.form_acp (page 86)
          mp.nme_buslink_acp (page 196) - Network model element for 1-to-3-phase buslink, AC polar voltage
          formulation.
          Inherits from mp. form_acp (page 86).
Mathematical model element classes belonging to mp.xt_3p (page 178) extension:
     mp.mme bus3p
     class mp.mme_bus3p
          Bases: mp.mm_element (page 143)
          mp.mme_bus3p (page 196) - Math model element for 3-phase bus.
          Math model element base class for 3-phase bus elements.
          Implements method for updating the output data in the corresponding data model element for in-service
          3-phase buses from the math model solution.
          Method Summary
```

```
data_model_update_on(mm, nm, dm, mpopt)
```

#### mp.mme\_gen3p

## class mp.mme\_gen3p

```
Bases: mp.mm_element (page 143)
```

mp.mme\_gen3p (page 197) - Math model element for 3-phase generator.

Math model element base class for 3-phase generator elements.

Implements method for updating the output data in the corresponding data model element for in-service 3-phase generators from the math model solution.

#### **Method Summary**

```
name()
```

data\_model\_update\_on(mm, nm, dm, mpopt)

#### mp.mme line3p

#### class mp.mme\_line3p

```
Bases: mp.mm_element (page 143)
```

mp.mme\_line3p (page 197) - Math model element for 3-phase line.

Math model element base class for 3-phase line elements.

Implements method for updating the output data in the corresponding data model element for in-service 3-phase lines from the math model solution.

### **Method Summary**

```
name()
```

data\_model\_update\_on(mm, nm, dm, mpopt)

#### mp.mme xfmr3p

#### class mp.mme\_xfmr3p

```
Bases: mp.mm_element (page 143)
```

mp.mme\_xfmr3p (page 197) - Math model element for 3-phase transformer.

Math model element base class for 3-phase transformer elements.

Implements method for updating the output data in the corresponding data model element for in-service 3-phase transformers from the math model solution.

## **Method Summary**

```
name()
data_model_update_on(mm, nm, dm, mpopt)
```

## mp.mme\_buslink

#### class mp.mme\_buslink

```
Bases: mp.mm_element (page 143)
```

mp.mme\_buslink (page 198) - Math model element abstract base class for 1-to-3-phase buslink.

Abstract math model element base class for 1-to-3-phase buslink elements.

#### **Method Summary**

name()

## mp.mme\_buslink\_pf\_ac

## class mp.mme\_buslink\_pf\_ac

```
Bases: mp.mme_buslink (page 198)
```

mp.mme\_buslink\_pf\_ac (page 198) - Math model element abstract base class for 1-to-3-phase buslink for AC PF/CPF.

Abstract math model element base class for 1-to-3-phase buslink elements for AC power flow and CPF problems.

Implements methods for adding per-phase active and reactive power variables and for forming and adding voltage and reactive power constraints.

#### **Method Summary**

```
add_vars(mm, nm, dm, mpopt)
add_constraints(mm, nm, dm, mpopt)
voltage_constraints(nme, ad)
```

#### mp.mme buslink pf acc

#### class mp.mme\_buslink\_pf\_acc

```
Bases: mp.mme_buslink_pf_ac (page 198)
```

mp.mme\_buslink\_pf\_acc (page 198) - Math model element for 1-to-3-phase buslink for AC cartesian voltage PF/CPF.

Math model element class for 1-to-3-phase buslink elements for AC cartesian power flow and CPF problems.

Implements methods for adding constraints to match voltages across each buslink.

#### **Method Summary**

```
add_constraints(mm, nm, dm, mpopt)
pf_va_fcn(nme, xx, A, b)
pf_vm_fcn(nme, xx, A, b)
```

#### mp.mme buslink pf acp

## class mp.mme\_buslink\_pf\_acp

Bases: mp.mme\_buslink\_pf\_ac (page 198)

mp.mme\_buslink\_pf\_acp (page 199) - Math model element for 1-to-3-phase buslink for AC polar voltage PF/CPF.

Math model element class for 1-to-3-phase buslink elements for AC polar power flow and CPF problems. Implements method for adding constraints to match voltages across each buslink.

#### **Method Summary**

```
add_constraints(mm, nm, dm, mpopt)
```

#### mp.mme\_bus3p\_opf\_acc

## class mp.mme\_bus3p\_opf\_acc

Bases: mp.mme\_bus3p (page 196)

mp.mme\_bus3p\_opf\_acc (page 199) - Math model element for 3-phase bus for AC cartesian voltage OPF.

Math model element class for 3-phase bus elements for AC cartesian voltage OPF problems.

Implements method for forming an interior initial point.

### **Method Summary**

```
interior_x0(mm, nm, dm, x0)
```

#### mp.mme bus3p opf acp

### class mp.mme\_bus3p\_opf\_acp

Bases: mp.mme\_bus3p (page 196)

mp.mme\_bus3p\_opf\_acp (page 199) - Math model element for 3-phase bus for AC polar voltage OPF.

Math model element class for 3-phase bus elements for AC polar voltage OPF problems.

Implements method for forming an interior initial point.

#### **Method Summary**

```
interior_x0(mm, nm, dm, x0)
```

```
mp.mme_gen3p_opf
```

## class mp.mme\_gen3p\_opf

```
Bases: mp.mme_gen3p (page 197)
```

mp.mme\_gen3p\_opf (page 200) - Math model element for 3-phase generator for OPF.

Math model element class for 1-to-3-phase generator elements for OPF problems.

Implements (currently empty) method for forming an interior initial point.

#### **Method Summary**

```
interior_x0(mm, nm, dm, x0)
```

## mp.mme\_line3p\_opf

## class mp.mme\_line3p\_opf

```
Bases: mp.mme_line3p (page 197)
```

mp.mme\_line3p\_opf (page 200) - Math model element for 3-phase line for OPF.

Math model element class for 3-phase line elements for OPF problems.

Implements (currently empty) method for forming an interior initial point.

#### **Method Summary**

```
interior_x0(mm, nm, dm, x0)
```

### mp.mme xfmr3p opf

### class mp.mme\_xfmr3p\_opf

```
Bases: mp.mme_xfmr3p (page 197)
```

mp.mme\_xfmr3p\_opf (page 200) - Math model element for 3-phase transformer for OPF.

Math model element class for 3-phase transformer elements for OPF problems.

Implements (currently empty) method for forming an interior initial point.

## **Method Summary**

```
interior_x0(mm, nm, dm, x0)
```

#### mp.mme buslink opf

#### class mp.mme\_buslink\_opf

```
Bases: mp.mme_buslink (page 198)
```

mp.mme\_buslink\_opf (page 201) - Math model element abstract base class for 1-to-3-phase buslink for OPF.

Abstract math model element base class for 1-to-3-phase buslink elements for OPF problems.

Implements (currently empty) method for forming an interior initial point.

#### **Method Summary**

```
interior_x0(mm, nm, dm, x0)
```

#### mp.mme\_buslink\_opf\_acc

## class mp.mme\_buslink\_opf\_acc

```
Bases: mp.mme_buslink_opf (page 201)
```

mp.mme\_buslink\_opf\_acc (page 201) - Math model element for 1-to-3-phase buslink for AC cartesian voltage OPF.

Math model element class for 1-to-3-phase buslink elements for AC cartesian OPF problems.

Implements methods for adding constraints to match voltages across each buslink.

#### **Method Summary**

```
add_constraints(mm, nm, dm, mpopt)
va_fcn(nme, xx, A, b)
va_hess(nme, xx, lam, A)
vm2_fcn(nme, xx, A, b)
vm2_hess(nme, xx, lam, A)
```

## mp.mme buslink opf acp

## class mp.mme\_buslink\_opf\_acp

```
Bases: mp.mme_buslink_opf (page 201)
```

mp.mme\_buslink\_opf\_acp (page 201) - Math model element for 1-to-3-phase buslink for AC polar voltage OPF.

Math model element class for 1-to-3-phase buslink elements for AC polar OPF problems.

Implements method for adding constraints to match voltages across each buslink.

#### **Method Summary**

```
add_constraints(mm, nm, dm, mpopt)
```

## 3.7.4 Legacy DC Line Extension

## mp.xt\_legacy\_dcline

## class mp.xt\_legacy\_dcline

Bases: mp.extension (page 170)

mp.xt\_legacy\_dcline (page 202) - MATPOWER extension to add legacy DC line elements.

For AC and DC power flow, continuation power flow, and optimial power flow problems, adds a new element type:

'legacy\_dcline' - legacy DC line

No changes are required for the task or container classes, so only the ...\_element\_classes methods are overridden.

The set of data model element classes depends on the task, with each OPF class inheriting from the corresponding class used for PF and CPF.

The set of network model element classes depends on the formulation, specifically whether cartesian or polar representations are used for voltages.

And the set of mathematical model element classes depends on both the task and the formulation.

#### mp.xt\_legacy\_dcline Methods:

- dmc\_element\_classes() (page 202) add a class to data model converter elements
- dm\_element\_classes() (page 202) add a class to data model elements
- nm\_element\_classes() (page 202) add a class to network model elements
- mm\_element\_classes() (page 203) add a class to mathematical model elements

See the sec\_customizing and sec\_extensions sections in the *MATPOWER Developer's Manual* for more information, and specifically the sec\_element\_classes section and the tab\_element\_class\_modifiers table for details on *element class modifiers*.

See also mp.extension (page 170).

#### **Method Summary**

```
dmc_element_classes(dmc_class, fmt, mpopt)
```

Add a class to data model converter elements.

For 'mpc2 data formats, adds the classes:

• mp.dmce\_legacy\_dcline\_mpc2 (page 203)

dm\_element\_classes(dm\_class, task\_tag, mpopt)

Add a class to data model elements.

For 'PF' and 'CPF' tasks, adds the class:

• mp.dme\_legacy\_dcline (page 204)

For 'OPF' tasks, adds the class:

• mp.dme\_legacy\_dcline\_opf (page 206)

```
nm_element_classes(nm_class, task_tag, mpopt)
    Add a class to network model elements.
    For DC formulations, adds the class:
      • mp.nme_legacy_dcline_dc (page 208)
    For AC cartesian voltage formulations, adds the class:
      • mp.nme_legacy_dcline_acc (page 208)
    For AC polar voltage formulations, adds the class:
      • mp.nme_legacy_dcline_acp (page 208)
mm_element_classes(mm_class, task_tag, mpopt)
    Add a class to mathematical model elements.
    For 'PF' and 'CPF' tasks, adds the class:
      • mp.mme_legacy_dcline_pf_dc (page 209) (DC formulation) or
      • mp.mme_legacy_dcline_pf_ac (page 209) (AC formulation)
    For 'OPF' tasks, adds the class:
      • mp.mme_legacy_dcline_opf_dc (page 210) (DC formulation) or
      • mp.mme_legacy_dcline_opf_ac (page 210) (AC formulation)
```

Data model converter element class belonging to mp.xt\_legacy\_dcline (page 202) extension:

```
mp.dmce legacy dcline mpc2
class mp.dmce_legacy_dcline_mpc2
    Bases: mp.dmc_element (page 62)
    mp.dmce_legacy_dcline_mpc2 (page 203) - Data model converter element for legacy DC line for
    MATPOWER case v2.
    Method Summary
        name()
        data_field()
        table_var_map(dme, mpc)
        default_export_data_table(spec)
        dcline_cost_import(mpc, spec, vn)
        dcline_cost_export(dme, mpc, spec, vn, ridx)
```

Data model element classes belonging to mp.xt\_legacy\_dcline (page 202) extension:

#### mp.dme legacy dcline

## class mp.dme\_legacy\_dcline

Bases: mp.dm\_element (page 35)

mp.dme\_legacy\_dcline (page 204) - Data model element for legacy DC line.

Implements the data element model for legacy DC line elements, with linear line losses.

$$p_{\rm loss} = \underline{l}_0 + \underline{l}_1 p_{\rm fr}$$

Adds the following columns in the main data table, found in the tab property:

Name	Type	Description
bus_fr	integer	bus ID (uid) of "from" bus
bus_to	integer	bus ID (uid) of "to" bus
loss0	double	$\underline{l}_0$ , constant term of loss function (MW)
loss1	double	$\underline{l}_1$ , linear coefficient of loss function (MW/MW)
vm_setpoint_fr	double	per unit "from" bus voltage magnitude setpoint
<pre>vm_setpoint_to</pre>	double	per unit "to" bus voltage magnitude setpoint
p_fr_lb	double	lower bound on MW flow at "from" port
p_fr_ub	double	upper bound on MW flow at "from" port
q_fr_lb	double	lower bound on MVAr injection into "from" bus
q_fr_ub	double	upper bound on MVAr injection into "from" bus
q_to_lb	double	lower bound on MVAr injection into "to" bus
q_to_ub	double	upper bound on MVAr injection into "to" bus
p_fr	double	MW flow at "from" end ("from" -> "to")
$q_fr$	double	MVAr injection into "from" bus
p_to	double	MW flow at "to" end ("from" -> "to")
q_to	double	MVAr injection into "to" bus

## **Property Summary**

#### fbus

bus index vector for "from" port (port 1) (all DC lines)

#### tbus

bus index vector for "to" port (port 2) (all DC lines)

#### fbus\_on

vector of "from" bus indices into online buses (in-service DC lines)

#### tbus\_on

vector of "to" bus indices into online buses (in-service DC lines)

#### loss0

constant term of loss function (p.u.) (in-service DC lines)

#### loss1

linear coefficient of loss function (in-service DC lines)

## p\_fr\_start

initial active power (p.u.) at "from" port (in-service DC lines)

#### p\_to\_start

initial active power (p.u.) at "to" port (in-service DC lines)

```
q_fr_start
        initial reactive power (p.u.) at "from" port (in-service DC lines)
    q_to_start
        initial reactive power (p.u.) at "to" port (in-service DC lines)
    vm_setpoint_fr
        from bus voltage magnitude setpoint (p.u.) (in-service DC lines)
    vm_setpoint_to
        to bus voltage magnitude setpoint (p.u.) (in-service DC lines)
    p_fr_lb
        p.u. lower bound on active power flow at "from" port (in-service DC lines)
    p_fr_ub
        p.u. upper bound on active power flow at "from" port (in-service DC lines)
    q_fr_lb
        p.u. lower bound on reactive power flow at "from" port (in-service DC lines)
        p.u. upper bound on reactive power flow at "from" port (in-service DC lines)
    q_to_lb
        p.u. lower bound on reactive power flow at "to" port (in-service DC lines)
        p.u. upper bound on reactive power flow at "to" port (in-service DC lines)
Method Summary
    name()
    label()
    labels()
    cxn_type()
    cxn_idx_prop()
    main_table_var_names()
    export_vars()
    export_vars_offline_val()
    have_cost()
    initialize(dm)
    update_status(dm)
    apply_vm_setpoints(dm)
    build_params(dm)
    pp_have_section_sum(mpopt, pp_args)
```

```
pp_data_sum(dm, rows, out_e, mpopt, fd, pp_args)
pp_get_headers_det(dm, out_e, mpopt, pp_args)
pp_have_section_det(mpopt, pp_args)
pp_data_row_det(dm, k, out_e, mpopt, fd, pp_args)
```

#### mp.dme legacy dcline opf

## class mp.dme\_legacy\_dcline\_opf

```
Bases: mp.dme_legacy_dcline (page 204), mp.dme_shared_opf (page 58)
```

mp.dme\_legacy\_dcline\_opf (page 206) - Data model element for legacy DC line for OPF.

To parent class *mp.dme\_legacy\_dcline* (page 204), adds costs, shadow prices on active and reactive flow limits, and pretty-printing for **lim** sections.

Adds the following columns in the main data table, found in the tab property:

Name	Туре	Description
cost_pg	mp.cost_table	cost of active power flow $(u/MW)^{1}$
mu_p_fr_lt	double	shadow price on MW flow lower bound at "from" end (u/MW) <sup>1</sup>
mu_p_fr_ub	double	shadow price on MW flow upper bound at "from" end $(u/MW)^1$
mu_q_fr_lt	double	shadow price on lower bound of MVAr injection at "from" bus $(u/degree)^1$
mu_q_fr_ut	double	shadow price on upper bound of MVAr injection at "from" bus $(u/degree)^1$
mu_q_to_lk	double	shadow price on lower bound of MVAr injection at "to" bus $(u/degree)^1$
mu_q_to_uk	double	shadow price on upper bound of MVAr injection at "to" bus $(u/degree)^1$

#### **Method Summary**

```
main_table_var_names()
export_vars()
export_vars_offline_val()
have_cost()
build_cost_params(dm)
pretty_print(dm, section, out_e, mpopt, fd, pp_args)
pp_have_section_lim(mpopt, pp_args)
pp_binding_rows_lim(dm, out_e, mpopt, pp_args)
```

<sup>&</sup>lt;sup>1</sup> Here u denotes the units of the objective function, e.g. USD.

```
pp_get_headers_lim(dm, out_e, mpopt, pp_args)
pp_data_row_lim(dm, k, out_e, mpopt, fd, pp_args)
```

Network model element classes belonging to mp.xt\_legacy\_dcline (page 202) extension:

```
mp.nme_legacy_dcline
class mp.nme_legacy_dcline
     Bases: mp.nm_element (page 107)
     mp.nme_legacy_dcline (page 207) - Network model element abstract base class for legacy DC line.
     Implements the network model element for legacy DC line elements, with 2 ports and 2 non-voltage states
     per DC line.
     Method Summary
         name()
         np()
         nz()
mp.nme_legacy_dcline_ac
class mp.nme_legacy_dcline_ac
     Bases: mp.nme_legacy_dcline (page 207)
     mp.nme_legacy_dcline_ac (page 207) - Network model element abstract base class for legacy DC line
     for AC formulation.
     Adds non-voltage state variables Pdcf, Qdcf, Pdct, and Qdct to the network model and builds the param-
     eter \underline{\mathbf{N}}.
     Method Summary
         add_zvars(nm, dm, idx)
```

build\_params(nm, dm)

name()

```
mp.nme legacy dcline acc
     class mp.nme_legacy_dcline_acc
          Bases: mp.nme_legacy_dcline_ac (page 207), mp.form_acc (page 82)
          mp.nme_legacy_dcline_acc (page 208) - Network model element for legacy DC line for AC cartesian
          voltage formulations.
          Inherits from mp. form_acc (page 82).
     mp.nme legacy dcline acp
     class mp.nme_legacy_dcline_acp
          Bases: mp.nme_legacy_dcline_ac (page 207), mp.form_acp (page 86)
          mp.nme_legacy_dcline_acp (page 208) - Network model element for legacy DC line for for AC polar
          voltage formulations.
          Inherits from mp. form_acp (page 86).
     mp.nme legacy dcline dc
     class mp.nme_legacy_dcline_dc
          Bases: mp.nme_legacy_dcline (page 207), mp.form_dc (page 88)
          mp.nme_legacy_dcline_dc (page 208) - Network model element for legacy DC line for DC formulation.
          Adds non-voltage state variables Pdcf and Pdct to the network model and builds the parameter K.
          Method Summary
              add_zvars(nm, dm, idx)
              build_params(nm, dm)
Mathematical model element classes belonging to mp.xt_legacy_dcline (page 202) extension:
     mp.mme legacy dcline
     class mp.mme_legacy_dcline
          Bases: mp.mm_element (page 143)
          mp.mme_legacy_dcline (page 208) - Math model element abstract base class for legacy DC line.
          Abstract math model element base class for legacy DC line elements.
          Method Summary
```

## mp.mme\_legacy\_dcline\_pf\_ac

#### class mp.mme\_legacy\_dcline\_pf\_ac

Bases: mp.mme\_legacy\_dcline (page 208)

mp.nme\_legacy\_dcline\_pf\_ac (page 209) - Math model element for legacy DC line for AC power flow.

Math model element class for legacy DC line elements for AC power flow problems.

Implements method for updating the output data in the corresponding data model element for in-service DC lines from the math model solution.

#### **Method Summary**

data\_model\_update\_on(mm, nm, dm, mpopt)

#### mp.mme\_legacy\_dcline\_pf\_dc

#### class mp.mme\_legacy\_dcline\_pf\_dc

Bases: mp.mme\_legacy\_dcline (page 208)

mp.nme\_legacy\_dcline\_pf\_dc (page 209) - Math model element for legacy DC line for DC power flow.

Math model element class for legacy DC line elements for DC power flow problems.

Implements method for updating the output data in the corresponding data model element for in-service DC lines from the math model solution.

## **Method Summary**

data\_model\_update\_on(mm, nm, dm, mpopt)

## mp.mme\_legacy\_dcline\_opf

#### class mp.mme\_legacy\_dcline\_opf

Bases: mp.mme\_legacy\_dcline (page 208)

mp.mme\_legacy\_dcline\_opf (page 209) - Math model element abstract base class for legacy DC line for OPF.

Math model element abstract base class for legacy DC line elements for OPF problems.

Implements methods to add costs, including piecewise linear cost variables, and to form an interior initial point for cost variables.

#### **Property Summary**

### cost

struct for *cost* (page 209) parameters with fields:

- poly polynomial costs for active power, struct with fields:
  - have\_quad\_cost
  - i0, i1, i2, i3
  - k, c, Q

```
    pwl - piecewise linear costs for active power, struct with fields:
    n, i, A, b
```

## **Method Summary**

```
build_cost_params(dm)
add_vars(mm, nm, dm, mpopt)
add_constraints(mm, nm, dm, mpopt)
add_costs(mm, nm, dm, mpopt)
interior_x0(mm, nm, dm, x0)
```

## mp.mme\_legacy\_dcline\_opf\_ac

## class mp.mme\_legacy\_dcline\_opf\_ac

```
Bases: mp.mme_legacy_dcline_opf (page 209)
```

mp.mme\_legacy\_dcline\_opf\_ac (page 210) - Math model element for legacy DC line for AC OPF.

Math model element class for legacy DC line elements for AC OPF problems.

Implements method for updating the output data in the corresponding data model element for in-service DC lines from the math model solution.

## **Method Summary**

```
data_model_update_on(mm, nm, dm, mpopt)
```

#### mp.mme legacy dcline opf dc

#### class mp.mme\_legacy\_dcline\_opf\_dc

```
Bases: mp.mme_legacy_dcline_opf (page 209)
```

mp.mme\_legacy\_dcline\_opf\_dc (page 210) - Math model element for legacy DC line for DC OPF.

Math model element class for legacy DC line elements for DC OPF problems.

Implements method for updating the output data in the corresponding data model element for in-service DC lines from the math model solution.

#### **Method Summary**

```
data_model_update_on(mm, nm, dm, mpopt)
```

A	method), 130
add_aux_data() (mp.math_model method), 123	<pre>add_node_balance_constraints() (mp.math_model_cpf_acpi</pre>
add_constraints() (mp.math_model method), 124	method), 131
add_constraints() (mp.mm_element method), 144	<pre>add_node_balance_constraints() (mp.math_model_cpf_acps</pre>
add_constraints() (mp.mme_branch_opf_ac method), 147	method), 131
add_constraints() (mp.mme_branch_opf_acc method), 148	<pre>add_node_balance_constraints() (mp.math_model_opf_acci</pre>
add_constraints() (mp.mme_branch_opf_acp method), 148	method), 133
add_constraints() (mp.mme_branch_opf_dc method), 148	<pre>add_node_balance_constraints() (mp.math_model_opf_accs</pre>
add_constraints() (mp.mme_bus_opf_acc method), 150	method), 134
add_constraints() (mp.mme_buslink_opf_acc method), 201	<pre>add_node_balance_constraints() (mp.math_model_opf_acpi</pre>
add_constraints() (mp.mme_buslink_opf_acp method), 201	method), 135
add_constraints() (mp.mme_buslink_pf_ac method), 198	add_node_balance_constraints() (mp.math_model_opf_acps
add_constraints() (mp.mme_buslink_pf_acc method), 199	method), 136
add_constraints() (mp.mme_buslink_pf_acp method), 199	add_node_balance_constraints() (mp.math_model_opf_dc
add_constraints() (mp.mme_gen_opf_ac method), 153	method), 137
add_constraints() (mp.mme_gen_opf_dc method), 153	add_node_balance_constraints() (mp.math_model_pf_acci
<pre>add_constraints() (mp.mme_legacy_dcline_opf method), 210</pre>	method), 127
<pre>add_constraints() (mp.mme_reserve_gen method), 177</pre>	add_node_balance_constraints() (mp.math_model_pf_accs
add_constraints() (mp.mme_reserve_zone method), 178	method), 127
<pre>add_costs() (mp.math_model method), 124</pre>	add_node_balance_constraints() (mp.math_model_pf_acpi
<pre>add_costs() (mp.math_model_pf method), 126</pre>	method), 128
add_costs() (mp.mm_element method), 145	add_node_balance_constraints() (mp.math_model_pf_acps
<pre>add_costs() (mp.mme_gen_opf method), 152</pre>	method), 128
<pre>add_costs() (mp.mme_gen_opf_ac method), 153</pre>	add_node_balance_constraints() (mp.math_model_pf_dc
<pre>add_costs() (mp.mme_legacy_dcline_opf method), 210</pre>	method), 129
<pre>add_costs() (mp.mme_reserve_gen method), 177</pre>	add_nodes() (mp.net_model method), 92
<pre>add_elements() (mp.mapped_array method), 168</pre>	add_nodes() (mp.nm_element method), 110
<pre>add_legacy_cost() (mp.mm_shared_opf_legacy method), 142</pre>	add_port() (mp.net_model method), 95
<pre>add_legacy_user_constraints() (mp.mm_shared_opf_legacy</pre>	add_state() (mp.net_model method), 95
method), 142	add_states() (mp.net_model method), 93
<pre>add_legacy_user_constraints_ac() (mp.mm_shared_opf_legacy</pre>	add_states() (mp.nm_element method), 110
method), 142	add_system_constraints() (mp.math_model method), 124
<pre>add_legacy_user_costs() (mp.mm_shared_opf_legacy method),</pre>	<pre>add_system_constraints() (mp.math_model_opf_acci_legacy method), 133</pre>
add_legacy_user_vars() (mp.mm_shared_opf_legacy_method), 142	<pre>add_system_constraints() (mp.math_model_opf_accs_legacy</pre>
add_named_set() (mp.math_model_opf_acci_legacy method), 133	method), 134
add_named_set() (mp.math_model_opf_accs_legacy method), 134	<pre>add_system_constraints() (mp.math_model_opf_acpi_legacy</pre>
add_named_set() (mp.math_model_opf_acpi_legacy method), 135	method), 136
<pre>add_named_set() (mp.math_model_opf_acps_legacy method), 136</pre>	<pre>add_system_constraints() (mp.math_model_opf_acps_legacy</pre>
add_named_set() (mp.math_model_opf_dc_legacy method), 138	add_system_constraints() (mp.math_model_opf_dc_legacy
add_names() (mp.mapped_array method), 168	method), 138
add_node() (mp.net_model method), 95	add_system_costs() (mp.math_model method), 125
add_node_balance_constraints() (mp.math_model method), 124	add_system_costs() (mp.math_model_opf_acci_legacy method),
<pre>add_node_balance_constraints() (mp.math_model_cpf_acci     method), 130</pre>	133
add_node_balance_constraints() (mp.math_model_cpf_accs	<pre>add_system_costs() (mp.math_model_opf_accs_legacy method), 134</pre>

add_system_costs() (mp.math_model_opf_acpi_legacy method),	build() (mp.math_model_opf_acps_legacy method), 137
136	build() (mp.math_model_opf_dc_legacy method), 138
add_system_costs() (mp.math_model_opf_acps_legacy method),  137	build() (mp.net_model method), 92
add_system_costs() (mp.math_model_opf_dc_legacy method), 138	build_aux_data() (mp.math_model_opf method), 132 build_aux_data() (mp.mm_shared_pfcpf method), 138
add_system_costs() (mp.math_model_opj_ac_legacy_memoa), 138 add_system_vars() (mp.math_model_method), 123	build_aux_data() (mp.mm_shared_pfcpf_acci method), 140
add_system_vars() (mp.math_model_opf method), 132	build_aux_data() (mp.mm_shared_pfcpf_acpi method), 141
add_system_vars() (mp.math_model_pf method), 126	build_aux_data() (mp.mm_shared_pfcpf_acps method), 141
add_system_vars_pf() (mp.mam_shared_pfcpf_acci method), 140	build_aux_data() (mp.mm_shared_pfcpf_dc method), 141
add_system_vars_pf() (mp.mm_shared_pfcpf_accs method), 140	build_aux_data_i() (mp.mm_shared_pfcpf_ac_i method), 139
add_system_vars_pf() (mp.mm_shared_pfcpf_acpi method), 141	build_base_aux_data() (mp.math_model method), 123
add_system_vars_pf() (mp.mm_shared_pfcpf_acps method), 141	build_cost_params() (mp.dme_gen_opf method), 53
add_system_vars_pf() (mp.mm_shared_pfcpf_dc method), 141	build_cost_params() (mp.dme_legacy_dcline_opf method), 206
add_system_varset_pf() (mp.mm_shared_pfcpf_ac method), 138	build_cost_params() (mp.mme_gen_opf_ac method), 153
add_var() (mp.net_model method), 96	build_cost_params() (mp.mme_gen_opf_dc method), 153
add_vars() (mp.math_model method), 123	build_cost_params() (mp.mme_legacy_dcline_opf method), 210
add_vars() (mp.math_model_opf_acci_legacy method), 133	build_legacy() (mp.mm_shared_opf_legacy method), 142
add_vars() (mp.math_model_opf_accs_legacy method), 134	build_params() (mp.data_model method), 30
add_vars() (mp.math_model_opf_acpi_legacy method), 136	build_params() (mp.dm_element method), 41
add_vars() (mp.math_model_opf_acps_legacy method), 137	build_params() (mp.dme_branch method), 47
add_vars() (mp.math_model_opf_dc_legacy method), 138	build_params() (mp.dme_bus method), 50
add_vars() (mp.mm_element method), 144	build_params() (mp.dme_bus3p method), 183
add_vars() (mp.mme_buslink_pf_ac method), 198	build_params() (mp.dme_buslink method), 191
add_vars() (mp.mme_gen_opf method), 152	build_params() (mp.dme_gen method), 52
add_vars() (mp.mme_legacy_dcline_opf method), 210	build_params() (mp.dme_gen3p method), 185
add_vars() (mp.mme_reserve_gen method), 177	build_params() (mp.dme_legacy_dcline method), 205
add_vvars() (mp.net_model method), 94	build_params() (mp.dme_line3p method), 188
add_vvars() (mp.nm_element method), 110	build_params() (mp.dme_load method), 55
add_vvars() (mp.nme_bus3p_acc method), 193	build_params() (mp.dme_load3p method), 186
add_vvars() (mp.nme_bus3p_acp method), 193	build_params() (mp.dme_reserve_gen method), 176
add_vvars() (mp.nme_bus_acc method), 116	<pre>build_params() (mp.dme_reserve_zone method), 177</pre>
add_vvars() (mp.nme_bus_acp method), 116	<pre>build_params() (mp.dme_shunt method), 57</pre>
add_vvars() (mp.nme_bus_dc method), 117	build_params() (mp.dme_xfmr3p method), 190
add_zvars() (mp.net_model method), 94	<pre>build_params() (mp.net_model method), 93</pre>
add_zvars() (mp.nm_element method), 111	<pre>build_params() (mp.net_model_ac method), 101</pre>
add_zvars() (mp.nme_buslink method), 196	<pre>build_params() (mp.net_model_dc method), 107</pre>
add_zvars() (mp.nme_gen3p method), 194	build_params() (mp.nm_element method), 111
add_zvars() (mp.nme_gen_ac method), 117	build_params() (mp.nme_branch_ac method), 114
add_zvars() (mp.nme_gen_dc method), 118	build_params() (mp.nme_branch_dc method), 115
add_zvars() (mp.nme_legacy_dcline_ac method), 207	build_params() (mp.nme_buslink method), 196
add_zvars() (mp.nme_legacy_dcline_dc method), 208	build_params() (mp.nme_gen3p method), 194
ang_diff_fcn() (mp.nme_branch_acc method), 115	build_params() (mp.nme_gen_ac method), 117
ang_diff_hess() (mp.nme_branch_acc method), 115	build_params() (mp.nme_gen_dc method), 118
ang_diff_params() (mp.mme_branch_opf method), 147	build_params() (mp.nme_legacy_dcline_ac method), 207
ang_diff_prices() (mp.mme_branch_opf method), 147	build_params() (mp.nme_legacy_dcline_dc method), 208
ang_diff_prices() (mp.mme_branch_opf_acc method), 148	build_params() (mp.nme_line3p method), 195
apply_vm_setpoint() (mp.dme_gen method), 52	build_params() (mp.nme_load3p method), 194
apply_vm_setpoint() (mp.dme_gen3p method), 185	build_params() (mp.nme_load_ac method), 119
apply_vm_setpoints() (mp.dme_legacy_dcline method), 205 aux_data (mp.math_model attribute), 122	build_params() (mp.nme_load_dc method), 119 build_params() (mp.nme_shunt_ac method), 120
aux_data_va_vm() (mp.form_ac method), 82	build_params() (mp.nme_shunt_dc method), 121
aux_data_va_vm() (mp.form_acc method), 84 aux_data_va_vm() (mp.form_acp method), 88	build_params() (mp.nme_xfmr3p method), 195 bus (mp.dmce_load3p_mpc2 attribute), 181
aux_uata_va_viii() (mp.jorm_ucp meinou), 88	bus (mp.dmce_load_mpc2 attribute), 70
П	bus (mp.dmce_shunt_mpc2 attribute), 71
В	bus (mp.dme_buslink attribute), 190
B (mp.form_dc attribute), 89	bus (mp.dme_gen attribute), 51
b_fr (mp.dme_branch attribute), 46	bus (mp.dme_gen3p attribute), 184
b_to (mp.dme_branch attribute), 47	bus (mp.dme_load attribute), 54
base_kva (mp.data_model attribute), 28	bus (mp.dme_load3p attribute), 186
base_mva (mp.data_model attribute), 28	bus (mp.dme_shunt attribute), 56
bs (mp.dme_shunt attribute), 56	bus3p (mp.dme_buslink attribute), 190
build() (mp.data_model method), 29	bus_name_export() (mp.dmce_bus_mpc2 method), 69
build() (mp.dm_converter method), 59	bus_name_import() (mp.dmce_bus_mpc2 method), 69
build() (mp.math_model method), 122	bus_on (mp.dme_gen attribute), 51
build() (mp.math_model_opf_acci_legacy method), 133	bus_on (mp.dme_gen3p attribute), 184
build() (mp.math_model_opf_accs_legacy method), 134	bus_status_import() (mp.dmce_bus3p_mpc2 method), 180
	- · · · · · · · · · · · · · · · · · · ·

C	data_field() (mp.dmce_reserve_gen_mpc2 method), 174
C (mp.nm_element attribute), 108	data_field() (mp.dmce_reserve_zone_mpc2 method), 175
callback_vlim() (mp.math_model_cpf_acp method), 130	<pre>data_field() (mp.dmce_shunt_mpc2 method), 71</pre>
convert_x_m2n() (mp.math_model_opf_acc method), 132	<pre>data_field() (mp.dmce_xfmr3p_mpc2 method), 182</pre>
convert_x_m2n() (mp.math_model_opf_acp method), 135	data_model (class in mp), 27
convert_x_m2n() (mp.math_model_opf_dc method), 137	data_model() (mp.data_model method), 28
<pre>convert_x_m2n() (mp.mm_shared_pfcpf_acc method), 139</pre>	data_model_build() (mp.task method), 14
<pre>convert_x_m2n() (mp.mm_shared_pfcpf_acp method), 140</pre>	data_model_build() (mp.task_cpf method), 21
<pre>convert_x_m2n() (mp.mm_shared_pfcpf_dc method), 142</pre>	data_model_build_post() (mp.task method), 14
copy() (mp.data_model method), 29	<pre>data_model_build_post() (mp.task_opf method), 22 data_model_build_post() (mp.task_opf_legacy method), 26</pre>
copy() (mp.dm_converter method), 59	data_model_build_pre() (mp.task_method), 14
copy() (mp.dm_element method), 40	data_model_class() (mp.extension method), 171
copy() (mp.mapped_array method), 167	data_model_class() (mp.task method), 13
cost (mp.mme_gen_opf attribute), 152	data_model_class_default() (mp.task method), 13
cost (mp.mme_legacy_dcline_opf attribute), 209	data_model_class_default() (mp.task_cpf method), 21
cost_table (class in mp), 161 cost_table() (mp.cost_table method), 162	data_model_class_default() (mp.task_opf method), 22
cost_table2gencost() (mp.dmce_gen_mpc2 static method), 70	data_model_cpf (class in mp), 34
cost_table_utils (class in mp), 164	<pre>data_model_cpf() (mp.data_model_cpf method), 34</pre>
count() (mp.data_model method), 29	<pre>data_model_create() (mp.task method), 13</pre>
count() (mp.dm_element method), 40	<pre>data_model_element() (mp.dmc_element method), 63</pre>
count() (mp.dme_load method), 55	<pre>data_model_element() (mp.mm_element method), 144</pre>
count() (mp.dme_shunt method), 57	data_model_element() (mp.nm_element method), 109
count() (mp.nm_element method), 110	data_model_opf(class in mp), 34
<pre>create_line_construction_table() (mp.dmce_line3p_mpc2</pre>	data_model_opf() (mp.data_model_opf method), 34
method), 181	data_model_update() (mp.math_model method), 126
<pre>create_line_construction_table() (mp.dme_line3p method),</pre>	data_model_update() (mp.mm_element method), 145
188	data_model_update_off() (mp.mm_element method), 145 data_model_update_on() (mp.mm_element method), 145
ctol (mp.dme_shared_opf attribute), 58	data_model_update_on() (mp.mm_branch_opf_ac method), 147
cxn_idx_prop() (mp.dm_element method), 38	data_model_update_on() (mp.mme_branch_opf_dc method), 148
cxn_idx_prop() (mp.dme_branch method), 47	data_model_update_on() (mp.mme_branch_pf_ac method), 146
cxn_idx_prop() (mp.dme_buslink method), 191	data_model_update_on() (mp.mme_branch_pf_dc method), 147
cxn_idx_prop() (mp.dme_gen method), 52	data_model_update_on() (mp.mme_bus3p method), 196
cxn_idx_prop() (mp.dme_gen3p method), 185 cxn_idx_prop() (mp.dme_legacy_dcline method), 205	data_model_update_on() (mp.mme_bus_opf_acc method), 150
cxn_idx_prop() (mp.dme_liegacy_actine memoa), 203 cxn_idx_prop() (mp.dme_line3p method), 188	data_model_update_on() (mp.mme_bus_opf_acp method), 150
cxn_idx_prop() (mp.dme_load method), 55	<pre>data_model_update_on() (mp.mme_bus_opf_dc method), 151</pre>
cxn_idx_prop() (mp.dme_load3p method), 186	data_model_update_on() (mp.mme_bus_pf_ac method), 149
cxn_idx_prop() (mp.dme_shunt method), 57	data_model_update_on() (mp.mme_bus_pf_dc method), 149
cxn_idx_prop() (mp.dme_xfmr3p method), 189	data_model_update_on() (mp.mme_gen3p method), 197
cxn_type() (mp.dm_element method), 38	data_model_update_on() (mp.mme_gen_opf_ac method), 153
<pre>cxn_type() (mp.dme_branch method), 47</pre>	data_model_update_on() (mp.mme_gen_opf_dc method), 153
cxn_type() (mp.dme_buslink method), 191	data_model_update_on() (mp.mme_gen_pf_ac method), 151
cxn_type() (mp.dme_gen method), 52	data_model_update_on() (mp.mme_gen_pf_dc method), 152 data_model_update_on() (mp.mme_legacy_dcline_opf_ac method)
cxn_type() (mp.dme_gen3p method), 185	210
cxn_type() (mp.dme_legacy_dcline method), 205	data_model_update_on() (mp.mme_legacy_dcline_opf_dc method)
cxn_type() (mp.dme_line3p method), 188	210
cxn_type() (mp.dme_load method), 55	<pre>data_model_update_on() (mp.mme_legacy_dcline_pf_ac method),</pre>
cxn_type() (mp.dme_load3p method), 186 cxn_type() (mp.dme_shunt method), 57	209
cxn_type() (mp.dme_xfmr3p method), 189	<pre>data_model_update_on() (mp.mme_legacy_dcline_pf_dc method),</pre>
cxn_type_prop() (mp.dm_element method), 39	209
cincety perproperty (in praint received in memory), 59	data_model_update_on() (mp.mme_line3p method), 197
D	data_model_update_on() (mp.mme_load_cpf method), 155
	data_model_update_on() (mp.mme_load_pf_ac method), 154
D (mp.nm_element attribute), 109	data_model_update_on() (mp.mme_load_pf_dc method), 154
data_exists() (mp.dmc_element method), 64	data_model_update_on() (mp.mme_reserve_gen method), 177
data_field() (mp.dmc_element method), 63	data_model_update_on() (mp.mme_reserve_zone method), 178 data_model_update_on() (mp.mme_shunt_cpf method), 156
data_field() (mp.dmce_branch_mpc2 method), 69	data_model_update_on() (mp.mme_shunt_pf_ac method), 155
data_field() (mp.dmce_bus3p_mpc2 method), 180 data_field() (mp.dmce_bus_mpc2 method), 69	data_model_update_on() (mp.mme_snunt_pf_dc method), 156
	data_model_update_on() (mp.mme_snam_pj_ac method), 198
data_field() (mp.dmce_buslink_mpc2 method), 182 data_field() (mp.dmce_gen3p_mpc2 method), 180	data_subs() (mp.dmc_element method), 64
data_field() (mp.dmce_gen_mpc2 method), 70	data_subs() (mp.dmce_reserve_gen_mpc2 method), 174
data_field() (mp.dmce_legacy_dcline_mpc2 method), 203	data_subs() (mp.dmce_reserve_zone_mpc2 method), 175
data_field() (mp.dmce_line3p_mpc2 method), 181	dc (mp.task_opf attribute), 22
data_field() (mp.dmce_load3p_mpc2 method), 181	dc (mp.task_pf attribute), 19
<pre>data_field() (mp.dmce_load_mpc2 method), 70</pre>	

acline_cost_export() (mp.amce_legacy_acline_mpc2 methoa),	dmce_load3p_mpc2 (class in mp), 181
203	dmce_load_mpc2 (class in mp), 70
<pre>dcline_cost_import() (mp.dmce_legacy_dcline_mpc2 method),</pre>	dmce_reserve_gen_mpc2 (class in mp), 174
203	dmce_reserve_zone_mpc2 (class in mp), 175
<pre>def_set_types() (mp.math_model_opf_acci_legacy method), 133</pre>	dmce_shunt_mpc2 (class in mp), 71
def_set_types() (mp.math_model_opf_accs_legacy method), 134	dmce_xfmr3p_mpc2 (class in mp), 182
def_set_types() (mp.math_model_opf_acpi_legacy method), 136	dme_branch (class in mp), 46
def_set_types() (mp.math_model_opf_acps_legacy method), 136	dme_branch_opf (class in mp), 48
<pre>def_set_types() (mp.math_model_opf_dc_legacy method), 138</pre>	dme_bus (class in mp), 49
def_set_types() (mp.net_model method), 94	dme_bus3p (class in mp), 182
def_set_types() (mp.net_model_ac method), 101	dme_bus3p_opf (class in mp), 191
def_set_types() (mp.net_model_acc method), 104	dme_bus_opf (class in mp), 50
<pre>def_set_types() (mp.net_model_acp method), 105</pre>	dme_buslink (class in mp), 190
def_set_types() (mp.net_model_dc method), 107	dme_buslink_opf (class in mp), 192
def_set_types_legacy() (mp.mm_shared_opf_legacy method), 142	dme_gen (class in mp), $51$
	•
default_export_data_nrows() (mp.dmc_element method), 68	dme_gen3p (class in mp), $184$
default_export_data_table() (mp.dmc_element method), 68	$dme\_gen3p\_opf$ (class in mp), 191
<pre>default_export_data_table() (mp.dmce_branch_mpc2 method),</pre>	dme_gen_opf (class in mp), 53
69	dme_legacy_dcline (class in mp), 204
<pre>default_export_data_table() (mp.dmce_bus_mpc2 method), 69</pre>	dme_legacy_dcline_opf (class in mp), 206
<pre>default_export_data_table() (mp.dmce_gen_mpc2 method), 70</pre>	dme_line3p (class in mp), 187
default_export_data_table() (mp.dmce_legacy_dcline_mpc2	dme_line3p_opf (class in mp), 192
method), 203	dme_load (class in mp), 54
	- · · · · · · · · · · · · · · · · · · ·
delete_elements() (mp.mapped_array method), 168	dme_load3p (class in mp), 185
diff_poly_fcn() (mp.cost_table static method), 164	dme_load3p_opf (class in mp), 192
<pre>disp_load_constant_pf_constraint() (mp.mme_gen_opf_ac</pre>	dme_load_cpf (class in mp), 55
method), 153	dme_load_opf (class in mp), 55
display() (mp.data_model method), 30	dme_reserve_gen (class in mp), 175
display() (mp.dm_converter method), 60	dme_reserve_zone (class in mp), 176
display() (mp.dm_element method), 42	dme_shared_opf (class in mp), 58
	dme_shunt (class in mp), 56
display() (mp.mapped_array method), 169	
display() (mp.math_model method), 123	dme_shunt_cpf (class in mp), 56
display() (mp.net_model method), 94	dme_shunt_opf (class in mp), 57
display() (mp.nm_element method), 114	dme_xfmr3p (class in mp), 189
display() (mp_table method), 159	dme_xfmr3p_opf (class in mp), 192
	dme_xfmr3p_opf (class in mp), 192
dm (mp.task attribute), 9	
dm (mp.task attribute), 9 dm_converter (class in mp), 59	dme_xfmr3p_opf (class in mp), 192
dm (mp.task attribute), 9 dm_converter (class in mp), 59 dm_converter_build() (mp.task method), 12	E
dm (mp.task attribute), 9 dm_converter (class in mp), 59 dm_converter_build() (mp.task method), 12 dm_converter_class() (mp.extension method), 171	E element_classes (mp.element_container attribute), 165
dm (mp.task attribute), 9 dm_converter (class in mp), 59 dm_converter_build() (mp.task method), 12 dm_converter_class() (mp.extension method), 171 dm_converter_class() (mp.task method), 12	E element_classes (mp.element_container attribute), 165 element_container (class in mp), 165
dm (mp.task attribute), 9 dm_converter (class in mp), 59 dm_converter_build() (mp.task method), 12 dm_converter_class() (mp.extension method), 171	E element_classes (mp.element_container attribute), 165 element_container (class in mp), 165 elements (mp.element_container attribute), 165
dm (mp.task attribute), 9 dm_converter (class in mp), 59 dm_converter_build() (mp.task method), 12 dm_converter_class() (mp.extension method), 171 dm_converter_class() (mp.task method), 12	element_classes (mp.element_container attribute), 165 element_container (class in mp), 165 elements (mp.element_container attribute), 165 end() (mp_table method), 158
dm (mp.task attribute), 9 dm_converter (class in mp), 59 dm_converter_build() (mp.task method), 12 dm_converter_class() (mp.extension method), 171 dm_converter_class() (mp.task method), 12 dm_converter_class() (mp.task_cpf method), 21	E element_classes (mp.element_container attribute), 165 element_container (class in mp), 165 elements (mp.element_container attribute), 165
dm (mp.task attribute), 9  dm_converter (class in mp), 59  dm_converter_build() (mp.task method), 12  dm_converter_class() (mp.extension method), 171  dm_converter_class() (mp.task method), 12  dm_converter_class() (mp.task_cpf method), 21  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_class_mpc2_default() (mp.task_opf_legacy	element_classes (mp.element_container attribute), 165 element_container (class in mp), 165 elements (mp.element_container attribute), 165 end() (mp_table method), 158
dm (mp.task attribute), 9  dm_converter (class in mp), 59  dm_converter_build() (mp.task method), 12  dm_converter_class() (mp.extension method), 171  dm_converter_class() (mp.task method), 12  dm_converter_class() (mp.task_cpf method), 21  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_class_mpc2_default() (mp.task_opf_legacy method), 26	element_classes (mp.element_container attribute), 165 element_container (class in mp), 165 elements (mp.element_container attribute), 165 end() (mp_table method), 158 enforce_q_lims() (mp.task_pf method), 19
dm (mp.task attribute), 9  dm_converter (class in mp), 59  dm_converter_build() (mp.task method), 12  dm_converter_class() (mp.extension method), 171  dm_converter_class() (mp.task method), 12  dm_converter_class() (mp.task_cpf method), 21  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_class_mpc2_default() (mp.task_opf_legacy method), 26  dm_converter_create() (mp.task method), 12	element_classes (mp.element_container attribute), 165 element_container (class in mp), 165 elements (mp.element_container attribute), 165 end() (mp_table method), 158 enforce_q_lims() (mp.task_pf method), 19 ensure_ref_node() (mp.net_model method), 99 et (mp.task attribute), 9
dm (mp.task attribute), 9  dm_converter (class in mp), 59  dm_converter_build() (mp.task method), 12  dm_converter_class() (mp.extension method), 171  dm_converter_class() (mp.task method), 12  dm_converter_class() (mp.task_cpf method), 21  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_class_mpc2_default() (mp.task_opf_legacy method), 26  dm_converter_create() (mp.task method), 12  dm_converter_create() (mp.task method), 12  dm_converter_element() (mp.dm_element method), 40	element_classes (mp.element_container attribute), 165 element_container (class in mp), 165 elements (mp.element_container attribute), 165 end() (mp_table method), 158 enforce_q_lims() (mp.task_pf method), 19 ensure_ref_node() (mp.net_model method), 99 et (mp.task attribute), 9 eval_legacy_cost() (mp.mm_shared_opf_legacy method), 142
dm (mp.task attribute), 9  dm_converter (class in mp), 59  dm_converter_build() (mp.task method), 12  dm_converter_class() (mp.extension method), 171  dm_converter_class() (mp.task method), 12  dm_converter_class() (mp.task_cpf method), 21  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_class_mpc2_default() (mp.task_opf_legacy method), 26  dm_converter_create() (mp.task method), 12  dm_converter_create() (mp.task method), 12  dm_converter_element() (mp.dm_element method), 40  dm_converter_mpc2 (class in mp), 61	element_classes (mp.element_container attribute), 165 element_container (class in mp), 165 elements (mp.element_container attribute), 165 end() (mp_table method), 158 enforce_q_lims() (mp.task_pf method), 19 ensure_ref_node() (mp.net_model method), 99 et (mp.task attribute), 9 eval_legacy_cost() (mp.mm_shared_opf_legacy method), 142 eval_poly_fcn() (mp.cost_table static method), 163
dm (mp.task attribute), 9  dm_converter (class in mp), 59  dm_converter_build() (mp.task method), 12  dm_converter_class() (mp.extension method), 171  dm_converter_class() (mp.task method), 12  dm_converter_class() (mp.task method), 21  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_class_mpc2_default() (mp.task_opf_legacy method), 26  dm_converter_create() (mp.task method), 12  dm_converter_create() (mp.dm_element method), 40  dm_converter_mpc2 (class in mp), 61  dm_converter_mpc2() (mp.dm_converter_mpc2 method), 61	element_classes (mp.element_container attribute), 165 elements (mp.element_container attribute), 165 elements (mp.element_container attribute), 165 end() (mp_table method), 158 enforce_q_lims() (mp.task_pf method), 19 ensure_ref_node() (mp.net_model method), 99 et (mp.task attribute), 9 eval_legacy_cost() (mp.mm_shared_opf_legacy method), 142 eval_poly_fcn() (mp.cost_table static method), 163 event_vlim() (mp.math_model_cpf_acp method), 130
dm (mp.task attribute), 9  dm_converter (class in mp), 59  dm_converter_build() (mp.task method), 12  dm_converter_class() (mp.extension method), 171  dm_converter_class() (mp.task method), 12  dm_converter_class() (mp.task method), 21  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_class_mpc2_default() (mp.task_opf_legacy method), 26  dm_converter_create() (mp.task method), 12  dm_converter_create() (mp.task method), 12  dm_converter_mpc2 (class in mp), 61  dm_converter_mpc2() (mp.dm_converter_mpc2 method), 61  dm_converter_mpc2_legacy (class in mp), 62	element_classes (mp.element_container attribute), 165 elements (mp.element_container attribute), 165 elements (mp.element_container attribute), 165 end() (mp_table method), 158 enforce_q_lims() (mp.task_pf method), 19 ensure_ref_node() (mp.net_model method), 99 et (mp.task attribute), 9 eval_legacy_cost() (mp.mm_shared_opf_legacy method), 142 eval_poly_fcn() (mp.cost_table static method), 163 event_vlim() (mp.math_model_cpf_acp method), 130 expand_z_warmstart() (mp.math_model_cpf_acps method), 131
dm (mp.task attribute), 9  dm_converter (class in mp), 59  dm_converter_build() (mp.task method), 12  dm_converter_class() (mp.extension method), 171  dm_converter_class() (mp.task method), 12  dm_converter_class() (mp.task method), 21  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_class_mpc2_default() (mp.task_opf_legacy method), 26  dm_converter_create() (mp.task method), 12  dm_converter_create() (mp.dm_element method), 40  dm_converter_mpc2 (class in mp), 61  dm_converter_mpc2() (mp.dm_converter_mpc2 method), 61	element_classes (mp.element_container attribute), 165 elements (mp.element_container attribute), 165 elements (mp.element_container attribute), 165 end() (mp_table method), 158 enforce_q_lims() (mp.task_pf method), 19 ensure_ref_node() (mp.net_model method), 99 et (mp.task attribute), 9 eval_legacy_cost() (mp.mm_shared_opf_legacy method), 142 eval_poly_fcn() (mp.cost_table static method), 163 event_vlim() (mp.math_model_cpf_acp method), 130 expand_z_warmstart() (mp.math_model_cpf_acps method), 131 export() (mp.dm_converter method), 60
dm (mp.task attribute), 9  dm_converter (class in mp), 59  dm_converter_build() (mp.task method), 12  dm_converter_class() (mp.extension method), 171  dm_converter_class() (mp.task method), 12  dm_converter_class() (mp.task method), 21  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_class_mpc2_default() (mp.task_opf_legacy method), 26  dm_converter_create() (mp.task method), 12  dm_converter_create() (mp.task method), 12  dm_converter_mpc2 (class in mp), 61  dm_converter_mpc2() (mp.dm_converter_mpc2 method), 61  dm_converter_mpc2_legacy (class in mp), 62	element_classes (mp.element_container attribute), 165 elements (mp.element_container attribute), 165 elements (mp.element_container attribute), 165 end() (mp_table method), 158 enforce_q_lims() (mp.task_pf method), 19 ensure_ref_node() (mp.net_model method), 99 et (mp.task attribute), 9 eval_legacy_cost() (mp.mm_shared_opf_legacy method), 142 eval_poly_fcn() (mp.cost_table static method), 163 event_vlim() (mp.math_model_cpf_acp method), 130 expand_z_warmstart() (mp.math_model_cpf_acps method), 131 export() (mp.dm_converter method), 60 export() (mp.dmc_element method), 67
dm (mp.task attribute), 9  dm_converter (class in mp), 59  dm_converter_build() (mp.task method), 12  dm_converter_class() (mp.extension method), 171  dm_converter_class() (mp.task method), 12  dm_converter_class() (mp.task_cpf method), 21  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_class_mpc2_default() (mp.task_opf_legacy method), 26  dm_converter_create() (mp.task method), 12  dm_converter_element() (mp.dm_element method), 40  dm_converter_mpc2 (class in mp), 61  dm_converter_mpc2_legacy (class in mp), 62  dm_element (class in mp), 35  dm_element_classes() (mp.extension method), 172	element_classes (mp.element_container attribute), 165 elements (mp.element_container attribute), 165 elements (mp.element_container attribute), 165 end() (mp_table method), 158 enforce_q_lims() (mp.task_pf method), 19 ensure_ref_node() (mp.net_model method), 99 et (mp.task attribute), 9 eval_legacy_cost() (mp.mm_shared_opf_legacy method), 142 eval_poly_fcn() (mp.cost_table static method), 163 event_vlim() (mp.math_model_cpf_acp method), 130 expand_z_warmstart() (mp.math_model_cpf_acps method), 131 export() (mp.dm_converter method), 60
dm (mp.task attribute), 9  dm_converter (class in mp), 59  dm_converter_build() (mp.task method), 12  dm_converter_class() (mp.extension method), 171  dm_converter_class() (mp.task method), 12  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_create() (mp.task method), 12  dm_converter_create() (mp.dm_element method), 40  dm_converter_mpc2 (class in mp), 61  dm_converter_mpc2() (mp.dm_converter_mpc2 method), 61  dm_converter_mpc2_legacy (class in mp), 62  dm_element (class in mp), 35  dm_element_classes() (mp.extension method), 172  dm_element_classes() (mp.extension method), 179	element_classes (mp.element_container attribute), 165 elements (mp.element_container attribute), 165 elements (mp.element_container attribute), 165 end() (mp_table method), 158 enforce_q_lims() (mp.task_pf method), 19 ensure_ref_node() (mp.net_model method), 99 et (mp.task attribute), 9 eval_legacy_cost() (mp.mm_shared_opf_legacy method), 142 eval_poly_fcn() (mp.cost_table static method), 163 event_vlim() (mp.math_model_cpf_acp method), 130 expand_z_warmstart() (mp.math_model_cpf_acps method), 131 export() (mp.dm_converter method), 60 export() (mp.dmc_element method), 67
dm (mp.task attribute), 9  dm_converter (class in mp), 59  dm_converter_build() (mp.task method), 12  dm_converter_class() (mp.extension method), 171  dm_converter_class() (mp.task method), 12  dm_converter_class() (mp.task_cpf method), 21  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_class_mpc2_default() (mp.task_opf_legacy method), 26  dm_converter_create() (mp.task method), 12  dm_converter_element() (mp.dm_element method), 40  dm_converter_mpc2 (class in mp), 61  dm_converter_mpc2_legacy (class in mp), 62  dm_element (class in mp), 35  dm_element_classes() (mp.extension method), 172  dm_element_classes() (mp.xt_legacy_dcline method), 202	element_classes (mp.element_container attribute), 165 elements (mp.element_container attribute), 165 elements (mp.element_container attribute), 165 end() (mp_table method), 158 enforce_q_lims() (mp.task_pf method), 19 ensure_ref_node() (mp.net_model method), 99 et (mp.task attribute), 9 eval_legacy_cost() (mp.mm_shared_opf_legacy method), 142 eval_poly_fcn() (mp.cost_table static method), 163 event_vlim() (mp.math_model_cpf_acp method), 130 expand_z_warmstart() (mp.math_model_cpf_acps method), 131 export() (mp.dm_converter method), 60 export_() (mp.dmc_element method), 67 export_col() (mp.dmc_element method), 68 export_table_values() (mp.dmc_element method), 67
dm (mp.task attribute), 9  dm_converter (class in mp), 59  dm_converter_build() (mp.task method), 12  dm_converter_class() (mp.extension method), 171  dm_converter_class() (mp.task method), 12  dm_converter_class() (mp.task_cpf method), 21  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_class_mpc2_default() (mp.task_opf_legacy method), 26  dm_converter_create() (mp.task method), 12  dm_converter_element() (mp.dm_element method), 40  dm_converter_mpc2 (class in mp), 61  dm_converter_mpc2_legacy (class in mp), 62  dm_element (class in mp), 35  dm_element_classes() (mp.extension method), 172  dm_element_classes() (mp.xt_legacy_dcline method), 202  dm_element_classes() (mp.xt_legacy_dcline method), 173	element_classes (mp.element_container attribute), 165 elements (mp.element_container attribute), 165 elements (mp.element_container attribute), 165 end() (mp_table method), 158 enforce_q_lims() (mp.task_pf method), 19 ensure_ref_node() (mp.net_model method), 99 et (mp.task attribute), 9 eval_legacy_cost() (mp.mm_shared_opf_legacy method), 142 eval_poly_fcn() (mp.cost_table static method), 163 event_vlim() (mp.math_model_cpf_acp method), 130 expand_z_warmstart() (mp.math_model_cpf_acps method), 131 export() (mp.dm_converter method), 60 export_() (mp.dmc_element method), 67 export_col() (mp.dmc_element method), 68 export_table_values() (mp.dmc_element method), 67 export_vars() (mp.dm_element method), 39
dm (mp.task attribute), 9  dm_converter (class in mp), 59  dm_converter_build() (mp.task method), 12  dm_converter_class() (mp.extension method), 171  dm_converter_class() (mp.task method), 12  dm_converter_class() (mp.task method), 21  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_create() (mp.task method), 12  dm_converter_create() (mp.dm_element method), 40  dm_converter_mpc2 (class in mp), 61  dm_converter_mpc2() (mp.dm_converter_mpc2 method), 61  dm_converter_mpc2_legacy (class in mp), 62  dm_element (class in mp), 35  dm_element_classes() (mp.extension method), 172  dm_element_classes() (mp.xt_legacy_dcline method), 202  dm_element_classes() (mp.xt_reserves method), 173  dmc (mp.task attribute), 9	element_classes (mp.element_container attribute), 165 element_container (class in mp), 165 elements (mp.element_container attribute), 165 end() (mp_table method), 158 enforce_q_lims() (mp.task_pf method), 19 ensure_ref_node() (mp.net_model method), 99 et (mp.task attribute), 9 eval_legacy_cost() (mp.mm_shared_opf_legacy method), 142 eval_poly_fcn() (mp.cost_table static method), 163 event_vlim() (mp.math_model_cpf_acp method), 130 expand_z_warmstart() (mp.math_model_cpf_acps method), 131 export() (mp.dm_converter method), 60 export_col() (mp.dmc_element method), 67 export_col() (mp.dmc_element method), 68 export_table_values() (mp.dmc_element method), 39 export_vars() (mp.dme_lement method), 47
dm (mp.task attribute), 9  dm_converter (class in mp), 59  dm_converter_build() (mp.task method), 12  dm_converter_class() (mp.extension method), 171  dm_converter_class() (mp.task method), 12  dm_converter_class() (mp.task_cpf method), 21  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_class_mpc2_default() (mp.task_opf_legacy method), 26  dm_converter_create() (mp.task method), 12  dm_converter_element() (mp.dm_element method), 40  dm_converter_mpc2 (class in mp), 61  dm_converter_mpc2 (jmp.dm_converter_mpc2 method), 61  dm_converter_mpc2_legacy (class in mp), 62  dm_element (class in mp), 35  dm_element_classes() (mp.extension method), 172  dm_element_classes() (mp.xt_3p method), 179  dm_element_classes() (mp.xt_legacy_dcline method), 202  dm_element_classes() (mp.xt_reserves method), 173  dmc (mp.task attribute), 9  dmc_element (class in mp), 62	element_classes (mp.element_container attribute), 165 element_container (class in mp), 165 elements (mp.element_container attribute), 165 end() (mp_table method), 158 enforce_q_lims() (mp.task_pf method), 19 ensure_ref_node() (mp.net_model method), 99 et (mp.task attribute), 9 eval_legacy_cost() (mp.mm_shared_opf_legacy method), 142 eval_poly_fcn() (mp.cost_table static method), 163 event_vlim() (mp.math_model_cpf_acp method), 130 expand_z_warmstart() (mp.math_model_cpf_acps method), 131 export() (mp.dm_converter method), 60 export_() (mp.dmc_element method), 67 export_col() (mp.dmc_element method), 68 export_table_values() (mp.dmc_element method), 67 export_vars() (mp.dm_element method), 39 export_vars() (mp.dme_branch method), 47 export_vars() (mp.dme_branch method), 48
dm (mp.task attribute), 9  dm_converter (class in mp), 59  dm_converter_build() (mp.task method), 12  dm_converter_class() (mp.extension method), 171  dm_converter_class() (mp.task method), 21  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_class_mpc2_default() (mp.task_opf_legacy method), 26  dm_converter_create() (mp.task method), 12  dm_converter_element() (mp.dm_element method), 40  dm_converter_mpc2 (class in mp), 61  dm_converter_mpc2 (class in mp), 62  dm_element (class in mp), 35  dm_element_classes() (mp.extension method), 172  dm_element_classes() (mp.xt_legacy_dcline method), 202  dm_element_classes() (mp.xt_reserves method), 173  dm_element_classes() (mp.task attribute), 9  dmc_element_classes() (mp.extension method), 172  dm_clement_classes() (mp.task attribute), 9  dmc_element_classes() (mp.extension method), 172  dmc_element_classes() (mp.task attribute), 9  dmc_element_classes() (mp.extension method), 172	element_classes (mp.element_container attribute), 165 element_container (class in mp), 165 elements (mp.element_container attribute), 165 end() (mp_table method), 158 enforce_q_lims() (mp.task_pf method), 19 ensure_ref_node() (mp.net_model method), 99 et (mp.task attribute), 9 eval_legacy_cost() (mp.mm_shared_opf_legacy method), 142 eval_poly_fcn() (mp.cost_table static method), 163 event_vlim() (mp.math_model_cpf_acp method), 130 expand_z_warmstart() (mp.math_model_cpf_acps method), 131 export() (mp.dm_converter method), 60 export() (mp.dmc_element method), 67 export_col() (mp.dmc_element method), 68 export_table_values() (mp.dmc_element method), 39 export_vars() (mp.dme_lement method), 47 export_vars() (mp.dme_branch_opf method), 48 export_vars() (mp.dme_bus method), 49
dm (mp.task attribute), 9  dm_converter (class in mp), 59  dm_converter_build() (mp.task method), 12  dm_converter_class() (mp.extension method), 171  dm_converter_class() (mp.task method), 12  dm_converter_class() (mp.task_cpf method), 21  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_class_mpc2_default() (mp.task_opf_legacy method), 26  dm_converter_create() (mp.task method), 12  dm_converter_element() (mp.dm_element method), 40  dm_converter_mpc2 (class in mp), 61  dm_converter_mpc2 (jmp.dm_converter_mpc2 method), 61  dm_converter_mpc2_legacy (class in mp), 62  dm_element (class in mp), 35  dm_element_classes() (mp.extension method), 172  dm_element_classes() (mp.xt_3p method), 179  dm_element_classes() (mp.xt_legacy_dcline method), 202  dm_element_classes() (mp.xt_reserves method), 173  dmc (mp.task attribute), 9  dmc_element (class in mp), 62	element_classes (mp.element_container attribute), 165 element_container (class in mp), 165 elements (mp.element_container attribute), 165 end() (mp_table method), 158 enforce_q_lims() (mp.task_pf method), 19 ensure_ref_node() (mp.net_model method), 99 et (mp.task attribute), 9 eval_legacy_cost() (mp.mm_shared_opf_legacy method), 142 eval_poly_fcn() (mp.cost_table static method), 163 event_vlim() (mp.math_model_cpf_acp method), 130 expand_z_warmstart() (mp.math_model_cpf_acps method), 131 export() (mp.dmc_onverter method), 60 export() (mp.dmc_element method), 67 export_col() (mp.dmc_element method), 68 export_table_values() (mp.dmc_element method), 39 export_vars() (mp.dm_element method), 47 export_vars() (mp.dme_branch method), 48 export_vars() (mp.dme_branch_opf method), 49 export_vars() (mp.dme_bus_opf method), 50
dm (mp.task attribute), 9  dm_converter (class in mp), 59  dm_converter_build() (mp.task method), 12  dm_converter_class() (mp.extension method), 171  dm_converter_class() (mp.task method), 21  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_class_mpc2_default() (mp.task_opf_legacy method), 26  dm_converter_create() (mp.task method), 12  dm_converter_element() (mp.dm_element method), 40  dm_converter_mpc2 (class in mp), 61  dm_converter_mpc2 (class in mp), 62  dm_element (class in mp), 35  dm_element_classes() (mp.extension method), 172  dm_element_classes() (mp.xt_legacy_dcline method), 202  dm_element_classes() (mp.xt_reserves method), 173  dm_element_classes() (mp.task attribute), 9  dmc_element_classes() (mp.extension method), 172  dm_clement_classes() (mp.task attribute), 9  dmc_element_classes() (mp.extension method), 172  dmc_element_classes() (mp.task attribute), 9  dmc_element_classes() (mp.extension method), 172	element_classes (mp.element_container attribute), 165 elements (mp.element_container attribute), 165 elements (mp.element_container attribute), 165 end() (mp_table method), 158 enforce_q_lims() (mp.task_pf method), 19 ensure_ref_node() (mp.net_model method), 99 et (mp.task attribute), 9 eval_legacy_cost() (mp.mm_shared_opf_legacy method), 142 eval_poly_fcn() (mp.cost_table static method), 163 event_vlim() (mp.math_model_cpf_acp method), 130 expand_z_warmstart() (mp.math_model_cpf_acps method), 131 export() (mp.dm_converter method), 60 export() (mp.dmc_element method), 67 export_col() (mp.dmc_element method), 68 export_table_values() (mp.dmc_element method), 67 export_vars() (mp.dm_element method), 47 export_vars() (mp.dme_branch_opf method), 48 export_vars() (mp.dme_bus method), 49 export_vars() (mp.dme_bus method), 50 export_vars() (mp.dme_bus_opf method), 50 export_vars() (mp.dme_bus_opf method), 50
dm (mp.task attribute), 9  dm_converter (class in mp), 59  dm_converter_build() (mp.task method), 12  dm_converter_class() (mp.task method), 12  dm_converter_class() (mp.task method), 12  dm_converter_class() (mp.task method), 21  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_class_mpc2_default() (mp.task_opf_legacy method), 26  dm_converter_create() (mp.task method), 12  dm_converter_element() (mp.dm_element method), 40  dm_converter_mpc2 (class in mp), 61  dm_converter_mpc2 (legacy (class in mp), 62  dm_element (class in mp), 35  dm_element_classes() (mp.xt_ap method), 172  dm_element_classes() (mp.xt_ap method), 179  dm_element_classes() (mp.xt_reserves method), 173  dm_element(class in mp), 62  dm_element(class in mp), 62  dm_element_classes() (mp.xt_reserves method), 173  dm_element_classes() (mp.xt_reserves method), 172  dm_element_classes() (mp.xt_ap method), 173  dm_element_classes() (mp.xt_ap method), 172  dm_element_classes() (mp.xt_ap method), 179  dm_element_classes() (mp.xt_ap method), 179  dm_element_classes() (mp.xt_ap method), 179  dm_element_classes() (mp.xt_ap method), 179	element_classes (mp.element_container attribute), 165 element_container (class in mp), 165 elements (mp.element_container attribute), 165 end() (mp_table method), 158 enforce_q_lims() (mp.task_pf method), 19 ensure_ref_node() (mp.net_model method), 99 et (mp.task attribute), 9 eval_legacy_cost() (mp.mm_shared_opf_legacy method), 142 eval_poly_fcn() (mp.cost_table static method), 163 event_vlim() (mp.math_model_cpf_acp method), 130 expand_z_warmstart() (mp.math_model_cpf_acps method), 131 export() (mp.dmc_onverter method), 60 export() (mp.dmc_element method), 67 export_col() (mp.dmc_element method), 68 export_table_values() (mp.dmc_element method), 39 export_vars() (mp.dm_element method), 47 export_vars() (mp.dme_branch method), 48 export_vars() (mp.dme_branch_opf method), 49 export_vars() (mp.dme_bus_opf method), 50
dm (mp.task attribute), 9  dm_converter (class in mp), 59  dm_converter_build() (mp.task method), 12  dm_converter_class() (mp.task method), 12  dm_converter_class() (mp.task method), 12  dm_converter_class() (mp.task method), 21  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_class_mpc2_default() (mp.task_opf_legacy method), 26  dm_converter_create() (mp.task method), 12  dm_converter_mpc2 (class in mp), 61  dm_converter_mpc2 (class in mp), 61  dm_converter_mpc2_legacy (class in mp), 62  dm_element (class in mp), 35  dm_element_classes() (mp.xt_sp method), 172  dm_element_classes() (mp.xt_legacy_dcline method), 202  dm_element (class in mp), 62  dm_element (class in mp), 62  dm_element_classes() (mp.xt_reserves method), 173  dm_celement (class in mp), 62  dm_celement (class in mp), 62  dm_celement_classes() (mp.xt_legacy_dcline method), 172  dm_celement_classes() (mp.xt_sp method), 173  dmc_element_classes() (mp.xt_sp method), 172  dmc_element_classes() (mp.xt_sp method), 172  dmc_element_classes() (mp.xt_sp method), 173  dmc_element_classes() (mp.xt_sp method), 179  dmc_element_classes() (mp.xt_legacy_dcline method), 202	element_classes (mp.element_container attribute), 165 elements (mp.element_container attribute), 165 elements (mp.element_container attribute), 165 end() (mp_table method), 158 enforce_q_lims() (mp.task_pf method), 19 ensure_ref_node() (mp.net_model method), 99 et (mp.task attribute), 9 eval_legacy_cost() (mp.mm_shared_opf_legacy method), 142 eval_poly_fcn() (mp.cost_table static method), 163 event_vlim() (mp.math_model_cpf_acp method), 130 expand_z_warmstart() (mp.math_model_cpf_acps method), 131 export() (mp.dm_converter method), 60 export() (mp.dmc_element method), 67 export_col() (mp.dmc_element method), 68 export_table_values() (mp.dmc_element method), 39 export_vars() (mp.dme_lement method), 47 export_vars() (mp.dme_branch_opf method), 48 export_vars() (mp.dme_bus method), 49 export_vars() (mp.dme_bus method), 50 export_vars() (mp.dme_bus method), 50 export_vars() (mp.dme_bus_opf method), 50 export_vars() (mp.dme_gen_method), 52 export_vars() (mp.dme_gen_opf method), 53
dm (mp.task attribute), 9  dm_converter (class in mp), 59  dm_converter_build() (mp.task method), 12  dm_converter_class() (mp.task method), 12  dm_converter_class() (mp.task method), 12  dm_converter_class() (mp.task method), 21  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_create() (mp.task method), 12  dm_converter_create() (mp.task method), 12  dm_converter_mpc2 (class in mp), 61  dm_converter_mpc2 (class in mp), 61  dm_converter_mpc2_legacy (class in mp), 62  dm_element (class in mp), 35  dm_element_classes() (mp.extension method), 172  dm_element_classes() (mp.xt_3p method), 179  dm_element_classes() (mp.xt_reserves method), 173  dmc_element (class in mp), 62  dmc_element_classes() (mp.extension method), 172  dmc_element_classes() (mp.xt_sp method), 173  dmc_element_classes() (mp.extension method), 172  dmc_element_classes() (mp.extension method), 173	element_classes (mp.element_container attribute), 165 elements (mp.element_container attribute), 165 elements (mp.element_container attribute), 165 end() (mp_table method), 158 enforce_q_lims() (mp.task_pf method), 19 ensure_ref_node() (mp.net_model method), 99 et (mp.task attribute), 9 eval_legacy_cost() (mp.mm_shared_opf_legacy method), 142 eval_poly_fcn() (mp.cost_table static method), 163 event_vlim() (mp.math_model_cpf_acp method), 130 expand_z_warmstart() (mp.math_model_cpf_acps method), 131 export() (mp.dm_converter method), 60 export() (mp.dmc_element method), 67 export_col() (mp.dmc_element method), 68 export_table_values() (mp.dmc_element method), 67 export_vars() (mp.dm_element method), 47 export_vars() (mp.dme_branch_opf method), 47 export_vars() (mp.dme_bus_method), 49 export_vars() (mp.dme_bus_opf method), 50 export_vars() (mp.dme_gen_method), 52 export_vars() (mp.dme_gen_method), 53 export_vars() (mp.dme_gen_opf method), 53 export_vars() (mp.dme_legacy_dcline method), 205
dm (mp.task attribute), 9  dm_converter (class in mp), 59  dm_converter_build() (mp.task method), 12  dm_converter_class() (mp.task method), 12  dm_converter_class() (mp.task method), 12  dm_converter_class() (mp.task method), 21  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_create() (mp.task method), 12  dm_converter_element() (mp.dm_element method), 40  dm_converter_mpc2 (class in mp), 61  dm_converter_mpc2() (mp.dm_converter_mpc2 method), 61  dm_converter_mpc2_legacy (class in mp), 62  dm_element_classes() (mp.extension method), 172  dm_element_classes() (mp.xt_3p method), 179  dm_element_classes() (mp.xt_reserves method), 173  dmc_element(class in mp), 62  dmc_element(class in mp), 62  dmc_element_classes() (mp.xt_sp method), 172  dmc_element_classes() (mp.xt_sp method), 172  dmc_element_classes() (mp.xt_sp method), 173  dmc_element_classes() (mp.xt_legacy_dcline method), 202  dmc_element_classes() (mp.xt_legacy_dcline method), 202  dmc_element_classes() (mp.xt_legacy_dcline method), 202  dmc_element_classes() (mp.xt_legacy_dcline method), 173  dmc_element_classes() (mp.xt_legacy_dcline method), 173  dmc_element_classes() (mp.xt_reserves method), 173	element_classes (mp.element_container attribute), 165 elements (mp.element_container attribute), 165 elements (mp.element_container attribute), 165 end() (mp_table method), 158 enforce_q_lims() (mp.task_pf method), 19 ensure_ref_node() (mp.net_model method), 99 et (mp.task attribute), 9 eval_legacy_cost() (mp.mm_shared_opf_legacy method), 142 eval_poly_fcn() (mp.cost_table static method), 163 event_vlim() (mp.math_model_cpf_acp method), 130 expand_z_warmstart() (mp.math_model_cpf_acps method), 131 export() (mp.dm_converter method), 60 export() (mp.dmc_element method), 67 export_col() (mp.dmc_element method), 68 export_table_values() (mp.dmc_element method), 47 export_vars() (mp.dme_branch method), 47 export_vars() (mp.dme_branch_opf method), 48 export_vars() (mp.dme_bus_method), 49 export_vars() (mp.dme_bus_method), 50 export_vars() (mp.dme_gen_method), 52 export_vars() (mp.dme_gen_opf method), 53 export_vars() (mp.dme_legacy_dcline_method), 205 export_vars() (mp.dme_legacy_dcline_opf_method), 206
dm (mp.task attribute), 9  dm_converter (class in mp), 59  dm_converter_build() (mp.task method), 12  dm_converter_class() (mp.task method), 12  dm_converter_class() (mp.task method), 12  dm_converter_class() (mp.task method), 21  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_create() (mp.task method), 12  dm_converter_element() (mp.dm_element method), 40  dm_converter_mpc2 (class in mp), 61  dm_converter_mpc2 (leass in mp), 62  dm_element (class in mp), 35  dm_element_classes() (mp.extension method), 172  dm_element_classes() (mp.xt_ap method), 179  dm_element_classes() (mp.xt_reserves method), 173  dm_element_classes() (mp.xt_reserves method), 172  dm_element_classes() (mp.xt_ap method), 173  dmc_element_classes() (mp.xt_ap method), 172  dmc_element_classes() (mp.xt_ap method), 173	element_classes (mp.element_container attribute), 165 elements (mp.element_container attribute), 165 elements (mp.element_container attribute), 165 end() (mp_table method), 158 enforce_q_lims() (mp.task_pf method), 19 ensure_ref_node() (mp.net_model method), 99 et (mp.task attribute), 9 eval_legacy_cost() (mp.mm_shared_opf_legacy method), 142 eval_poly_fcn() (mp.cost_table static method), 163 event_vlim() (mp.math_model_cpf_acp method), 130 expand_z_warmstart() (mp.math_model_cpf_acps method), 131 export() (mp.dmc_converter method), 60 export() (mp.dmc_element method), 67 export_col() (mp.dmc_element method), 68 export_table_values() (mp.dmc_element method), 47 export_vars() (mp.dme_branch method), 47 export_vars() (mp.dme_branch method), 48 export_vars() (mp.dme_bus method), 50 export_vars() (mp.dme_bus method), 50 export_vars() (mp.dme_gen_opf method), 53 export_vars() (mp.dme_gen_opf method), 205 export_vars() (mp.dme_legacy_dcline_opf method), 206 export_vars() (mp.dme_legacy_dcline_opf method), 206 export_vars() (mp.dme_legacy_dcline_opf method), 206 export_vars() (mp.dme_legacy_dcline_opf method), 206 export_vars() (mp.dme_legacy_dcline_opf method), 55
dm (mp.task attribute), 9  dm_converter (class in mp), 59  dm_converter_build() (mp.task method), 12  dm_converter_class() (mp.task method), 12  dm_converter_class() (mp.task method), 12  dm_converter_class() (mp.task method), 21  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_create() (mp.task method), 12  dm_converter_create() (mp.task method), 12  dm_converter_mpc2 (class in mp), 61  dm_converter_mpc2 (class in mp), 62  dm_element (class in mp), 35  dm_element_classes() (mp.extension method), 172  dm_element_classes() (mp.xt_3p method), 179  dm_element_classes() (mp.xt_reserves method), 173  dmc(mp.task attribute), 9  dmc_element_classes() (mp.xt_sp method), 172  dmc_element_classes() (mp.xt_sp method), 173  dmc(mp.task attribute), 9  dmc_element_classes() (mp.xt_sp method), 179  dmc_element_classes() (mp.xt_sp method), 179  dmc_element_classes() (mp.xt_sp method), 170  dmc_element_classes() (m	element_classes (mp.element_container attribute), 165 elements (mp.element_container attribute), 165 elements (mp.element_container attribute), 165 end() (mp_table method), 158 enforce_q_lims() (mp.task_pf method), 19 ensure_ref_node() (mp.net_model method), 99 et (mp.task attribute), 9 eval_legacy_cost() (mp.mm_shared_opf_legacy method), 142 eval_poly_fcn() (mp.cost_table static method), 163 event_vlim() (mp.math_model_cpf_acp method), 130 expand_z_warmstart() (mp.math_model_cpf_acps method), 131 export() (mp.dmc_converter method), 60 export() (mp.dmc_element method), 67 export_col() (mp.dmc_element method), 68 export_vars() (mp.dme_lement method), 39 export_vars() (mp.dme_lement method), 47 export_vars() (mp.dme_branch_opf method), 48 export_vars() (mp.dme_bus_opf method), 50 export_vars() (mp.dme_bus_opf method), 52 export_vars() (mp.dme_legacy_dcline_method), 205 export_vars() (mp.dme_legacy_dcline_opf method), 206 export_vars() (mp.dme_load_cpf method), 55 export_vars() (mp.dme_load_cpf method), 55 export_vars() (mp.dme_load_cpf method), 55 export_vars() (mp.dme_load_cpf method), 176
dm (mp.task attribute), 9  dm_converter (class in mp), 59  dm_converter_build() (mp.task method), 12  dm_converter_class() (mp.task method), 12  dm_converter_class() (mp.task method), 12  dm_converter_class() (mp.task method), 21  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_create() (mp.task method), 12  dm_converter_element() (mp.dm_element method), 40  dm_converter_mpc2 (class in mp), 61  dm_converter_mpc2 (leass in mp), 62  dm_element (class in mp), 35  dm_element_classes() (mp.extension method), 172  dm_element_classes() (mp.xt_ap method), 179  dm_element_classes() (mp.xt_reserves method), 173  dm_element_classes() (mp.xt_reserves method), 172  dm_element_classes() (mp.xt_ap method), 173  dmc_element_classes() (mp.xt_ap method), 172  dmc_element_classes() (mp.xt_ap method), 173	element_classes (mp.element_container attribute), 165 elements (mp.element_container attribute), 165 elements (mp.element_container attribute), 165 end() (mp_table method), 158 enforce_q_lims() (mp.task_pf method), 19 ensure_ref_node() (mp.net_model method), 99 et (mp.task attribute), 9 eval_legacy_cost() (mp.mm_shared_opf_legacy method), 142 eval_poly_fcn() (mp.cost_table static method), 163 event_vlim() (mp.math_model_cpf_acp method), 130 expand_z_warmstart() (mp.math_model_cpf_acps method), 131 export() (mp.dm_converter method), 60 export_() (mp.dmc_element method), 67 export_col() (mp.dmc_element method), 68 export_table_values() (mp.dmc_element method), 47 export_vars() (mp.dme_branch_opf method), 48 export_vars() (mp.dme_bus_opf method), 50 export_vars() (mp.dme_bus_opf method), 50 export_vars() (mp.dme_legacy_dcline_method), 205 export_vars() (mp.dme_legacy_dcline_opf method), 206 export_vars() (mp.dme_legacy_dcline_opf method), 55 export_vars() (mp.dme_legacy_dcline_opf method), 55 export_vars() (mp.dme_legacy_dcline_opf method), 55 export_vars() (mp.dme_legacy_dcline_opf method), 55 export_vars() (mp.dme_reserve_gen method), 176 export_vars() (mp.dme_reserve_zone method), 177
dm (mp.task attribute), 9  dm_converter (class in mp), 59  dm_converter_build() (mp.task method), 12  dm_converter_class() (mp.task method), 12  dm_converter_class() (mp.task method), 12  dm_converter_class() (mp.task method), 21  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_create() (mp.task method), 12  dm_converter_create() (mp.task method), 12  dm_converter_mpc2 (class in mp), 61  dm_converter_mpc2 (class in mp), 62  dm_element (class in mp), 35  dm_element_classes() (mp.extension method), 172  dm_element_classes() (mp.xt_3p method), 179  dm_element_classes() (mp.xt_reserves method), 173  dmc(mp.task attribute), 9  dmc_element_classes() (mp.xt_sp method), 172  dmc_element_classes() (mp.xt_sp method), 173  dmc(mp.task attribute), 9  dmc_element_classes() (mp.xt_sp method), 179  dmc_element_classes() (mp.xt_sp method), 179  dmc_element_classes() (mp.xt_sp method), 170  dmc_element_classes() (m	element_classes (mp.element_container attribute), 165 elements (mp.element_container attribute), 165 elements (mp.element_container attribute), 165 end() (mp_table method), 158 enforce_q_lims() (mp.task_pf method), 19 ensure_ref_node() (mp.net_model method), 99 et (mp.task attribute), 9 eval_legacy_cost() (mp.mm_shared_opf_legacy method), 142 eval_poly_fcn() (mp.cost_table static method), 163 event_vlim() (mp.math_model_cpf_acp method), 130 expand_z_warmstart() (mp.math_model_cpf_acps method), 131 export() (mp.dmc_element method), 67 export_col() (mp.dmc_element method), 68 export_table_values() (mp.dmc_element method), 67 export_vars() (mp.dm_element method), 47 export_vars() (mp.dme_branch_opf method), 48 export_vars() (mp.dme_bus method), 49 export_vars() (mp.dme_bus method), 50 export_vars() (mp.dme_gen_opf method), 53 export_vars() (mp.dme_legacy_dcline_method), 205 export_vars() (mp.dme_legacy_dcline_opf method), 206 export_vars() (mp.dme_legacy_dcline_opf method), 206 export_vars() (mp.dme_legacy_dcline_opf method), 206 export_vars() (mp.dme_legacy_dcline_opf method), 206 export_vars() (mp.dme_legacy_dcline_opf method), 176 export_vars() (mp.dme_reserve_gen method), 177 export_vars() (mp.dme_reserve_zone method), 56
dm (mp.task attribute), 9  dm_converter (class in mp), 59  dm_converter_build() (mp.task method), 12  dm_converter_class() (mp.task method), 12  dm_converter_class() (mp.task method), 12  dm_converter_class() (mp.task method), 21  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_create() (mp.task method), 12  dm_converter_create() (mp.task method), 12  dm_converter_mpc2 (class in mp), 61  dm_converter_mpc2 (class in mp), 62  dm_element (class in mp), 35  dm_element_classes() (mp.extension method), 172  dm_element_classes() (mp.xt_legacy_dcline method), 202  dm_element_classes() (mp.xt_reserves method), 173  dmc (mp.task attribute), 9  dmc_element_classes() (mp.xt_legacy_dcline method), 172  dmc_element_classes() (mp.xt_legacy_dcline method), 172  dmc_element_classes() (mp.xt_legacy_dcline method), 172  dmc_element_classes() (mp.xt_legacy_dcline method), 173  dmc_element_classes() (mp.xt_legacy_dcline method), 172  dmc_element_classes() (mp.xt_legacy_dcline method), 173  dmc_element_clas	element_classes (mp.element_container attribute), 165 elements (mp.element_container attribute), 165 elements (mp.element_container attribute), 165 end() (mp_table method), 158 enforce_q_lims() (mp.task_pf method), 19 ensure_ref_node() (mp.net_model method), 99 et (mp.task attribute), 9 eval_legacy_cost() (mp.mm_shared_opf_legacy method), 142 eval_poly_fcn() (mp.cost_table static method), 163 event_vlim() (mp.math_model_cpf_acp method), 130 expand_z_warmstart() (mp.math_model_cpf_acps method), 131 export() (mp.dm_converter method), 60 export() (mp.dmc_element method), 67 export_col() (mp.dmc_element method), 68 export_table_values() (mp.dmc_element method), 39 export_vars() (mp.dme_branch_opf method), 47 export_vars() (mp.dme_branch_opf method), 48 export_vars() (mp.dme_bus_opf method), 50 export_vars() (mp.dme_gen_opf method), 50 export_vars() (mp.dme_gen_opf method), 53 export_vars() (mp.dme_legacy_dcline_method), 205 export_vars() (mp.dme_legacy_dcline_opf method), 206 export_vars() (mp.dme_load_cpf method), 55 export_vars() (mp.dme_load_cpf method), 55 export_vars() (mp.dme_reserve_gen method), 176 export_vars() (mp.dme_reserve_gen method), 177 export_vars() (mp.dme_reserve_zone method), 177 export_vars() (mp.dme_reserve_zone method), 56 export_vars() (mp.dme_reserve_zone method), 56 export_vars() (mp.dme_shunt_cpf method), 56 export_vars_offline_val() (mp.dm_element method), 40
dm (mp.task attribute), 9  dm_converter (class in mp), 59  dm_converter_build() (mp.task method), 12  dm_converter_class() (mp.task method), 12  dm_converter_class() (mp.task method), 12  dm_converter_class() (mp.task method), 21  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_class_mpc2_default() (mp.task method), 12  dm_converter_class_mpc2_default() (mp.task method), 26  dm_converter_create() (mp.task method), 12  dm_converter_mpc2 (class in mp), 61  dm_converter_mpc2 (class in mp), 61  dm_converter_mpc2_legacy (class in mp), 62  dm_element (class in mp), 35  dm_element_classes() (mp.xt_3p method), 179  dm_element_classes() (mp.xt_legacy_dcline method), 202  dm_element_classes() (mp.xt_reserves method), 173  dmc (mp.task attribute), 9  dmc_element_classes() (mp.xt_sp method), 179  dmc_element_classes() (mp.xt_sp method), 170  dmc_element_classes() (mp.xt_sp m	element_classes (mp.element_container attribute), 165 elements (mp.element_container attribute), 165 elements (mp.element_container attribute), 165 end() (mp_table method), 158 enforce_q_lims() (mp.task_pf method), 19 ensure_ref_node() (mp.net_model method), 99 et (mp.task attribute), 9 eval_legacy_cost() (mp.mm_shared_opf_legacy method), 142 eval_poly_fcn() (mp.cost_table static method), 163 event_vlim() (mp.math_model_cpf_acp method), 130 expand_z_warmstart() (mp.math_model_cpf_acps method), 131 export() (mp.dmc_element method), 67 export_col() (mp.dmc_element method), 68 export_table_values() (mp.dmc_element method), 67 export_vars() (mp.dm_element method), 47 export_vars() (mp.dme_branch_opf method), 48 export_vars() (mp.dme_bus method), 49 export_vars() (mp.dme_bus method), 50 export_vars() (mp.dme_gen_opf method), 53 export_vars() (mp.dme_legacy_dcline_method), 205 export_vars() (mp.dme_legacy_dcline_opf method), 206 export_vars() (mp.dme_legacy_dcline_opf method), 206 export_vars() (mp.dme_legacy_dcline_opf method), 206 export_vars() (mp.dme_legacy_dcline_opf method), 206 export_vars() (mp.dme_legacy_dcline_opf method), 176 export_vars() (mp.dme_reserve_gen method), 177 export_vars() (mp.dme_reserve_zone method), 56

export_vars_offline_val() (mp.dme_branch_opf method), 48	<pre>format_tag() (mp.dm_converter method), 59</pre>
export_vars_offline_val() (mp.dme_bus method), 49	<pre>format_tag() (mp.dm_converter_mpc2 method), 61</pre>
export_vars_offline_val() (mp.dme_bus_opf method), 50	freq (mp.dme_line3p attribute), 187
export_vars_offline_val() (mp.dme_gen method), 52	
export_vars_offline_val() (mp.dme_gen_opf method), 53	G
export_vars_offline_val() (mp.dme_legacy_dcline method), 205	G
export_vars_offline_val() (mp.dme_legacy_dcline_opf method),	g_fr (mp.dme_branch attribute), 46
206	g_to (mp.dme_branch attribute), 46
export_vars_offline_val() (mp.dme_reserve_gen method), 176	gen (mp.dme_reserve_gen attribute), 175
export_vars_offline_val() (mp.dme_reserve_zone method), 177	<pre>gen_cost_export() (mp.dmce_gen_mpc2 method), 70</pre>
extension (class in mp), 170	<pre>gen_cost_import() (mp.dmce_gen_mpc2 method), 70</pre>
extract_named_args() (mp_table static method), 159	gencost2cost_table() (mp.dmce_gen_mpc2 static method), 70
	<pre>get_export_size() (mp.dmc_element method), 65</pre>
	<pre>get_export_size() (mp.dmce_load_mpc2 method), 70</pre>
	<pre>get_export_size() (mp.dmce_reserve_gen_mpc2 method), 174</pre>
Fbus (mp.dme_branch attribute), 46	<pre>get_export_size() (mp.dmce_shunt_mpc2 method), 71</pre>
Fbus (mp.dme_legacy_dcline attribute), 204	<pre>get_export_spec() (mp.dmc_element method), 64</pre>
Fbus (mp.dme_line3p attribute), 187	<pre>get_import_size() (mp.dmc_element method), 65</pre>
Fbus (mp.dme_xfmr3p attribute), 189	<pre>get_import_size() (mp.dmce_load_mpc2 method), 70</pre>
Fbus_on (mp.dme_legacy_dcline attribute), 204	<pre>get_import_size() (mp.dmce_reserve_gen_mpc2 method), 174</pre>
fd_jac_approx() (mp.math_model_pf_acps method), 128	<pre>get_import_size() (mp.dmce_shunt_mpc2 method), 71</pre>
<pre>fdpf_B_matrix_models() (mp.math_model_pf_acps method), 128</pre>	<pre>get_import_spec() (mp.dmc_element method), 64</pre>
find_form_class() (mp.form method), 73	<pre>get_input_table_values() (mp.dmc_element method), 66</pre>
Fixed_q_idx (mp.task_pf attribute), 19	<pre>get_mpc() (mp.mm_shared_opf_legacy method), 142</pre>
fixed_q_qty (mp.task_pf attribute), 19	<pre>get_node_idx() (mp.net_model method), 98</pre>
form (class in mp), 71	<pre>get_nv_() (mp.nm_element method), 111</pre>
Form_ac (class in mp), 73	<pre>get_params() (mp.form method), 73</pre>
Form_acc (class in mp), 82	<pre>get_port_idx() (mp.net_model method), 98</pre>
Form_acp (class in mp), 86	<pre>get_state_idx() (mp.net_model method), 98</pre>
Form_dc (class in mp), 88	<pre>get_table() (mp_table_subclass method), 161</pre>
Form_name() (mp.form method), 72	get_va() (mp.net_model_ac method), 103
Form_name() (mp.form_acc method), 83	gs (mp.dme_shunt attribute), 56
Form_name() (mp.form_acp method), 86	<pre>gs_x_update() (mp.math_model_pf_acps method), 128</pre>
form_name() (mp.form_dc method), 89	
form_name() (mp.math_model method), 122	Н
Form_name() (mp.math_model_cpf_acci method), 130	
Form_name() (mp.math_model_cpf_accs method), 130	has_name() (mp.mapped_array method), 168
Form_name() (mp.math_model_cpf_acpi method), 131	has_pq_cap() (mp.mme_gen_opf_ac method), 153
Form_name() (mp.math_model_cpf_acps method), 131	have_cost() (mp.dme_gen method), 52
Form_name() (mp.math_model_opf_acci method), 133	have_cost() (mp.dme_gen_opf method), 53
Form_name() (mp.math_model_opf_accs method), 134	have_cost() (mp.dme_legacy_dcline method), 205
Form_name() (mp.math_model_opf_acpi method), 135	have_cost() (mp.dme_legacy_dcline_opf method), 206
Form_name() (mp.math_model_opf_acps method), 136	horzcat() (mp_table method), 159
Form_name() (mp.math_model_opf_dc method), 137	1
Form_name() (mp.math_model_pf_acci method), 127	1
Form_name() (mp.math_model_pf_accs method), 127	i (mp.form_ac attribute), 75
Form_name() (mp.math_model_pf_acpi method), 128	i2on (mp.dm_element attribute), 37
Form_name() (mp.math_model_pf_acps method), 128	i_dm (mp.task attribute), 9
Form_name() (mp.math_model_pf_dc method), 129	i_mm (mp.task attribute), 9
Form_tag() (mp.form method), 72	i_nm (mp.task attribute), 9
Form_tag() (mp.form_acc method), 83	ID() (mp.dm_element method), 41
Form_tag() (mp.form_acp method), 87	ID2i (mp.dm_element attribute), 37
Form_tag() (mp.form_dc method), 89	<pre>import() (mp.dm_converter method), 59</pre>
Form_tag() (mp.math_model method), 122	<pre>import() (mp.dm_converter_mpc2 method), 61</pre>
Form_tag() (mp.math_model_cpf_acci method), 129	import() (mp.dmc_element method), 65
Form_tag() (mp.math_model_cpf_accs method), 130	<pre>import() (mp.dmce_line3p_mpc2 method), 181</pre>
Form_tag() (mp.math_model_cpf_acpi method), 131	<pre>import() (mp.dmce_reserve_gen_mpc2 method), 174</pre>
form_tag() (mp.math_model_cpf_acps method), 131	import_col() (mp.dmc_element method), 66
Form_tag() (mp.math_model_opf_acci method), 133	<pre>import_cost() (mp.dmce_reserve_gen_mpc2 method), 174</pre>
Form_tag() (mp.math_model_opf_accs method), 134	import_qty() (mp.dmce_reserve_gen_mpc2 method), 174
form_tag() (mp.math_model_opf_acpi method), 135	import_ramp() (mp.dmce_reserve_gen_mpc2 method), 174
Form_tag() (mp.math_model_opf_acps method), 136	import_req() (mp.dmce_reserve_zone_mpc2 method), 175
Form_tag() (mp.math_model_opf_dc method), 137	import_table_values() (mp.dmc_element method), 66
Form_tag() (mp.math_model_pf_acci method), 127	import_zones() (mp.dmce_reserve_zone_mpc2 method), 175
form_tag() (mp.math_model_pf_accs method), 127	incidence_matrix() (mp.nm_element method), 112
Form_tag() (mp.math_model_pf_acpi method), 128	<pre>init_export() (mp.dm_converter method), 60</pre>
Form_tag() (mp.math_model_pf_acps method), 128	<pre>init_export() (mp.dm_converter_mpc2 method), 61</pre>
<pre>Form_tag() (mp.math_model_pf_dc method), 129</pre>	init_export_data() (mp.dmc_element method), 67

init_export_data() (mp.dmce_bus_mpc2 method), 69	labels() (mp.dm_element method), 38
init_set_types() (mp.math_model_opf_acci_legacy method), 133	labels() (mp.dme_branch method), 47
init_set_types() (mp.math_model_opf_accs_legacy method), 134	labels() (mp.dme_bus method), 49
<pre>init_set_types() (mp.math_model_opf_acpi_legacy method), 136</pre>	labels() (mp.dme_bus3p method), 183
<pre>init_set_types() (mp.math_model_opf_acps_legacy method), 137</pre>	labels() (mp.dme_buslink method), 191
<pre>init_set_types() (mp.math_model_opf_dc_legacy method), 138</pre>	labels() (mp.dme_gen method), 52
<pre>init_set_types() (mp.net_model method), 94</pre>	labels() (mp.dme_gen3p method), 185
<pre>init_set_types_legacy() (mp.mm_shared_opf_legacy method),</pre>	labels() (mp.dme_legacy_dcline method), 205
142	labels() (mp.dme_line3p method), 188
<pre>init_status() (mp.dm_element method), 41</pre>	labels() (mp.dme_load method), 55
init_status() (mp.dme_bus method), 49	labels() (mp.dme_load3p method), 186
init_status() (mp.dme_bus3p method), 183	labels() (mp.dme_reserve_gen method), 176
initial_voltage_angle() (mp.net_model_acc method), 105	labels() (mp.dme_reserve_zone method), 177
initial_voltage_angle() (mp.net_model_acp method), 106	labels() (mp.dme_reserve_zone method), 57
	labels() (mp.dme_shun memod), 37 labels() (mp.dme_xfmr3p method), 189
initialize() (mp.data_model method), 29	· · · · · · · · · · · · · · · · · · ·
initialize() (mp.dm_element method), 40	1c (mp.dme_line3p attribute), 187
<pre>initialize() (mp.dme_branch method), 47</pre>	lc_tab (mp.dme_line3p attribute), 188
initialize() (mp.dme_buslink method), 191	<pre>lc_table_var_names() (mp.dme_line3p method), 188</pre>
<pre>initialize() (mp.dme_gen method), 52</pre>	<pre>legacy_post_run() (mp.task_cpf_legacy method), 24</pre>
<pre>initialize() (mp.dme_gen3p method), 185</pre>	<pre>legacy_post_run() (mp.task_opf_legacy method), 26</pre>
<pre>initialize() (mp.dme_legacy_dcline method), 205</pre>	<pre>legacy_post_run() (mp.task_pf_legacy method), 23</pre>
<pre>initialize() (mp.dme_line3p method), 188</pre>	<pre>legacy_user_mod_inputs() (mp.dm_converter_mpc2_legacy</pre>
initialize() (mp.dme_load3p method), 186	method), 62
initialize() (mp.dme_xfmr3p method), 190	<pre>legacy_user_nln_constraints() (mp.dm_converter_mpc2_legacy</pre>
inln (mp.form_ac attribute), 75	method), 62
inln_hess (mp.form_ac attribute), 75	<i>"</i>
· · · · · · · · · · · · · · · · · · ·	legacy_user_var_names() (mp.math_model_opf_acci_legacy
interior_va() (mp.math_model_opf method), 132	method), 133
<pre>interior_va() (mp.math_model_opf_acc method), 132</pre>	<pre>legacy_user_var_names() (mp.math_model_opf_accs_legacy</pre>
<pre>interior_vm() (mp.mme_bus_opf_ac method), 150</pre>	method), 134
<pre>interior_x0() (mp.math_model_opf method), 132</pre>	<pre>legacy_user_var_names() (mp.math_model_opf_acpi_legacy</pre>
<pre>interior_x0() (mp.mme_bus3p_opf_acc method), 199</pre>	method), 136
<pre>interior_x0() (mp.mme_bus3p_opf_acp method), 199</pre>	<pre>legacy_user_var_names() (mp.math_model_opf_acps_legacy</pre>
<pre>interior_x0() (mp.mme_bus_opf_acc method), 150</pre>	method), 137
<pre>interior_x0() (mp.mme_bus_opf_acp method), 150</pre>	<pre>legacy_user_var_names() (mp.math_model_opf_dc_legacy</pre>
interior_x0() (mp.mme_bus_opf_dc method), 151	method), 138
interior_x0() (mp.mme_buslink_opf method), 201	len (mp.dme_line3p attribute), 188
	length() (mp.mapped_array method), 167
interior_x0() (mp.mme_gen3p_opf method), 200	
<pre>interior_x0() (mp.mme_gen_opf method), 152</pre>	loss0 (mp.dme_legacy_dcline attribute), 204
<pre>interior_x0() (mp.mme_gen_opf method), 152 interior_x0() (mp.mme_legacy_dcline_opf method), 210</pre>	
<pre>interior_x0() (mp.mme_gen_opf method), 152 interior_x0() (mp.mme_legacy_dcline_opf method), 210 interior_x0() (mp.mme_line3p_opf method), 200</pre>	loss0 (mp.dme_legacy_dcline attribute), 204 loss1 (mp.dme_legacy_dcline attribute), 204
<pre>interior_x0() (mp.mme_gen_opf method), 152 interior_x0() (mp.mme_legacy_dcline_opf method), 210 interior_x0() (mp.mme_line3p_opf method), 200 interior_x0() (mp.mme_xfmr3p_opf method), 200</pre>	loss0 (mp.dme_legacy_dcline attribute), 204 loss1 (mp.dme_legacy_dcline attribute), 204
<pre>interior_x0() (mp.mme_gen_opf method), 152 interior_x0() (mp.mme_legacy_dcline_opf method), 210 interior_x0() (mp.mme_line3p_opf method), 200 interior_x0() (mp.mme_xfmr3p_opf method), 200 is_valid() (mp.NODE_TYPE static method), 169</pre>	loss0 (mp.dme_legacy_dcline attribute), 204 loss1 (mp.dme_legacy_dcline attribute), 204  M
<pre>interior_x0() (mp.mme_gen_opf method), 152 interior_x0() (mp.mme_legacy_dcline_opf method), 210 interior_x0() (mp.mme_line3p_opf method), 200 interior_x0() (mp.mme_xfmr3p_opf method), 200</pre>	loss0 (mp.dme_legacy_dcline attribute), 204 loss1 (mp.dme_legacy_dcline attribute), 204  M (mp.form_ac attribute), 75
<pre>interior_x0() (mp.mme_gen_opf method), 152 interior_x0() (mp.mme_legacy_dcline_opf method), 210 interior_x0() (mp.mme_line3p_opf method), 200 interior_x0() (mp.mme_xfmr3p_opf method), 200 is_valid() (mp.NODE_TYPE static method), 169</pre>	loss0 (mp.dme_legacy_dcline attribute), 204 loss1 (mp.dme_legacy_dcline attribute), 204  M (mp.form_ac attribute), 75 main_table_var_names() (mp.dm_element method), 39
<pre>interior_x0() (mp.mme_gen_opf method), 152 interior_x0() (mp.mme_legacy_dcline_opf method), 210 interior_x0() (mp.mme_line3p_opf method), 200 interior_x0() (mp.mme_xfmr3p_opf method), 200 is_valid() (mp.NODE_TYPE static method), 169 isempty() (mp_table method), 157 isload() (mp.dme_gen method), 52</pre>	loss0 (mp.dme_legacy_dcline attribute), 204 loss1 (mp.dme_legacy_dcline attribute), 204  M (mp.form_ac attribute), 75
<pre>interior_x0() (mp.mme_gen_opf method), 152 interior_x0() (mp.mme_legacy_dcline_opf method), 210 interior_x0() (mp.mme_line3p_opf method), 200 interior_x0() (mp.mme_xfmr3p_opf method), 200 is_valid() (mp.NODE_TYPE static method), 169 isempty() (mp_table method), 157 isload() (mp.dme_gen method), 52 istable() (mp_table method), 157</pre>	loss0 (mp.dme_legacy_dcline attribute), 204 loss1 (mp.dme_legacy_dcline attribute), 204  M (mp.form_ac attribute), 75 main_table_var_names() (mp.dm_element method), 39
<pre>interior_x0() (mp.mme_gen_opf method), 152 interior_x0() (mp.mme_legacy_dcline_opf method), 210 interior_x0() (mp.mme_line3p_opf method), 200 interior_x0() (mp.mme_xfmr3p_opf method), 200 is_valid() (mp.NODE_TYPE static method), 169 isempty() (mp_table method), 157 isload() (mp.dme_gen method), 52</pre>	loss0 (mp.dme_legacy_dcline attribute), 204 loss1 (mp.dme_legacy_dcline attribute), 204  M (mp.form_ac attribute), 75 main_table_var_names() (mp.dm_element method), 39 main_table_var_names() (mp.dme_branch method), 47
<pre>interior_x0() (mp.mme_gen_opf method), 152 interior_x0() (mp.mme_legacy_dcline_opf method), 210 interior_x0() (mp.mme_line3p_opf method), 200 interior_x0() (mp.mme_xfmr3p_opf method), 200 is_valid() (mp.NODE_TYPE static method), 169 isempty() (mp_table method), 157 isload() (mp.dme_gen method), 52 istable() (mp_table method), 157 iterations (mp.task_pf attribute), 19</pre>	loss0 (mp.dme_legacy_dcline attribute), 204 loss1 (mp.dme_legacy_dcline attribute), 204  M (mp.form_ac attribute), 75 main_table_var_names() (mp.dm_element method), 39 main_table_var_names() (mp.dme_branch method), 47 main_table_var_names() (mp.dme_branch_opf method), 48 main_table_var_names() (mp.dme_bus method), 49
<pre>interior_x0() (mp.mme_gen_opf method), 152 interior_x0() (mp.mme_legacy_dcline_opf method), 210 interior_x0() (mp.mme_line3p_opf method), 200 interior_x0() (mp.mme_xfmr3p_opf method), 200 is_valid() (mp.NODE_TYPE static method), 169 isempty() (mp_table method), 157 isload() (mp.dme_gen method), 52 istable() (mp_table method), 157 iterations (mp.task_pf attribute), 19</pre>	loss0 (mp.dme_legacy_dcline attribute), 204 loss1 (mp.dme_legacy_dcline attribute), 204  M (mp.form_ac attribute), 75 main_table_var_names() (mp.dm_element method), 39 main_table_var_names() (mp.dme_branch method), 47 main_table_var_names() (mp.dme_branch_opf method), 48 main_table_var_names() (mp.dme_bus method), 49 main_table_var_names() (mp.dme_bus method), 183
interior_x0() (mp.mme_gen_opf method), 152 interior_x0() (mp.mme_legacy_dcline_opf method), 210 interior_x0() (mp.mme_line3p_opf method), 200 interior_x0() (mp.mme_xfmr3p_opf method), 200 is_valid() (mp.NODE_TYPE static method), 169 isempty() (mp_table method), 157 isload() (mp.dme_gen method), 52 istable() (mp_table method), 157 iterations (mp.task_pf attribute), 19	loss0 (mp.dme_legacy_dcline attribute), 204 loss1 (mp.dme_legacy_dcline attribute), 204  M (mp.form_ac attribute), 75 main_table_var_names() (mp.dm_element method), 39 main_table_var_names() (mp.dme_branch method), 47 main_table_var_names() (mp.dme_branch_opf method), 48 main_table_var_names() (mp.dme_bus method), 49 main_table_var_names() (mp.dme_bus3p method), 183 main_table_var_names() (mp.dme_bus_opf method), 50
<pre>interior_x0() (mp.mme_gen_opf method), 152 interior_x0() (mp.mme_legacy_dcline_opf method), 210 interior_x0() (mp.mme_line3p_opf method), 200 interior_x0() (mp.mme_xfmr3p_opf method), 200 is_valid() (mp.NODE_TYPE static method), 169 isempty() (mp_table method), 157 isload() (mp.dme_gen method), 52 istable() (mp_table method), 157 iterations (mp.task_pf attribute), 19</pre>	loss0 (mp.dme_legacy_dcline attribute), 204 loss1 (mp.dme_legacy_dcline attribute), 204  M (mp.form_ac attribute), 75 main_table_var_names() (mp.dm_element method), 39 main_table_var_names() (mp.dme_branch method), 47 main_table_var_names() (mp.dme_branch_opf method), 48 main_table_var_names() (mp.dme_bus method), 49 main_table_var_names() (mp.dme_bus3p method), 183 main_table_var_names() (mp.dme_bus_opf method), 50 main_table_var_names() (mp.dme_buslink method), 191
<pre>interior_x0() (mp.mme_gen_opf method), 152 interior_x0() (mp.mme_legacy_dcline_opf method), 210 interior_x0() (mp.mme_line3p_opf method), 200 interior_x0() (mp.mme_xfmr3p_opf method), 200 is_valid() (mp.NODE_TYPE static method), 169 is_empty() (mp_table method), 157 isload() (mp.dme_gen method), 52 istable() (mp_table method), 157 iterations (mp.task_pf attribute), 19</pre> K K K (mp.form_dc attribute), 89	loss0 (mp.dme_legacy_dcline attribute), 204 loss1 (mp.dme_legacy_dcline attribute), 204  M (mp.form_ac attribute), 75 main_table_var_names() (mp.dme_lement method), 39 main_table_var_names() (mp.dme_branch method), 47 main_table_var_names() (mp.dme_branch_opf method), 48 main_table_var_names() (mp.dme_bus method), 49 main_table_var_names() (mp.dme_bus3p method), 183 main_table_var_names() (mp.dme_bus2p method), 50 main_table_var_names() (mp.dme_buslink method), 191 main_table_var_names() (mp.dme_gen method), 52
interior_x0() (mp.mme_gen_opf method), 152 interior_x0() (mp.mme_legacy_dcline_opf method), 210 interior_x0() (mp.mme_line3p_opf method), 200 interior_x0() (mp.mme_xfmr3p_opf method), 200 is_valid() (mp.NODE_TYPE static method), 169 isempty() (mp_table method), 157 isload() (mp.dme_gen method), 52 istable() (mp_table method), 157 iterations (mp.task_pf attribute), 19	loss0 (mp.dme_legacy_dcline attribute), 204 loss1 (mp.dme_legacy_dcline attribute), 204  M (mp.form_ac attribute), 75 main_table_var_names() (mp.dme_lement method), 39 main_table_var_names() (mp.dme_branch method), 47 main_table_var_names() (mp.dme_branch_opf method), 48 main_table_var_names() (mp.dme_bus method), 49 main_table_var_names() (mp.dme_bus p method), 183 main_table_var_names() (mp.dme_bus opf method), 50 main_table_var_names() (mp.dme_buslink method), 191 main_table_var_names() (mp.dme_gen method), 52 main_table_var_names() (mp.dme_gen method), 185
<pre>interior_x0() (mp.mme_gen_opf method), 152 interior_x0() (mp.mme_legacy_dcline_opf method), 210 interior_x0() (mp.mme_line3p_opf method), 200 interior_x0() (mp.mme_xfmr3p_opf method), 200 is_valid() (mp.NODE_TYPE static method), 169 isempty() (mp_table method), 157 isload() (mp.dme_gen method), 52 istable() (mp_table method), 157 iterations (mp.task_pf attribute), 19</pre> K K K (mp.form_dc attribute), 89 L	loss0 (mp.dme_legacy_dcline attribute), 204 loss1 (mp.dme_legacy_dcline attribute), 204  M (mp.form_ac attribute), 75 main_table_var_names() (mp.dme_lement method), 39 main_table_var_names() (mp.dme_branch method), 47 main_table_var_names() (mp.dme_branch_opf method), 48 main_table_var_names() (mp.dme_bus method), 49 main_table_var_names() (mp.dme_bus3p method), 183 main_table_var_names() (mp.dme_bus3p method), 50 main_table_var_names() (mp.dme_buslink method), 191 main_table_var_names() (mp.dme_gen method), 52 main_table_var_names() (mp.dme_gen3p method), 185 main_table_var_names() (mp.dme_gen.opf method), 53
interior_x0() (mp.mme_gen_opf method), 152 interior_x0() (mp.mme_legacy_dcline_opf method), 210 interior_x0() (mp.mme_line3p_opf method), 200 interior_x0() (mp.mme_xfmr3p_opf method), 200 is_valid() (mp.NODE_TYPE static method), 169 isempty() (mp_table method), 157 isload() (mp.dme_gen method), 52 istable() (mp_table method), 157 iterations (mp.task_pf attribute), 19  K K (mp.form_dc attribute), 89  L L (mp.form_ac attribute), 75	loss0 (mp.dme_legacy_dcline attribute), 204 loss1 (mp.dme_legacy_dcline attribute), 204  M (mp.form_ac attribute), 75 main_table_var_names() (mp.dme_lement method), 39 main_table_var_names() (mp.dme_branch method), 47 main_table_var_names() (mp.dme_branch_opf method), 48 main_table_var_names() (mp.dme_bus method), 49 main_table_var_names() (mp.dme_bus3p method), 183 main_table_var_names() (mp.dme_bus2pf method), 50 main_table_var_names() (mp.dme_buslink method), 191 main_table_var_names() (mp.dme_gen method), 52 main_table_var_names() (mp.dme_gen3p method), 185 main_table_var_names() (mp.dme_gen_opf method), 53 main_table_var_names() (mp.dme_gen_opf method), 205
<pre>interior_x0() (mp.mme_gen_opf method), 152 interior_x0() (mp.mme_legacy_dcline_opf method), 210 interior_x0() (mp.mme_line3p_opf method), 200 interior_x0() (mp.mme_xfmr3p_opf method), 200 is_valid() (mp.NODE_TYPE static method), 169 isempty() (mp_table method), 157 isload() (mp.dme_gen method), 52 istable() (mp_table method), 157 iterations (mp.task_pf attribute), 19  K K (mp.form_dc attribute), 89 L L (mp.form_ac attribute), 75 label() (mp.dm_element method), 38</pre>	loss0 (mp.dme_legacy_dcline attribute), 204 loss1 (mp.dme_legacy_dcline attribute), 204  M (mp.form_ac attribute), 75 main_table_var_names() (mp.dme_lement method), 39 main_table_var_names() (mp.dme_branch method), 47 main_table_var_names() (mp.dme_branch_opf method), 48 main_table_var_names() (mp.dme_bus method), 49 main_table_var_names() (mp.dme_bus3p method), 183 main_table_var_names() (mp.dme_bus2pf method), 50 main_table_var_names() (mp.dme_buslink method), 191 main_table_var_names() (mp.dme_gen method), 52 main_table_var_names() (mp.dme_gen3p method), 185 main_table_var_names() (mp.dme_gen_opf method), 53 main_table_var_names() (mp.dme_legacy_dcline method), 205 main_table_var_names() (mp.dme_legacy_dcline_opf method), 206
<pre>interior_x0() (mp.mme_gen_opf method), 152 interior_x0() (mp.mme_legacy_dcline_opf method), 210 interior_x0() (mp.mme_line3p_opf method), 200 interior_x0() (mp.mme_xfmr3p_opf method), 200 is_valid() (mp.NODE_TYPE static method), 169 isempty() (mp_table method), 157 isload() (mp.dme_gen method), 52 istable() (mp_table method), 157 iterations (mp.task_pf attribute), 19  K K (mp.form_dc attribute), 89 L L (mp.form_ac attribute), 75 label() (mp.dme_lement method), 38 label() (mp.dme_branch method), 47</pre>	loss0 (mp.dme_legacy_dcline attribute), 204 loss1 (mp.dme_legacy_dcline attribute), 204  M (mp.form_ac attribute), 75 main_table_var_names() (mp.dme_lement method), 39 main_table_var_names() (mp.dme_branch method), 47 main_table_var_names() (mp.dme_branch_opf method), 48 main_table_var_names() (mp.dme_bus method), 49 main_table_var_names() (mp.dme_bus3p method), 183 main_table_var_names() (mp.dme_bus2pf method), 50 main_table_var_names() (mp.dme_buslink method), 191 main_table_var_names() (mp.dme_gen method), 52 main_table_var_names() (mp.dme_gen3p method), 185 main_table_var_names() (mp.dme_gen_opf method), 53 main_table_var_names() (mp.dme_gen_opf method), 205
<pre>interior_x0() (mp.mme_gen_opf method), 152 interior_x0() (mp.mme_legacy_dcline_opf method), 210 interior_x0() (mp.mme_line3p_opf method), 200 interior_x0() (mp.mme_xfmr3p_opf method), 200 is_valid() (mp.NODE_TYPE static method), 169 isempty() (mp_table method), 157 isload() (mp.dme_gen method), 52 istable() (mp_table method), 157 iterations (mp.task_pf attribute), 19  K K (mp.form_dc attribute), 89 L L (mp.form_ac attribute), 75 label() (mp.dm_element method), 38 label() (mp.dme_branch method), 47 label() (mp.dme_bus method), 49</pre>	loss0 (mp.dme_legacy_dcline attribute), 204 loss1 (mp.dme_legacy_dcline attribute), 204  M (mp.form_ac attribute), 75 main_table_var_names() (mp.dme_lement method), 39 main_table_var_names() (mp.dme_branch method), 47 main_table_var_names() (mp.dme_branch_opf method), 48 main_table_var_names() (mp.dme_bus method), 49 main_table_var_names() (mp.dme_bus3p method), 183 main_table_var_names() (mp.dme_bus2pf method), 50 main_table_var_names() (mp.dme_buslink method), 191 main_table_var_names() (mp.dme_gen method), 52 main_table_var_names() (mp.dme_gen3p method), 185 main_table_var_names() (mp.dme_gen_opf method), 53 main_table_var_names() (mp.dme_legacy_dcline method), 205 main_table_var_names() (mp.dme_legacy_dcline_opf method), 206
interior_x0() (mp.mme_gen_opf method), 152 interior_x0() (mp.mme_legacy_dcline_opf method), 210 interior_x0() (mp.mme_line3p_opf method), 200 interior_x0() (mp.mme_kfmr3p_opf method), 200 is_valid() (mp.NODE_TYPE static method), 169 isempty() (mp_table method), 157 isload() (mp.dme_gen method), 52 istable() (mp_table method), 157 iterations (mp.task_pf attribute), 19  K  K (mp.form_dc attribute), 89  L  L (mp.form_ac attribute), 75 label() (mp.dme_lement method), 38 label() (mp.dme_bus method), 47 label() (mp.dme_bus method), 49 label() (mp.dme_bus method), 183	loss0 (mp.dme_legacy_dcline attribute), 204 loss1 (mp.dme_legacy_dcline attribute), 204  M (mp.form_ac attribute), 75 main_table_var_names() (mp.dme_lement method), 39 main_table_var_names() (mp.dme_branch method), 47 main_table_var_names() (mp.dme_branch_opf method), 48 main_table_var_names() (mp.dme_bus method), 49 main_table_var_names() (mp.dme_bus3p method), 183 main_table_var_names() (mp.dme_bus2pf method), 50 main_table_var_names() (mp.dme_buslink method), 191 main_table_var_names() (mp.dme_gen method), 52 main_table_var_names() (mp.dme_gen3p method), 185 main_table_var_names() (mp.dme_gen_opf method), 53 main_table_var_names() (mp.dme_legacy_dcline method), 205 main_table_var_names() (mp.dme_legacy_dcline_opf method), 206 main_table_var_names() (mp.dme_legacy_dcline_opf method), 206 main_table_var_names() (mp.dme_line3p method), 188
interior_x0() (mp.mme_gen_opf method), 152 interior_x0() (mp.mme_legacy_dcline_opf method), 210 interior_x0() (mp.mme_line3p_opf method), 200 interior_x0() (mp.mme_kfmr3p_opf method), 200 is_valid() (mp.NODE_TYPE static method), 169 is_empty() (mp_table method), 157 isload() (mp.dme_gen method), 52 istable() (mp_table method), 157 iterations (mp.task_pf attribute), 19  K  K (mp.form_dc attribute), 89  L  L (mp.form_ac attribute), 75 label() (mp.dme_lement method), 38 label() (mp.dme_bus method), 47 label() (mp.dme_bus method), 49 label() (mp.dme_bus method), 183 label() (mp.dme_buslink method), 191	loss0 (mp.dme_legacy_dcline attribute), 204 loss1 (mp.dme_legacy_dcline attribute), 204  M (mp.form_ac attribute), 75 main_table_var_names() (mp.dm_element method), 39 main_table_var_names() (mp.dme_branch method), 47 main_table_var_names() (mp.dme_branch_opf method), 48 main_table_var_names() (mp.dme_bus method), 49 main_table_var_names() (mp.dme_bus3p method), 183 main_table_var_names() (mp.dme_bus1ink method), 50 main_table_var_names() (mp.dme_buslink method), 191 main_table_var_names() (mp.dme_gen method), 52 main_table_var_names() (mp.dme_gen3p method), 185 main_table_var_names() (mp.dme_gen3p method), 53 main_table_var_names() (mp.dme_legacy_dcline method), 205 main_table_var_names() (mp.dme_legacy_dcline_opf method), 206 main_table_var_names() (mp.dme_legacy_dcline_opf method), 206 main_table_var_names() (mp.dme_line3p method), 188 main_table_var_names() (mp.dme_load method), 55
interior_x0() (mp.mme_gen_opf method), 152 interior_x0() (mp.mme_legacy_dcline_opf method), 210 interior_x0() (mp.mme_line3p_opf method), 200 interior_x0() (mp.mme_kimr3p_opf method), 200 is_valid() (mp.NODE_TYPE static method), 169 is_empty() (mp_table method), 157 isload() (mp.dme_gen method), 52 istable() (mp_table method), 157 iterations (mp.task_pf attribute), 19  K  K (mp.form_dc attribute), 89  L  L (mp.form_ac attribute), 75 label() (mp.dme_lement method), 38 label() (mp.dme_bus method), 47 label() (mp.dme_bus method), 49 label() (mp.dme_bus method), 183 label() (mp.dme_buslink method), 191 label() (mp.dme_gen method), 52	loss0 (mp.dme_legacy_dcline attribute), 204 loss1 (mp.dme_legacy_dcline attribute), 204  M (mp.form_ac attribute), 75 main_table_var_names() (mp.dm_element method), 39 main_table_var_names() (mp.dme_branch method), 47 main_table_var_names() (mp.dme_branch_opf method), 48 main_table_var_names() (mp.dme_bus method), 49 main_table_var_names() (mp.dme_bus3p method), 183 main_table_var_names() (mp.dme_bus3p method), 50 main_table_var_names() (mp.dme_buslink method), 191 main_table_var_names() (mp.dme_gen method), 52 main_table_var_names() (mp.dme_gen3p method), 185 main_table_var_names() (mp.dme_gen2pf method), 53 main_table_var_names() (mp.dme_legacy_dcline method), 205 main_table_var_names() (mp.dme_legacy_dcline_opf method), 206 main_table_var_names() (mp.dme_legacy_dcline_opf method), 206 main_table_var_names() (mp.dme_line3p method), 188 main_table_var_names() (mp.dme_load method), 55 main_table_var_names() (mp.dme_load method), 186
interior_x0() (mp.mme_gen_opf method), 152 interior_x0() (mp.mme_legacy_dcline_opf method), 210 interior_x0() (mp.mme_line3p_opf method), 200 interior_x0() (mp.mme_kmr3p_opf method), 200 is_valid() (mp.NODE_TYPE static method), 169 is_empty() (mp_table method), 157 isload() (mp.dme_gen method), 52 istable() (mp_table method), 157 iterations (mp.task_pf attribute), 19  K K (mp.form_dc attribute), 89  L L (mp.form_ac attribute), 75 label() (mp.dme_lement method), 38 label() (mp.dme_bus method), 47 label() (mp.dme_bus method), 49 label() (mp.dme_bus method), 183 label() (mp.dme_buslink method), 191 label() (mp.dme_gen method), 52 label() (mp.dme_gen method), 185	loss0 (mp.dme_legacy_dcline attribute), 204 loss1 (mp.dme_legacy_dcline attribute), 204  M (mp.form_ac attribute), 75 main_table_var_names() (mp.dme_lement method), 39 main_table_var_names() (mp.dme_branch method), 47 main_table_var_names() (mp.dme_branch_opf method), 48 main_table_var_names() (mp.dme_bus method), 49 main_table_var_names() (mp.dme_bus method), 183 main_table_var_names() (mp.dme_bus3p method), 50 main_table_var_names() (mp.dme_buslink method), 191 main_table_var_names() (mp.dme_gen_pen method), 52 main_table_var_names() (mp.dme_gen3p method), 53 main_table_var_names() (mp.dme_gen_opf method), 53 main_table_var_names() (mp.dme_legacy_dcline method), 205 main_table_var_names() (mp.dme_legacy_dcline_opf method), 206 main_table_var_names() (mp.dme_line3p method), 188 main_table_var_names() (mp.dme_load method), 55 main_table_var_names() (mp.dme_load method), 186 main_table_var_names() (mp.dme_load3p method), 186 main_table_var_names() (mp.dme_reserve_gen method), 176 main_table_var_names() (mp.dme_reserve_zone method), 176 main_table_var_names() (mp.dme_reserve_zone method), 177
interior_x0() (mp.mme_gen_opf method), 152 interior_x0() (mp.mme_legacy_dcline_opf method), 210 interior_x0() (mp.mme_line3p_opf method), 200 interior_x0() (mp.mme_kimr3p_opf method), 200 is_valid() (mp.NODE_TYPE static method), 169 is_empty() (mp_table method), 157 isload() (mp.dme_gen method), 52 istable() (mp_table method), 157 iterations (mp.task_pf attribute), 19  K  K (mp.form_dc attribute), 89  L  L (mp.form_ac attribute), 75 label() (mp.dme_lement method), 38 label() (mp.dme_bus method), 47 label() (mp.dme_bus method), 49 label() (mp.dme_bus method), 183 label() (mp.dme_buslink method), 191 label() (mp.dme_gen method), 52	loss0 (mp.dme_legacy_dcline attribute), 204 loss1 (mp.dme_legacy_dcline attribute), 204  M (mp.form_ac attribute), 75 main_table_var_names() (mp.dme_lement method), 39 main_table_var_names() (mp.dme_branch method), 47 main_table_var_names() (mp.dme_branch_opf method), 48 main_table_var_names() (mp.dme_bus method), 49 main_table_var_names() (mp.dme_bus method), 183 main_table_var_names() (mp.dme_bus3p method), 50 main_table_var_names() (mp.dme_buslink method), 191 main_table_var_names() (mp.dme_gen method), 52 main_table_var_names() (mp.dme_gen3p method), 185 main_table_var_names() (mp.dme_gen3p method), 53 main_table_var_names() (mp.dme_legacy_dcline method), 205 main_table_var_names() (mp.dme_legacy_dcline_opf method), 206 main_table_var_names() (mp.dme_load method), 188 main_table_var_names() (mp.dme_load method), 55 main_table_var_names() (mp.dme_load3p method), 186 main_table_var_names() (mp.dme_load3p method), 176 main_table_var_names() (mp.dme_reserve_gen method), 177 main_table_var_names() (mp.dme_shunt method), 57
interior_x0() (mp.mme_gen_opf method), 152 interior_x0() (mp.mme_legacy_dcline_opf method), 210 interior_x0() (mp.mme_line3p_opf method), 200 interior_x0() (mp.mme_kmr3p_opf method), 200 is_valid() (mp.NODE_TYPE static method), 169 is_empty() (mp_table method), 157 isload() (mp.dme_gen method), 52 istable() (mp_table method), 157 iterations (mp.task_pf attribute), 19  K K (mp.form_dc attribute), 89  L L (mp.form_ac attribute), 75 label() (mp.dme_lement method), 38 label() (mp.dme_bus method), 47 label() (mp.dme_bus method), 49 label() (mp.dme_bus method), 183 label() (mp.dme_buslink method), 191 label() (mp.dme_gen method), 52 label() (mp.dme_gen method), 185	loss0 (mp.dme_legacy_dcline attribute), 204  loss1 (mp.dme_legacy_dcline attribute), 204  M (mp.form_ac attribute), 75  main_table_var_names() (mp.dme_lement method), 39  main_table_var_names() (mp.dme_branch method), 47  main_table_var_names() (mp.dme_branch_opf method), 48  main_table_var_names() (mp.dme_bus method), 49  main_table_var_names() (mp.dme_bus method), 183  main_table_var_names() (mp.dme_bus opf method), 50  main_table_var_names() (mp.dme_buslink method), 191  main_table_var_names() (mp.dme_gen method), 52  main_table_var_names() (mp.dme_gen3p method), 185  main_table_var_names() (mp.dme_gen3p method), 53  main_table_var_names() (mp.dme_legacy_dcline_opf method), 205  main_table_var_names() (mp.dme_legacy_dcline_opf method), 206  main_table_var_names() (mp.dme_load method), 55  main_table_var_names() (mp.dme_load method), 186  main_table_var_names() (mp.dme_load3p method), 186  main_table_var_names() (mp.dme_load3p method), 176  main_table_var_names() (mp.dme_reserve_gen method), 177  main_table_var_names() (mp.dme_shunt method), 57  main_table_var_names() (mp.dme_shunt method), 57  main_table_var_names() (mp.dme_shunt method), 189
interior_x0() (mp.mme_gen_opf method), 152 interior_x0() (mp.mme_legacy_dcline_opf method), 210 interior_x0() (mp.mme_line3p_opf method), 200 interior_x0() (mp.mme_kmr3p_opf method), 200 is_valid() (mp.NODE_TYPE static method), 169 is_empty() (mp_table method), 157 isload() (mp.dme_gen method), 52 istable() (mp_table method), 157 iterations (mp.task_pf attribute), 19  K  K (mp.form_dc attribute), 89  L  L (mp.form_ac attribute), 75 label() (mp.dme_lement method), 38 label() (mp.dme_branch method), 47 label() (mp.dme_bus method), 49 label() (mp.dme_bus method), 183 label() (mp.dme_buslink method), 191 label() (mp.dme_gen method), 52 label() (mp.dme_gen method), 185 label() (mp.dme_legacy_dcline method), 205	loss0 (mp.dme_legacy_dcline attribute), 204  loss1 (mp.dme_legacy_dcline attribute), 204  M (mp.form_ac attribute), 75  main_table_var_names() (mp.dme_lement method), 39  main_table_var_names() (mp.dme_branch method), 47  main_table_var_names() (mp.dme_branch_opf method), 48  main_table_var_names() (mp.dme_bus method), 49  main_table_var_names() (mp.dme_bus method), 183  main_table_var_names() (mp.dme_bus opf method), 50  main_table_var_names() (mp.dme_buslink method), 191  main_table_var_names() (mp.dme_gen method), 52  main_table_var_names() (mp.dme_gen3p method), 185  main_table_var_names() (mp.dme_gen0pf method), 53  main_table_var_names() (mp.dme_legacy_dcline method), 205  main_table_var_names() (mp.dme_legacy_dcline_opf method), 206  main_table_var_names() (mp.dme_line3p method), 188  main_table_var_names() (mp.dme_load3p method), 186  main_table_var_names() (mp.dme_load3p method), 176  main_table_var_names() (mp.dme_reserve_gen method), 177  main_table_var_names() (mp.dme_shunt method), 57  main_table_var_names() (mp.dme_shunt method), 57  main_table_var_names() (mp.dme_shunt method), 189  mapped_array(class in mp), 166
interior_x0() (mp.mme_gen_opf method), 152 interior_x0() (mp.mme_legacy_dcline_opf method), 210 interior_x0() (mp.mme_line3p_opf method), 200 interior_x0() (mp.mme_kmr3p_opf method), 200 is_valid() (mp.NODE_TYPE static method), 169 is_empty() (mp_table method), 157 isload() (mp.dme_gen method), 52 istable() (mp_table method), 157 iterations (mp.task_pf attribute), 19  K  K (mp.form_ac attribute), 89  L  L (mp.form_ac attribute), 75 label() (mp.dme_lement method), 38 label() (mp.dme_bus method), 47 label() (mp.dme_bus method), 49 label() (mp.dme_bus method), 183 label() (mp.dme_buslink method), 191 label() (mp.dme_gen method), 52 label() (mp.dme_gen method), 185 label() (mp.dme_legacy_dcline method), 205 label() (mp.dme_legacy_dcline method), 188 label() (mp.dme_load method), 54	loss0 (mp.dme_legacy_dcline attribute), 204  NM  M (mp.form_ac attribute), 75  main_table_var_names() (mp.dme_lement method), 39  main_table_var_names() (mp.dme_branch method), 47  main_table_var_names() (mp.dme_branch_opf method), 48  main_table_var_names() (mp.dme_bus method), 49  main_table_var_names() (mp.dme_bus method), 183  main_table_var_names() (mp.dme_bus3p method), 183  main_table_var_names() (mp.dme_busopf method), 50  main_table_var_names() (mp.dme_buslink method), 191  main_table_var_names() (mp.dme_gen method), 52  main_table_var_names() (mp.dme_gen opf method), 185  main_table_var_names() (mp.dme_legacy_dcline method), 205  main_table_var_names() (mp.dme_legacy_dcline_opf method), 206  main_table_var_names() (mp.dme_load method), 188  main_table_var_names() (mp.dme_load method), 186  main_table_var_names() (mp.dme_load3p method), 186  main_table_var_names() (mp.dme_load3p method), 176  main_table_var_names() (mp.dme_shunt method), 57  main_table_var_names() (mp.dme_shunt method), 57  main_table_var_names() (mp.dme_shunt method), 57  main_table_var_names() (mp.dme_shunt method), 189  mapped_array(class in mp), 166  mapped_array() (mp.mapped_array method), 167
interior_x0() (mp.mme_gen_opf method), 152 interior_x0() (mp.mme_legacy_dcline_opf method), 210 interior_x0() (mp.mme_line3p_opf method), 200 interior_x0() (mp.mme_line3p_opf method), 200 is_valid() (mp.NODE_TYPE static method), 169 isempty() (mp_table method), 157 isload() (mp.dme_gen method), 52 istable() (mp_table method), 157 iterations (mp.task_pf attribute), 19  K  K (mp.form_dc attribute), 89  L  L (mp.form_ac attribute), 75 label() (mp.dme_lement method), 38 label() (mp.dme_branch method), 47 label() (mp.dme_buss method), 49 label() (mp.dme_bussip method), 183 label() (mp.dme_buslink method), 191 label() (mp.dme_gen method), 52 label() (mp.dme_gen method), 185 label() (mp.dme_legacy_dcline method), 205 label() (mp.dme_load method), 188 label() (mp.dme_load method), 54 label() (mp.dme_load method), 54 label() (mp.dme_load method), 186	loss0 (mp.dme_legacy_dcline attribute), 204  N  M (mp.form_ac attribute), 75  main_table_var_names() (mp.dme_lement method), 39  main_table_var_names() (mp.dme_branch method), 47  main_table_var_names() (mp.dme_branch_opf method), 48  main_table_var_names() (mp.dme_bus method), 49  main_table_var_names() (mp.dme_bus method), 183  main_table_var_names() (mp.dme_bus3p method), 183  main_table_var_names() (mp.dme_buslink method), 191  main_table_var_names() (mp.dme_gen method), 52  main_table_var_names() (mp.dme_gen3p method), 185  main_table_var_names() (mp.dme_gen3p method), 33  main_table_var_names() (mp.dme_legacy_dcline method), 205  main_table_var_names() (mp.dme_legacy_dcline_opf method), 206  main_table_var_names() (mp.dme_load3p method), 188  main_table_var_names() (mp.dme_load3p method), 186  main_table_var_names() (mp.dme_reserve_gen method), 176  main_table_var_names() (mp.dme_reserve_zone method), 177  main_table_var_names() (mp.dme_shunt method), 57  main_table_var_names() (mp.dme_shunt method), 57  main_table_var_names() (mp.dme_shunt method), 57  main_table_var_names() (mp.dme_shunt method), 189  mapped_array (class in mp), 166  mapped_array( (mp.mapped_array method), 167  math_model (class in mp), 121
interior_x0() (mp.mme_gen_opf method), 152 interior_x0() (mp.mme_legacy_dcline_opf method), 210 interior_x0() (mp.mme_line3p_opf method), 200 interior_x0() (mp.mme_kinr3p_opf method), 200 is_valid() (mp.NODE_TYPE static method), 169 isempty() (mp_table method), 157 isload() (mp.dme_gen method), 52 istable() (mp_table method), 157 iterations (mp.task_pf attribute), 19  K  K (mp.form_dc attribute), 89  L  L (mp.form_ac attribute), 75 label() (mp.dme_lement method), 38 label() (mp.dme_branch method), 47 label() (mp.dme_bussp method), 183 label() (mp.dme_bussp method), 191 label() (mp.dme_gen method), 52 label() (mp.dme_gen method), 185 label() (mp.dme_legacy_dcline method), 205 label() (mp.dme_legacy_dcline method), 188 label() (mp.dme_load3p method), 186 label() (mp.dme_load3p method), 186 label() (mp.dme_load3p method), 186 label() (mp.dme_reserve_gen method), 176	loss0 (mp.dme_legacy_dcline attribute), 204  N  M (mp.form_ac attribute), 75  main_table_var_names() (mp.dme_lement method), 39  main_table_var_names() (mp.dme_branch method), 47  main_table_var_names() (mp.dme_branch_opf method), 48  main_table_var_names() (mp.dme_bus method), 49  main_table_var_names() (mp.dme_bus method), 183  main_table_var_names() (mp.dme_bus opf method), 50  main_table_var_names() (mp.dme_buslink method), 191  main_table_var_names() (mp.dme_gen method), 52  main_table_var_names() (mp.dme_gen3p method), 185  main_table_var_names() (mp.dme_gen0pf method), 33  main_table_var_names() (mp.dme_legacy_dcline method), 205  main_table_var_names() (mp.dme_legacy_dcline_opf method), 206  main_table_var_names() (mp.dme_load method), 55  main_table_var_names() (mp.dme_load3p method), 186  main_table_var_names() (mp.dme_load3p method), 176  main_table_var_names() (mp.dme_reserve_gen method), 177  main_table_var_names() (mp.dme_shunt method), 57  main_table_var_names() (mp.dme_shunt method), 170  main_table_var_names() (mp.dme_shunt method), 170  main_table_var_names() (mp.dme_shunt method), 180  mapped_array (class in mp), 166  mapped_array (class in mp), 161  math_model_class in mp), 121  math_model_build() (mp.task method), 17
interior_x0() (mp.mme_gen_opf method), 152 interior_x0() (mp.mme_legacy_dcline_opf method), 210 interior_x0() (mp.mme_line3p_opf method), 200 interior_x0() (mp.mme_line3p_opf method), 200 is_valid() (mp.NODE_TYPE static method), 169 isempty() (mp_table method), 157 isload() (mp.dme_gen method), 52 istable() (mp_table method), 157 iterations (mp.task_pf attribute), 19  K  K (mp.form_dc attribute), 89  L  L (mp.form_ac attribute), 75 label() (mp.dme_lement method), 38 label() (mp.dme_branch method), 47 label() (mp.dme_buss method), 49 label() (mp.dme_bussip method), 183 label() (mp.dme_buslink method), 191 label() (mp.dme_gen method), 52 label() (mp.dme_gen method), 185 label() (mp.dme_legacy_dcline method), 205 label() (mp.dme_load method), 188 label() (mp.dme_load method), 54 label() (mp.dme_load method), 54 label() (mp.dme_load method), 186	loss0 (mp.dme_legacy_dcline attribute), 204  N  M (mp.form_ac attribute), 75  main_table_var_names() (mp.dme_lement method), 39  main_table_var_names() (mp.dme_branch method), 47  main_table_var_names() (mp.dme_branch_opf method), 48  main_table_var_names() (mp.dme_bus method), 49  main_table_var_names() (mp.dme_bus method), 183  main_table_var_names() (mp.dme_bus3p method), 183  main_table_var_names() (mp.dme_buslink method), 191  main_table_var_names() (mp.dme_gen method), 52  main_table_var_names() (mp.dme_gen3p method), 185  main_table_var_names() (mp.dme_gen3p method), 33  main_table_var_names() (mp.dme_legacy_dcline method), 205  main_table_var_names() (mp.dme_legacy_dcline_opf method), 206  main_table_var_names() (mp.dme_load3p method), 188  main_table_var_names() (mp.dme_load3p method), 186  main_table_var_names() (mp.dme_reserve_gen method), 176  main_table_var_names() (mp.dme_reserve_zone method), 177  main_table_var_names() (mp.dme_shunt method), 57  main_table_var_names() (mp.dme_shunt method), 57  main_table_var_names() (mp.dme_shunt method), 57  main_table_var_names() (mp.dme_shunt method), 189  mapped_array (class in mp), 166  mapped_array( (mp.mapped_array method), 167  math_model (class in mp), 121

math_model_class_default() (mp.task method), 17	mm_shared_pfcpf_acc (class in mp), 139
<pre>math_model_class_default() (mp.task_cpf method), 21</pre>	mm_shared_pfcpf_acci (class in mp), 140
<pre>math_model_class_default() (mp.task_opf method), 22</pre>	mm_shared_pfcpf_accs (class in mp), 140
<pre>math_model_class_default() (mp.task_opf_legacy method), 26</pre>	mm_shared_pfcpf_acp (class in mp), 140
<pre>math_model_class_default() (mp.task_pf method), 20</pre>	mm_shared_pfcpf_acpi (class in mp), 141
math_model_cpf_acc (class in mp), 129	mm_shared_pfcpf_acps (class in mp), 141
<pre>math_model_cpf_acc() (mp.math_model_cpf_acc method), 129</pre>	mm_shared_pfcpf_dc (class in mp), 141
math_model_cpf_acci (class in mp), 129	mme_branch (class in mp), 146
math_model_cpf_accs (class in mp), 130	mme_branch_opf (class in mp), 147
math_model_cpf_acp (class in mp), 130	mme_branch_opf_ac (class in mp), 147
<pre>math_model_cpf_acp() (mp.math_model_cpf_acp method), 130</pre>	mme_branch_opf_acc (class in mp), 148
math_model_cpf_acpi (class in mp), 131	mme_branch_opf_acp (class in mp), 148
math_model_cpf_acps (class in mp), 131	mme_branch_opf_dc (class in mp), 148
math_model_create() (mp.task method), 17	mme_branch_pf_ac (class in mp), 146
math_model_element() (mp.nm_element method), 109	mme_branch_pf_dc (class in mp), 146
math_model_opf (class in mp), 131	mme_bus (class in mp), 149
math_model_opf_ac (class in mp), 132	mme_bus3p (class in mp), 196
math_model_opf_acc (class in mp), 132	mme_bus3p_opf_acc (class in mp), 199
<pre>math_model_opf_acc() (mp.math_model_opf_acc method), 132</pre>	mme_bus3p_opf_acp (class in mp), 199
math_model_opf_acci (class in mp), 133	mme_bus_opf_ac (class in mp), 150
math_model_opf_acci_legacy (class in mp), 133	mme_bus_opf_acc (class in mp), 150
<pre>math_model_opf_acci_legacy() (mp.math_model_opf_acci_legacy</pre>	mme_bus_opf_acp (class in mp), 150
method), 133	mme_bus_opf_dc (class in mp), 151
math_model_opf_accs (class in mp), 134	mme_bus_pf_ac (class in mp), 149
math_model_opf_accs_legacy (class in mp), 134	mme_bus_pf_dc (class in mp), 149
math_model_opf_accs_legacy()	mme_buslink (class in mp), 198
(mp.math_model_opf_accs_legacy method), 134	mme_buslink_opf (class in mp), 201
math_model_opf_acp (class in mp), 135	mme_buslink_opf_acc (class in mp), 201
<pre>math_model_opf_acp() (mp.math_model_opf_acp method), 135</pre>	mme_buslink_opf_acp (class in mp), 201
math_model_opf_acpi (class in mp), 135	mme_buslink_pf_ac (class in mp), 198
math_model_opf_acpi_legacy (class in mp), 135	mme_buslink_pf_acc (class in mp), 198
math_model_opf_acpi_legacy()	mme_buslink_pf_acp (class in mp), 199
(mp.math_model_opf_acpi_legacy method), 135	mme_gen (class in mp), 151
math_model_opf_acps (class in mp), 136	$mme_gen3p$ (class in mp), 197
math_model_opf_acps_legacy (class in mp), 136	mme_gen3p_opf (class in mp), 200
math_model_opf_acps_legacy()	mme_gen_opf (class in mp), 152
(mp.math_model_opf_acps_legacy method), 136	mme_gen_opf_ac (class in mp), 153
math_model_opf_dc (class in mp), 137	mme_gen_opf_dc (class in mp), 153
<pre>math_model_opf_dc() (mp.math_model_opf_dc method), 137</pre>	mme_gen_pf_ac (class in mp), 151
math_model_opf_dc_legacy (class in mp), 137	mme_gen_pf_dc (class in mp), 152
<pre>math_model_opf_dc_legacy() (mp.math_model_opf_dc_legacy</pre>	mme_legacy_dcline (class in mp), 208
method), 137	mme_legacy_dcline_opf(class in mp), 209
<pre>math_model_opt() (mp.task method), 18</pre>	mme_legacy_dcline_opf_ac (class in mp), 21
<pre>math_model_opt() (mp.task_cpf method), 21</pre>	mme_legacy_dcline_opf_dc (class in mp), 21
math_model_pf (class in mp), 126	mme_legacy_dcline_pf_ac (class in mp), 209
math_model_pf_ac (class in mp), 127	mme_legacy_dcline_pf_dc (class in mp), 209
<pre>math_model_pf_ac() (mp.math_model_pf_ac method), 127</pre>	mme_line3p (class in mp), 197
math_model_pf_acci (class in mp), 127	mme_line3p_opf (class in mp), 200
math_model_pf_accs (class in mp), 127	mme_load (class in mp), 154
math_model_pf_acpi (class in mp), 128	mme_load_cpf (class in mp), 155
math_model_pf_acps (class in mp), 128	mme_load_pf_ac (class in mp), 154
math_model_pf_dc (class in mp), 129	mme_load_pf_dc (class in mp), 154
math_model_pf_dc() (mp.math_model_pf_dc method), 129	mme_reserve_gen (class in mp), 177
max_pwl_cost() (mp.cost_table method), 163	mme_reserve_zone (class in mp), 178
max_pwl_cost() (mp.cost_table_utils static method), 165	mme_shunt (class in mp), 155
<pre>max_pwl_gencost() (mp.dme_gen_opf method), 53</pre>	mme_shunt_cpf (class in mp), 156
message (mp.task attribute), 9	mme_shunt_pf_ac (class in mp), 155
mm (mp.task attribute), 9	mme_shunt_pf_dc (class in mp), 156
mm_element (class in mp), 143	mme_xfmr3p (class in mp), 197
mm_element_classes() (mp.extension method), 172	mme_xfmr3p_opf (class in mp), 200
mm_element_classes() (mp.xt_3p method), 180	model_params() (mp.form method), 72
mm_element_classes() (mp.xt_legacy_dcline method), 203	model_params() (mp.form_ac method), 76
mm_element_classes() (mp.xt_reserves method), 174	model_params() (mp.form_dc method), 89
mm_opt (mp.task attribute), 9	model_vvars() (mp.form method), 72
mm_shared_opf_legacy (class in mp), 142	model_vvars() (mp.form_acc method), 83
mm_shared_pfcpf (class in mp), 138	model_vvars() (mp.form_acp method), 87
mm_shared_pfcpf_ac (class in mp), 138	model_vvars() (mp.form_dc method), 89
	- · · · · · · · · · · · · · · · · · · ·

model_zvars() (mp.form_ac method), 76	name() (mp.nme_load method), 118
model_zvars() (mp.form_dc method), 90	name() (mp.nme_load3p method), 194
<pre>modify_element_classes() (mp.element_container method), 165</pre>	name() (mp.nme_shunt method), 120
<pre>mp_table (built-in class), 156</pre>	name() (mp.nme_xfmr3p method), 195
<pre>mp_table() (mp_table method), 157</pre>	name2idx() (mp.mapped_array method), 168
<pre>mp_table_class() (built-in function), 6</pre>	net_model (class in mp), 90
mp_table_subclass (built-in class), 160	net_model_ac (class in mp), 100
· //	net_model_acc (class in mp), 104
N	net_model_acc() (mp.net_model_acc method), 104
IV	net_model_acp (class in mp), 105
n (mp.dm_element attribute), 37	net_model_acp() (mp.net_model_acp method), 105
N (mp.form_ac attribute), 75	net_model_dc (class in mp), 106
name (mp.task attribute), 9	net_model_dc() (mp.net_model_dc method), 106
name (mp.task_pf attribute), 19	network_model_build() (mp.task method), 15
name() (mp.dm_element method), 37	network_model_build() (mp.task_cpf method), 21
name() (mp.dmc_element method), 63	network_model_build_post() (mp.task_epj method), 16
name() (mp.dmce_bus3p_mpc2 method), 180	network_model_build_post() (mp.task_pf method), 19
	network_model_build_pre() (mp.task method), 15
	network_model_class() (mp.extension method), 171
name() (mp.dmce_gen3p_mpc2 method), 180	network_model_class() (mp.task method), 14
A 1 D =0	network_model_class_default() (mp.task method), 15
name() (mp.dmce_legacy_dcline_mpc2 method), 203	network_model_class_default() (mp.task_opf method), 22
name() (mp.dmce_liegacy_active_mpc2 method), 181	network_model_class_default() (mp.task_pf method), 19
name() (mp.dmce_load3p_mpc2 method), 181	network_model_create() (mp.task method), 15
	network_model_element() (mp.mm_element method), 144
	network_model_update() (mp.task method), 16
name() (mp.dmce_reserve_gen_mpc2 method), 174	<pre>network_model_update() (mp.task_cpf method), 21</pre>
name() (mp.dmce_reserve_zone_mpc2 method), 175	network_model_x_soln() (mp.math_model method), 126
name() (mp.dmce_shunt_mpc2 method), 71	network_model_x_soln() (mp.task method), 16
name() (mp.dmce_xfmr3p_mpc2 method), 182	<pre>network_model_x_soln() (mp.task_cpf method), 21</pre>
name() (mp.dme_branch method), 47	<pre>network_model_x_soln() (mp.task_pf method), 19</pre>
name() (mp.dme_bus method), 49	next_dm() (mp.task method), 10
name() (mp.dme_bus3p method), 183	<pre>next_dm() (mp.task_pf method), 19</pre>
name() (mp.dme_buslink method), 191	next_mm() (mp.task method), 10
name() (mp.dme_gen method), 52	<pre>next_mm() (mp.task_cpf method), 21</pre>
name() (mp.dme_gen3p method), 185	next_nm() (mp.task method), 10
name() (mp.dme_legacy_dcline method), 205	nk (mp.nm_element attribute), 108
name() (mp.dme_line3p method), 188	nm (mp.task attribute), 9
name() (mp.dme_load method), 54	nm_element (class in mp), 107
name() (mp.dme_load3p method), 186	nm_element_classes() (mp.extension method), 172
name() (mp.dme_reserve_gen method), 176	nm_element_classes() (mp.xt_3p method), 179
name() (mp.dme_reserve_zone method), 177	nm_element_classes() (mp.xt_legacy_dcline method), 202
name() (mp.dme_shunt method), 57	nme_branch (class in mp), 114
name() (mp.dme_xfmr3p method), 189	nme_branch_ac (class in mp), 114
name() (mp.mm_element method), 144	nme_branch_acc (class in mp), 115
name() (mp.mme_branch method), 146	nme_branch_ace (class in mp), 115
name() (mp.mme_bus method), 149	- · · · · · · · · · · · · · · · · · · ·
name() (mp.mme_bus3p method), 196	nme_branch_dc (class in mp), 115
name() (mp.mme_buslink method), 198	nme_bus (class in mp), 116 nme_bus3p (class in mp), 192
name() (mp.mme_gen method), 151	- · · · · · · · · · · · · · · · · · · ·
2 4 5 107	nme_bus3p_acc (class in mp), 193
name() (mp.mme_legacy_dcline method), 208	nme_bus3p_acp (class in mp), 193
name() (mp.mme_line3p method), 197	nme_bus_acc (class in mp), 116
name() (mp.mme_load method), 154	nme_bus_acp (class in mp), 116
name() (mp.mme_reserve_gen method), 177	nme_bus_dc (class in mp), 117
name() (mp.mme_reserve_zone method), 177	nme_buslink (class in mp), 195
name() (mp.mme_shunt method), 155	nme_buslink_acc (class in mp), 196
· · · · · · · · · · · · · · · · · · ·	nme_buslink_acp (class in mp), 196
name() (mp.mme_xfmr3p method), 197	nme_gen (class in mp), 117
name() (mp.net_model method), 92	$nme\_gen3p$ (class in mp), 193
	nme_gen3p_acc (class in mp), 194
name() (mp.nme_branch method), 114	nme_gen3p_acp (class in mp), 194
name() (mp.nme_bus method), 116	nme_gen_ac (class in mp), 117
name() (mp.nme_bus3p method), 192	nme_gen_acc (class in mp), 118
name() (mp.nme_buslink method), 196	nme_gen_acp (class in mp), 118
name() (mp.nme_gen method), 117	nme_gen_dc (class in mp), 118
name() (mp.nme_gen3p method), 194	nme_legacy_dcline (class in mp), 207
	nme_legacy_dcline_ac (class in mp), 207
name() (mp.nme_line3p method), 195	nme_legacy_dcline_acc (class in mp), 208

nme_legacy_dcline_acp (class in mp), 208	np() (mp.nme_xfmr3p method), 195
nme_legacy_dcline_dc (class in mp), 208	nr (mp.dm_element attribute), 37
nme_line3p (class in mp), 195	nv (mp.net_model attribute), 92
nme_load (class in mp), 118	nz() (mp.net_model method), 92
nme_load3p (class in mp), 194	nz() (mp.nm_element method), 109
nme_load_ac (class in mp), 119	nz() (mp.nme_buslink method), 196
nme_load_acc (class in mp), 119	nz() (mp.nme_gen method), 117
nme_load_acp (class in mp), 119	nz() (mp.nme_gen3p method), 194
nme_load_dc (class in mp), 119	nz() (mp.nme_legacy_dcline method), 207
	nz() (mp.nme_tegacy_actine memoa), 207
nme_shunt (class in mp), 120	
nme_shunt_ac (class in mp), 120	0
nme_shunt_acc (class in mp), 120	off (mp.dm_element attribute), 37
nme_shunt_acp (class in mp), 120	
nme_shunt_dc (class in mp), 121	on (mp.dm_element attribute), 37
nme_xfmr3p (class in mp), 195	online() (mp.data_model method), 30
nn() (mp.nm_element method), 109	<b>D</b>
nn() (mp.nme_bus method), 116	Р
nn() (mp.nme_bus3p method), 193	( ( 1 ( 1 ( ) 0)
<pre>nodal_complex_current_balance() (mp.net_model_ac method),</pre>	p (mp.form_dc attribute), 89
102	p_fr_lb (mp.dme_legacy_dcline attribute), 205
nodal_complex_current_balance_hess() (mp.net_model_ac	<pre>p_fr_start (mp.dme_legacy_dcline attribute), 204</pre>
	<pre>p_fr_ub (mp.dme_legacy_dcline attribute), 205</pre>
method), 103	<pre>p_to_start (mp.dme_legacy_dcline attribute), 204</pre>
nodal_complex_power_balance() (mp.net_model_ac method), 102	param_ncols (mp.form_ac attribute), 75
<pre>nodal_complex_power_balance_hess() (mp.net_model_ac</pre>	param_ncols (mp.form_dc attribute), 89
method), 103	parameterized() (mp.dme_load_cpf method), 55
<pre>nodal_current_balance_fcn() (mp.math_model_opf_ac method),</pre>	parameterized() (mp.dme_shunt_cpf method), 56
132	
<pre>nodal_current_balance_hess() (mp.math_model_opf_ac method),</pre>	params_legacy_cost() (mp.mm_shared_opf_legacy method), 143
132	params_var() (mp.net_model method), 97
<pre>nodal_power_balance_fcn() (mp.math_model_opf_ac method),</pre>	pd (mp.dme_load attribute), 54
132	pd1 (mp.dme_load3p attribute), 186
nodal_power_balance_hess() (mp.math_model_opf_ac method),	pd2 (mp.dme_load3p attribute), 186
132	pd3 (mp.dme_load3p attribute), 186
	pd_i (mp.dme_load attribute), 54
node (mp.net_model attribute), 92	pd_z (mp.dme_load attribute), 54
<pre>node_balance_equations() (mp.mm_shared_pfcpf_acci method),</pre>	pf1 (mp.dme_load3p attribute), 186
140	pf2 (mp.dme_load3p attribute), 186
<pre>node_balance_equations() (mp.mm_shared_pfcpf_accs method),</pre>	pf3 (mp.dme_load3p attribute), 186
140	pf_va_fcn() (mp.mme_buslink_pf_acc method), 199
<pre>node_balance_equations() (mp.mm_shared_pfcpf_acpi method),</pre>	pf_vm_fcn() (mp.mme_buslink_pf_acc method), 199
141	
<pre>node_balance_equations() (mp.mm_shared_pfcpf_acps method),</pre>	pg1_start (mp.dme_buslink attribute), 190
141	pg1_start (mp.dme_gen3p attribute), 184
node_indices() (mp.nm_element method), 112	pg2_start (mp.dme_buslink attribute), 190
node_power_balance_prices() (mp.math_model_opf_acci	pg2_start (mp.dme_gen3p attribute), 184
method), 133	pg3_start (mp.dme_buslink attribute), 190
	pg3_start (mp.dme_gen3p attribute), 184
node_power_balance_prices() (mp.math_model_opf_accs	pg_lb (mp.dme_gen attribute), 52
method), 134	pg_start (mp.dme_gen attribute), 51
node_power_balance_prices() (mp.math_model_opf_acpi	pg_ub (mp.dme_gen attribute), 52
method), 135	poly_cost_fcn() (mp.cost_table static method), 163
<pre>node_power_balance_prices() (mp.math_model_opf_acps</pre>	poly_params() (mp.cost_table method), 162
method), 136	poly_params() (mp.cost_table_utils static method), 164
NODE_TYPE (class in mp), 169	port (mp.net_model attribute), 92
node_types() (mp.net_model method), 98	
node_types() (mp.nm_element method), 113	port_active_power2_lim_fcn() (mp.form_ac method), 79
node_types() (mp.nme_bus method), 116	port_active_power2_lim_hess() (mp.form_ac method), 81
node_types() (mp.nme_bus3p method), 193	<pre>port_active_power_lim_fcn() (mp.form_ac method), 79</pre>
NONE (mp.NODE_TYPE attribute), 169	<pre>port_active_power_lim_hess() (mp.form_ac method), 81</pre>
np() (mp.net_model method), 92	<pre>port_apparent_power_lim_fcn() (mp.form_ac method), 79</pre>
	<pre>port_apparent_power_lim_hess() (mp.form_ac method), 80</pre>
np() (mp.nm_element method), 109	<pre>port_current_lim_fcn() (mp.form_ac method), 80</pre>
np() (mp.nme_branch method), 114	<pre>port_current_lim_hess() (mp.form_ac method), 81</pre>
np() (mp.nme_buslink method), 196	port_inj_current() (mp.form_ac method), 76
np() (mp.nme_gen method), 117	port_inj_current_hess() (mp.form_ac method), 77
np() (mp.nme_gen3p method), 194	port_inj_current_hess_v() (mp.form_ac method), 78
np() (mp.nme_legacy_dcline method), 207	port_inj_current_hess_v() (mp.form_acc method), 83
np() (mp.nme_line3p method), 195	port_inj_current_hess_v() (mp.form_acc method), 87
np() (mp.nme_load method), 118	
np() (mp.nme_load3p method), 194	port_inj_current_hess_vz() (mp.form_ac method), 78
np() (mp.nme_shunt method), 120	port_inj_current_hess_vz() (mp.form_acc method), 83
r 🗸 🔾 r	port_inj_current_hess_vz() (mp.form acp method), 87

	d-t () ( d
port_inj_current_jac() (mp.form_ac method), 78	pp_data_sum() (mp.dme_reserve_gen method), 176
<pre>port_inj_current_jac() (mp.form_acc method), 83</pre>	pp_data_sum() (mp.dme_shunt method), 57
<pre>port_inj_current_jac() (mp.form_acp method), 87</pre>	pp_data_sum() (mp.dme_xfmr3p method), 190
<pre>port_inj_current_nln() (mp.nme_load_ac method), 119</pre>	pp_flags() (mp.data_model method), 31
<pre>port_inj_nln() (mp.net_model_ac method), 101</pre>	pp_flags() (mp.data_model_opf method), 35
port_inj_nln_hess() (mp.net_model_ac method), 102	pp_get_footers() (mp.dm_element method), 43
port_inj_power() (mp.form_ac method), 76	pp_get_footers_det() (mp.dm_element method), 45
port_inj_power() (mp.form_dc method), 90	pp_get_footers_det() (mp.dme_gen method), 52
<pre>port_inj_power_hess() (mp.form_ac method), 78</pre>	<pre>pp_get_footers_det() (mp.dme_load method), 55</pre>
<pre>port_inj_power_hess_v() (mp.form_ac method), 78</pre>	<pre>pp_get_footers_det() (mp.dme_reserve_gen method), 176</pre>
<pre>port_inj_power_hess_v() (mp.form_acc method), 84</pre>	<pre>pp_get_footers_det() (mp.dme_shunt method), 57</pre>
<pre>port_inj_power_hess_v() (mp.form_acp method), 87</pre>	pp_get_footers_lim() (mp.dme_shared_opf method), 58
port_inj_power_hess_vz() (mp.form_ac method), 79	pp_get_footers_other() (mp.dme_shared_opf method), 58
port_inj_power_hess_vz() (mp.form_acc method), 84	pp_get_headers() (mp.data_model method), 32
port_inj_power_hess_vz() (mp.form_acp method), 88	pp_get_headers() (mp.dm_element method), 43
port_inj_power_jac() (mp.form_ac method), 78	pp_get_headers_cnt() (mp.data_model method), 32
<pre>port_inj_power_jac() (mp.form_acc method), 84</pre>	<pre>pp_get_headers_det() (mp.dm_element method), 45</pre>
<pre>port_inj_power_jac() (mp.form_acp method), 87</pre>	<pre>pp_get_headers_det() (mp.dme_branch method), 47</pre>
<pre>port_inj_power_nln() (mp.nme_load_ac method), 119</pre>	<pre>pp_get_headers_det() (mp.dme_bus method), 50</pre>
<pre>port_inj_soln() (mp.net_model_ac method), 103</pre>	<pre>pp_get_headers_det() (mp.dme_bus3p method), 183</pre>
<pre>port_inj_soln() (mp.net_model_dc method), 107</pre>	<pre>pp_get_headers_det() (mp.dme_bus_opf method), 51</pre>
pp_binding_rows_lim() (mp.dme_branch_opf method), 48	pp_get_headers_det() (mp.dme_buslink method), 191
pp_binding_rows_lim() (mp.dme_bus_opf method), 51	pp_get_headers_det() (mp.dme_gen method), 52
pp_binding_rows_lim() (mp.dme_gen_opf method), 53	pp_get_headers_det() (mp.dme_gen3p method), 185
pp_binding_rows_lim() (mp.dme_legacy_dcline_opf method), 206	pp_get_headers_det() (mp.dme_legacy_dcline method), 206
pp_binding_rows_lim() (mp.dme_reserve_gen method), 176	pp_get_headers_det() (mp.dme_line3p method), 188
pp_binding_rows_lim() (mp.dme_shared_opf method), 58	pp_get_headers_det() (mp.dme_load method), 55
pp_data() (mp.data_model method), 33	pp_get_headers_det() (mp.dme_load3p method), 186
pp_data() (mp.dm_element method), 43	pp_get_headers_det() (mp.dme_reserve_gen method), 176
pp_data_cnt() (mp.dm_element method), 44	<pre>pp_get_headers_det() (mp.dme_reserve_zone method), 177</pre>
pp_data_cnt() (mp.dme_branch method), 47	<pre>pp_get_headers_det() (mp.dme_shunt method), 57</pre>
pp_data_cnt() (mp.dme_bus method), 50	<pre>pp_get_headers_det() (mp.dme_xfmr3p method), 190</pre>
<pre>pp_data_det() (mp.dm_element method), 45</pre>	<pre>pp_get_headers_ext() (mp.data_model method), 33</pre>
pp_data_ext() (mp.dm_element method), 44	<pre>pp_get_headers_lim() (mp.dme_branch_opf method), 48</pre>
pp_data_ext() (mp.dme_bus method), 50	pp_get_headers_lim() (mp.dme_bus_opf method), 51
pp_data_ext() (mp.dme_bus_opf method), 50	pp_get_headers_lim() (mp.dme_gen_opf method), 53
pp_data_lim() (mp.dme_shared_opf method), 58	pp_get_headers_lim() (mp.dme_legacy_dcline_opf method), 206
pp_data_other() (mp.dme_shared_opf method), 58	pp_get_headers_lim() (mp.dme_reserve_gen method), 176
pp_data_row_det() (mp.dm_element method), 45	pp_get_headers_lim() (mp.dme_shared_opf method), 58
pp_data_row_det() (mp.dme_branch method), 47	pp_get_headers_other() (mp.data_model method), 33
pp_data_row_det() (mp.dme_bus method), 50	<pre>pp_get_headers_other() (mp.data_model_opf method), 35</pre>
pp_data_row_det() (mp.dme_bus3p method), 183	<pre>pp_get_headers_other() (mp.dme_shared_opf method), 58</pre>
<pre>pp_data_row_det() (mp.dme_bus_opf method), 51</pre>	<pre>pp_get_title_det() (mp.dm_element method), 44</pre>
pp_data_row_det() (mp.dme_buslink method), 191	<pre>pp_get_title_lim() (mp.dme_branch_opf method), 48</pre>
pp_data_row_det() (mp.dme_gen method), 52	pp_get_title_lim() (mp.dme_shared_opf method), 58
pp_data_row_det() (mp.dme_gen3p method), 185	pp_have_section() (mp.data_model method), 32
pp_data_row_det() (mp.dme_legacy_dcline method), 206	
pp_data_row_det() (mp.ame_tegacy_detine memoa), 200	nn have section() (mn dm element method) 42
nn data row dot () (mn dma line 3n method) 188	pp_have_section() (mp.dm_element method), 42
pp_data_row_det() (mp.dme_line3p method), 188	pp_have_section_cnt() (mp.dm_element method), 43
pp_data_row_det() (mp.dme_load method), 55	<pre>pp_have_section_cnt() (mp.dm_element method), 43 pp_have_section_det() (mp.dm_element method), 44</pre>
<pre>pp_data_row_det() (mp.dme_load method), 55 pp_data_row_det() (mp.dme_load3p method), 186</pre>	pp_have_section_cnt() (mp.dm_element method), 43 pp_have_section_det() (mp.dm_element method), 44 pp_have_section_det() (mp.dme_branch method), 47
<pre>pp_data_row_det() (mp.dme_load method), 55 pp_data_row_det() (mp.dme_load3p method), 186 pp_data_row_det() (mp.dme_reserve_gen method), 176</pre>	pp_have_section_cnt() (mp.dm_element method), 43 pp_have_section_det() (mp.dm_element method), 44 pp_have_section_det() (mp.dme_branch method), 47 pp_have_section_det() (mp.dme_bus method), 50
<pre>pp_data_row_det() (mp.dme_load method), 55 pp_data_row_det() (mp.dme_load3p method), 186 pp_data_row_det() (mp.dme_reserve_gen method), 176 pp_data_row_det() (mp.dme_reserve_zone method), 177</pre>	pp_have_section_cnt() (mp.dm_element method), 43 pp_have_section_det() (mp.dm_element method), 44 pp_have_section_det() (mp.dme_branch method), 47 pp_have_section_det() (mp.dme_bus method), 50 pp_have_section_det() (mp.dme_bus3p method), 183
<pre>pp_data_row_det() (mp.dme_load method), 55 pp_data_row_det() (mp.dme_load3p method), 186 pp_data_row_det() (mp.dme_reserve_gen method), 176</pre>	pp_have_section_cnt() (mp.dm_element method), 43 pp_have_section_det() (mp.dm_element method), 44 pp_have_section_det() (mp.dme_branch method), 47 pp_have_section_det() (mp.dme_bus method), 50
<pre>pp_data_row_det() (mp.dme_load method), 55 pp_data_row_det() (mp.dme_load3p method), 186 pp_data_row_det() (mp.dme_reserve_gen method), 176 pp_data_row_det() (mp.dme_reserve_zone method), 177</pre>	pp_have_section_cnt() (mp.dm_element method), 43 pp_have_section_det() (mp.dm_element method), 44 pp_have_section_det() (mp.dme_branch method), 47 pp_have_section_det() (mp.dme_bus method), 50 pp_have_section_det() (mp.dme_bus3p method), 183
pp_data_row_det() (mp.dme_load method), 55 pp_data_row_det() (mp.dme_load3p method), 186 pp_data_row_det() (mp.dme_reserve_gen method), 176 pp_data_row_det() (mp.dme_reserve_zone method), 177 pp_data_row_det() (mp.dme_shunt method), 57 pp_data_row_det() (mp.dme_xfmr3p method), 190	pp_have_section_cnt() (mp.dm_element method), 43 pp_have_section_det() (mp.dm_element method), 44 pp_have_section_det() (mp.dme_branch method), 47 pp_have_section_det() (mp.dme_bus method), 50 pp_have_section_det() (mp.dme_bus3p method), 183 pp_have_section_det() (mp.dme_buslink method), 191 pp_have_section_det() (mp.dme_gen method), 52
pp_data_row_det() (mp.dme_load method), 55 pp_data_row_det() (mp.dme_load3p method), 186 pp_data_row_det() (mp.dme_reserve_gen method), 176 pp_data_row_det() (mp.dme_reserve_zone method), 177 pp_data_row_det() (mp.dme_shunt method), 57 pp_data_row_det() (mp.dme_xfmr3p method), 190 pp_data_row_lim() (mp.dme_branch_opf method), 48	pp_have_section_cnt() (mp.dm_element method), 43 pp_have_section_det() (mp.dm_element method), 44 pp_have_section_det() (mp.dme_branch method), 47 pp_have_section_det() (mp.dme_bus method), 50 pp_have_section_det() (mp.dme_bus3p method), 183 pp_have_section_det() (mp.dme_buslink method), 191 pp_have_section_det() (mp.dme_gen method), 52 pp_have_section_det() (mp.dme_gen3p method), 185
pp_data_row_det() (mp.dme_load method), 55 pp_data_row_det() (mp.dme_load3p method), 186 pp_data_row_det() (mp.dme_reserve_gen method), 176 pp_data_row_det() (mp.dme_reserve_zone method), 177 pp_data_row_det() (mp.dme_shunt method), 57 pp_data_row_det() (mp.dme_xfmr3p method), 190 pp_data_row_lim() (mp.dme_branch_opf method), 48 pp_data_row_lim() (mp.dme_bus_opf method), 51	pp_have_section_cnt() (mp.dm_element method), 43 pp_have_section_det() (mp.dm_element method), 44 pp_have_section_det() (mp.dme_branch method), 47 pp_have_section_det() (mp.dme_bus method), 50 pp_have_section_det() (mp.dme_bus3p method), 183 pp_have_section_det() (mp.dme_buslink method), 191 pp_have_section_det() (mp.dme_gen method), 52 pp_have_section_det() (mp.dme_gen3p method), 185 pp_have_section_det() (mp.dme_legacy_dcline method), 206
pp_data_row_det() (mp.dme_load method), 55 pp_data_row_det() (mp.dme_load3p method), 186 pp_data_row_det() (mp.dme_reserve_gen method), 176 pp_data_row_det() (mp.dme_reserve_zone method), 177 pp_data_row_det() (mp.dme_shunt method), 57 pp_data_row_det() (mp.dme_xfmr3p method), 190 pp_data_row_lim() (mp.dme_branch_opf method), 48 pp_data_row_lim() (mp.dme_bus_opf method), 51 pp_data_row_lim() (mp.dme_gen_opf method), 53	pp_have_section_cnt() (mp.dm_element method), 43 pp_have_section_det() (mp.dm_element method), 44 pp_have_section_det() (mp.dme_branch method), 47 pp_have_section_det() (mp.dme_bus method), 50 pp_have_section_det() (mp.dme_bus3p method), 183 pp_have_section_det() (mp.dme_buslink method), 191 pp_have_section_det() (mp.dme_gen method), 52 pp_have_section_det() (mp.dme_gen3p method), 185 pp_have_section_det() (mp.dme_legacy_dcline method), 206 pp_have_section_det() (mp.dme_line3p method), 188
pp_data_row_det() (mp.dme_load method), 55 pp_data_row_det() (mp.dme_load3p method), 186 pp_data_row_det() (mp.dme_reserve_gen method), 176 pp_data_row_det() (mp.dme_reserve_zone method), 177 pp_data_row_det() (mp.dme_shunt method), 57 pp_data_row_det() (mp.dme_xfmr3p method), 190 pp_data_row_lim() (mp.dme_branch_opf method), 48 pp_data_row_lim() (mp.dme_bus_opf method), 51 pp_data_row_lim() (mp.dme_gen_opf method), 53 pp_data_row_lim() (mp.dme_legacy_dcline_opf method), 207	pp_have_section_cnt() (mp.dm_element method), 43 pp_have_section_det() (mp.dm_element method), 44 pp_have_section_det() (mp.dme_branch method), 47 pp_have_section_det() (mp.dme_bus method), 50 pp_have_section_det() (mp.dme_bus3p method), 183 pp_have_section_det() (mp.dme_buslink method), 191 pp_have_section_det() (mp.dme_gen method), 52 pp_have_section_det() (mp.dme_gen3p method), 185 pp_have_section_det() (mp.dme_legacy_dcline method), 206 pp_have_section_det() (mp.dme_line3p method), 188 pp_have_section_det() (mp.dme_load method), 55
pp_data_row_det() (mp.dme_load method), 55 pp_data_row_det() (mp.dme_load3p method), 186 pp_data_row_det() (mp.dme_reserve_gen method), 176 pp_data_row_det() (mp.dme_reserve_zone method), 177 pp_data_row_det() (mp.dme_shunt method), 57 pp_data_row_det() (mp.dme_sfmr3p method), 190 pp_data_row_lim() (mp.dme_branch_opf method), 48 pp_data_row_lim() (mp.dme_bus_opf method), 51 pp_data_row_lim() (mp.dme_gen_opf method), 53 pp_data_row_lim() (mp.dme_legacy_dcline_opf method), 207 pp_data_row_lim() (mp.dme_reserve_gen method), 176	pp_have_section_cnt() (mp.dm_element method), 43 pp_have_section_det() (mp.dm_element method), 44 pp_have_section_det() (mp.dme_branch method), 47 pp_have_section_det() (mp.dme_bus method), 50 pp_have_section_det() (mp.dme_bus3p method), 183 pp_have_section_det() (mp.dme_buslink method), 191 pp_have_section_det() (mp.dme_gen method), 52 pp_have_section_det() (mp.dme_gen3p method), 185 pp_have_section_det() (mp.dme_legacy_dcline method), 206 pp_have_section_det() (mp.dme_line3p method), 188 pp_have_section_det() (mp.dme_load method), 55 pp_have_section_det() (mp.dme_load method), 186
pp_data_row_det() (mp.dme_load method), 55 pp_data_row_det() (mp.dme_load3p method), 186 pp_data_row_det() (mp.dme_reserve_gen method), 176 pp_data_row_det() (mp.dme_reserve_zone method), 177 pp_data_row_det() (mp.dme_shunt method), 57 pp_data_row_det() (mp.dme_sfmr3p method), 190 pp_data_row_lim() (mp.dme_branch_opf method), 48 pp_data_row_lim() (mp.dme_bus_opf method), 51 pp_data_row_lim() (mp.dme_gen_opf method), 53 pp_data_row_lim() (mp.dme_legacy_dcline_opf method), 207 pp_data_row_lim() (mp.dme_reserve_gen method), 176 pp_data_row_lim() (mp.dme_shared_opf method), 58	pp_have_section_cnt() (mp.dm_element method), 43 pp_have_section_det() (mp.dm_element method), 44 pp_have_section_det() (mp.dme_branch method), 47 pp_have_section_det() (mp.dme_bus method), 50 pp_have_section_det() (mp.dme_bus3p method), 183 pp_have_section_det() (mp.dme_buslink method), 191 pp_have_section_det() (mp.dme_gen method), 52 pp_have_section_det() (mp.dme_gen3p method), 185 pp_have_section_det() (mp.dme_legacy_dcline method), 206 pp_have_section_det() (mp.dme_line3p method), 188 pp_have_section_det() (mp.dme_load method), 55 pp_have_section_det() (mp.dme_load3p method), 186 pp_have_section_det() (mp.dme_load3p method), 186 pp_have_section_det() (mp.dme_load3p method), 176
pp_data_row_det() (mp.dme_load method), 55 pp_data_row_det() (mp.dme_load3p method), 186 pp_data_row_det() (mp.dme_reserve_gen method), 176 pp_data_row_det() (mp.dme_reserve_zone method), 177 pp_data_row_det() (mp.dme_shunt method), 57 pp_data_row_det() (mp.dme_shunt method), 190 pp_data_row_lim() (mp.dme_branch_opf method), 48 pp_data_row_lim() (mp.dme_bus_opf method), 51 pp_data_row_lim() (mp.dme_gen_opf method), 53 pp_data_row_lim() (mp.dme_legacy_dcline_opf method), 207 pp_data_row_lim() (mp.dme_reserve_gen method), 176 pp_data_row_lim() (mp.dme_shared_opf method), 58 pp_data_sum() (mp.dme_element method), 44	pp_have_section_cnt() (mp.dm_element method), 43 pp_have_section_det() (mp.dm_element method), 44 pp_have_section_det() (mp.dme_branch method), 47 pp_have_section_det() (mp.dme_bus method), 50 pp_have_section_det() (mp.dme_bus3p method), 183 pp_have_section_det() (mp.dme_buslink method), 191 pp_have_section_det() (mp.dme_gen method), 52 pp_have_section_det() (mp.dme_gen3p method), 185 pp_have_section_det() (mp.dme_legacy_dcline method), 206 pp_have_section_det() (mp.dme_line3p method), 188 pp_have_section_det() (mp.dme_load method), 55 pp_have_section_det() (mp.dme_load3p method), 186 pp_have_section_det() (mp.dme_load3p method), 176 pp_have_section_det() (mp.dme_reserve_gen method), 177
pp_data_row_det() (mp.dme_load method), 55 pp_data_row_det() (mp.dme_load3p method), 186 pp_data_row_det() (mp.dme_reserve_gen method), 176 pp_data_row_det() (mp.dme_reserve_zone method), 177 pp_data_row_det() (mp.dme_shunt method), 57 pp_data_row_det() (mp.dme_sfmr3p method), 190 pp_data_row_lim() (mp.dme_branch_opf method), 48 pp_data_row_lim() (mp.dme_branch_opf method), 51 pp_data_row_lim() (mp.dme_gen_opf method), 53 pp_data_row_lim() (mp.dme_legacy_dcline_opf method), 207 pp_data_row_lim() (mp.dme_reserve_gen method), 176 pp_data_row_lim() (mp.dme_shared_opf method), 58 pp_data_sum() (mp.dme_lement method), 44 pp_data_sum() (mp.dme_lement method), 47	pp_have_section_cnt() (mp.dm_element method), 43 pp_have_section_det() (mp.dm_element method), 44 pp_have_section_det() (mp.dme_branch method), 47 pp_have_section_det() (mp.dme_bus method), 50 pp_have_section_det() (mp.dme_bus3p method), 183 pp_have_section_det() (mp.dme_buslink method), 191 pp_have_section_det() (mp.dme_gen method), 52 pp_have_section_det() (mp.dme_gen3p method), 185 pp_have_section_det() (mp.dme_legacy_dcline method), 206 pp_have_section_det() (mp.dme_line3p method), 188 pp_have_section_det() (mp.dme_load method), 55 pp_have_section_det() (mp.dme_load3p method), 186 pp_have_section_det() (mp.dme_reserve_gen method), 176 pp_have_section_det() (mp.dme_reserve_zone method), 177 pp_have_section_det() (mp.dme_reserve_zone method), 177 pp_have_section_det() (mp.dme_reserve_zone method), 57
pp_data_row_det() (mp.dme_load method), 55 pp_data_row_det() (mp.dme_load3p method), 186 pp_data_row_det() (mp.dme_reserve_gen method), 176 pp_data_row_det() (mp.dme_reserve_zone method), 177 pp_data_row_det() (mp.dme_shunt method), 57 pp_data_row_det() (mp.dme_xfmr3p method), 190 pp_data_row_lim() (mp.dme_branch_opf method), 48 pp_data_row_lim() (mp.dme_branch_opf method), 51 pp_data_row_lim() (mp.dme_gen_opf method), 53 pp_data_row_lim() (mp.dme_legacy_dcline_opf method), 207 pp_data_row_lim() (mp.dme_reserve_gen method), 176 pp_data_row_lim() (mp.dme_shared_opf method), 58 pp_data_sum() (mp.dme_lement method), 44 pp_data_sum() (mp.dme_branch method), 47 pp_data_sum() (mp.dme_gen method), 52	pp_have_section_cnt() (mp.dm_element method), 43 pp_have_section_det() (mp.dm_element method), 44 pp_have_section_det() (mp.dme_branch method), 47 pp_have_section_det() (mp.dme_bus method), 50 pp_have_section_det() (mp.dme_bus3p method), 183 pp_have_section_det() (mp.dme_buslink method), 191 pp_have_section_det() (mp.dme_gen method), 52 pp_have_section_det() (mp.dme_gen3p method), 185 pp_have_section_det() (mp.dme_legacy_dcline method), 206 pp_have_section_det() (mp.dme_line3p method), 188 pp_have_section_det() (mp.dme_load method), 55 pp_have_section_det() (mp.dme_load3p method), 186 pp_have_section_det() (mp.dme_reserve_gen method), 176 pp_have_section_det() (mp.dme_reserve_zone method), 177 pp_have_section_det() (mp.dme_rshunt method), 57 pp_have_section_det() (mp.dme_shunt method), 190
pp_data_row_det() (mp.dme_load method), 55 pp_data_row_det() (mp.dme_load3p method), 186 pp_data_row_det() (mp.dme_reserve_gen method), 176 pp_data_row_det() (mp.dme_reserve_zone method), 177 pp_data_row_det() (mp.dme_shunt method), 57 pp_data_row_det() (mp.dme_shunt method), 190 pp_data_row_lim() (mp.dme_branch_opf method), 48 pp_data_row_lim() (mp.dme_branch_opf method), 51 pp_data_row_lim() (mp.dme_gen_opf method), 53 pp_data_row_lim() (mp.dme_legacy_dcline_opf method), 207 pp_data_row_lim() (mp.dme_reserve_gen method), 176 pp_data_row_lim() (mp.dme_shared_opf method), 58 pp_data_sum() (mp.dme_lement method), 44 pp_data_sum() (mp.dme_branch method), 47 pp_data_sum() (mp.dme_gen_method), 52 pp_data_sum() (mp.dme_gen_pm_ethod), 185	pp_have_section_cnt() (mp.dm_element method), 43 pp_have_section_det() (mp.dm_element method), 44 pp_have_section_det() (mp.dme_branch method), 47 pp_have_section_det() (mp.dme_bus method), 50 pp_have_section_det() (mp.dme_bus3p method), 183 pp_have_section_det() (mp.dme_buslink method), 191 pp_have_section_det() (mp.dme_gen method), 52 pp_have_section_det() (mp.dme_gen3p method), 185 pp_have_section_det() (mp.dme_legacy_dcline method), 206 pp_have_section_det() (mp.dme_line3p method), 188 pp_have_section_det() (mp.dme_load3p method), 186 pp_have_section_det() (mp.dme_load3p method), 176 pp_have_section_det() (mp.dme_reserve_gen method), 177 pp_have_section_det() (mp.dme_shunt method), 57 pp_have_section_det() (mp.dme_shunt method), 190 pp_have_section_dext() (mp.dme_xfmr3p method), 190 pp_have_section_ext() (mp.dme_lement method), 44
pp_data_row_det() (mp.dme_load method), 55 pp_data_row_det() (mp.dme_load3p method), 186 pp_data_row_det() (mp.dme_reserve_gen method), 176 pp_data_row_det() (mp.dme_reserve_zone method), 177 pp_data_row_det() (mp.dme_shunt method), 57 pp_data_row_det() (mp.dme_xfmr3p method), 190 pp_data_row_lim() (mp.dme_branch_opf method), 48 pp_data_row_lim() (mp.dme_branch_opf method), 51 pp_data_row_lim() (mp.dme_gen_opf method), 53 pp_data_row_lim() (mp.dme_legacy_dcline_opf method), 207 pp_data_row_lim() (mp.dme_reserve_gen method), 176 pp_data_row_lim() (mp.dme_shared_opf method), 58 pp_data_sum() (mp.dme_lement method), 44 pp_data_sum() (mp.dme_branch method), 47 pp_data_sum() (mp.dme_gen method), 52	pp_have_section_cnt() (mp.dm_element method), 43 pp_have_section_det() (mp.dm_element method), 44 pp_have_section_det() (mp.dme_branch method), 47 pp_have_section_det() (mp.dme_bus3p method), 50 pp_have_section_det() (mp.dme_bus3p method), 183 pp_have_section_det() (mp.dme_buslink method), 191 pp_have_section_det() (mp.dme_gen method), 52 pp_have_section_det() (mp.dme_gen3p method), 185 pp_have_section_det() (mp.dme_legacy_dcline method), 206 pp_have_section_det() (mp.dme_line3p method), 188 pp_have_section_det() (mp.dme_load3p method), 186 pp_have_section_det() (mp.dme_load3p method), 186 pp_have_section_det() (mp.dme_reserve_gen method), 176 pp_have_section_det() (mp.dme_reserve_zone method), 177 pp_have_section_det() (mp.dme_shunt method), 57 pp_have_section_det() (mp.dme_shunt method), 190 pp_have_section_ext() (mp.dme_lous method), 50
pp_data_row_det() (mp.dme_load method), 55 pp_data_row_det() (mp.dme_load3p method), 186 pp_data_row_det() (mp.dme_reserve_gen method), 176 pp_data_row_det() (mp.dme_reserve_zone method), 177 pp_data_row_det() (mp.dme_shunt method), 57 pp_data_row_det() (mp.dme_shunt method), 190 pp_data_row_lim() (mp.dme_branch_opf method), 48 pp_data_row_lim() (mp.dme_branch_opf method), 51 pp_data_row_lim() (mp.dme_gen_opf method), 53 pp_data_row_lim() (mp.dme_legacy_dcline_opf method), 207 pp_data_row_lim() (mp.dme_reserve_gen method), 176 pp_data_row_lim() (mp.dme_shared_opf method), 58 pp_data_sum() (mp.dme_lement method), 44 pp_data_sum() (mp.dme_branch method), 47 pp_data_sum() (mp.dme_gen_method), 52 pp_data_sum() (mp.dme_gen_pm_ethod), 185	pp_have_section_cnt() (mp.dm_element method), 43 pp_have_section_det() (mp.dm_element method), 44 pp_have_section_det() (mp.dme_branch method), 47 pp_have_section_det() (mp.dme_bus method), 50 pp_have_section_det() (mp.dme_bus3p method), 183 pp_have_section_det() (mp.dme_buslink method), 191 pp_have_section_det() (mp.dme_gen method), 52 pp_have_section_det() (mp.dme_gen3p method), 185 pp_have_section_det() (mp.dme_legacy_dcline method), 206 pp_have_section_det() (mp.dme_line3p method), 188 pp_have_section_det() (mp.dme_load3p method), 55 pp_have_section_det() (mp.dme_load3p method), 186 pp_have_section_det() (mp.dme_reserve_gen method), 176 pp_have_section_det() (mp.dme_reserve_gen method), 177 pp_have_section_det() (mp.dme_shunt method), 57 pp_have_section_det() (mp.dme_shunt method), 190 pp_have_section_ext() (mp.dme_lous method), 50 pp_have_section_ext() (mp.dme_bus method), 50 pp_have_section_lim() (mp.dme_bus method), 48
pp_data_row_det() (mp.dme_load method), 55 pp_data_row_det() (mp.dme_load3p method), 186 pp_data_row_det() (mp.dme_reserve_gen method), 176 pp_data_row_det() (mp.dme_reserve_zone method), 177 pp_data_row_det() (mp.dme_shunt method), 57 pp_data_row_det() (mp.dme_shunt method), 190 pp_data_row_lim() (mp.dme_branch_opf method), 48 pp_data_row_lim() (mp.dme_bus_opf method), 51 pp_data_row_lim() (mp.dme_gen_opf method), 53 pp_data_row_lim() (mp.dme_legacy_dcline_opf method), 207 pp_data_row_lim() (mp.dme_reserve_gen method), 176 pp_data_row_lim() (mp.dme_shared_opf method), 58 pp_data_sum() (mp.dme_lement method), 44 pp_data_sum() (mp.dme_lement method), 47 pp_data_sum() (mp.dme_gen_method), 52 pp_data_sum() (mp.dme_gen_pmethod), 185 pp_data_sum() (mp.dme_legacy_dcline method), 205	pp_have_section_cnt() (mp.dm_element method), 43 pp_have_section_det() (mp.dm_element method), 44 pp_have_section_det() (mp.dme_branch method), 47 pp_have_section_det() (mp.dme_buss method), 50 pp_have_section_det() (mp.dme_bussp method), 183 pp_have_section_det() (mp.dme_buslink method), 191 pp_have_section_det() (mp.dme_gen method), 52 pp_have_section_det() (mp.dme_gensp method), 185 pp_have_section_det() (mp.dme_legacy_dcline method), 206 pp_have_section_det() (mp.dme_line3p method), 188 pp_have_section_det() (mp.dme_load3p method), 186 pp_have_section_det() (mp.dme_load3p method), 186 pp_have_section_det() (mp.dme_reserve_gen method), 176 pp_have_section_det() (mp.dme_reserve_zone method), 177 pp_have_section_det() (mp.dme_shunt method), 57 pp_have_section_det() (mp.dme_shunt method), 190 pp_have_section_ext() (mp.dme_lous method), 50
pp_data_row_det() (mp.dme_load method), 55 pp_data_row_det() (mp.dme_load3p method), 186 pp_data_row_det() (mp.dme_reserve_gen method), 176 pp_data_row_det() (mp.dme_reserve_gen method), 177 pp_data_row_det() (mp.dme_shunt method), 57 pp_data_row_det() (mp.dme_shunt method), 190 pp_data_row_lim() (mp.dme_branch_opf method), 48 pp_data_row_lim() (mp.dme_bus_opf method), 51 pp_data_row_lim() (mp.dme_gen_opf method), 53 pp_data_row_lim() (mp.dme_legacy_dcline_opf method), 207 pp_data_row_lim() (mp.dme_reserve_gen method), 176 pp_data_row_lim() (mp.dme_legacy_dcline_opf method), 58 pp_data_row_lim() (mp.dme_lement method), 44 pp_data_sum() (mp.dme_branch method), 47 pp_data_sum() (mp.dme_gen_method), 52 pp_data_sum() (mp.dme_gen_ap method), 185 pp_data_sum() (mp.dme_legacy_dcline method), 205 pp_data_sum() (mp.dme_line3p method), 188	pp_have_section_cnt() (mp.dm_element method), 43 pp_have_section_det() (mp.dm_element method), 44 pp_have_section_det() (mp.dme_branch method), 47 pp_have_section_det() (mp.dme_bus method), 50 pp_have_section_det() (mp.dme_bus3p method), 183 pp_have_section_det() (mp.dme_buslink method), 191 pp_have_section_det() (mp.dme_gen method), 52 pp_have_section_det() (mp.dme_gen3p method), 185 pp_have_section_det() (mp.dme_legacy_dcline method), 206 pp_have_section_det() (mp.dme_legacy_dcline method), 188 pp_have_section_det() (mp.dme_load3p method), 186 pp_have_section_det() (mp.dme_load3p method), 186 pp_have_section_det() (mp.dme_reserve_gen method), 176 pp_have_section_det() (mp.dme_reserve_gen method), 177 pp_have_section_det() (mp.dme_shunt method), 57 pp_have_section_det() (mp.dme_shunt method), 190 pp_have_section_ext() (mp.dme_lous method), 50 pp_have_section_lim() (mp.dme_bus method), 50 pp_have_section_lim() (mp.dme_branch_opf method), 48

<pre>pp_have_section_lim() (mp.dme_legacy_dcline_opf method), 206</pre>	REF (mp.NODE_TYPE attribute), 169
pp_have_section_lim() (mp.dme_reserve_gen method), 176	ref (mp.task_pf attribute), 19
pp_have_section_lim() (mp.dme_shared_opf method), 58	ref0 (mp.task_pf attribute), 19
pp_have_section_other() (mp.dme_shared_opf method), 58	req (mp.dme_reserve_zone attribute), 177
pp_have_section_sum() (mp.dm_element method), 44	run() (mp.task method), 9
pp_have_section_sum() (mp.dme_branch method), 47	run_cpf() (built-in function), 5
pp_have_section_sum() (mp.dme_gen method), 52	run_mp() (built-in function), 3
pp_have_section_sum() (mp.dme_gen3p method), 185	run_opf() (built-in function), 5
pp_have_section_sum() (mp.dme_legacy_dcline method), 205	run_pf() (built-in function), 4
pp_have_section_sum() (mp.dme_line3p method), 188	run_post() (mp.task method), 11
<pre>pp_have_section_sum() (mp.dme_load method), 55</pre>	run_post() (mp.task_cpf_legacy method), 24
pp_have_section_sum() (mp.dme_load3p method), 186	run_post() (mp.task_opf_legacy method), 25
pp_have_section_sum() (mp.dme_reserve_gen method), 176	run_post() (mp.task_pf_legacy method), 23
pp_have_section_sum() (mp.dme_shunt method), 57	run_pre() (mp.task method), 11
pp_have_section_sum() (mp.dme_xfmr3p method), 190	run_pre() (mp.task_cpf method), 21
pp_rows() (mp.dm_element method), 43	run_pre() (mp.task_cpf_legacy method), 24
pp_rows_lim() (mp.dme_shared_opf method), 58	run_pre() (mp.task_opf method), 22
pp_rows_other() (mp.dme_shared_opf method), 58	run_pre() (mp.task_opf_legacy method), 25
pp_section() (mp.data_model method), 32	run_pre() (mp.task_pf method), 19
<pre>pp_section_label() (mp.data_model method), 31 pp_section_list() (mp.data_model method), 31</pre>	run_pre() (mp.task_pf_legacy method), 23 run_pre_legacy() (mp.task_shared_legacy method), 27
pp_section_list() (mp.data_model_opf method), 35	Tun_pre_regacy() (mp.task_sharea_tegacy memoa), 27
pp_set_tols_lim() (mp.dme_shared_opf method), 58	C
PQ (mp.NODE_TYPE attribute), 169	S
pq_capability_constraint() (mp.mme_gen_opf_ac method), 153	s (mp.form_ac attribute), 75
pretty_print() (mp.data_model method), 30	save() (mp.dm_converter method), 60
pretty_print() (mp.dm_element method), 42	<pre>save() (mp.dm_converter_mpc2 method), 61</pre>
pretty_print() (mp.dme_branch_opf method), 48	save_soln() (mp.task method), 12
pretty_print() (mp.dme_gen_opf method), 53	<pre>scale_factor_fcn() (mp.dmce_load_mpc2 method), 70</pre>
pretty_print() (mp.dme_legacy_dcline_opf method), 206	<pre>set_bus_type_pq() (mp.dme_bus method), 50</pre>
pretty_print() (mp.dme_line3p method), 188	<pre>set_bus_type_pv() (mp.dme_bus method), 50</pre>
pretty_print() (mp.dme_xfmr3p method), 190	<pre>set_bus_type_ref() (mp.dme_bus method), 50</pre>
print_soln() (mp.task method), 11	<pre>set_bus_v_lims_via_vg() (mp.data_model method), 33</pre>
print_soln_header() (mp.task method), 11	set_node_type_pq() (mp.net_model method), 100
<pre>print_soln_header() (mp.task_opf method), 22</pre>	set_node_type_pq() (mp.nm_element method), 114
ptol (mp.dme_shared_opf attribute), 58	set_node_type_pq() (mp.nme_bus method), 116
PV (mp.NODE_TYPE attribute), 169	set_node_type_pv() (mp.net_model method), 100
pwl1 (mp.dmce_gen_mpc2 attribute), 69	set_node_type_pv() (mp.nm_element method), 113
pwl_params() (mp.cost_table method), 163	set_node_type_pv() (mp.nme_bus method), 116
pwl_params() (mp.cost_table_utils static method), 165	set_node_type_ref() (mp.net_model method), 99
	set_node_type_ref() (mp.nm_element method), 113
Q	<pre>set_node_type_ref() (mp.nme_bus method), 116 set_table() (mp_table_subclass method), 161</pre>
q_fr_lb (mp.dme_legacy_dcline attribute), 205	set_type_idx_map() (mp.net_model method), 95
q_fr_start (mp.dme_legacy_dcline attribute), 204	set_type_label() (mp.net_model method), 96
q_fr_ub (mp.dme_legacy_dcline attribute), 205	size() (mp.mapped_array method), 167
q_to_lb (mp.dme_legacy_dcline attribute), 205	size() (mp_table method), 157
q_to_10 (mp.ame_legacy_actine attribute), 205	snln (mp.form_ac attribute), 75
q_to_ub (mp.dme_legacy_dcline attribute), 205	snln_hess (mp.form_ac attribute), 75
qd (mp.dme_load attribute), 54	soln (mp.nm_element attribute), 109
qd_i (mp.dme_load attribute), 54	solve_opts() (mp.math_model method), 125
qd_z (mp.dme_load attribute), 54	solve_opts() (mp.math_model_opf_ac method), 132
gg1_start (mp.dme_buslink attribute), 190	solve_opts() (mp.math_model_opf_dc method), 137
gg1_start (mp.dme_gen3p attribute), 184	solve_opts() (mp.math_model_pf method), 126
qg2_start (mp.dme_buslink attribute), 190	solve_opts() (mp.math_model_pf_dc method), 129
qg2_start (mp.dme_gen3p attribute), 184	solve_opts_warmstart() (mp.math_model_cpf_acps method), 131
qg3_start (mp.dme_buslink attribute), 191	source (mp.data_model attribute), 28
qg3_start (mp.dme_gen3p attribute), 184	stack_matrix_params() (mp.net_model method), 93
qg_lb (mp.dme_gen attribute), 52	stack_vector_params() (mp.net_model method), 93
qg_start (mp.dme_gen attribute), 51	<pre>start_cost_export() (mp.dmce_gen_mpc2 method), 70</pre>
qg_ub (mp.dme_gen attribute), 52	<pre>start_cost_import() (mp.dmce_gen_mpc2 method), 70</pre>
_	state (mp.net_model attribute), 92
R	<pre>subsasgn() (mp.mapped_array method), 169</pre>
	subsasgn() (mp_table method), 158
r (mp.dme_branch attribute), 46	<pre>subsref() (mp.mapped_array method), 168</pre>
r (mp.dme_xfmr3p attribute), 189	subsref() (mp_table method), 158
r_ub ( <i>mp.dme_reserve_gen attribute</i> ), 175 rate_a ( <i>mp.dme_branch attribute</i> ), 47	success (mp.task attribute), 9
rate_a (mp.ame_branch anribute), 4/	symmat2vec() (mp.dme_line3p method), 188

update\_status() (mp.dme\_shunt method), 57

```
update_status() (mp.dme xfmr3p method), 190
sys_wide_zip_loads() (mp.dmce_load_mpc2 method), 70
                                                                  update_z() (mp.mm_shared_pfcpf_ac method), 138
                                                                  update_z() (mp.mm_shared_pfcpf_dc method), 142
                                                                  userdata (mp.data_model attribute), 28
ta (mp.dme_branch attribute), 47
tab (mp.dm_element attribute), 37
                                                                  V
table_exists() (mp.dm_element method), 39
table_var_map() (mp.dmc_element method), 65
                                                                  va (mp.net_model_dc attribute), 107
table_var_map() (mp.dmce_branch_mpc2 method), 69
                                                                  va1_start (mp.dme_bus3p attribute), 183
table_var_map() (mp.dmce_bus3p_mpc2 method), 180
                                                                  va2_start (mp.dme_bus3p attribute), 183
table_var_map() (mp.dmce_bus_mpc2 method), 69
                                                                  va3_start (mp.dme_bus3p attribute), 183
table_var_map() (mp.dmce_buslink_mpc2 method), 182
                                                                  va_fcn() (mp.form_acc method), 84
table_var_map() (mp.dmce_gen3p_mpc2 method), 180
                                                                  va_fcn() (mp.mme_buslink_opf_acc method), 201
table_var_map() (mp.dmce_gen_mpc2 method), 70
                                                                  va_hess() (mp.form_acc method), 85
table_var_map() (mp.dmce_legacy_dcline_mpc2 method), 203
                                                                  va_hess() (mp.mme_buslink_opf_acc method), 201
table_var_map() (mp.dmce_line3p_mpc2 method), 181
                                                                  va_ref0 (mp.task_pf attribute), 19
table_var_map() (mp.dmce_load3p_mpc2 method), 181
                                                                  va_start (mp.dme_bus attribute), 49
table_var_map() (mp.dmce_load_mpc2 method), 70
                                                                  vec2symmat() (mp.dme_line3p method), 188
table_var_map() (mp.dmce_reserve_gen_mpc2 method), 174
                                                                  vec2symmat_stacked() (mp.nme_line3p method), 195
table_var_map() (mp.dmce reserve zone mpc2 method), 175
                                                                  vertcat() (mp_table method), 159
table_var_map() (mp.dmce_shunt_mpc2 method), 71
                                                                  violated_q_lims() (mp.dme_gen method), 52
table_var_map() (mp.dmce_xfmr3p_mpc2 method), 182
                                                                  vm1_setpoint (mp.dme_gen3p attribute), 184
tag (mp.task attribute), 9
                                                                  vm1_start (mp.dme_bus3p attribute), 183
tag (mp.task_pf attribute), 19
                                                                  vm2_fcn() (mp.form_acc method), 85
task (class in mp), 7
                                                                  vm2_fcn() (mp.mme_buslink_opf_acc method), 201
task_class() (mp.extension method), 171
                                                                  vm2_hess() (mp.form_acc method), 85
                                                                  vm2_hess() (mp.mme_buslink_opf_acc method), 201
task_cpf (class in mp), 20
task_cpf() (mp.task_cpf method), 20
                                                                  vm2_setpoint (mp.dme_gen3p attribute), 184
task_cpf_legacy (class in mp), 24
                                                                  vm2_start (mp.dme_bus3p attribute), 183
task_name() (mp.math_model method), 122
                                                                  vm3_setpoint (mp.dme_gen3p attribute), 185
task_name() (mp.math_model_opf method), 131
                                                                  vm3_start (mp.dme_bus3p attribute), 183
                                                                  vm_control (mp.dme_bus attribute), 49
task_name() (mp.math_model_pf method), 126
task_opf (class in mp), 21
                                                                  vm_control (mp.dme_bus3p attribute), 183
task_opf_legacy (class in mp), 25
                                                                  vm_lb (mp.dme_bus attribute), 49
task_pf (class in mp), 18
                                                                  vm_setpoint (mp.dme_gen attribute), 52
task_pf_legacy (class in mp), 22
                                                                  \verb|vm_setpoint_fr| (mp.dme\_legacy\_dcline| attribute), 205|
task_shared_legacy (class in mp), 26
                                                                  vm_setpoint_to (mp.dme_legacy_dcline attribute), 205
task_tag() (mp.math_model method), 122
                                                                  vm_start (mp.dme_bus attribute), 49
task_tag() (mp.math_model_opf method), 131
                                                                  vm_ub (mp.dme bus attribute), 49
task_tag() (mp.math_model_pf method), 126
                                                                  voltage_constraints() (mp.mme_buslink_pf_ac method), 198
tbus (mp.dme\_branch\ attribute), 46
                                                                  voltage_constraints() (mp.nme_buslink method), 196
tbus (mp.dme_legacy_dcline attribute), 204
tbus (mp.dme_line3p attribute), 187
                                                                  W
tbus (mp.dme_xfmr3p attribute), 189
                                                                  warmstart (mp.task cpf attribute), 20
tbus_on (mp.dme_legacy_dcline attribute), 204
the_np (mp.net model attribute), 92
                                                                  X
the_nz (mp.net_model attribute), 92
tm(mp.dme\_branch\ attribute), 47
                                                                  x (mp.dme_branch attribute), 46
type (mp.dme bus attribute), 49
                                                                  x (mp.dme xfmr3p attribute), 189
type (mp.dme_bus3p attribute), 183
                                                                  x2vz() (mp.nm_element method), 111
                                                                  xt_3p (class in mp), 178
U
                                                                  xt_legacy_dcline (class in mp), 202
                                                                  xt_reserves (class in mp), 173
update_nm_vars() (mp.math_model method), 125
update_status() (mp.data_model method), 29
                                                                   Y
update_status() (mp.dm_element method), 41
update_status() (mp.dme_branch method), 47
                                                                  Y (mp.form_ac attribute), 75
update_status() (mp.dme_bus method), 49
                                                                  yc (mp.dme_line3p attribute), 188
update_status() (mp.dme_bus3p method), 183
                                                                  ys (mp.dme_line3p attribute), 188
update_status() (mp.dme_buslink method), 191
update_status() (mp.dme_gen method), 52
update_status() (mp.dme_gen3p method), 185
update_status() (mp.dme_legacy_dcline method), 205
                                                                  z (mp.net_model_dc attribute), 107
update_status() (mp.dme_line3p method), 188
                                                                  zq_x_update() (mp.math model pf acps method), 128
update_status() (mp.dme_load method), 55
                                                                  zones (mp.dme_reserve_zone attribute), 177
update_status() (mp.dme_load3p method), 186
\verb"update_status"() \textit{ (mp.dme\_reserve\_gen method)}, 176
update_status() (mp.dme_reserve_zone method), 177
```