

MATPOWER Interior Point Solver

MIPS 1.5.1

User's Manual

Ray D. Zimmerman Hongye Wang

May 10, 2024

Contents

1	Introduction	5
1.1	Background	5
1.2	License and Terms of Use	6
1.3	Citing MIPS	7
1.4	MIPS Development	7
2	Getting Started	8
2.1	System Requirements	8
2.2	Installation	8
2.3	Documentation	9
3	MIPS – MATPOWER Interior Point Solver	10
3.1	Example 1	14
3.2	Example 2	15
3.3	Primal-Dual Interior Point Algorithm	17
3.3.1	Notation	17
3.3.2	Problem Formulation and Lagrangian	18
3.3.3	First Order Optimality Conditions	19
3.3.4	Newton Step	19
4	Other Functions	22
4.1	Linear System Solver - <code>mplinsolve</code>	22
4.2	Quadratic Programming Solver - <code>qps_mips</code>	23
4.3	Private Feature Detection Functions	24
4.3.1	<code>have_feature_lu_vec</code>	24
4.3.2	<code>have_feature_pardiso_legacy</code>	24
4.3.3	<code>have_feature_pardiso_object</code>	24
4.3.4	<code>have_feature_pardiso</code>	24
5	Acknowledgments	25
	Appendix A MIPS Files and Functions	26
	Appendix B PARDISO – Parallel Sparse Direct and Multi-Recursive Iterative Linear Solvers	27

Appendix C Release History	28
C.1 Version 1.0 – released Feb 7, 2011	28
C.2 Version 1.0.1 – released Apr 30, 2012	28
C.3 Version 1.0.2 – released Nov 5, 2013	28
C.4 Version 1.1 – released Dec 17, 2014	29
C.5 Version 1.2 – released Mar 20, 2015	29
C.6 Version 1.2.1 – released Jun 1, 2016	30
C.7 Version 1.2.2 – released Dec 16, 2016	30
C.8 Version 1.3 – released Oct 30, 2018	31
C.9 Version 1.3.1 – released Jun 20, 2019	32
C.10 Version 1.4 – released Oct 8, 2020	32
C.11 Version 1.5 – released Dec 12, 2022	33
C.12 Version 1.5.1 – released May 10, 2024	33
References	35

List of Tables

3-1	Input Arguments for <code>mips</code>	11
3-2	Output Arguments for <code>mips</code>	12
3-3	Options for <code>mips</code>	13
A-1	MIPS Files and Functions	26

1 Introduction

1.1 Background

MATPOWER Interior Point Solver (MIPS) is a package of MATLAB language M-files¹ for solving non-linear programming problems (NLPs) using a primal dual interior point method. The MIPS project page can be found at:

<https://github.com/MATPOWER/mips>

MIPS is based on code written in C language [1] by Hongye Wang as a graduate student at Cornell University for optimal power flow applications [2, 3]. It was later ported to the MATLAB language by Ray D. Zimmerman of PSERC² at Cornell University for use in **MATPOWER** [4, 5].

Up until version 6 of **MATPOWER**, MIPS was distributed only as an integrated part of **MATPOWER**. After the release of **MATPOWER** 6, MIPS was split out into a separate project, though it is still included with **MATPOWER** as its default AC optimal power flow solver.

¹Also compatible with GNU Octave [7].

²<http://pserc.org/>

1.2 License and Terms of Use

The code in MIPS is distributed under the 3-clause BSD license³ [8]. The full text of the license can be found in the LICENSE file at the top level of the distribution or at <https://github.com/MATPOWER/mips/blob/master/LICENSE> and reads as follows.

```
Copyright (c) 1996-2016, Power Systems Engineering Research Center
(PSERC) and individual contributors (see AUTHORS file for details).
All rights reserved.
```

```
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
```

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

```
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN
ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.
```

³Versions 1.0 through 1.1 of MIPS were distributed under version 3.0 of the GNU General Public License (GPL) [9] with an exception added to clarify our intention to allow MIPS to interface with MATLAB as well as any other MATLAB code or MEX-files a user may have installed, regardless of their licensing terms. The full text of the GPL can be found at <https://www.gnu.org/licenses/gpl-3.0.txt>.

1.3 Citing MIPS

We request that publications derived from the use of MIPS explicitly acknowledge that fact by citing the following 2007 paper [2].

H. Wang, C. E. Murillo-Sánchez, R. D. Zimmerman, and R. J. Thomas, “On Computational Issues of Market-Based Optimal Power Flow,” *Power Systems, IEEE Transactions on*, vol. 22, no. 3, pp. 1185–1193, August 2007.
doi: [10.1109/TPWRS.2007.901301](https://doi.org/10.1109/TPWRS.2007.901301)

The **MATPOWER Interior Point Solver (MIPS)** User’s Manual [6] should also be cited explicitly in work that refers to or is derived from its content. The citation and DOI can be version-specific or general, as appropriate. For version 1.5.1, use:

R. D. Zimmerman, H. Wang. **MATPOWER Interior Point Solver (MIPS)** User’s Manual, Version 1.5.1. 2024. [Online]. Available: <https://matpower.org/docs/MIPS-manual-1.5.1.pdf>
doi: [10.5281/zenodo.11176870](https://doi.org/10.5281/zenodo.11176870)

For a version non-specific citation, use the following citation and DOI, with *<YEAR>* replaced by the year of the most recent release:

R. D. Zimmerman, H. Wang. **MATPOWER Interior Point Solver (MIPS)** User’s Manual. *<YEAR>*. [Online]. Available: <https://matpower.org/docs/MIPS-manual.pdf>
doi: [10.5281/zenodo.3236506](https://doi.org/10.5281/zenodo.3236506)

A list of versions of the User’s Manual with release dates and version-specific DOI’s can be found via the general DOI at <https://doi.org/10.5281/zenodo.3236506>.

1.4 MIPS Development

Following the release of MIPS 1.2.2 (with MATPOWER 6.0), the MIPS project moved to an open development paradigm, hosted on the MIPS GitHub project page:

<https://github.com/MATPOWER/mips>

The MIPS GitHub project hosts the public Git code repository as well as a public issue tracker for handling bug reports, patches, and other issues and contributions. There are separate GitHub hosted repositories and issue trackers for MATPOWER, MOST, MP-Opt-Model and the testing framework used by all of them, MP-Test, all available from <https://github.com/MATPOWER/>.

2 Getting Started

2.1 System Requirements

To use MIPS 1.5.1 you will need:

- MATLAB[®] version 7 (R14) or later⁴, or
- GNU Octave version 3.4 or later⁵
- [MP-Test](#) version 7.1 or later.⁶

For the hardware requirements, please refer to the system requirements for the version of MATLAB⁷ or Octave that you are using.

In this manual, references to MATLAB usually apply to Octave as well.

2.2 Installation

Note to MATPOWER users: *MIPS and its prerequisite, MP-Test, are included when you install MATPOWER. There is generally no need to install them separately. You can skip directly to step 3 to verify.*

Installation and use of MIPS requires familiarity with the basic operation of MATLAB or Octave, including setting up your MATLAB/Octave path.

Step 1: Clone the repository or download and extract the zip file of the MIPS distribution from the [MIPS project page](#)⁸ to the location of your choice. The files in the resulting `mips` or `mipsXXX` directory, where `XXX` depends on the version of MIPS, should not need to be modified, so it is recommended that they be kept separate from your own code. We will use `<MIPS>` to denote the path to this directory.

⁴MATLAB is available from The MathWorks, Inc. (<https://www.mathworks.com/>). MATLAB is a registered trademark of The MathWorks, Inc.

⁵GNU Octave [7] is free software, available online at <https://www.gnu.org/software/octave/>. MIPS 1.5.1 may work on earlier versions of Octave, but it has not been tested on versions prior to 3.4.

⁶MP-Test is available at <https://github.com/MATPOWER/mptest>.

⁷https://www.mathworks.com/support/sysreq/previous_releases.html

⁸<https://github.com/MATPOWER/mips>

Step 2: Add the following directories to your MATLAB or Octave path:

- `<MIPS>/lib` – core MIPS functions
- `<MIPS>/lib/t` – test scripts for MIPS

Step 3: At the MATLAB/Octave prompt, type `test_mips` to run the test suite and verify that MIPS is properly installed and functioning.⁹ The result should resemble the following:

```
>> test_mips
t_mplinsolve.....ok (8 of 180 skipped)
t_mips.....ok
t_mips_pardiso....ok (60 of 60 skipped)
t_qps_mips.....ok
All tests successful (304 passed, 68 skipped of 372)
Elapsed time 0.08 seconds.
```

2.3 Documentation

There are two primary sources of documentation for MIPS. The first is [this manual](#), which gives an overview of the capabilities and structure of MIPS and describes the formulations behind the code. It can be found in your MIPS distribution at `<MIPS>/docs/MIPS-manual.pdf` and the [latest version](#) is always available at: <https://matpower.org/docs/MIPS-manual.pdf>.

And second is the built-in `help` command. As with the built-in functions and toolbox routines in MATLAB and Octave, you can type `help` followed by the name of a command or M-file to get help on that particular function. All of the M-files in MIPS have such documentation and this should be considered the main reference for the calling options for each function. See Appendix [A](#) for a list of MIPS functions.

⁹The tests require a functioning installation of [MP-Test](#).

3 MIPS – MATPOWER Interior Point Solver

MIPS, that is, the **MATPOWER Interior Point Solver**, is a primal-dual interior point solver implemented in pure MATLAB code, derived from the MEX implementation of the algorithms included in TSPOPF [1] and described in [2, 3].

This solver has application to general nonlinear optimization problems of the following form:

$$\min_x f(x) \quad (3.1)$$

subject to

$$g(x) = 0 \quad (3.2)$$

$$h(x) \leq 0 \quad (3.3)$$

$$l \leq Ax \leq u \quad (3.4)$$

$$x_{\min} \leq x \leq x_{\max} \quad (3.5)$$

where $f: \mathbb{R}^n \rightarrow \mathbb{R}$, $g: \mathbb{R}^n \rightarrow \mathbb{R}^m$ and $h: \mathbb{R}^n \rightarrow \mathbb{R}^p$.

The solver is implemented by the `mips` function, which can be called as follows,

```
[x, f, exitflag, output, lambda] = ...
    mips(f_fcn, x0, A, l, u, xmin, xmax, gh_fcn, hess_fcn, opt);
```

where the input and output arguments are described in Tables 3-1 and 3-2, respectively. Alternatively, the input arguments can be packaged as fields in a `problem` struct and passed in as a single argument, where all fields except `f_fcn` and `x0` are optional.

```
[x, f, exitflag, output, lambda] = mips(problem);
```

The calling syntax is nearly identical to that used by `fmincon` from MATLAB's Optimization Toolbox. The primary difference is that the linear constraints are specified in terms of a single doubly-bounded linear function ($l \leq Ax \leq u$) as opposed to separate equality constrained ($A_{eq}x = b_{eq}$) and upper bounded ($Ax \leq b$) functions. Internally, equality constraints are handled explicitly and determined at run-time based on the values of l and u .

The user-defined functions for evaluating the objective function, constraints and Hessian are identical to those required by `fmincon`, with one exception described below for the Hessian evaluation function. Specifically, `f_fcn` should return `f` as the scalar objective function value $f(x)$, `df` as an $n \times 1$ vector equal to ∇f and, unless

Table 3-1: Input Arguments for `mips`[†]

name	description
<code>f_fcn</code>	Handle to a function that evaluates the objective function, its gradients and Hessian [‡] for a given value of x . Calling syntax for this function: $[f, df, d2f] = f_fcn(x)$
<code>x0</code>	Starting value of optimization vector x .
<code>A, l, u</code>	Define the optional linear constraints $l \leq Ax \leq u$. Default values for the elements of <code>l</code> and <code>u</code> are <code>-Inf</code> and <code>Inf</code> , respectively.
<code>xmin, xmax</code>	Optional lower and upper bounds on the x variables, defaults are <code>-Inf</code> and <code>Inf</code> , respectively.
<code>gh_fcn</code>	Handle to function that evaluates the optional nonlinear constraints and their gradients for a given value of x . Calling syntax for this function is: $[h, g, dh, dg] = gh_fcn(x)$ where the columns of <code>dh</code> and <code>dg</code> are the gradients of the corresponding elements of <code>h</code> and <code>g</code> , i.e. <code>dh</code> and <code>dg</code> are transposes of the Jacobians of <code>h</code> and <code>g</code> , respectively.
<code>hess_fcn</code>	Handle to function that computes the Hessian [‡] of the Lagrangian for given values of x , λ and μ , where λ and μ are the multipliers on the equality and inequality constraints, g and h , respectively. The calling syntax for this function is: $Lxx = hess_fcn(x, lam, cost_mult)$, where $\lambda = lam.eqnonlin$, $\mu = lam.ineqnonlin$ and <code>cost_mult</code> is a parameter used to scale the objective function
<code>opt</code>	Optional options structure with fields, all of which are also optional, described in Table 3-3.
<code>problem</code>	Alternative, single argument input struct with fields corresponding to arguments above.

[†] All inputs are optional except `f_fcn` and `x0`.

[‡] If `gh_fcn` is provided then `hess_fcn` is also required. Specifically, if there are nonlinear constraints, the Hessian information must be provided by the `hess_fcn` function and it need not be computed in `f_fcn`.

`gh_fcn` is provided and the Hessian is computed by `hess_fcn`, `d2f` as an $n \times n$ matrix equal to the Hessian $\frac{\partial^2 f}{\partial x^2}$. Similarly, the constraint evaluation function `gh_fcn` must return the $m \times 1$ vector of nonlinear equality constraint violations $g(x)$, the $p \times 1$ vector of nonlinear inequality constraint violations $h(x)$ along with their gradients in `dg` and `dh`. Here `dg` is an $n \times m$ matrix whose j^{th} column is ∇g_j and `dh` is $n \times p$, with j^{th} column equal to ∇h_j . Finally, for cases with nonlinear constraints, `hess_fcn` returns the $n \times n$ Hessian $\frac{\partial^2 \mathcal{L}}{\partial x^2}$ of the Lagrangian function

$$\mathcal{L}(x, \lambda, \mu, \sigma) = \sigma f(x) + \lambda^T g(x) + \mu^T h(x) \quad (3.6)$$

for given values of the multipliers λ and μ , where σ is the `cost_mult` scale factor for the objective function. Unlike `fmincon`, `mips` passes this scale factor to the Hessian evaluation function in the 3rd input argument.

Table 3-2: Output Arguments for `mips`

name	description
<code>x</code>	solution vector
<code>f</code>	final objective function value
<code>exitflag</code>	exit flag 1 – first order optimality conditions satisfied 0 – maximum number of iterations reached -1 – numerically failed
<code>output</code>	output struct with fields <code>iterations</code> number of iterations performed <code>hist</code> struct array with trajectories of the following: <code>feascond</code> , <code>gradcond</code> , <code>compcnd</code> , <code>costcond</code> , <code>gamma</code> , <code>stepsize</code> , <code>obj</code> , <code>alphan</code> , <code>alphad</code> <code>message</code> exit message
<code>lambda</code>	struct containing the Langrange and Kuhn-Tucker multipliers on the constraints, with fields: <code>eqnonlin</code> nonlinear equality constraints <code>ineqnonlin</code> nonlinear inequality constraints <code>mu_l</code> lower (left-hand) limit on linear constraints <code>mu_u</code> upper (right-hand) limit on linear constraints <code>lower</code> lower bound on optimization variables <code>upper</code> upper bound on optimization variables

The use of `nargout` in `f_fcn` and `gh_fcn` is recommended so that the gradients and Hessian are only computed when required.

Table 3-3: Options for mips

name	default	description
<code>opt.verbose</code>	0	controls level of progress output displayed 0 – print no progress info 1 – print a little progress info 2 – print a lot of progress info 3 – print all progress info
<code>opt.linsolver</code>	' '	linear system solver for solving update steps (3.42), i.e. <code>solver</code> input to <code>mplinsolve</code> ' ' – default, same as '\' '\ ' – use built-in \ operator 'LU' – use <code>lu</code> to explicitly factor matrix, followed by back-substitution 'PARDISO' – use optional third-party PARDISO solver [†]
<code>opt.feastol</code>	10^{-6}	termination tolerance for feasibility condition
<code>opt.gradtol</code>	10^{-6}	termination tolerance for gradient condition
<code>opt.comptol</code>	10^{-6}	termination tolerance for complementarity condition
<code>opt.costtol</code>	10^{-6}	termination tolerance for cost condition
<code>opt.max_it</code>	150	maximum number of iterations
<code>opt.step_control</code>	0	set to 1 to enable step-size control
<code>opt.sc.red_it</code>	20	max number of step-size reductions if step-control is on
<code>opt.cost_mult</code>	1	cost multiplier used to scale the objective function for improved conditioning. Note: This value is also passed as the 3 rd argument to the Hessian evaluation function so that it can appropriately scale the objective function term in the Hessian of the Lagrangian.
<code>opt.xi</code>	0.99995	ξ constant used in α updates in (3.43) and (3.44)
<code>opt.sigma</code>	0.1	centering parameter σ used in γ update in (3.49)
<code>opt.z0</code>	1	used to initialize elements of slack variable Z
<code>opt.alpha_min</code>	10^{-8}	algorithm returns “Numerically Failed” if the α_p or α_d from (3.43) and (3.44) become smaller than this value
<code>opt.rho_min</code>	0.95	lower bound on ρ_t corresponding to $1 - \eta$ in Fig. 5 in [2]
<code>opt.rho_max</code>	1.05	upper bound on ρ_t corresponding to $1 + \eta$ in Fig. 5 in [2]
<code>opt.mu_threshold</code>	10^{-5}	Kuhn-Tucker multipliers smaller than this value for non-binding constraints are forced to zero
<code>opt.max_stepsize</code>	10^{10}	algorithm returns “Numerically Failed” if the 2-norm of the Newton step $\begin{bmatrix} \Delta X \\ \Delta \lambda \end{bmatrix}$ from (3.42) exceeds this value

[†] Requires the installation of an optional package. See Appendix B for details.

3.1 Example 1

The following code, included as `mips_example1.m` in `<MIPS>lib/t`, shows a simple example of using `mips` to solve a 2-dimensional unconstrained optimization of Rosenbrock's “banana” function¹⁰

$$f(x) = 100(x_2 - x_1^2)^2 + (1 - x_1)^2. \quad (3.7)$$

First, create a MATLAB function that will evaluate the objective function, its gradients and Hessian, for a given value of x . In this case, the coefficient of the first term is defined as a parameter `a`.

```
function [f, df, d2f] = banana(x, a)
f = a*(x(2)-x(1)^2)^2+(1-x(1))^2;
if nargin > 1          %% gradient is required
    df = [ 4*a*(x(1)^3 - x(1)*x(2)) + 2*x(1)-2;
           2*a*(x(2) - x(1)^2) ] ;
    if nargin > 2      %% Hessian is required
        d2f = 4*a*[ 3*x(1)^2 - x(2) + 1/(2*a), -x(1);
                    -x(1)                        1/2 ];
    end
end
```

Then, create a handle to the function, defining the value of the parameter `a` to be 100, set up the starting value of x , and call the `mips` function to solve it.

```
>> f_fcn = @(x)banana(x, 100);
>> x0 = [-1.9; 2];
>> [x, f] = mips(f_fcn, x0)

x =

     1
     1

f =

     0
```

¹⁰https://en.wikipedia.org/wiki/Rosenbrock_function

3.2 Example 2

The second example¹¹ solves the following 3-dimensional constrained optimization, printing the details of the solver's progress:

$$\min_x f(x) = -x_1x_2 - x_2x_3 \quad (3.8)$$

subject to

$$x_1^2 - x_2^2 + x_3^2 - 2 \leq 0 \quad (3.9)$$

$$x_1^2 + x_2^2 + x_3^2 - 10 \leq 0. \quad (3.10)$$

First, create a MATLAB function to evaluate the objective function and its gradients,¹²

```
function [f, df, d2f] = f2(x)
f = -x(1)*x(2) - x(2)*x(3);
if nargin > 1          %% gradient is required
    df = -[x(2); x(1)+x(3); x(2)];
    if nargin > 2      %% Hessian is required
        d2f = -[0 1 0; 1 0 1; 0 1 0];    %% actually not used since
        end                    %% 'hess_fcn' is provided
end
```

one to evaluate the constraints, in this case inequalities only, and their gradients,

```
function [h, g, dh, dg] = gh2(x)
h = [ 1 -1 1; 1 1 1] * x.^2 + [-2; -10];
dh = 2 * [x(1) x(1); -x(2) x(2); x(3) x(3)];
g = []; dg = [];
```

and another to evaluate the Hessian of the Lagrangian.

```
function Lxx = hess2(x, lam, cost_mult)
if nargin < 3, cost_mult = 1; end    %% allows to be used with 'fmincon'
mu = lam.ineqnonlin;
Lxx = cost_mult * [0 -1 0; -1 0 -1; 0 -1 0] + ...
        [2*[1 1]*mu 0 0; 0 2*[-1 1]*mu 0; 0 0 2*[1 1]*mu];
```

¹¹From https://en.wikipedia.org/wiki/Nonlinear_programming#3-dimensional_example.

¹²Since the problem has nonlinear constraints and the Hessian is provided by `hess_fcn`, this function will never be called with three output arguments, so the code to compute `d2f` is actually not necessary.

Then create a `problem` struct with handles to these functions, a starting value for x and an option to print the solver's progress. Finally, pass this struct to `mips` to solve the problem and print some of the return values to get the output below.

```
function mips_example2
problem = struct( ...
    'f_fcn',    @(x)f2(x), ...
    'gh_fcn',   @(x)gh2(x), ...
    'hess_fcn', @(x, lam, cost_mult)hess2(x, lam, cost_mult), ...
    'x0',       [1; 1; 0], ...
    'opt',       struct('verbose', 2) ...
);
[x, f, exitflag, output, lambda] = mips(problem);
fprintf('\nf = %g    exitflag = %d\n', f, exitflag);
fprintf('\nx = \n');
fprintf('    %g\n', x);
fprintf('\nlambda.ineqnonlin =\n');
fprintf('    %g\n', lambda.ineqnonlin);
```

```
>> mips_example2
MATPOWER Interior Point Solver -- MIPS, Version 1.5.1, 10-May-2024
(using built-in linear solver)
```

it	objective	step size	feascond	gradcond	compcnd	costcond
0	-1		0	1.5	5	0
1	-5.3250167	1.6875	0	0.894235	0.850653	2.16251
2	-7.4708991	0.97413	0.129183	0.00936418	0.117278	0.339269
3	-7.0553031	0.10406	0	0.00174933	0.0196518	0.0490616
4	-7.0686267	0.034574	0	0.00041301	0.0030084	0.00165402
5	-7.0706104	0.0065191	0	1.53531e-05	0.000337971	0.000245844
6	-7.0710134	0.00062152	0	1.22094e-07	3.41308e-05	4.99387e-05
7	-7.0710623	5.7217e-05	0	9.84879e-10	3.41587e-06	6.05875e-06
8	-7.0710673	5.6761e-06	0	9.73527e-12	3.41615e-07	6.15483e-07

```
Converged!

f = -7.07107    exitflag = 1

x =
    1.58114
    2.23607
    1.58114

lambda.ineqnonlin =
    0
    0.707107
```


This example can be found in `mips_example2.m`. More example problems for `mips` can be found in `t_mips.m`, both in `<MIPS>lib/t`.

3.3 Primal-Dual Interior Point Algorithm

This section provides some details on the primal-dual interior point algorithm used by MIPS and described in [2, 3].

3.3.1 Notation

For a scalar function $f: \mathbb{R}^n \rightarrow \mathbb{R}$ of a real vector $X = [x_1 \ x_2 \ \cdots \ x_n]^\top$, we use the following notation for the first derivatives (transpose of the gradient):

$$f_X = \frac{\partial f}{\partial X} = \left[\frac{\partial f}{\partial x_1} \ \frac{\partial f}{\partial x_2} \ \cdots \ \frac{\partial f}{\partial x_n} \right]. \quad (3.11)$$

The matrix of second partial derivatives, the Hessian of f , is:

$$f_{XX} = \frac{\partial^2 f}{\partial X^2} = \frac{\partial}{\partial X} \left(\frac{\partial f}{\partial X} \right)^\top = \begin{bmatrix} \frac{\partial^2 f}{\partial x_1^2} & \cdots & \frac{\partial^2 f}{\partial x_1 \partial x_n} \\ \vdots & \ddots & \vdots \\ \frac{\partial^2 f}{\partial x_n \partial x_1} & \cdots & \frac{\partial^2 f}{\partial x_n^2} \end{bmatrix}. \quad (3.12)$$

For a vector function $F: \mathbb{R}^n \rightarrow \mathbb{R}^m$ of a vector X , where

$$F(X) = [f_1(X) \ f_2(X) \ \cdots \ f_m(X)]^\top \quad (3.13)$$

the first derivatives form the Jacobian matrix, where row i is the transpose of the gradient of f_i

$$F_X = \frac{\partial F}{\partial X} = \begin{bmatrix} \frac{\partial f_1}{\partial x_1} & \cdots & \frac{\partial f_1}{\partial x_n} \\ \vdots & \ddots & \vdots \\ \frac{\partial f_m}{\partial x_1} & \cdots & \frac{\partial f_m}{\partial x_n} \end{bmatrix}. \quad (3.14)$$

In these derivations, the full 3-dimensional set of second partial derivatives of F will not be computed. Instead a matrix of partial derivatives will be formed by computing the Jacobian of the vector function obtained by multiplying the transpose of the Jacobian of F by a vector λ , using the following notation

$$F_{XX}(\lambda) = \frac{\partial}{\partial X} (F_X^\top \lambda). \quad (3.15)$$

Please note also that $[A]$ is used to denote a diagonal matrix with vector A on the diagonal and e is a vector of all ones.

3.3.2 Problem Formulation and Lagrangian

The primal-dual interior point method used by MIPS solves a problem of the form:

$$\min_X f(X) \quad (3.16)$$

subject to

$$G(X) = 0 \quad (3.17)$$

$$H(X) \leq 0 \quad (3.18)$$

where the linear constraints and variable bounds from (3.4) and (3.5) have been incorporated into $G(X)$ and $H(X)$. The approach taken involves converting the n_i inequality constraints into equality constraints using a barrier function and vector of positive slack variables Z .

$$\min_X \left[f(X) - \gamma \sum_{m=1}^{n_i} \ln(Z_m) \right] \quad (3.19)$$

subject to

$$G(X) = 0 \quad (3.20)$$

$$H(X) + Z = 0 \quad (3.21)$$

$$Z > 0 \quad (3.22)$$

As the parameter of perturbation γ approaches zero, the solution to this problem approaches that of the original problem.

For a given value of γ , the Lagrangian for this equality constrained problem is

$$\mathcal{L}^\gamma(X, Z, \lambda, \mu) = f(X) + \lambda^\top G(X) + \mu^\top (H(X) + Z) - \gamma \sum_{m=1}^{n_i} \ln(Z_m). \quad (3.23)$$

Taking the partial derivatives with respect to each of the variables yields:

$$\mathcal{L}_X^\gamma(X, Z, \lambda, \mu) = f_X + \lambda^\top G_X + \mu^\top H_X \quad (3.24)$$

$$\mathcal{L}_Z^\gamma(X, Z, \lambda, \mu) = \mu^\top - \gamma e^\top [Z]^{-1} \quad (3.25)$$

$$\mathcal{L}_\lambda^\gamma(X, Z, \lambda, \mu) = G^\top(X) \quad (3.26)$$

$$\mathcal{L}_\mu^\gamma(X, Z, \lambda, \mu) = H^\top(X) + Z^\top. \quad (3.27)$$

And the Hessian of the Lagrangian with respect to X is given by

$$\mathcal{L}_{XX}^\gamma(X, Z, \lambda, \mu) = f_{XX} + G_{XX}(\lambda) + H_{XX}(\mu). \quad (3.28)$$

3.3.3 First Order Optimality Conditions

The first order optimality (Karush-Kuhn-Tucker) conditions for this problem are satisfied when the partial derivatives of the Lagrangian above are all set to zero:

$$F(X, Z, \lambda, \mu) = 0 \quad (3.29)$$

$$Z > 0 \quad (3.30)$$

$$\mu > 0 \quad (3.31)$$

where

$$F(X, Z, \lambda, \mu) = \begin{bmatrix} \mathcal{L}_X^\gamma{}^\top \\ [\mu] Z - \gamma e \\ G(X) \\ H(X) + Z \end{bmatrix} = \begin{bmatrix} f_X^\top + G_X^\top \lambda + H_X^\top \mu \\ [\mu] Z - \gamma e \\ G(X) \\ H(X) + Z \end{bmatrix}. \quad (3.32)$$

3.3.4 Newton Step

The first order optimality conditions are solved using Newton's method. The Newton update step can be written as follows:

$$\begin{bmatrix} F_X & F_Z & F_\lambda & F_\mu \end{bmatrix} \begin{bmatrix} \Delta X \\ \Delta Z \\ \Delta \lambda \\ \Delta \mu \end{bmatrix} = -F(X, Z, \lambda, \mu) \quad (3.33)$$

$$\begin{bmatrix} \mathcal{L}_{XX}^\gamma & 0 & G_X^\top & H_X^\top \\ 0 & [\mu] & 0 & [Z] \\ G_X & 0 & 0 & 0 \\ H_X & I & 0 & 0 \end{bmatrix} \begin{bmatrix} \Delta X \\ \Delta Z \\ \Delta \lambda \\ \Delta \mu \end{bmatrix} = - \begin{bmatrix} \mathcal{L}_X^\gamma{}^\top \\ [\mu] Z - \gamma e \\ G(X) \\ H(X) + Z \end{bmatrix}. \quad (3.34)$$

This set of equations can be simplified and reduced to a smaller set of equations by solving explicitly for $\Delta \mu$ in terms of ΔZ and for ΔZ in terms of ΔX . Taking the 2nd row of (3.34) and solving for $\Delta \mu$ we get

$$\begin{aligned} [\mu] \Delta Z + [Z] \Delta \mu &= -[\mu] Z + \gamma e \\ [Z] \Delta \mu &= -[Z] \mu + \gamma e - [\mu] \Delta Z \\ \Delta \mu &= -\mu + [Z]^{-1} (\gamma e - [\mu] \Delta Z). \end{aligned} \quad (3.35)$$

Solving the 4th row of (3.34) for ΔZ yields

$$\begin{aligned} H_X \Delta X + \Delta Z &= -H(X) - Z \\ \Delta Z &= -H(X) - Z - H_X \Delta X. \end{aligned} \quad (3.36)$$

Then, substituting (3.35) and (3.36) into the 1st row of (3.34) results in

$$\begin{aligned}
& \mathcal{L}_{XX}^\gamma \Delta X + G_X^\top \Delta \lambda + H_X^\top \Delta \mu &= -\mathcal{L}_X^{\gamma^\top} \\
& \mathcal{L}_{XX}^\gamma \Delta X + G_X^\top \Delta \lambda + H_X^\top (-\mu + [Z]^{-1} (\gamma e - [\mu] \Delta Z)) &= -\mathcal{L}_X^{\gamma^\top} \\
& \mathcal{L}_{XX}^\gamma \Delta X + G_X^\top \Delta \lambda \\
& \quad + H_X^\top (-\mu + [Z]^{-1} (\gamma e - [\mu] (-H(X) - Z - H_X \Delta X))) &= -\mathcal{L}_X^{\gamma^\top} \\
& \mathcal{L}_{XX}^\gamma \Delta X + G_X^\top \Delta \lambda - H_X^\top \mu + H_X^\top [Z]^{-1} \gamma e \\
& \quad + H_X^\top [Z]^{-1} [\mu] H(X) + H_X^\top [Z]^{-1} [Z] \mu + H_X^\top [Z]^{-1} [\mu] H_X \Delta X &= -\mathcal{L}_X^{\gamma^\top} \\
& (\mathcal{L}_{XX}^\gamma + H_X^\top [Z]^{-1} [\mu] H_X) \Delta X + G_X^\top \Delta \lambda \\
& \quad + H_X^\top [Z]^{-1} (\gamma e + [\mu] H(X)) &= -\mathcal{L}_X^{\gamma^\top} \\
& M \Delta X + G_X^\top \Delta \lambda &= -N \quad (3.37)
\end{aligned}$$

where

$$M \equiv \mathcal{L}_{XX}^\gamma + H_X^\top [Z]^{-1} [\mu] H_X \quad (3.38)$$

$$= f_{XX} + G_{XX}(\lambda) + H_{XX}(\mu) + H_X^\top [Z]^{-1} [\mu] H_X \quad (3.39)$$

and

$$N \equiv \mathcal{L}_X^{\gamma^\top} + H_X^\top [Z]^{-1} (\gamma e + [\mu] H(X)) \quad (3.40)$$

$$= f_X^\top + G_X^\top \lambda + H_X^\top \mu + H_X^\top [Z]^{-1} (\gamma e + [\mu] H(X)). \quad (3.41)$$

Combining (3.37) and the 3rd row of (3.34) results in a system of equations of reduced size:

$$\begin{bmatrix} M & G_X^\top \\ G_X & 0 \end{bmatrix} \begin{bmatrix} \Delta X \\ \Delta \lambda \end{bmatrix} = \begin{bmatrix} -N \\ -G(X) \end{bmatrix}. \quad (3.42)$$

The Newton update can then be computed in the following 3 steps:

1. Compute ΔX and $\Delta \lambda$ from (3.42).
2. Compute ΔZ from (3.36).
3. Compute $\Delta \mu$ from (3.35).

In order to maintain strict feasibility of the trial solution, the algorithm truncates the Newton step by scaling the primal and dual variables by α_p and α_d , respectively,

where these scale factors are computed as follows:

$$\alpha_p = \min \left(\xi \min_{\Delta Z_m < 0} \left(-\frac{Z_m}{\Delta Z_m} \right), 1 \right) \quad (3.43)$$

$$\alpha_d = \min \left(\xi \min_{\Delta \mu_m < 0} \left(-\frac{\mu_m}{\Delta \mu_m} \right), 1 \right) \quad (3.44)$$

resulting in the variable updates below.

$$X \leftarrow X + \alpha_p \Delta X \quad (3.45)$$

$$Z \leftarrow Z + \alpha_p \Delta Z \quad (3.46)$$

$$\lambda \leftarrow \lambda + \alpha_d \Delta \lambda \quad (3.47)$$

$$\mu \leftarrow \mu + \alpha_d \Delta \mu \quad (3.48)$$

The parameter ξ is a constant scalar with a value slightly less than one. In MIPS, ξ is set to 0.99995.

In this method, during the Newton-like iterations, the perturbation parameter γ must converge to zero in order to satisfy the first order optimality conditions of the original problem. MIPS uses the following rule to update γ at each iteration, after updating Z and μ :

$$\gamma \leftarrow \sigma \frac{Z^\top \mu}{n_i} \quad (3.49)$$

where σ is a scalar constant between 0 and 1. In MIPS, σ is set to 0.1.

4 Other Functions

4.1 Linear System Solver - `mplinsolve`

The `mplinsolve` function provides a common interface to several different methods for solving a system of linear equations of the form $Ax = b$.

```
x = mplinsolve(A, b);
x = mplinsolve(A, b, solver);
x = mplinsolve(A, b, solver, opt);
x = mplinsolve(factors, b, ...);
factors = mplinsolve(A);
factors = mplinsolve(A, [], ...);
[x, factors] = mplinsolve(A, b, 'LU' ...);
```

The `solver` argument can be one of the following:

- `' '` – default, same as `'\'`
- `'\'` – use built-in `\` operator, i.e. $x = A \setminus b$
- `'LU'` – use built-in `lu` function to explicitly factor A , then solve for x via back-substitution
- `'PARDISO'` – use optional third-party PARDISO solver¹³

See `help mplinsolve` for more details.

As of version 1.5, `mplinsolve` can optionally return a struct containing the matrix LU factorization. It can then use these matrix factors to solve systems with different right-hand-sides by passing the struct in place of the A matrix to subsequent calls. Transposed systems can be solved by setting `opt.tr` to 1, including when providing the matrix factors for the original, non-transposed system.

For example, to solve $Ax_i = b_i$ for x_i for various values of b_i , use the following.

```
factors = mplinsolve(A);
x1 = mplinsolve(factors, b1);
x2 = mplinsolve(factors, b2);
x3 = mplinsolve(factors, b3);
...
```

Similarly, to solve $A^T y_i = c_i$ for y_i for various values of c_i , from the previously computed factors of the original A , use the following.

¹³Requires the installation of an optional package. See Appendix B for details.

```

opt = struct('tr', 1);
y1 = mplinsolve(factors, c1, 'LU', opt);
y2 = mplinsolve(factors, c2, 'LU', opt);
y3 = mplinsolve(factors, c3, 'LU', opt);
...

```

Note that MIPS uses `mplinsolve` to solve the Newton update step in (3.42).

4.2 Quadratic Programming Solver - `qps_mips`

A convenience wrapper function called `qps_mips` is provided to make it trivial to set up and solve linear programming (LP) and quadratic programming (QP) problems of the following form:

$$\min_x \frac{1}{2} x^T H x + c^T x \quad (4.1)$$

subject to

$$l \leq A x \leq u \quad (4.2)$$

$$x_{\min} \leq x \leq x_{\max}. \quad (4.3)$$

Instead of a function handle, the objective function is specified in terms of the parameters H and c of quadratic cost coefficients. Internally, `qps_mips` passes `mips` the handle of a function that uses these parameters to evaluate the objective function, gradients and Hessian.

The calling syntax for `qps_mips` is similar to that used by `quadprog` from the MATLAB Optimization Toolbox.

```
[x, f, exitflag, output, lambda] = qps_mips(H, c, A, l, u, xmin, xmax, x0, opt);
```

Alternatively, the input arguments can be packaged as fields in a `problem` struct and passed in as a single argument, where all fields except H , c , A and l are optional.

```
[x, f, exitflag, output, lambda] = qps_mips(problem);
```

Aside from H and c , all input and output arguments correspond exactly to the same arguments for `mips` as described in Tables 3-1 and 3-2.

As with `mips` and `fmincon`, the primary difference between the calling syntax for `qps_mips` and `quadprog` is that the linear constraints are specified in terms of a single doubly-bounded linear function ($l \leq A x \leq u$) as opposed to separate equality constrained ($A_{eq} x = b_{eq}$) and upper bounded ($A x \leq b$) functions.

Several examples of using `qps_mips` to solve LP and QP problems can be found in `t_qps_mips.m`.

4.3 Private Feature Detection Functions

The following are private functions that implement detection of specific optional functionality. They are not intended to be called directly, but rather are used to extend the capabilities of `have_feature`, a function included in [MP-Test](#) and described in the MP-Test [README](#) file.

4.3.1 `have_feature_lu_vec`

This function implements the `'lu_vec'` tag for `have_feature` to detect support for the `lu(..., 'vector')` syntax.

4.3.2 `have_feature_pardiso_legacy`

This function implements the `'pardiso_legacy'` tag for `have_feature` to detect support for the legacy (v5.x) PARDISO interface, with individual MEX files for factor, solve, etc.

4.3.3 `have_feature_pardiso_object`

This function implements the `'pardiso_object'` tag for `have_feature` to detect support for the object-oriented (v6.x and later) PARDISO interface.

4.3.4 `have_feature_pardiso`

This function implements the `'pardiso'` tag for `have_feature` to detect availability/version of PARDISO, Parallel Sparse Direct and Multi-Recursive Iterative Linear Solvers, available from <https://pardiso-project.org>. See also Appendix [B](#).

5 Acknowledgments

The authors would like to acknowledge the support of the research grants and contracts that have contributed directly and indirectly to the development of MIPS. This includes funding from the Power Systems Engineering Research Center (PSERC), the U.S. Department of Energy,¹⁴ and the National Science Foundation.¹⁵

¹⁴Supported in part by the Consortium for Electric Reliability Technology Solutions (CERTS) and the Office of Electricity Delivery and Energy Reliability, Transmission Reliability Program of the U.S. Department of Energy under the National Energy Technology Laboratory Cooperative Agreement No. DE-FC26-09NT43321.

¹⁵This material is based upon work supported in part by the National Science Foundation under Grant Nos. 0532744, 1642341 and 1931421. Any opinions, findings, and conclusions or recommendations expressed in this material are those of the author(s) and do not necessarily reflect the views of the National Science Foundation.

Appendix A MIPS Files and Functions

This appendix lists all of the files and functions that MIPS provides. In most cases, the function is found in a MATLAB M-file in the `lib` directory of the distribution, where the `.m` extension is omitted from this listing. For more information on each, at the MATLAB/Octave prompt, simply type `help` followed by the name of the function. For documentation and other files, the filename extensions are included.

Table A-1: MIPS Files and Functions

name	description
<code>AUTHORS</code>	list of authors and contributors
<code>CHANGES</code>	MIPS change history
<code>CITATION</code>	info on how to cite MIPS
<code>CONTRIBUTING.md</code>	notes on how to contribute to the MIPS project
<code>LICENSE</code>	MIPS license (3-clause BSD license)
<code>README.md</code>	basic introduction to MIPS
<code>docs/</code>	
<code>MIPS-manual.pdf</code>	MIPS User's Manual
<code>src/MIPS-manual/</code>	
<code>MIPS-manual.tex</code>	LaTeX source for MIPS User's Manual
<code>lib/</code>	
<code>have_feature.lu_vec</code> *	support for <code>lu(..., 'vector')</code> syntax
<code>have_feature.pardiso_legacy</code> *	PARDISO v5, individual MEX files for factor, solve, etc.
<code>have_feature.pardiso_object</code> *	PARDISO v6 and later, object interface
<code>have_feature.pardiso</code> *	PARDISO, Parallel Sparse Direct & Iterative Linear Solver , https://pardiso-project.org
<code>mips</code>	MATPOWER Interior Point Solver – primal/dual interior point solver for NLP
<code>mipsver</code>	prints version information for MIPS
<code>mplinsolve</code>	common linear system solver interface, used by MIPS
<code>qps_mips</code>	common QP/LP solver interface to MIPS-based solver
<code>t/</code>	
<code>mips.example1</code>	implements example 1 from MIPS User's Manual
<code>mips.example2</code>	implements example 2 from MIPS User's Manual
<code>test_mips</code>	runs full MIPS test suite
<code>t_mips</code>	runs tests for MIPS NLP solver
<code>t_mips_pardiso</code>	runs tests for MIPS NLP solver, using PARDISO as linear solver [†]
<code>t_mplinsolve</code>	tests for <code>mplinsolve</code>
<code>t_qps_mips</code>	runs tests for <code>qps_mips</code>

* These functions implement new tags and the detection of the corresponding features for `have_feature` which is part of [MP-Test](#).

[†] Requires the installation of an optional package. See Appendix B for details.

Appendix B PARDISO – Parallel Sparse Direct and Multi-Recursive Iterative Linear Solvers

The PARDISO package is a thread-safe, high-performance, robust, memory efficient and easy to use software for solving large sparse symmetric and non-symmetric linear systems of equations on shared-memory and distributed-memory multiprocessor systems [10, 11]. More information is available at <https://pardiso-project.org>.

When the MATLAB interface to PARDISO is installed, PARDISO's solvers can be used to replace the built-in `\` operator for solving for the Newton update step in MIPS by setting the `linsolver` option equal to `'PARDISO'`. The `mplinsolve` function can also be called directly to solve $Ax = b$ problems via PARDISO or the built-in solver, depending on the arguments supplied. This interface also gives access to the full range of PARDISO's options. For details, see `help mplinsolve` and the PARDISO User's Manual at <https://pardiso-project.org/manual/manual.pdf>.

Appendix C Release History

The full release history can be found in `CHANGES.md` or online at <https://github.com/MATPOWER/mips/blob/master/CHANGES.md>.

C.1 Version 1.0 – released Feb 7, 2011

Documentation found in Appendix A of the [MATPOWER 4.0 User’s Manual](#), available online.¹⁶

Changes

- Licensed under the GNU General Public License (GPL).
- Added compatibility with GNU Octave, a free, open-source MATLAB clone.
- MIPS (**MATPOWER Interior Point Solver**), a new a pure-MATLAB implementation of the primal-dual interior point methods from the optional package TSPOPF.

C.2 Version 1.0.1 – released Apr 30, 2012

Documentation found in Appendix A of the [MATPOWER 4.0 User’s Manual](#), available online.¹⁷

Bug Fixed

- Fixed fatal bug in MIPS for unconstrained, scalar problems. *Thanks to Han Na Gwon.*

C.3 Version 1.0.2 – released Nov 5, 2013

Documentation found in Appendix A of the [MATPOWER 4.0 User’s Manual](#), available online.¹⁸

¹⁶<https://matpower.org/docs/MATPOWER-manual-4.0.pdf>

¹⁷<https://matpower.org/docs/MATPOWER-manual-4.0.pdf>

¹⁸<https://matpower.org/docs/MATPOWER-manual-4.0.pdf>

Bug Fixed

- Fixed a bug in MIPS where a near-singular matrix could produce an extremely large Newton step, resulting in incorrectly satisfying the relative feasibility criterion for successful termination.

C.4 Version 1.1 – released Dec 17, 2014

Documentation found in Appendix A of the [MATPOWER 5.0 User’s Manual](#), available online.¹⁹

New Features

- Many new user-settable options.

Incompatible Changes

- The name of the `mips()` option used to specify the maximum number of step-size reductions with `step_control` on was changed from `max_red` to `sc_red_it` for consistency with other MATPOWER options.

C.5 Version 1.2 – released Mar 20, 2015

Documentation found in Appendix A of the [MATPOWER 5.1 User’s Manual](#), available online.²⁰

New License

- Switched to the more permissive 3-clause BSD license from the previously used GNU General Public License (GPL) v3.0.

New Documentation

- Added an online function reference to the [MATPOWER](#) website at <http://www.pserc.cornell.edu/matpower/docs/ref/>.

¹⁹<https://matpower.org/docs/MATPOWER-manual-5.0.pdf>

²⁰<https://matpower.org/docs/MATPOWER-manual-5.1.pdf>

New Features

- Added support for using PARDISO (<https://pardiso-project.org/>) as linear solver for computing interior-point update steps in MIPS, resulting in dramatic improvements in computation time and memory use for very large-scale problems.
- New functions:
 - `mplinsolve()` provides unified interface for linear system solvers, including PARDISO and built-in backslash operator

C.6 Version 1.2.1 – released Jun 1, 2016

Documentation found in Appendix A of the [MATPOWER 6.0b1 User's Manual](#), available online.²¹

Bug Fixed

- Fixed issue where default value of 'feastol' option was not being set correctly in `mips()` when called directly (or via `qps.mips()`) with 'feastol' = 0.

C.7 Version 1.2.2 – released Dec 16, 2016

Documentation found in the [MIPS 1.2.2 User's Manual](#)²² or in Appendix A of the [MATPOWER 6.0 User's Manual](#), available online.²³

New Open Development Model

- MIPS development has moved to GitHub! The code repository is now publicly available to clone and submit pull requests.²⁴
- Public issue tracker for reporting bugs, submitting patches, etc.²⁵

²¹<https://matpower.org/docs/MATPOWER-manual-6.0b1.pdf>

²²<https://matpower.org/docs/MIPS-manual-1.2.2.pdf>

²³<https://matpower.org/docs/MATPOWER-manual-6.0.pdf>

²⁴<https://github.com/MATPOWER/mips>

²⁵<https://github.com/MATPOWER/mips/issues>

Other Changes

- Renamed from MATLAB Interior Point Solver to **MATPOWER Interior Point Solver**.
- Remove dependence of `t_mpsolve()` on presence of `have_fcn()` (from MATPOWER) to detect PARDISO installation.

C.8 Version 1.3 – released Oct 30, 2018

The [MIPS 1.3 User’s Manual](#) is available online.²⁶

New Features

- Support for PARDISO 6.x.
- New `mplinsolve` solver option 'LU' for explicit LU decomposition with back substitution, with options in `opt.lu` for specifying the number of output arguments in call to `lu` (`opt.lu.nout`), whether to use permutation vectors or matrices (`opt.lu.vec`) and pivot threshold options (`opt.lu.thresh`). The following values for the `solver` argument act as shortcuts for specifying various combinations of options: 'LU3', 'LU3a', 'LU4', 'LU5', 'LU3m', 'LU3am', 'LU4m', 'LU5m'. See `help mplinsolve` for details. *Thanks to Jose Luis Marín.*

Bugs Fixed

- Fix bug preventing `pardiso.dparm` options from being set.

Other Changes

- L^AT_EX source code for [MIPS User’s Manual](#) included in `docs/src`.
- Move `mplinsolve` PARDISO options to `opt.pardiso` in preparation for adding options for other solvers.

²⁶<https://matpower.org/docs/MIPS-manual-1.3.pdf>

C.9 Version 1.3.1 – released Jun 20, 2019

The [MIPS 1.3.1 User's Manual](#) is available online.²⁷

Changes

- Add CITATION file.
- Other miscellaneous documentation updates, e.g. MATPOWER website links updated to <https://matpower.org>.

C.10 Version 1.4 – released Oct 8, 2020

The [MIPS 1.4 User's Manual](#) is available online.²⁸

New Features

- Support for `have_feature()` from [MP-Test](#) to detect availability and version information for optional functionality. This is a modular, extensible replacement for `have_fcn()` from [MATPOWER](#) and [MP-Opt-Model](#).
- Feature detection functions for `lu()` and PARDISO, defining tags `'lu_vec'`, `'pardiso_legacy'`, `'pardiso_object'` and `'pardiso'` for `have_feature()`.
- New functions:
 - `have_feature_lu_vec` detects support for the `lu(..., 'vector')` syntax.
 - `have_feature_pardiso_legacy` detects support for the legacy (v5.x) PARDISO interface, with individual MEX files for factor, solve, etc.
 - `have_feature_pardiso_object` detects support for the object-oriented (v6.x and later) PARDISO interface.
 - `have_feature_pardiso` detects availability/version of PARDISO.

Bugs Fixed

- Silence inadvertent output from `mplinsolve()` when called without `solver` input argument.

²⁷<https://matpower.org/docs/MIPS-manual-1.3.1.pdf>

²⁸<https://matpower.org/docs/MIPS-manual-1.4.pdf>

- Fix fatal errors when `mplinsolve()` is called with 'LU' solver and dense A matrix.

Other Changes

- Requires MP-Test 7.1 or later.
- Remove `have_fcn()` dependencies in `mips()`, `t_mips_pardiso()` and `t_qps_mips()`.

Incompatible Changes

- Calling `mips()` with `opt.linsolver` set to 'PARDISO' now results in a fatal error if PARDISO is not installed, rather than warning and continuing with the default linear solver.

C.11 Version 1.5 – released Dec 12, 2022

The [MIPS 1.5 User's Manual](#) is available online.²⁹

New Features

- Add to `mplinsolve()` the ability to return a struct containing the matrix LU factorization, and to reuse this pre-factored matrix to solve additional systems with different right-hand-sides by passing the struct in place of the A matrix to subsequent calls.
- Add option to `mplinsolve()` to solve transposed systems by setting `opt.tr` to 1, including when providing the pre-factored matrix for the original, non-transposed system.

C.12 Version 1.5.1 – released May 10, 2024

The [MIPS 1.5.1 User's Manual](#) is available online.³⁰

²⁹<https://matpower.org/docs/MIPS-manual-1.5.pdf>

³⁰<https://matpower.org/docs/MIPS-manual-1.5.1.pdf>

New Features

- Add Sphinx-based Reference documentation.³¹
- Add `full_hist` option to enable saving in `output.hist` trajectories of `x`, `z`, `g`, `h`, `lam`, and `mu` (issue #4).

³¹<https://matpower.org/doc/mips/>

References

- [1] TSPOPF. [Online]. Available: <http://www.pserc.cornell.edu/tspopf/>. 1.1, 3
- [2] H. Wang, C. E. Murillo-Sánchez, R. D. Zimmerman, and R. J. Thomas, “On Computational Issues of Market-Based Optimal Power Flow,” *Power Systems, IEEE Transactions on*, vol. 22, no. 3, pp. 1185–1193, August 2007. doi: [10.1109/TPWRS.2007.901301](https://doi.org/10.1109/TPWRS.2007.901301) 1.1, 1.3, 3, 3-3, 3-3, 3.3
- [3] H. Wang, *On the Computation and Application of Multi-period Security-constrained Optimal Power Flow for Real-time Electricity Market Operations*, Ph.D. thesis, Electrical and Computer Engineering, Cornell University, May 2007. 1.1, 3, 3.3
- [4] R. D. Zimmerman, C. E. Murillo-Sánchez, and R. J. Thomas, “MATPOWER: Steady-State Operations, Planning and Analysis Tools for Power Systems Research and Education,” *Power Systems, IEEE Transactions on*, vol. 26, no. 1, pp. 12–19, Feb. 2011. doi: [10.1109/TPWRS.2010.2051168](https://doi.org/10.1109/TPWRS.2010.2051168) 1.1
- [5] R. D. Zimmerman, C. E. Murillo-Sánchez (2022). MATPOWER [Software]. Available: <https://matpower.org> doi: [10.5281/zenodo.3236535](https://doi.org/10.5281/zenodo.3236535) 1.1
- [6] R. D. Zimmerman, H. Wang. MATPOWER Interior Point Solver (MIPS) User’s Manual. 2024. [Online]. Available: <https://matpower.org/docs/MIPS-manual.pdf> doi: [10.5281/zenodo.3236506](https://doi.org/10.5281/zenodo.3236506) 1.3
- [7] John W. Eaton, David Bateman, Søren Hauberg, Rik Wehbring (2015). *GNU Octave version 4.0.0 manual: a high-level interactive language for numerical computations*. Available: <https://www.gnu.org/software/octave/doc/interpreter/>. 1, 5
- [8] The BSD 3-Clause License. [Online]. Available: <https://opensource.org/licenses/BSD-3-Clause>. 1.2
- [9] GNU General Public License. [Online]. Available: <https://www.gnu.org/licenses/>. 3

- [10] O. Shenk and K. Gärtner, “Solving unsymmetric sparse systems of linear equations with PARDISO,” *Journal of Future Generation Computer Systems*, 20(3):475–487, 2004. [B](#)
- [11] A. Kuzmin, M. Luisier and O. Shenk, “Fast methods for computing selected elements of the Greens function in massively parallel nanoelectronic device simulations,” in F. Wolf, B. Mohr and D. Mey, editors, *Euro-Par 2013 Parallel Processing*, Vol. 8097, *Lecture Notes in Computer Science*, pp. 533–544, Springer Berlin Heidelberg, 2013. [B](#)