Docusign Envelope ID: D55BD495-F012-4F69-A5C6-7828E0AC5A7E

TDS Custodial Deposit Management API

Revision Number: 1.13

Date: 19/08/2025

1.1 Confidentiality & Notices

This document is the property of The Dispute Service Ltd, whose proprietary rights are included in the information disclosed herein.
The recipient, by accepting this document, agrees that neither this document, nor the information disclosed herein, nor any part thereof shall be reproduced by any means graphic, electronic or mechanical, including photocopying, recording, taping or in information storage and retrieval systems or transferred to other documents or used or disclosed to others for manufacturing or for any other purpose except as specifically authorised in writing by The Dispute Service Ltd.

Copyright 2021 the Dispute Service Ltd. All Rights Reserved.

All trademarks and commercially protected names and terms used or referred to within this document are hereby acknowledged as belonging to and being the property of their respective owners.

1.2 Document History

Revision Number	Author	Reason for change	Issue Date
0.9	Michael Jones, Simon Hardingham, François Josserand	Consolidated changes and added details of the new sandbox environment	26th March 2019
1.0	Andrew Owusu & Jorden Adams	Updated document to provide clearer examples and be prescriptive	12th August 2019
1.1	Andrew Owusu & Jorden Adams	Updated document to state the current version of the API & add details to the "user_tenancy_reference" field in the "tenancy" object	9th September 2019
1.2	Andrew Owusu & Jorden Adams	Updated document to include the endpoint for the deposit creation service	15th October 2019
1.3	Andrew Owusu & Jorden Adams	Updated the **"furnished_status"** example in the Deposit Protection (tenancy) object from "Y" to "furnished" & the **api_key** example	28th October 2019
1.4	Amanda Portman	Updated document to reflect that for single branch members, the branch ID is 0	8th December 2020
1.5	Dan Sanderson	Updated to include new enhancements for searching landlords and properties	07th May 2021
1.6	Dan Sanderson	Updated to include Repayment Request features	21st June 2021
1.7	Dan Sanderson	Updated to include return of DPC	31st August 2021
1.8	Richard Frost	Add additional Repayment Request error message.	23rd April 2022
1.9	Dan Sanderson	Add additional endpoints • Create head office branch • Create branch user	28th August 2024
1.10	Alex Hillier	Added API usage note	19th November 2024
1.11	Dan Sanderson	Updated to allow for TPFG scheme	14th May 2025
1.12	Dan Sanderson	Add fields to tenany creation endpoint • members_own_reference • invoice	18th June 2025
1.13	Alex Hillier	Removed Insured field from Scheme type	19th August 2025

Docusign Envelope ID: D55BD495-F012-4F69-A5C6-7828E0AC5A7E

Table of contents

1	Document Control	2
1.1	Confidentiality & Notices	2
1.2	Revision History	2
1.3	Document Clarification	3
2	Introduction	4
2.1	Data Requirements	4
2.2	API Processing	4
2.3	API URLs	5
3	Deposit Creation	6
3.1	Creation Status	14
4	Tenancy Information	17
5	Landlords	19
6	Properties	23
7	Repayment Request	27
8	Deposit Protection Certificate	30
9	Create Head Office Branch	32
10	Create Head Office Branch User	35

1.3 Document Clarification

Any questions or queries regarding this report should be addressed to:

Address: The Dispute Service Ltd
West Wing First Floor,
The Maylands Building
200 Maylands Avenue
Hemel Hempstead
Herts
HP2 7TG

Phone: +44 (0) 1442 2210 8011

Email : api_enquiries@tenancydepositscheme.com

Docusign Envelope ID: D55BD495-F012-4F69-A5C6-7828E0AC5A7E

2 Introduction

Purpose:

The document describes the API provided by TDS (API Custodial) to 3rd party platform providers for Agents & Landlords.

Scope:

This document is intended to describe the API interface (messaging formats only) to the TDS Custodial system to create new deposits and is not intended to describe the custodial scheme rules imposed by the TDS.

A RESTful service using JSON as a data format has been implemented. Access to the API is controlled using an API key obtained from the TDS Custodial system.

Audience:

This document is written for technical suppliers implementing clients of this API.

2.1 Data requirements

The data TDS requires includes:

- Address of the property
- Name and address of the landlord (address can be c/o the agent)
- Dates of the tenancy
- Deposit amount
- Tenant(s) name(s) and contact details

2.2 API Processing

The API service only allows for the creation of new deposits in the **"Registered (not paid)"** status.

Deposits cannot be edited or updated via the API.

If the same details are provided in two separate calls to the service, two new identical deposits will be created.

The creation process is asynchronous and so two services are provided.

The first of these is the deposit creation service which allows the posting of all required deposit information together with scheme and authentication information in order for it to be added to the processing queue.

The service will then perform structural checks on the request and validate the authentication information and permissions. If the request does not pass these checks a failure response is generated together with an indication of the nature of the error.

If no issues are found at this point, the request is passed onto the processing queue and a success status returned.

In order to check the status and success or otherwise of the creation within the portal of the deposit, it is necessary to poll a second service. This reports the current processing status as well as detailed error information relating to the processing of the deposit creation. It can take some time for the queue to be processed depending on load and usage and so the client should continue to poll for updates until a completed status is returned.

Details on the specific calls are provided below.

2.3 API URLs

The URL for the live environment is:

https://api.custodial.tenancydepositscheme.com

The URL for the sandbox environment is:

https://sandbox.api.custodial.tenancydepositscheme.com

Note: *The API version will only ever use 1 decimal place, v0.9, 0.9.1 and v0.9.1.5 will all use the version 'v0.9'.*

The current version of the sandbox API is 1.2.

The current version of the live API is 1.2.

2.4 API Usage

The system data structure for tenancies is as follows:

Head Office – Branch Office - Tenancies

Users can sit under head office or branch office. Those that sit at head office level have access to all branch offices unless they have a report only function. Those users that sit at branch office level only have access to this level.

Agent

The API is traditionally used by Agents to protect deposits on behalf of member landlords. These tenancies will sit under the branch office.

Direct Landlord

Where providers want to allow landlords to protect deposits directly the structure of the data needs to be configured in a way the landlord has access to their exclusive area.

To enable this the data structure should be as follows:

Head office – Branch Office per Landlord – Landlord User.

The provider will setup landlords with a branch office named after the landlord and then create the landlord user. This will allow for a unique Branch ID that can be identified with the landlord.

3 Deposit creation (deposit protection registration)

The request to create a new deposit contains the following meta information:

- Authentication and identification credentials
- Deposit object
- Person object(s)

Note: *Deposit creation requests are queued and processed asynchronously.*

Request

This service is a POST request of the following form:

```
POST /<site URL>/<API version>/CreateDeposit
```

For example:

```
POST /api.custodial.tenancydepositscheme.com/v1.2/CreateDeposit
```

Authentication information

At the start of the data object information must be passed which authenticates and identifies the member and optionally branch to which the deposits should be appended.

Key	Example	Mandatory	Description	Format Definition
member_id	188832	Yes	The member_id as supplied by TDS Custodial.	Must be 1 - 6 alphanumeric characters
branch_id	188832	Yes	The branch_id as supplied by TDS Custodial. For single branch members, the branch ID is 0. Members that have more than one branch will always have differing branch and member IDs. If the branch_id is set to "-1" then a new branch is created for the head office provided in the member_id.	Must be 1 - 6 alphanumeric characters
api_key	35467-65389-26539-97536	Yes	The unique secret API key assigned to the Head office/branch used to authenticate the call is valid for the member.	
scheme_type	Custodial	Yes	The scheme in which the deposit should be created.	Supported values are: • Custodial • TPFG
region	EW	Yes	EW for England and Wales scheme, NI for Northern Ireland	Supported values are: • EW • NI
invoice	true	No	Boolean. If field is passed as true tenancies will be created using payment method invoice.	Not supplied default – false true / false

TDS Tenancy Deposit Scheme Custodial

Deposit Protection (tenancy) object

A deposit protection (tenancy) object contains all the information required to create a single deposit.

A deposit contains top-level information about the tenancy such as:

- Property details and
- Rent information,
- 2 or more "people records" to define all the individuals related to a deposit.

There must be at least one "Lead Tenant" and one landlord for each deposit.

In the event there are 3 tenants, a landlord and a related party, 5 person objects is required.

Person objects are defined later in this document.

Key	Example	Mandatory	Description	Format Definition
user_tenancy_reference	1022	Yes	Your external reference for this deposit	Each request must have a unique "user_tenancy_reference" otherwise this results in a validation error
property_id	1	No	Your unique reference to this property. If a "property_id" already exists within the TDS Custodial system, the deposit will be linked to the pre-existing property record.	
property_paon	40 or The Corner House	Yes	This is the "building name" or "building name" of the rented property. In essence the house number or name.	Must be between 1 and 100 alphanumeric characters.
property_saon	Flat 6 or Room 2	No	This is <u>only required</u> when the "building name" or "building number" (property_paon) is insufficient for example 'Flat 2'.	Must be between 1 and 100 alphanumeric characters.
property_street	West Georgies Place	Yes	The street where the rented property is located.	Must be between 1 and 100 alphanumeric characters.
property_locality	Kings Industrial Estate	No	Locality where rented property is located (suburb, parish, industrial estate).	Must be between 3 and 100 alphanumeric characters.
property_town	Edinburgh	Yes	Town where the rented property is located.	Must be between 3 and 100 alphanumeric characters
property_administrative_area	Midlothian	Yes	The county or state where the rented property is located.	Must be between 3 and 100 alphanumeric, period and hyphen characters.
property_postcode	EH14 1BF	Yes	Postcode for the rented property.	Must be between 1 and 8 alphanumeric characters.
tenancy_start_date	20/03/2017	Yes	Start date of tenancy agreement	DD-MM-YYYY Must be a date between 01/01/1980 and 31/12/2099
tenancy_expected_end_date	19/03/2018	Yes	Expected end date of tenancy (tenancy agreement end date).	DD-MM-YYYY: Must be a date between

				01/01/1980 and 31/12/2099
number_of_living_rooms	1	No	The number of living rooms in the rented property.	Must be between 0 and 99
number_of_bedrooms	1	No	The number of bedrooms in the rented property.	Must be between 0 and 99
furnished_status	furnished	No	The furnished status of the rented property.	Supported values are: • furnished • part furnished • unfurnished Must be one of: furnished, part furnished or unfurnished.
rent_amount	999	No	Rent amount payable under the tenancy agreement.	Must be between 0.00 and 999999.99
product_type	Managed	No	The product type you wish to use for this protection. • Managed = standard deposit protection • Let-Only or non-managed = product type is only available under the England & Wales Insured scheme.	Supported values are: • let only • Managed • non-managed. If blank, default to "managed".
deposit_amount	1250.00	Yes	Deposit amount as per tenancy agreement.	Must be between 0.00 and 999999.99.
deposit_amount_to_protect	1250.00	Yes	Amount of deposit which will be protected with TDS Custodial initially, cannot be more than the deposit amount.	Must be between 0.00 and 999999.99.
deposit_received_date	31/10/2016	Yes	Date that the deposit was received by the Agent or Landlord	DD-MM-YYYY: Must be a date between 01/01/1980 and 31/12/2099.
number_of_tenants	1	Yes	Total number of tenants listed on tenancy agreement. This count must also include any related parties. Therefore if there are three tenants and two related parties, number_of_tenants should be set to 5.	Must be between 1 and 99
number_of_landlords	1	Yes	Total number of landlords listed on tenancy agreement.	Must be between 1 and 9.
members_own_reference	ABC1234	No	Members own reference, visible on the DPC	If supplied must be between 1 and 30 alphanumeric characters.

Person object

Each person associated with a deposit is defined in a separate object which are collectively provided to the API as an array of objects.

Key	Example	Mandatory	Description	Format Definition
person_classification	Lead Tenant	Yes	This field is used to classify the type of party associated with the deposit protection.	Supported values are: • Primary Landlord • Joint Landlord • Lead Tenant • Joint Tenant • Related Party
person _id	123456	No	If the "person_id" already exists within the TDS Custodial system you can provide their ID here to ensure the deposit is associated with the existing record. ***Note:*** *all other details provided must match the existing record too.*	Existing person ID (1 - 100 alphanumeric characters)
person_reference	LL123ABZ	No	A user given reference for this person (only used where person type is landlord).	Must be between 1 and 30 alphanumeric characters.
person _title	Mr	Yes	Title of the person e.g. Mr, Mrs, Miss, etc.	Must be between 1 and 30 characters.
person _firstname	James	Yes	First name of the person.	Must be between 1 and 255 characters.
person _surname	Calder	Yes	Surname of the person.	Must be between 1 and 255 characters.
is_business	N	Yes = in NI No = in other schemes	Where you can denote if this "person" is a business.	Must Y or N.
business_name	Tenant Ltd	Where 'is_business' is Y, otherwise N	The name of the business is mandatory where "is_business" = Y	Must be between 1 and 100 alphanumeric characters.
person _paon	1 or The Dispute Service	No - Tenant(s) Yes - Landlords	This is only required for the landlord address. This is the "building name" or "building name" of the rented property. In essence the house number or name.	Must be between 1 and 100 alphanumeric characters.
person _saon	Unit 5 or The West Wing	No	This is <u>only required</u> when the "building name" or "building number" (person_paon) is insufficient for example 'The West Wing'.	Must be between 1 and 100 alphanumeric characters.
person _street	Maylands Avenue	No - Tenant(s) Yes - Landlord(s)	Street where property is located. Required for landlord address only.	Must be between 1 and 100 alphanumeric characters.

person _locality	Little Village	No	Locality where property is located. Required for landlord address only.	Must be between 3 and 100 alphanumeric characters.
person_town	Hemel Hempstead	No - Tenant(s) Yes - Landlord(s)	Town where property is located. Required for landlord address only.	Must be between 3 and 100 alphanumeric characters.
person _administrative_area	Hertfordshire	No - Tenant(s) Yes - Landlord(s)	Administrative area where property is located. Required for landlord address only.	Must be between 3 and 100 alphanumeric characters.
person _postcode	HP 2 7TG	No - Tenant(s) Yes - Landlord(s)	Postcode of tenancy property. Required for landlord address only.	Must be between 1 and 8 characters.
person _country	United Kingdom	No - Tenant(s) Yes - Landlord(s)	Country where landlord lives. Required for landlord address only.	Must be between 1 and 100 alphanumeric characters.
person _phone	01442 217000	No	Phone number of person. This is required, if the scheme needs to contact the person for any reason and do not have an email address.	Must start with a "0" or "+" character. Must be between 1 and 30 characters including area codes. If the mobile number is non-UK include the international dialling codes.
person _fax	01442 236654	No	Fax number of the landlord, used if the scheme needs to contact the landlord for any reason. Required for landlord(s) only.	Must start with a "0" or "+" character. Must be between 1 and 30 characters including area codes. If the mobile number is non-UK include the international dialling codes.
person _email	tenant1@ gmail.com	Yes	E-mail address of the person. This is required, if the scheme needs to contact the person for any reason. This is the primary contact method used by the scheme. Where person type is **tenant - either mobile or email are mandatory, not both**.	Must be between 1 to 255 characters and a valid email address. Must be unique, 2 parties within the same tenancy cannot share an email address. A landlord cannot use the same email address as an existing tenant within the TDS system.
person _mobile	07717 123456	Yes	Mobile phone number of the person. Required, if the scheme needs to contact the person for any reason. Where the "person" type is tenant - **either mobile or e-mail are mandatory, not both.**	Must start with a "0" or "+" character. Must be between 1 and 30 characters including area codes. If the mobile number is non-UK include the international dialling codes.
correspondence_paon	1 or The Corner	No	This is the "building name" or "building name" for the correspondence address. In essence the house number or name.	Must be between 1 and 100 alphanumeric characters.

	House		Applies to both tenant(s) and landlord(s) If landlord address is not within the necessary jurisdiction, this is required by the NI scheme.	
correspondence_saon	Flat 2 or Room 2	No	This is only required when the "building name" or "building number" (person_paon) is insufficient for example 'Flat 2"'. Applies to both tenant(s) and landlord(s) If landlord address is not within the necessary jurisdiction, this is required by the NI scheme.	Must be between 1 and 100 alphanumeric characters.
correspondence_street	High Street	No	Street where property is located. Applies to both tenant(s) and landlord(s) If landlord address is not within the necessary jurisdiction this is required by the NI scheme.	Must be between 1 and 100 alphanumeric characters.
correspondence_town	Little Village	No	Locality where property is located. Applies to both tenant(s) and landlord(s) If landlord address is not within the necessary jurisdiction this is required by the NI scheme.	Must be between 3 and 100 alphanumeric characters.
correspondence_locality	Wigan	No	Town where property is located. Applies to both tenant(s) and landlord(s) If landlord address is not within the necessary jurisdiction this is required by the NI scheme.	Must be between 3 and 100 alphanumeric characters.
correspondence_administrative area	Lancashire	No	Administrative area where property is located. Applies to both tenant(s) and landlord(s) If landlord address is not within the necessary jurisdiction this is required by the NI scheme.	Must be between 3 and 100 alphanumeric characters.
correspondence_postcode	TT11CC	No	Postcode of tenancy property. Applies to both tenant(s) and landlord(s) If landlord address is not within the necessary jurisdiction this is required by the NI scheme.	Must be between 1 and 8 characters.
correspondence_country	United Kingdom	No	Country where correspondence address is. Applies to both tenant(s) and landlord(s) If landlord address is not within the necessary jurisdiction this is required by the NI scheme.	Must be between 1 and 100 alphanumeric characters.

Example request:

The overall abridged data structure is indicated below:


```
{
    "member_id":"18881",
    "branch_id":"20001",
    "api_key":"ABCDE-12345-FGHIJ-67890-KLMNO”
    "region":"EW”
    "scheme_type": "Custodial",
    "tenancy":[
        "user_tenancy_reference":"1",
        "property_id":1,
        "property_paon":"1",
        "property_saon":"",
        "property_street":"Test Street",
….
        "number_of_tenants":1,
        "number_of_landlords":1,
        "people":[{
            "person_classification":"Lead Tenant",
            "person_id":"",
            "person_reference":"",
            "person_title":"Mr",
            "person_firstname":"Lead",
            "person_surame":"Tenant",
            "is_business":"N",
….
            "person_correspondence_country":"United Kingdom"
        },{
            "person_classification":"Primary Landlord",
            "person_id":"",
            "person_reference":"",
            "person_title":"Miss",
            "person_firstname":"Primary",
            "person_surame":"Landlord",
            "is_business":"N",
….
            "person_correspondence_country":"United Kingdom"
        }]
        },{
        "property_id":2,
        "property_paon":"2",
….
        "number_of_landlords":1,
        "people":[{
            "person_classification":"Lead Tenant",
….
            "person_correspondence_country":"United Kingdom"
        },{
            "person_classification":"Primary Landlord",
….
            "person_correspondence_country":"United Kingdom"
        }]
    }]
}
```

Response

When a tenancy creation request as defined above is submitted the service will return a response with the following information.

Key	Example	Mandatory	Description
success	true	Yes	"true" - if successfully submitted for processing by the deposit creation engine. "false"- if an error was detected in the initial request. ***Note:*** *This flag only reports the success of the request and in no way indicates that the creation of the deposit protection.* This information can only be determined with a follow-up call to the CreationStatus service, detailed below.
batch_id	167237	No	If success = "true" and the requested deposit has been posted for creation this will return the "**unique id"** for this request. This reference is required for all subsequent API calls to the CreationStatus service, in order to determine the outcome of the deposit creation process.
error	Fail	No	If success = "false" this returns a text representation of the pre-processing error that prevented the deposit creation from being submitted

Example responses:

```
{
    "batch_id":"167237",
    "success":"true"
}

{
    "error":"Invalid authentication key",
    "success":"false"
}

{
    "success": false,
    "errors": "Invalid scheme_type"
}

{
    "success": false,
    "errors": "Member is not part of a valid scheme"
}
```

400 Bad Request

```
{  "errors":"Invalid JSON",
   "success":"false"
}
```

403 Forbidden

```
{  "errors":"Failed authentication",
   "success":"false"
}

{
   "success":"false"
}
```

Success false with no error message indicates that the tenancy creation process was unsuccessful.

3.1 Creation status

If there are no problems with the "deposit creation" request, then the deposit will be registered under the **Registered (not paid)** status and appear in the portal within a short period of time.

API calls to the "CreationStatus" service provides information on the status of the "deposit creation" service and retrieve information about any errors that have occurred in processing the request.

Request

This service is a GET request of the following form:

```
GET /CreateDepositStatus/<member_id>/<branch_id>/<api_key>/<batch_id>
```

For example:

```
GET /CreateDepositStatus/123456/0/12345-67890-ABCDE-FGHIJ/167237
```

Response

When a deposit creation request is successful, a response object with the success status = true, is returned. This means that the api request to retrieve the state was successful.

If the success status = false, then the response object will include an error key which will provide a reason for the failure, such as bad authentication credentials for the api_reference provided.

The status element indicates whether the deposit creation request is still awaiting processing, has been successful or failed for some reason. This can be one of three values;

- pending
- created
- failed

For successful deposit creation items a "dan" element is returned, which will provide the identification reference for the newly created deposit. DAN stands for 'deposit account number' and is the unique reference given to a deposit by TDS once created.

For "failed" statuses an error array is returned and include an element for each field that generated an error. The key is the field name and the value is the error string.

A successful creation plus error key can also return a warnings array, issues for consideration, but which would not in themselves cause the deposit not to be created.

Key	Example	Mandatory	Description

success	true	Yes	success = true, if the request has been (successfully) submitted to the deposit creation engine success = false, if an error was detected in the deposit creation request. ***Note:*** *This flag only reports the success of the request and in no way indicates that the deposit protection has been created.*
status	created	Yes	Supported values are: • created • failed • pending
dan	NI0000123	No	Unique reference for a deposit protection. If the status is "pending" or "failed" the dan key will be blank/empty.
branch_id	123456	No	If the tenancy was created successfully then this will contain the branch_id for this tenancy. This is required when a branch_id of -1 was supplied in the create call and a new branch has been created automatically as part of the processing.
warnings	array	No	An array of field: reason elements if any warnings were issued. Warnings are for information only and will not prevent a deposit from being created. This is not present on pending status and optional for "created" and "failed" statuses
errors	array	No	An array of field: reason elements if any errors found. The status will be failed and errors will be present. This element will not be present for "created" and "pending" statuses.

Examples:

```
{
    "success":"true",
    "status":"created",
    "dan":"NI0000123",
    "branch_id":"123456",
    "warnings":[{
        "postcode":"must conform to BS7666:2000"
    }]
}

{
    "batch_id":"1046279",
    "success":"true",
    "status":"pending",
}

{
    "batch_id":"1046729",
    "success":"true",
    "status":"failed",
    "errors": [
        {
            "name": "Validation",
            "value": "Attempt to update an existing tenancy"
        }
    ]
}

{
```

```
    "batch_id": "1033777",
    "success": true,
    "status": "failed",
    "dan": "",
    "errors": [
        {
            "code": "302110",
            "name": "number_of_tenants",
            "value": "should match the number of tenants",
        }
    ]
}

{
    "batch_id": "1033783",
    "success": true,
    "status": "Failed",
    "dan": "",
    "errors": [
        {
            "name": "postcode",
            "field": "person_postcode",
            "value": "must be from 1 to 8 alphanumeric characters",
            "code": "302111",
        }
    ],
    "warnings": [
        {
            "name": "postcode",
            "field": "person_postcode",
            "value": "should conform to the format specified by BS7666:2000 within the UK;
please specify a country for addresses outside the UK",
        }
    ]
}
```

Docusign Envelope ID: D55BD495-F012-4F69-A5C6-7828E0AC5A7E

4 Tenancy information

This service will provide summary information about the deposit throughout the deposit lifecycle. Typically deposits will progress through a number of key defined states which will vary by scheme.

The table below defines each of these states:

Request

This service is a GET request of the following form:

```
GET /TenancyInformation/<member_id>/<branch_id>/<api_key>/<dan>
```

For example:

```
GET /tenancy_information/123456/456789/12345-67890-ABCDE-FGHIJ/EW0232232
```

Response

The response object will return a success element = true, if the request was successful, i.e. the member, branch and api-key match and own the requested DAN.

Key	Example	Mandatory	Description
success	true	Yes	success = true, if the request has been (successfully) submitted to the deposit creation engine success = false, if an error was detected in the deposit creation request. ***Note:*** *This flag only reports the success of the request and in no way indicates that the deposit has been created.*
dan	NI0000123	No	The unique reference of the deposit. This will be the same as the reference requested in the call
status	Deposit Held / Deposit Closed - deposit repaid in full	Yes	The status of the deposit protection.
case_status	Repayment requested - tenant / Awaiting Tenant evidence	No	If there is a case open relating to this deposit, the status of the case is returned. This could be a • repayment request • dispute • deposit transfer • tenant changeover
adjudication_decision_published	Y/N	No	Where an adjudication report has been written relating to a dispute over the queried deposit, this field will detail return Y, otherwise N.

protected _amount	1000.00	Yes	The amount of deposit currently protected by the scheme
warnings	array	No	An array of field:reason elements if any warnings were issued. Warnings are for information only
errors	array	No	An array of field:reason elements if any errors found.

Examples:

```
{
    "success":"true",
    "status":"Deposit Held",
    "case_status":"Repayment Requested - Tenant",
    "dan":"NI0000123"
}

{
    "success":"false",
    "dan":"NI0000123"
    "errors":[{
        "Invalid DAN":"DAN not associated with this member"
    }]
}
```

5 Landlords

This service will provide search capabilities for existing non-member landlords associated with a member.

Request

This service is a GET request of the following form:

```
GET /landlord/<member_id>/<branch_id>/<api_key>/?filter_parameters
```

For example:

```
GET /tenancy_information/123456/456789/12345-67890-ABCDE-FGHIJ/?id=123456
```

Filter Parameters

Key	Example	Mandatory	Description
id	123456	No	Returns the Landlord details associated with the supplied ID.
email	test@example.com	No	Search for landlord by email address
limit	25	No	Maximum number of results to return, defaults to 50 if not supplied
after_id	123456	No	If more results are returned than the specified limit the after ID can be used to fetch the next batch of results. The after id is the last id returned in the result batch.

The response object will return a success element = true, if the request was successful, i.e. the member, branch and api-key match and own the requested landlord.

Result

Key	Example	Mandatory	Description
success	true	Yes	success = true, if the request has been (successfully) processed.
errors	invalid_limit	No	key values for error and error message.
totalrResults	50	No	Total number of results returned in the request batch
landlords	See landlord entity	No	An array of landlord objects

Landlord Entity

Key	Example	Description	Data Type
nonmemberlandlordid	123456	The unique ID for this landlord	Int
organisationname	Test Organisation	key values for error and error message.	String
tradingname	Trading name	Company trading name	String
companyregisteredname	Registered name	Company registered name	String
companyregistrationnumber	REG1234	Company registration number	String
telephone	012345678910	Primary contact telephone number	String
alttelephone	012345678910	Alternative contact telephone number	String
fax		Not used	String
addresslines	36A A Street	Address lines	String
addresscity	Hemel Hempstead	Address city	String
addresscounty	Hertfordshire	Address county	String
addresspostcode	HP2 7TG	Address postcode	String
addresscountry	United Kingdom	Address country	String
branchname	Associated Branch	Associated branch name	String
branchid	123456	Unique id of the branch	Int
archivestatus	Active	Flag to determin if the landlord has been archived	String
email	email@example.com	Email address associated with landlord	String
correspondenceaddresslines	36A A Street	Correspondence address lines	String
correspondenceaddresscity	Hemel Hempstead	Correspondence address city	String
correspondenceaddresscounty	Hertfordshire	Correspondence address county	String
correspondenceaddresspostcode	HP2 7TG	Correspondence address postcode	String
correspondenceaddresscountry	United Kingdom	Correspondence address country	String
correspondencetelephone	012345678910	Correspondence telephone number	String
ca_is_diff_from_add	No	Flag determining if Correspondence address is different from primary address, (Yes / No)	String
live_deposits	5	Number of live deposits associated with this landlord	Int
honorific	Miss	Landlord title	String
first_name	Helen	Landlord first name	String
last_name	Tester	Landlord last name	String
updated	Nov 9, 2020 2:27:48 PM	Record last updated date time	String

refreshed	Nov 9, 2020 2:27:48 PM	Record data source last refreshed	String
is_organisation	No	Flag determining if the landlord is an organisation (Yes/No)	String
has_current_dpc	0	Not used	Int
nonmembertype	Landlord	Non member entity type	String

Successful Result Example


```
{
    "totalResults": 1,
    "landlords": [
        {
            "nonmemberlandlordid": 123456,
            "organisationname": "Miss Helen Tester",
            "tradingname": "",
            "companyregisteredname": "",
            "companyregistrationnumber": "",
            "telephone": "01234678910",
            "alttelephone": "",
            "fax": "",
            "addresslines": "36A A Street",
            "addresscity": "Hemel Hempstead",
            "addresscounty": "Hertfordshire",
            "addresspostcode": "HP2 7TG",
            "addresscountry": "United Kingdom",
            "branchname": "Associated branch",
            "branchid": 123456,
            "archivestatus": "active",
            "email": "email@example.com",
            "correspondenceaddresslines": "",
            "correspondenceaddresscity": "",
            "correspondenceaddresscounty": "",
            "correspondenceaddresspostcode": "",
            "correspondenceaddresscountry": "",
            "correspondencetelephone": "",
            "ca_is_diff_from_add": "No",
            "live_deposits": 0,
            "honorific": "Miss",
            "first_name": "Helen",
            "last_name": "Tester",
            "updated": "Nov 9, 2020 2:27:48 PM",
            "refreshed": "Nov 9, 2020 2:29:18 PM",
            "is_organisation": "No",
            "has_current_dpc": 0,
            "nonmembertype": "Landlord"
        }
    ],
    "isSuccess": true
}
```

Error Examples

400 Bad Request:

```
{
    "success":"false"
    "errors":[{
        "invalid_limit":"The value supplied for limit is invalid"
    }]
}

{
    "success":"false"
    "errors":[{
        "invalid_after_id":"The value supplied for after_id is invalid, must be numeric."
    }]
}

{
    "success":"false"
    "errors":[{
        "id":"The value supplied for id is invalid, must be numeric."
    }]
}

{
    "success":"false"
    "errors":[{
        "api_key":"no API key supplied",
        "member_id":"no member id supplied",
        "branch_id":"no branch id supplied"

    }]
}
```

403 Forbidden:

```
{
    "success":"false"
    "errors":[{
        "authentication_error":"The request could not be authenticated with the credentials
supplied"
    }]
}

{
    "success":"false"
    "errors":[{
        "authentication_error":"The request could not be authenticated."
    }]
}
```

6 Properties

This service will provide search capabilities for existing properties associated with a member.

Request

This service is a GET request of the following form:

```
GET /property/<member_id>/<branch_id>/<api_key>/?filter_parameters
```

For example:

```
GET /property/123456/456789/12345-67890-ABCDE-FGHIJ/?id=123456
```

Filter Parameters

Key	Example	Mandatory	Description
id	123456	No	Returns the property details associated with the supplied ID.
postcode	HP2 7TG	No	Search for property by postcode
limit	25	No	Maximum number of results to return, defaults to 50 if not supplied
after_id	123456	No	If more results are returned than the specified limit the after ID can be used to fetch the next batch of results. The after id is the last id returned in the result batch.

The response object will return a success element = true, if the request was successful, i.e. the member, branch and api-key match and own the requested property.

Result

Key	Example	Mandatory	Description
success	true	Yes	success = true, if the request has been (successfully) processed.
errors	invalid_limit	No	key values for error and error message.
totalResults	50	No	Total number of results returned in the request batch
properties	See property entity	No	An array of property objects

Property Entity

Key	Example	Description	Data Type
propertyid	123456	The unique ID for this property	Int
organisationname	88 Test Street, Hemel Hempstead HP2 7TG		String
propertynumber	88	The number	String
addresslines	Test Street	Address lines	String
addresscity	Hemel Hempstead	Address city	String
addresscounty	Hertfordshire	Address county	String
addresspostcode	HP2 7TG	Address postcode	String
addresscountry	United Kingdom	Address country	String
hmostatus			String
localauthorityname			String
localauthorityidentifier			String
memberid	123456	Member id associated with property record	Int
membername	Test Company	Name of the associated member	String
branchid	123456	Id of the associated branch or 0.	Int
nonmemberid	123465	Non member landlord id associated with property	Int
nonmembername	Mr Test Landlord	Nonmember landlord name	String
lockversion	10	Current version of record, not used	Int
archivestatus	Active	Flag determining if the property is active or achived	String
numberofbedrooms	4	Number of bedrooms in the property	Int
numberoflivingrooms	1	Number of living rooms in the property	Int
furnishedstate	Furnished	The furnished status of the property	String
live_deposits	4	Number of deposits associated with the property	String
updated	Nov 9, 2020 2:27:48 PM	Record last updated date time	String
refreshed	Nov 9, 2020 2:27:48 PM	Record data source last refreshed	String
has_current_dpc	0	Not used	Int
district	Norwich District		String

Successful Result Example


```
{
    "totalResults": 1,
    "properties": [
        {
            "propertyid": 123456",
            "organisationname": "88 Test Street, Hemel Hempstead HP2 7TG ",
            "propertynumber": "88",
            "addresslines": "Test Street",
            "addresscity": "Hemel Hempstead",
            "addresscounty": "Hertfordshire",
            "addresspostcode": "HP2 7TG",
            "addresscountry": "United Kingdom",
            "hmostatus": "",
            "localauthorityname": "",
            "localauthorityidentifier": "",
            "memberid": 123456,
            "membername": "Test company",
            "branchid": 0,
            "nonmemberid": 1234655,
            "nonmembername": "Mr Test Landlord",
            "lockversion": 0,
            "archivestatus": "active",
            "numberofbedrooms": 4,
            "numberoflivingrooms": 1,
            "furnishedstate": "",
            "live_deposits": 2,
            "updated": "Nov 12, 2018 2:46:50 PM",
            "refreshed": "Nov 14, 2018 2:33:55 PM",
            "has_current_dpc": 0,
            "district": "Norwich District (B)"
        }
    ],
    "isSuccess": true
}
```


Error Examples

403 Forbidden:


```
{
    "success":"false"
    "errors":[{
        "authentication_error":"The request could not be authenticated with the credentials
supplied"
    }]
}
```

```
{
    "success":"false"
    "errors":[{
        "authentication_error":"The request could not be authenticated."
    }]
}
```

400 Bad Request:

```
{
    "success":"false"
    "errors":[{
        "invalid_limit":"The value supplied for limit is invalid"
    }]
}

{
    "success":"false"
    "errors":[{
        "invalid_after_id":"The value supplied for after_id is invalid, must be numeric."
    }]
}

{
    "success":"false"
    "errors":[{
        "id":"The value supplied for id is invalid, must be numeric."
    }]
}

{
    "success":"false"
    "errors":[{
        "api_key":"no API key supplied",
        "member_id":"no member id supplied",
        "branch_id":"no branch id supplied"

    }]
}
```

Docusign Envelope ID: D55BD495-F012-4F69-A5C6-7828E0AC5A7E

7 Repayment Request

This service will provide the ability to submit a repayment request against a deposit.

Request

This service is a POST request with content type application/json

```
POST /RaiseRepaymentRequest/
```

Body

Key	Example	Mandatory	Description	Format Definition
api_key	ABCDE-12345-FGHIJ-67890-KLMNO	Yes	The unique secret API key assigned to the Head office/branch used to authenticate the call is valid for the member.	
member_id	123456	Yes	The member_id as supplied by TDS Custodial..	Must be 1 - 6 alphanumeric characters
branch_id	654321	Yes	The branch_id as supplied by TDS Custodial. For single branch members, the branch ID is 0. Members that have more than one branch will always have differing branch and member IDs.	Must be 1 - 6 alphanumeric characters
dan	EW12345	Yes	The TDS custodial deposit identifier	EW12345
tenancy_end_date	26/05/2020	Yes	The date the tenancy ended.	Date string dd/mm/yyyy
tenant_repayment	999.99	Yes	Total repayment value to the tenant(s)	Numeric
tenant_repayment_type	Split	Yes	Split the tenant_repayment equally between all tenants or repay the tenant_repayment to the lead tenant.	Lead Split
agent_repayment	JSON Object	Yes	See below	The member repayment request and breakdown.

Agent Repayment JSON Object

Key	Example	Mandatory	Description	Format Definition
total	458.48	Yes	The total proposed repayment amount to the member, the following sub category splits must add up to the supplied total.	Numeric
cleaning	200	Yes	Repayment amount allocated to cleaning.	Numeric
rent_arrears	0	Yes	Repayment amount allocated to rent arrears	Numeric
damage	122.99	Yes	Repayment amount allocated to damage	Numeric
redecoration	0	Yes	Repayment amount allocated to redecoration	Numeric
gardening	32.49	Yes	Repayment amount allocated to gardening	Numeric
other	99	Yes	Repayment amount allocated to other	Numeric
other_text	Description text	No	Descriptive reason for allocating funds to other. This field is mandatory when other is greater than 0	The member repayment request and breakdown.

Body JSON Example

```
{
  "api_key": "ABCDE-12345-FGHIJ-67890-KLMNO",
  "member_id": "123456",
  "branch_id": "123457",
  "dan": "EW12345",
  "tenancy_end_date": "26/05/2020",
  "tenant_repayment_type": "split",
  "tenant_repayment ": 999.99,
  "agent_repayment": {
      "total": 454.48,
      "cleaning": 200,
      "rent_arrears": 0,
      "damage": 122.99,
      "redecoration": 0,
      "gardening": 32.49,
      "other": 99,
      "other_text": "Description of other payment"
  }
}
```

Successful Result Example

Key	Example	Type	Description
success	true	boolean	The repayment request was accepted

```
{
    "success": true
}
```

Error Response Examples

Key	Example	Type	Description
success	false	boolean	The repayment request was accepted
errors			key values pairs to identify the error(s)

```
{
    "success":"false"
    "errors":{
        "invalid_dan":"the DAN supplied could not be found "
    }
}

{
    "success":"false"
    "errors":{
        "authentication_error":"The request could not be authenticated."
    }
}
```

```
{
    "success":"false"
    "errors":{
        "no_data":"no request JSON received"
    }
}

{
    "success":"false"
    "errors":{
        "not_authorised ":"12345 is not authorised to manage EW12345"
    }
}

{
    "success":"false"
    "errors":{
        "not_eligable ":"Tenancy is not in correct state to accept repayment request"
    }
}

{
    "success":"false"
    "errors":{
        "tenant_split ":"Unable to calculate tenant repayment values"
    }
}

{
    "success":"false"
    "errors":{
        "invalid_payment":"The repayment values do not match the expected deposit amount"
    }
}

{
    "success":"false"
    "errors":{
        "failure":"The process did not complete successfully"
    }
}

{
    "success":"false"
    "errors":{
        "api_key":"No API key supplied",
        "member_id":"No member id supplied",
        "dan":"No DAN was supplied",
        "tenancy_end_date":"No tenancy end date supplied",
        "tenant_repayment_type":"No tenant repayment type supplied"
    }
}

{
    "success":"false"
    "errors":{
        "failure":"There is an existing case for this tenancy, the repayment request amounts
do not match the proposal [EW12345]"
    }
}



{
```

```
{
    "isSuccess": false,
    "errors": {
        "scheme": "Invalid tenancy scheme"
     }
}
```

8 Deposit Protection Certificate

This service will provide a DPC PDF file download.

Request

This service is a GET request of the following form:

```
GET /dpc/<member_id>/<branch_id>/<api_key>/<tenancy_dan>
```

For example:

```
GET /dpc/123456/456789/12345-67890-ABCDE-FGHIJ/EW123456
```

Successful Result Example

PDF file download

Error Response Examples

```
{
    "success":"false"
    "errors":{
        "invalid_dan":"the DAN supplied could not be found "
    }
}

{
    "success":"false"
    "errors":{
        "authentication_error":"The request could not be authenticated."
    }
}

{
    "success":"false"
    "errors":{
        "no_data":"no request JSON received"
    }
}

{
    "success":"false"
    "errors":{
        "not_authorised ":"12345 is not authorised to manage EW12345"
    }
}

{
    "success":"false"
    "errors":{
        "error":"Sorry something went wrong with the request"
    }
}
```

```
{
    "success":"false"
    "errors":{
        "not_found":"The DPC certificate could not be found"
    }
}
```

```
{
    "success":"false"
    "errors":{
        "api_key":"No API key supplied",
        "member_id":"No member id supplied",
        "dan":"No DAN was supplied",
    }
}
```

```
{
    "isSuccess": false,
    "errors": {
        "scheme": "Invalid tenancy scheme"
    }
}
```

9 Create Head Office Branch

This service will create a new branch under the head office

Request

This service is a PUT request of the following form:

```
PUT /headOffices/<head_office_member_id>/branches
```

For example:

```
PUT /headOffices/123456/branches
```

Body

Key	Example	Mandatory	Description	Format Definition
api_key	ABCDE-12345-FGHIJ-67890-KLMNO	Yes	The unique secret API key assigned to the Head office/branch used to authenticate the call is valid for the member.	

branch	"branch" : {
	...
	}
		Yes	The branch entity to create	JSON Object

Branch Object

Key	Example	Mandatory	Description	Format Definition
branch_name	Branch One	Yes	The name of the branch	Min 3 Max 60 String - Alphanumeric
telephone	01234567890	Yes	Branch contact telephone	Must start with a "0" or "+" character. Must be between 1 and 30 characters including area codes.
address_lines	Flat 3 36A Street Name	Yes	Address lines	Min 1 Max 100 String - Alphanumeric
address_town	Hemel Hempstead	Yes	Town where branch is located	Min 1 Max 100 String - Alphanumeric
address_county	Hertfordshire	No	The county the branch is located	Min 1 Max 100 String - Alphanumeric
address_postcode	HP2 7TG	Yes	The post code where branch is located	Min 1 Max 10 Valid postcode format
address_country	United Kingdom	Yes	The country the branch is located	United Kingdom
email_general_correspondence	general@branch.com	Yes	Email for general correspondence	Min: 1 Max: 255 String - Valid email address format
email_dispute_resolution	dispute@branch.com	Yes	Email for dispute resolution contact	Min: 1 Max: 255 String - Valid email address format

email_finance	finance@branch.com	Yes	Email for finance contact	Min: 1 Max: 255 String - Valid email address format
telephone_alt	01442 217000	No	Branch alternative telephone number	Must start with a "0" or "+" character. Must be between 1 and 30 characters including area codes.
fax	01442 236654	No	Branch fax number	Must start with a "0" or "+" character. Must be between 1 and 30 characters including area codes.
website	https://www.example.com/	No	Branch website	Min 3 Max 60 Alphanumeric

Successful Result Example

Key	Example	Type	Description
success	true	boolean	The branch was created
branchId	123456	integer	The created branch id

```
{
    "branchId": 123456,
    "isSuccess": true
}
```

Error Response Examples

```
{
  "isSuccess": false,
  "errors": {
    "authentication_error": "The request could not be authenticated with the credentials
supplied"
  }
}
```

```
{
  "isSuccess": false,
  "errors": {
    "malformed_json": "Invalid / unparsable JSON supplied"
  }
}
```

```
{
  "isSuccess": false,
  "errors": {
    "email_general_correspondence": "must be supplied",
    "email_email_finance": "must be supplied",
    "address_lines": "must be supplied",
    "address_country": "must be supplied",
    "branch_name": "must be supplied",
    "address_postcode": "must be supplied",
    "telephone": "must be supplied",
    "address_town": "must be supplied",
    "email_dispute_resolution": "must be supplied"
  }
}

{
  "isSuccess": false,
  "errors": {
    "email_general_correspondence": "format incorrect for field type",
    "address_country": "address_country value must be UNITED_KINGDOM",
    "telephone_alt": "format incorrect for field type",
    "email_finance": "format incorrect for field type",
    "address_postcode": "format incorrect for field type",
    "telephone": "format incorrect for field type",
    "fax": "format incorrect for field type",
    "email_dispute_resolution": "format incorrect for field type"
  }
}

{
  "isSuccess": false,
  "errors": {
    "email_general_correspondence": "length out of bounds",
    "address_county": "length out of bounds",
    "website": "length out of bounds",
    "address_lines": "length out of bounds",
    "branch_name": "length out of bounds",
    "telephone_alt": "length out of bounds",
    "email_finance": "length out of bounds",
    "telephone": "length out of bounds",
    "fax": "length out of bounds",
    "address_town": "length out of bounds",
    "email_dispute_resolution": "length out of bounds"
  }
}
```

9 Create Head Office Branch User

This service will create a new user under the head office branch

Request

This service is a PUT request of the following form:

```
PUT /headOffices/<head_office_member_id>/branches/<branch_member_id>/users
```

For example:

```
PUT /headOffices/123456/branches/654321/users
```

Body

Key	Example	Mandatory	Description	Format Definition
api_key	ABCDE-12345-FGHIJ-67890-KLMNO	Yes	The unique secret API key assigned to the Head office/branch used to authenticate the call is valid for the member.	

branch_user	"branch_user" : {
	...
	}
		Yes	The user entity to create	JSON Object

Branch User Object

Key	Example	Mandatory	Description	Format Definition
job_title	Manager	No	Users job title	Min: 1 Max: 255 String - Alphanumeric
title	Mr	Yes	The honorific title of the user	Min 1 Max 60 Alphanumeric
first_name	John	Yes	First name of the user	Min 1 Max 255
last_name	Doe	Yes	Last name of the user	Min 1 Max 255
email	branch-user@branch.com	Yes	Email of the user	Min: 1 Max: 255 Valid email address. Must be unique
telephone	01442 217000	No	Telephone of the user	Must start with a "0" or "+" character. Must be between 1 and 30 characters including area codes.
telephone_mobile	07717 123456	No	Mobile phone number	Must start with a "0" or "+" character. Must be between 1 and 30 characters including area codes.

Successful Result Example

Key	Example	Type	Description
success	true	boolean	The user was created
personId	123456	integer	The created person id

```
{
    "personId": 123456,
    "isSuccess": true
}
```

Error Response Examples

```
{
  "isSuccess": false,
  "errors": {
    "authentication_error": "The request could not be authenticated with the credentials
supplied"
  }
}

{
 "isSuccess": false,
 "errors": {
  "malformed_json": "Invalid / unparsable JSON supplied"
 }
}

{
 "isSuccess": false,
 "errors": {
  "last_name": "must be supplied",
  "title": "must be supplied",
  "first_name": "must be supplied",
  "email": "must be supplied"
 }
}

{
 "isSuccess": false,
 "errors": {
  "telephone_mobile": "format incorrect for field type",
  "telephone": "format incorrect for field type",
  "title": "format incorrect for field type",
  "email": "format incorrect for field type"
 }
}

{
 "isSuccess": false,
 "errors": {
  "telephone_mobile": "length out of bounds",
```

```
    "last_name": "length out of bounds",
    "telephone": "length out of bounds",
    "title": "length out of bounds",
    "first_name": "length out of bounds",
    "job_title": "length out of bounds",
    "email": "length out of bounds"
  }
}
```