

VIDEO 3

BUILD YOUR FIRST AI ASSISTANT



PYTHON

OPENAI
API STYLE

OLLAMA

.env

VIRTUAL
ENVIRONMENT



codestorywithmik



CSwithMIK



codestorywithMIK

Video - 2


- ↳ VS Code ✓✓ (IDE)
- ↳ Python ✓✓
- ↳ Ollama (downloaded a model) ✓✓ qwen3:4b

Before we write our
first AI Assistant...

python3 --version
→ Python 3.14.7

import xyz

```
MIK ~  
ls /opt/homebrew/lib/python3.14/site-packages/  
mlx pip wheel  
mlx-0.42.1.dist-info pip-26.2.1.dist-info wheel-0.47.0.dist-info  
MIK ~
```




Project A
mlx
0.32.1
import mlx

Project B
mlx
0.42.1

Project C
mlx

Virtual Environment



cd project A

✓ Python3 -m venv .venv

MAC/Linux.

Python -m venv .venv

windows

```
cd project B
```

```
python3 -m venv .venv
```

```
python -m venv .venv
```

Activate:- (Mac/Linux)

```
source .venv/bin/activate
```

(.venv) ←

(windows)

```
.venv\scripts\Activate
```

✓ ① .venv

✓ ② Python: Select Interpreter

Simple_ai_assistant

File name.


① lower case letters

② use underscore '_'

③ .py

Simple_ai_assistant.py

OpenAI standard API ...



<https://developers.openai.com/api/reference/resources/chat>

Explorer

Simple AI Assistant
 .venv
 simple_ai_assistant...

simple_ai_assistant.py

```
1  from openai import OpenAI
2
3  client = OpenAI(
4      base_url="http://127.0.0.1:11434/v1",
5      api_key="dummy_key"
6  )
7
8  response = client.chat.completions.create(
9      model="qwen3:4b",
10     messages=[
11         {
12             "role": "user",
13             "content": "Hello LLM!"
14         }
15     ]
16 )
17
18 print("LLM Response:")
19 print(response.choices[0].message.content) #Response from the LLM model : qwen3:4b
20
```

Problems

Output

Debug Console

Terminal

Ports

```
(.venv) ~MIK ~/Desktop/Simple AI Assistant
• python3 simple_ai_assistant.py
LLM Response:
Hello! I'm Qwen, a large language model developed by Tongyi Lab. How can I assist you today? 🤖
(.venv) ~MIK ~/Desktop/Simple AI Assistant
○
```

Outline

Timeline