

Student 3 **AKSHAYA M** 192320097RA

10 / 10 submitted

Q1. Looping statements

CODE

```
#include<stdio.h>
int main(){
    int n,rem,sum=0;
    scanf("%d",&n);
    while(n!=0){
        rem=n%10;
        sum=sum*10+rem;
        n=n/10;
    }
    printf("Reverse of digits =%d",sum);
}
```

INPUT

12345

OUTPUT

Reverse of digits =54321

Q2. Looping statements

CODE

```
#include<stdio.h>
int main(){
    int n,temp,rem,sum=0;
    scanf("%d",&n);
    temp=n;
    while(n!=0){
        rem=n%10;
        sum=sum*10+rem;
        n=n/10;
    }
    if(temp==sum)
        printf("Palindrome");
    else
        printf("Not Palindrome");
    return 0;
}
```

INPUT

121

OUTPUT

Palindrome

Q3. Looping statements

CODE

```
#include<stdio.h>
int main(){
    int n,temp,rem,sum=0;
    scanf("%d",&n);
    temp=n;
    while(n!=0){
        rem=n%10;
        sum=sum+rem*rem*rem;
        n=n/10;
    }
    if(temp==sum)
        printf("Armstrong");
    else
        printf("Not Armstrong");
    return 0;
}
```

INPUT

143

OUTPUT

Not Armstrong

Q4. Looping statements

CODE

```
#include<stdio.h>
int main(){
    int n,i,j,isprime;
    scanf("%d",&n);
    if(n<=2)
        printf("2");
    for(j=3;j<=n;j++){
        isprime=1;
        for(i=2;i<j;i++){
            if(j%i==0){
                isprime=0;
                break;
            }
        }
        if(isprime)
            printf("%d",j);
    }
    return 0;
}
```

INPUT

10

OUTPUT

2357