

# EMA-STYLE

## PREMIUM SLIDING WINDOW AND DOOR SYSTEM

EMAPEN's new and refined sliding system, introducing a **sliding door sash** of exceptional quality and a **60mm built-in bar**. The system also boasts the **highest profile thickness** in the suite, giving you the highest durability and insulation.

### Technical specifications

- 1 47mm sash profile width
- 2 110mm frame profile width
- 3 2.6mm profile thickness
- 5 4-6mm single glazing option
- 6 24mm double glazing option
- 7 Uf value of 1.1 W/m<sup>2</sup>K
- 8 2 chambered system enhancing profile durability and insulation.
- 9 One type of steel reinforcement and gasket reducing storage costs.
- 10 TPE gasket available in black, white and gray.


### Available colours




### Quality certificates




### Design options







**EMA1228**  
**Fixed sliding frame profile**  
6 pieces/ package




**EMA1221**  
**Sliding frame profile**  
6 pieces/ package




**EMA1220**  
**Sliding window sash profile**  
6 pieces/ package




**EMA1223**  
**Mosquito sash profile**  
15 pieces/ package




**EMA4285**  
**Mosquito sash profile**  
15 pieces/ package




**EMA1224**  
**Door interlock profile**  
10 pieces/ package




**EMA1225**  
**Window interlock profile**  
10 pieces/ package





**EMA1222**  
**Mullion profile**  
6 pieces/ package



**EMA1227**  
**Single glazing bead**  
20 pieces/ package




**EMA1226**  
**Double glazing bead**  
25 pieces/ package




### Section A

Vertical section of window sash and frame connection



### Section B

Horizontal section of window sash interlock



### Section C

Horizontal section of complete window system