LeadBot *FYP*

PRESENTATION AND VIVA GUIDE

LeadBot

An AI lead-qualification chatbot that any small business can set up for itself

Who presents what in a 30-minute slot, the exact demo steps, a code walkthrough for each member, and the cross-questions examiners are likely to ask, with answers.

Team	**Mohammed Maarij** 19252105 **Abdul Manan Khan** 19252165 **Muhammad Ali Qureshi** 19252094 **Muhammad Hamza Younus** 19252201
Supervisor	**Muhammad Siddique**
Department	**BSCS**
University	**Federal Urdu University of Arts, Science and Technology**
Date	**October 2026**
Live demo	**https://leadbot-g3d4.onrender.com**
Source code	**https://github.com/MAliQ-pak/leadbot**

Contents

How to use this guide

1 Running order (30 minutes)

2 What everyone must know

3 Before the demo

4 Mohammed Maarij: product pages, setup wizard, chat window and design

Gift wrapping

5 Abdul Manan Khan: AI and retrieval

6 Muhammad Hamza Younus: lead scoring, the classifier and testing

7 Muhammad Ali Qureshi: backend, accounts, dashboard, security and deployment

8 Questions any of you may get

9 Handing a question to the right person

How to use this guide

Each member owns one area of LeadBot and presents it. Everyone reads Sections 1 to 3 and Section 8; then each member learns their own chapter well enough to answer without notes. Read the other three chapters once, so you can say a sentence about any part if an examiner asks the "wrong" person, then hand over (Section 9).

Member	Area owned	Chapter
Mohammed Maarij	Product pages, setup wizard, chat window and embed code, demo websites, user-interface design	4
Abdul Manan Khan	AI and retrieval: RAG, Gemini / Claude, prompt, offline bot, industry templates, knowledge-base training	5
Muhammad Hamza Younus	Lead scoring, the classifier, testing and evaluation	6
Muhammad Ali Qureshi	Backend, accounts and data separation, dashboard (pipeline, audit log), security, database and deployment	7

The presentation answers our supervisor's question from the last demo: **"How would you set this bot up quickly for a different company, such as a shoe shop?"** We show it live. Maarij signs up a brand-new shoe shop and sets up its bot in about five minutes; Abdul Manan shows how that bot knows what to say and how the owner teaches it more; Hamza shows how its first lead is scored; Ali shows that shop's own dashboard, and that it can never see another business's data.

1 Running order (30 minutes)

Time	Segment	Presenter	On screen
0:00 - 2:00	Opening: the supervisor's question, the team, the 60-second pitch	Mohammed Maarij	Home page of the live site
2:00 - 10:00	Two businesses on one system; a new shoe shop set up live; design	Mohammed Maarij	Demo websites, sign-up, setup wizard with live preview, embed code
10:00 - 16:00	How the bot answers: retrieval, AI, offline bot, templates, training	Abdul Manan Khan	The new shop's bot, then its dashboard > Bot & knowledge
16:00 - 22:00	Lead scoring, the classifier, testing	Muhammad Hamza Younus	The new shop's leads, training script output
22:00 - 28:30	The owner's dashboard, accounts, keeping businesses apart, security, deployment	Muhammad Ali Qureshi	Pipeline, audit log, a second log-in, Render and Neon
28:30 - 30:00	Close: results, limitations, invite questions	Muhammad Ali Qureshi	Summary slide

Keep each segment to its time: practise with a timer twice. If the slot is cut to 20 minutes, drop the phone view and step 4 of the wizard (Maarij), the document upload (Abdul Manan), the training-script run (Hamza) and the second log-in (Ali). **Never drop the live set-up of the shoe shop**: it is the answer to the supervisor's question.

Handover lines (say the next person's name and what they will show):

- Maarij to Abdul Manan: "That shop's bot went live in five minutes. Abdul Manan will show how it decides what to answer, and how the owner teaches it more."
- Abdul Manan to Hamza: "Once the bot has a visitor's details, Hamza will show how we score the lead."
- Hamza to Ali: "That lead is now on this shop's pipeline. Ali will show the owner's side, and why no other business can see it."

2 What everyone must know

2.1 The 60-second pitch

Small businesses lose customers who visit their website after hours, ask a question, get no answer and leave. LeadBot is a chatbot any small business can set up for itself. The owner signs up, picks an industry template such as a shoe store, replaces the sample prices and policies with their own, tests the bot in a live preview, and pastes one line of code on their website. The bot answers only from the business's own information, in English or Roman Urdu, never inventing prices. While it helps, it collects the visitor's name, phone, need, budget and timeline, scores the lead hot, warm or cold with a reason, and puts it on that owner's pipeline. Every business's data is kept separate. It keeps working with no internet or AI access, and it runs live at a public link.

2.2 How the parts fit, and who owns each




Figure 1. LeadBot architecture: who owns which box.

- **Maarij:** the "Customer's website" box (the chat window and the embed code) and the pages behind the "Business owner" box: home page, sign-up, setup wizard and live preview.
- **Abdul Manan:** Retrieval, the AI layer, Gemini or Claude, and the industry templates, plus each business's knowledge in the database.
- **Hamza:** Lead scoring.
- **Ali:** the server itself, the Chat API, the Owner API, accounts and log-in, the database, and the dashboard.

2.3 What happens to one message (everyone should be able to say this)

1. The chat window sends the message, the business's bot name (for example `stride-shoes`) and a random session ID to the server.
2. The server finds that business, saves the message and loads the last 12 messages of that chat.
3. Retrieval finds the 3 best-matching topics in **that business's** knowledge base.
4. If the best match scores below 0.3 and it is a question, the bot treats it as unknown and logs it for that business's owner.
5. The AI (Gemini, or Claude) gets the rules, the business's own lead questions, the topics, what we already know about the visitor and the conversation, and returns a reply plus lead details as JSON. If the AI fails, the offline bot answers.
6. Rules and the classifier score the lead; the blend sets hot, warm or cold.
7. Everything is saved under that business and the reply goes back to the chat window.

2.4 Key numbers

Fact	Value
Industry templates	8: solar, shoes, clinic, restaurant or caterer, real estate, school or academy, salon, start from scratch
Setup wizard	5 steps: business, teach, look and greeting, lead questions, install
Demo businesses	BrightPath Solar (17 chats) and Stride Shoes (10 chats)
Classifier accuracy (5-fold cross-validation)	0.92 on 62 labelled leads (27 qualified, 35 not)
Classifier precision / recall, qualified class	0.96 / 0.85
Classifier features	11, each scaled 0 to 1
Strongest weights	"Not now" wording -1.73; phone shared +1.60
Score blend	50% rules + 50% model (setting ML_WEIGHT)
Tiers	Hot 70 and above, warm 40 to 69, cold below 40
Retrieval	TF-IDF over character 3- to 5-grams, top 3 topics, one index per business
Confidence threshold	0.3 (best score below it = "not sure")
Chat history sent to the AI	Last 12 messages
AI model	gemini-3.8-flash (8 s), then two lighter fallbacks, then the offline bot
After a model fails	That model skipped for 5 minutes; all failed = AI skipped for 60 s
Live reply time	2 to 5 seconds (measured on the live site)
Spending limits	200 AI replies per hour site-wide, 30 per conversation
Passwords	PBKDF2-SHA256, 240,000 rounds, random salt

Fact	Value
Session	Signed cookie, 7 days, HttpOnly, SameSite=Lax
Lockout	5 failed logins in 15 minutes = 15-minute block
Deal stages	6; stages 3 and 4 named per industry
Uploads	PDF, Word, TXT, Markdown up to 5 MB; topics of about 700 characters
Code size	About 2,400 lines of Python (with demo data) and 2,500 of front-end code

2.5 Words you may need to explain

- **RAG (retrieval-augmented generation):** find the relevant text first, then ask the AI to answer only from it.
- **TF-IDF:** a word or piece of a word counts more if it is frequent in one topic but rare across topics.
- **Character n-gram:** a short run of letters ("qee", "eem", "ema"), which makes spelling variants match.
- **Logistic regression:** adds up weighted features and squashes the total into a probability between 0 and 1.
- **Precision / recall:** of the leads we called qualified, how many were; of the qualified leads, how many we found.
- **Fallback:** the next option when the first fails (lighter model, then offline bot).
- **Multi-tenant:** one system serving many customer businesses, each seeing only its own data.
- **Template:** a ready-made starting set-up for an industry: sample knowledge, questions, quick replies and stage names.
- **Slug / bot name:** the short name in a business's address and embed code, such as `stride-shoes`.
- **iframe:** a window showing one website's page inside another website's page.
- **Hash:** a one-way scramble of a password; you can check a guess against it but never turn it back into the password.

3 Before the demo

3.1 Checklist (the morning of the viva)

- [ ] Laptop charged; a phone hotspot ready in case the venue Wi-Fi fails.
- [ ] Open the live link 10 minutes early so the free server is awake: https://leadbot-g3d4.onrender.com
- [ ] Open tabs: the home page, `/demo/stride-shoes`, `/demo/brightpath-solar`, `/signup`, and the GitHub repository.
- [ ] Have the **demo password** (the `DEMO_PASSWORD` set in Render) for `owner@stride.demo` and `owner@brightpath.demo`. Log in once to check it.
- [ ] Pick the new shop's name and a **fresh email** for the live sign-up, for example `kicks.viva@example.com`. An email can only be used once, so use a new one for every rehearsal (`kicks1@`, `kicks2@`...).
- [ ] Keep the **teaching text** ready to paste in wizard step 2 (Section 4.3).
- [ ] Prepare **the shop's website** for the embed: a file on the desktop called `my-shop.html` containing only `<h1>Kicks Corner</h1>`. During the demo you paste the copied code under that line, save, and double-click the file.
- [ ] Start the laptop backup: `python -m uvicorn app.main:app` in the project folder.
- [ ] Do not run long tests that morning: the free Gemini quota is small.
- [ ] Have the 20-minute cuts from Section 1 agreed, in case the panel runs late.

Be careful with one thing. The laptop's `.env` file points at the same database as the live site. Running `python -m app.seed` on the laptop **wipes the live data** and puts the demo accounts back on the simple laptop password until Render restarts. Only do it on purpose, to reset the demo; then restart the service in Render (Manual Deploy > Restart) so the demo password is set again. For offline use, put `#` in front of the `DATABASE_URL` line in `.env` and the laptop uses its own SQLite file.

3.2 If something goes wrong

Problem	What to do and say
Gemini is slow or failing	Carry on: the offline bot answers. Say: "This is the fallback we designed: the AI is unavailable, so the rule-based bot answers instantly."
The first reply takes about 10 seconds	Google's main model is busy; the bot waited 8 seconds, then switched. Say so: the next replies are fast.
The live site is asleep or down	Use the laptop. Say: "The free host sleeps; the same code runs locally."
No internet at all	Laptop only, with `DATABASE_URL` switched off: every page, the wizard, the dashboard and the offline bot all work offline; headings switch to the local Inter font.
"An account with this email already exists"	Use the next rehearsal email.

Problem	What to do and say
The double-clicked shop page shows no bubble	You are offline, or the code was pasted inside the `<h1>`. Open the direct link from step 5 instead; it is the same chat.
A drag on the pipeline board does not move	Open the lead and press the stage button instead.

4 Mohammed Maarij: product pages, setup wizard, chat window and design

4.1 Your part in one sentence

I built everything a visitor and a new business owner see: the home page, sign-up and log-in, the five-step setup wizard with its live preview, the chat window and the one-line embed code, the two demo websites, and the design system (Commerce Emerald: Plus Jakarta Sans and Inter, emerald on white) across all of them.

4.2 Talking points (0:00 - 10:00)

1. **Opening (2 min).** The supervisor's question, the team of four and our areas, the 60-second pitch (2.1).
2. **Two businesses, one system (1.5 min).** BrightPath Solar and Stride Shoes are two separate businesses on the same LeadBot, each with its own bot, colour, knowledge and leads. Both websites use the same one line of code with a different bot name.
3. **A new shoe shop, live (5 min).** Sign up, the template gives a working bot at once, teach it, change its look, copy the code, paste it on "the shop's website". The preview is the real bot, so what the owner tests is exactly what visitors get, and test chats never count as leads.
4. **Design and phones (1.5 min).** One design system, Commerce Emerald, which we generated with Google Stitch and rebuilt in our own stylesheets: Plus Jakarta Sans for headings, Inter for text, emerald #047857 on white; each business picks its own chat colour. Changing the colour settings at the top of each stylesheet reskinned every page at once. Every page works at phone width with no sideways scrolling; on a phone the chat fills the screen.

4.3 Demo steps

1. On **Stride Shoes**, click **Ask about this** on the khussa. The chat opens in navy and answers "from Rs 2,500". Then open **BrightPath Solar**: same widget, green, a different bot. "Same system, two businesses."
2. Go to **Sign up**. Business name **Kicks Corner**, kind **Shoe store**, your name, the rehearsal email, a password. **Create account**.
3. The wizard opens with the bot already live on the right. Point out: it is called "Kicks Corner Assistant" and knows shoe sizes and delivery. Ask the preview **delivery charges?** It answers.
4. Step 2, **Teach your bot**: in the main text, change the sneakers price to **Rs 3,999**, and at the end paste:

   ```
   ```

Gift wrapping

We gift-wrap any order for Rs 150. Ask for it at checkout. ```

Save and continue. In the preview, ask **how much are sneakers?** and **do you do gift wrapping?** Both use the new text. 5. Step 3: change the colour to brown and the greeting; **Save**. The preview changes at once. 6. Step 4 (skip if short of time): show the questions the bot asks and the stage names "Order confirmed" and "Out for delivery". 7. Step 5: **Copy** the chat-bubble code. Paste it into `my-shop.html` under the heading, save, double-click: the shop's page opens with the Kicks Corner bubble. Click it and ask a question. 8. Back in the wizard, **Finish and open my dashboard**, then hand over to Abdul Manan.

4.4 Code walkthrough

File	What to say about it
`static/landing.html`, `auth.html`, `product.css`	The home page, and one page for both sign-up and log-in: a small script picks the form from the address, posts it to `/api/auth/signup` or `/api/auth/login`, and shows the server's error message.
`static/setup.html`, `setup.js`	The wizard. `fill()` puts the business's settings into the five steps and builds the embed code; each **Save** calls `PUT /api/business` or `PUT /api/kb`, then `reloadPreview()` reloads the preview iframe. `api()` sends the owner to log in on a 401.
`static/bot.html`, `bot.js`, `bot.css`	The chat window, `/bot/{name}`. `start()` loads the business's colour, name, greeting and quick replies, then restores the chat history; `send()` posts to `/api/chat`; replies are added with `textContent`. With `?preview=1` it is the owner's preview.
`static/widget.js`	The embed loader: reads `data-bot` and `data-color`, draws the bubble, and on first click points an iframe at `/bot/{name}`. `LeadBot.open(text)` opens it with a question.
`static/demo/`	The two demo websites; buttons with `data-chat` call `LeadBot.open()`.
`static/fonts/fonts.css`	Loads Plus Jakarta Sans from Google Fonts and the local Inter file; offline, headings fall back to Inter.

Key details an examiner may ask you to point at:

- Replies are inserted with `textContent`, never `innerHTML`, so a reply can never run a script.
- The session ID is random and kept in the browser per business, and the preview uses a separate one, so test chats and real chats never mix.
- A question from a page button waits for the chat window to finish loading (`started.then(...)` in `bot.js`); without that, testing showed the question appearing twice.

4.5 Cross-questions and answers

How does one line of code put a chat on any website?

The script draws a bubble in the business's colour, and on the first click opens an iframe showing our chat page for that business. The host page needs nothing else.

Why an iframe and not drawing the chat straight into the page?

Browsers stop a page on one website from calling another website's API unless that API grants permission, called CORS. Inside the iframe, the chat is our own page, so it talks to our server directly with no permissions to set up. It also means the shop's own styles cannot break the chat, and we can fix the chat for every website at once.

What if a website builder does not allow scripts?

Step 5 also gives a plain iframe snippet, and a direct link to share on WhatsApp or Instagram.

How does the live preview work?

It is the same chat page with `?preview=1`. The server marks those chats as tests only if the request comes from the logged-in owner of that business, so they never appear as leads, and "Clear test chats" deletes them.

Why plain HTML, CSS and JavaScript instead of React?

There is no build step and every line can be explained. The embed code has to load fast on someone else's website, so a framework would add weight for little gain.

How do you stop a malicious reply or message from injecting code?

The chat writes every message with `textContent`, so HTML in it is shown as plain text. The dashboard passes everything through an `esc()` function before placing it in the page.

How does the chat survive a page reload?

The session ID is saved in the browser's `localStorage`. On load, the chat window asks the server for that session's messages and redraws them.

Is it accessible?

Buttons have labels, and the message list is announced to screen readers. Some light-grey hint text is below the recommended contrast, and we have not run a full accessibility audit; that is a fair next step.

Where did the design come from?

We described LeadBot to Google Stitch, an AI design tool, and it generated a design system and screens. We tried four skins on separate branches and chose its "Commerce Emerald". We did not paste in Stitch's code: we took its colours and fonts and changed the settings at the top of our own stylesheets, so nothing else changed. We also left out the statistics it invented, such as "3,200+ shops active".

What happens on a phone?

Below 480 px wide the chat fills the screen, and the wizard's columns stack. We checked the home page, sign-up, wizard, dashboard and Stride site at 375 px for sideways scrolling.

How do the websites stay consistent with their bots?

Every price and policy on each demo site matches that business's knowledge base. When the solar site said "Packages" and its knowledge base did not, the bot failed to answer, which showed why they must match.

4.6 Weak spots to admit

- **Anyone who knows a session ID can read that chat** through the history endpoint. IDs are random and long, so guessing one is impractical, but a signed token would be stronger.
- **Switching template replaces the main text** (the wizard asks first); there is no undo or version history.
- **No logo upload, and no way to delete an account** yet.
- **No formal accessibility audit**, and no right-to-left layout for Urdu in Arabic script.

5 Abdul Manan Khan: AI and retrieval

5.1 Your part in one sentence

I built how each business's bot decides what to say: the industry templates, retrieval over that business's own knowledge base, the confidence threshold, the AI providers and prompt, the fallbacks, the offline bot, and the four ways the owner trains it.

5.2 Talking points (10:00 - 16:00)

1. **The risk (1 min).** An AI on its own can invent a price. For a sales bot that is unacceptable, so we use RAG: find the owner's text first, answer only from it. That is also why a new business only needs new text, not a new model.
2. **Templates (1 min).** Kicks Corner started from the shoe-store template: sample knowledge with its own name, how to word the lead questions, shoe words for spotting what the visitor wants, and stage names.
3. **Retrieval (1 min).** TF-IDF over character 3- to 5-grams, so Roman Urdu spellings match; a synonym table for everyday words ("joota", "cod", "kist"); one index per business, rebuilt after every change; top 3 topics go to the AI.
4. **Knowing what it does not know (1 min).** Best score below 0.3 means "not sure": the AI gets no context and the question is logged for that owner.
5. **The AI and never failing (1 min).** Gemini (free tier) or Claude, one setting. JSON output. Main model gets 8 seconds, then lighter models, then the offline bot.
6. **Training (1 min).** Q&A pairs, unanswered questions, documents and web pages, main text; every change applies to the next message.

5.3 Demo steps

Use the Kicks Corner bot just created (its direct link, or the bubble on `my-shop.html`).

1. Type **khussa ki qeemat kya hai?** It answers in Roman Urdu with the price.
2. Type **do you sell socks?** It says it is not sure and offers to have the team get back.
3. In Kicks Corner's dashboard, open **Bot & knowledge** > **Unanswered**: the socks question is there.
4. Click **Answer**, type "Yes, cotton socks are Rs 300 a pair, or 3 pairs for Rs 800", add "jurabein milti hain?" under other ways to ask. Save.
5. Back in the chat, type **jurabein milti hain?** It now answers.
6. In **Test the knowledge**, type the same question to show the match score and the source label.
7. Optional, if time: under Documents & websites, choose **All pages on this website**, paste a small real website's address and press Import. It lists every page it read; ask the bot about one of them.

5.4 Code walkthrough

File	What to say about it
`app/business.py`	`TEMPLATES` : eight industries, each with knowledge text, bot name, greeting, colour, quick replies, lead questions, need and intent words, its own synonyms, and stage names. `template_kb()` swaps the sample company's name for the new one; `settings()` merges what the owner saved over the template.
`app/rag.py`	`COMMON_SYNONYMS` , `STOPWORDS` and `CONFIDENT = 0.3` at the top. `KnowledgeBase(business_id)` loads that business's main text, Q&A pairs and documents, and merges the common synonyms with its template's own; `search_scored()` returns the top 3 with scores. `get_kb(id)` keeps one index per business; `reload_kb(id)` rebuilds it after a change.
`app/llm.py`	`SYSTEM` is the prompt, filled with the business's name, bot name and questions by `_system()` . `respond()` picks the provider, applies limits and the cool-down, and falls back to `_respond_mock()` . `_gemini_post()` tries each model, with 8 seconds for the main one and a 5-minute rest for a model that failed.
`app/main.py` , function `chat()`	Finds the business, runs retrieval, retries short follow-ups with the previous question, logs unanswered questions and clears the context below 0.3.
`app/ingest.py`	Reads PDF (pypdf), Word (straight from the .docx zip), TXT and Markdown, and splits text into topics. `crawl(url, mode)` imports one page, a section or a whole website; `_check_public()` refuses private addresses; `_drop_repeats()` removes paragraphs repeated on most pages.
`static/admin-kb.js`	The Bot & knowledge page: Q&A form, Unanswered list, uploads (read in the browser and sent as base64), the test box.

5.5 Cross-questions and answers

How would you set it up for a completely different industry, like a clinic?

There is a clinic template: doctors' timings, fees, lab tests, appointments, and "Appointment booked" and "Visited" as stages; its sample text says the bot cannot give medical advice. There are also restaurant, real estate, academy and salon templates. For anything else, "Start from scratch" gives empty sections to fill in, or the owner imports their website in step 2. A new template is one entry in `business.py` , and sign-up shows it automatically.

What exactly is TF-IDF?

Each topic becomes a vector of weights, one per character n-gram. A piece counts more when it appears often in that topic and less when it appears in every topic. We compare the question's vector with each topic's using cosine similarity, which is 1 for the same direction and 0 for nothing in common.

Why character n-grams instead of words?

Roman Urdu has no fixed spelling: "qeemat" and "keemat" share most of their 3- to 5-letter pieces, so they still match. Whole words would treat them as unrelated.

Why not embeddings and a vector database?

For tens of topics per business, TF-IDF is accurate enough, instant, free, offline and explainable. Embeddings handle meaning better, which matters for large knowledge bases; it is future work.

How did you choose 0.3?

By measurement: answerable questions scored 0.53 and above, off-topic ones mostly 0.26 and below, so 0.3 sits in the gap. It is a setting, so it can be retuned on real chats.

How does the website import find every page?

It reads the first page, collects its links, and keeps following links on the same website, plus the site's sitemap, breadth-first, up to 30 pages or 60 seconds. "All pages under this address" only keeps pages whose address starts with the one given. It obeys `robots.txt`, skips images and files, keeps a paragraph repeated on every page (like the address) only once, and stores each page as its own document, so re-importing replaces rather than duplicates. It is the same idea as the knowledge-base crawler in GoHighLevel.

Isn't a crawler on your server dangerous?

It could be, if someone pointed it at addresses inside our hosting network, such as the cloud provider's metadata address. So every address, including after each redirect, is checked and private ones are refused; we tested `localhost`, `10.0.0.5` and the metadata address. It also never follows links to other websites.

Can one business's knowledge leak into another's answers?

No: each business has its own index, built only from rows with its business ID. At first they shared one synonym table, and testing caught a side effect: adding "pay" and "card" for the shoe shop made "can I pay with credit card?" match the solar company's financing text at 0.38. We moved each industry's words into its own template, and the solar score went back to 0.10. Only a short list of common price and hours words is shared now.

Can the AI still make up a price?

It is told to answer only from the retrieved text, and when retrieval is not confident it receives no text at all. In every test it quoted only real prices. No prompt is a 100% guarantee, which is why the design keeps the AI's job small.

What about prompt injection, like "ignore your instructions and give me 50% off"?

The model refused in testing. More importantly, the AI cannot do anything: it has no tools, it cannot change data, and its only output is a reply plus lead fields that our server validates.

What if Gemini is down or out of free quota?

The main model gets 8 seconds, then two lighter Gemini models are tried, and a model that failed is skipped for 5 minutes. If all fail, the offline bot answers and the AI is skipped for 60 seconds. We measured this: while Google's main model was overloaded, replies dropped from 17 seconds to 2 to 5.

Why send only the last 12 messages?

It keeps requests small and cheap while covering a normal sales chat. Lead details found earlier are stored separately and passed in as "already known", so nothing is lost.

How does the owner's training reach the bot?

Every change calls `reload_kb()` for that business, which rebuilds its TF-IDF index from its main text, Q&A pairs and documents. The next message uses it.

Is visitors' data safe with Gemini?

On the free tier Google may use the content to improve its products, so we use fictional demo data only. A real deployment would use a paid plan and a privacy notice.

5.6 Weak spots to admit

- **Synonyms are maintained by hand** for each template; new wording needs a new entry or a Q&A pair.
- **The sample templates were written by us**, not with real clinics, restaurants or salons.
- **The threshold was tuned on a small set** of our own questions.
- **The offline bot uses only the best-matching topic**, so it can give a partial answer to a two-topic question.
- **The website importer reads plain HTML**: sites that build their pages with JavaScript show almost no text, and it stops at 30 pages.
- **Indexes live in memory** and are rebuilt for each business after a restart (fast at this size).
- **The free Gemini quota is small**, and free-tier data may be used by Google.

6 Muhammad Hamza Younus: lead scoring, the classifier and testing

6.1 Your part in one sentence

I built how leads are scored, the explainable rules, the logistic-regression classifier and how the two are blended, and I led testing and evaluation of the whole system, including the tests that prove a new business works and stays separate.

6.2 Talking points (16:00 - 22:00)

1. **Why scoring (1 min).** The owner needs to know who to call first. Every score comes with a reason.
2. **Rules (1 min).** Points for each signal: phone 25, email 15, need 15, budget 15, timeline 10, price or buying question 10, name 5, urgency 5, capped at 100. Each business adds its own buying words, such as "order" and "size" for shoes.
3. **The classifier (1.5 min).** Logistic regression on 11 features, trained on 62 labelled leads, evaluated with stratified 5-fold cross-validation: accuracy 0.92. Its strongest negative weight, -1.73 for "not now" wording, is a signal the rules ignore.
4. **Blending (1 min).** 50% rules + 50% model; 70+ hot, 40 to 69 warm.
5. **Testing (1.5 min).** Classifier cross-validation, retrieval scores, scripted AI conversations, the new-shop tests (Kicks Corner end to end, embedded on another website, its lead on its own pipeline), separation and security requests. Testing found real defects, such as a template that named the wrong shop.

6.3 Demo steps

1. Open the Kicks Corner direct link in a **private window** (a real visitor, not the preview). Type: **I am Sara, 03211234567, need sneakers size 38, budget 5000, by Friday**.
2. In Kicks Corner's dashboard, **Leads**, open Sara: show the score, the two bars (rules and model) and the "Why" line.
3. In a second private window: **just checking prices for next year, how much are sneakers? my number is 03001231234**. Open it: the rules give about 50, the model much less, so the lead stays warm instead of hot.
4. Optional, if time: in a terminal run `python train_classifier.py`. It prints the cross-validation report and the learned weights in a few seconds.

6.4 Code walkthrough

File	What to say about it
`app/scoring.py`	`WEIGHTS`, `INTENT_WORDS`, `URGENT_WORDS` at the top; `score_lead(lead, text, extra_intent)` returns points, tier and the reason text, with the business's own buying words as `extra_intent`; `tier_for()` turns points into hot, warm or cold.

File	What to say about it
`app/classifier.py`	`features()` turns a lead and the visitor's text into 11 numbers, the same function in training and live use. `predict()` loads the saved model once and returns the probability; no model file means rules only.
`train_classifier.py`	`load_data()` reads the CSV; `main()` runs `LogisticRegression(class_weight="balanced")` with `StratifiedKFold(5)`, prints the report and weights, and saves `models/lead_classifier.joblib`.
`data/labeled_leads.csv`	One row per example lead: six 0/1 "detail shared" columns, the visitor's text, and the label.
`app/main.py`, function `score_and_tier()`	Blends the two scores with `ML_WEIGHT` and writes the reason.

The model in one line: probability = 1 / (1 + e^-(b + w1 ×1 + … + w11 ×11)), where each x is a feature between 0 and 1 and each w is a learned weight.

6.5 Cross-questions and answers

Your training data is made up. Isn't 92% meaningless?

It shows the model learned our labelling consistently and that the pipeline works end to end. It does not show it predicts real sales, and the report says so. Every dashboard already records Won and Lost for every lead; those are real outcome labels, and retraining on them is the most important next step.

Does the same classifier work for shoes and solar?

Its features are general: contact details, need, budget, timeline, urgency and "not now" wording. Each business's own buying words feed the rules. But buyers behave differently across industries, so with enough real outcomes we would train one model per industry.

Is the classifier just copying the rules?

Partly they share features, which is expected. But it learned weights we did not choose, and it uses signals the rules lack: "not now" wording, the number of questions and message length. Where they disagree, both scores are shown.

Why logistic regression and not a neural network or random forest?

With 62 examples, a complex model would overfit. Logistic regression works on small data and gives one readable weight per feature.

What does class_weight="balanced" do?

We have 27 qualified and 35 not. Balancing weights the smaller class more during training, so the model does not lean towards "not qualified".

Explain precision and recall for the qualified class. Precision 0.96: of the leads the model called qualified, 96% were. Recall 0.85: of the truly qualified leads, it found 85%. For a sales team, missing a good lead costs more than calling a weak one, so improving recall would matter.

Why stratified 5-fold cross-validation?

With 62 rows, a single test split would be tiny and noisy. Five folds test every lead exactly once on a model that never saw it, and stratifying keeps the qualified share the same in each fold.

Why 70 and 40, and why blend 50/50?

Business choices, set as settings: 70 roughly means contact details plus a clear need and budget, and 50/50 is equal trust in transparent rules and a model trained on little data. With real outcomes we would tune both.

How did you test that a new business really works?

We signed up a new shoe shop, changed a price and added a topic, and checked the preview used both; made three preview chats and confirmed none became a lead; pasted the embed code into a separate website and got a real lead, hot 92, on that shop's pipeline; then confirmed each demo owner saw only their own leads, and that a chat ID reused on a second bot was refused. We repeated it on the PostgreSQL database the live site uses.

What was the most important bug testing found?

Two stand out. After six exchanges, the history sent to the AI started with a bot message, which the API rejects, so long chats silently dropped to the offline bot. And in the new version, a new shoe shop's bot introduced itself as "Stride Assistant", the sample shop, because the template was copied unchanged.

6.6 Weak spots to admit

- **Self-labelled, illustrative training data** (62 rows written by the team): accuracy shows consistency, not real-world prediction.
- **One classifier for every business.**
- **No automated test suite** in the repository: tests were scripted and run by hand. pytest tests for scoring, retrieval, separation and the chat API are a clear next step.
- **Thresholds and the blend weight are chosen, not learned.**

7 Muhammad Ali Qureshi: backend, accounts, dashboard, security and deployment

7.1 Your part in one sentence

I built the server that ties everything together: the API, the database that holds every business with its data kept apart, owner accounts and log-in, the dashboard with the deals pipeline and audit log, the spending limits, and the deployment to Render with a PostgreSQL database.

7.2 Talking points (22:00 - 30:00)

1. **Architecture (1 min).** One FastAPI server for every business; every row in the database carries a business ID.
2. **The owner's hub (1.5 min).** Overview, Pipeline, Leads, Audit log, Bot & knowledge, refreshed every 5 seconds, showing only this business.
3. **Pipeline (0.5 min).** Six stages; stages 3 and 4 named for the industry. The tier is what the visitor showed; the stage is what the owner did. Drag to move.
4. **Accounts and separation (1.5 min).** Passwords hashed with PBKDF2; a signed session cookie; lockout after 5 failures. Every owner request takes the business from the session, never from the browser.
5. **Database and deployment (1 min).** SQLite on the laptop, PostgreSQL (Neon) live, so data survives restarts; GitHub, Render Blueprint, secrets only in Render.
6. **Close (1.5 min).** All eight objectives met; the supervisor's question answered live; the biggest limitation (illustrative training data); the next step (retrain on Won and Lost); invite questions.

7.3 Demo steps

1. In Kicks Corner's dashboard, **Pipeline**: Sara is in **New**, hot. Drag her to **Order confirmed** (the shoe-store name for stage 3).
2. Open **Audit log**: the stage change is at the top, with who did it and when, together with the knowledge and settings changes from the wizard.
3. **Log out**. Log in as `owner@stride.demo`: a different business, its own leads and stage names, and none of Kicks Corner's. "Same server, same database, separate data."
4. Optional: open `/app` in a private window: it sends you to log in.
5. Show the repository and `render.yaml` briefly; mention `DATABASE_URL`, `DEMO_PASSWORD` and the AI key are set in Render, not in code.

7.4 Code walkthrough

File	What to say about it
`app/main.py`	All routes and pages. Pydantic models (`ChatIn` , `SignupIn` , `BotSettingsIn` , `LeadUpdate` ...) validate input sizes. Owner routes take `ctx=Owner` , which is `Depends(auth.current)` , so every one gets the logged-in owner's business. `signup()` creates the business from a template and the user; `chat()` refuses a session that belongs to another business.
`app/auth.py`	`hash_password()` and `check_password()` (PBKDF2, constant-time compare); `make_session()` and `read_session()` (HMAC-signed user ID and expiry); `check_lockout()` ; `current()` returns the owner and business or a 401.
`app/db.py`	One API for SQLite and PostgreSQL: `rows()` , `one()` , `execute()` , with `?` turned into `%s` for PostgreSQL and one shared connection. `init()` creates the tables and adds new columns with `ALTER TABLE` . Every lead, chat and knowledge function takes a `business_id` .
`app/seed.py`	The two demo businesses; `seed_if_empty()` runs at start-up and resets the demo accounts to the server's `DEMO_PASSWORD` .
`static/admin.html` , `admin.js` , `admin-pipeline.js`	The dashboard: `/api/me` gives the business name and stage names; `renderBoard()` draws the columns; drag events call `moveDeal()` ; `loadAudit()` draws the log.
`render.yaml` , `.gitignore` , `requirements.txt`	Deployment recipe; secrets marked `sync: false` ; `SECRET_KEY` generated by Render; `.env` , the database and the signing key never committed; versions pinned.

7.5 Cross-questions and answers

How do you make sure one business can't see another's data?

Every table has a business ID. Every owner route gets the business from the signed session cookie, never from anything the browser sends, and every query filters by it. We tested it: each demo owner saw only their own leads, and a chat ID reused on another business's bot got "409: this chat belongs to another bot".

How are passwords stored?

Only as PBKDF2-SHA256 hashes, 240,000 rounds, with a random salt per password, so identical passwords look different and guessing is slow. Checking a password hashes the attempt the same way and compares in constant time.

How does the session cookie work, and can someone forge it?

It holds the user ID and an expiry, signed with HMAC-SHA256 and a secret key only the server has. Change the ID and the signature no longer matches, so it is rejected. It is HttpOnly, so scripts cannot steal it, SameSite=Lax, and Secure on HTTPS.

What stops someone guessing a password?

Five failures from one address in 15 minutes block that address for 15 minutes, and failures are in the audit log. Honestly, the address comes from a header the client could fake, so limiting failures per account too is our next step.

Could another website make the owner's browser change data (CSRF)?

The session cookie is SameSite=Lax, so the browser does not send it with requests that another website starts, and our owner APIs take JSON, which another site cannot send to us without a permission check that our server never grants.

Why SQLite on the laptop and PostgreSQL live?

SQLite needs no set-up and works offline, which keeps the laptop demo safe. Live, many businesses' data must survive Render's restarts, which wipe its disk, so it goes in a free hosted PostgreSQL database. The same code runs on both; `DATABASE_URL` decides.

Why one shared database connection?

Opening a new connection to a hosted database costs a network round trip and an encrypted handshake each time. From the laptop, one query took 231 ms, and a chat runs about ten, so a fresh connection per query made each reply seconds slower. One connection, reopened if it drops, fixed it. At larger scale we would use a connection pool.

Where are the API keys and the database password?

Only in environment variables: the laptop's `.env` and Render's settings. `.env` is in `.gitignore`, and we scanned every commit for keys and database addresses before pushing.

Could someone run up the AI bill?

At most 200 AI replies per hour across the site and 30 per conversation; beyond that the offline bot answers.

Why is a lead's stage separate from hot, warm and cold?

They answer different questions: the tier is how keen the visitor seemed, the stage is what the business has done since. A hot lead still in New is the one to call first.

How did you add businesses to a system built for one?

`init()` adds a `business_id` column to every table at start-up. On first start, the original solar data was assigned to a new business, BrightPath Solar, so nothing was lost. Then every query was changed to filter by business.

7.6 Weak spots to admit

- **Lockout can be dodged** by faking the address header; per-account limits are next.
- **Logging out deletes the cookie**, but a stolen session stays valid until it expires (7 days); server-side sessions would end it everywhere.
- **One owner per business**, no staff accounts, no email verification or password reset.
- **One shared database connection** handles one query at a time: fine for a demo, a pool for real load.
- **No automated tests or CI pipeline** in the repository.

8 Questions any of you may get

So how would you train it for a shoe company?

Exactly what we showed: sign up with the shoe-store template, replace the sample prices and policies with the shop's own (or import its website or price list), test it in the preview, and paste one line on the shop's website. Leads arrive on the shop's own dashboard.

What did you personally build?

Answer with your own area from this guide, in one or two sentences, and name one file you wrote and one decision you made in it. Examiners often ask each member separately.

How did you divide the work, and how did you work together?

Four areas with clear boundaries, matching the boxes of the architecture diagram, so each of us could work and test independently. We met to agree the interfaces between parts, such as the JSON the AI returns and the lead fields the scorer reads, and tested together. Answer in your own words about how you actually met and shared code.

Why does GitHub show commits from one account?

If asked, explain truthfully how you shared the code (for example, one shared repository on one machine). Before submission, consider adding all members as collaborators.

Did you use AI tools to help build this?

Answer honestly and follow your university's policy on AI assistance. What examiners want to see is that you understand and can defend every part of your area: the code walkthrough and cross-questions in your chapter are there for that. Say what you decided and verified yourselves, such as the threshold measurement, the stage design and the test results.

What was the hardest part?

Making it dependable, not just working once: AI errors, quota limits, slow networks and long chats, without the visitor noticing; and then making sure one business could never see another's data.

What would you do differently?

Get real conversations and outcomes from a business early, and design for many businesses from day one instead of adding it later.

What is the biggest limitation?

The classifier's training data is illustrative and self-labelled. Everything else is a scale-up step; that one limits how much the score can be trusted.

Is this ready for a real business?

For a pilot, close to it: a business can sign up, set up and embed it today, and its data is stored safely. Before charging customers we would add email verification and password reset, per-account login limits, a paid AI plan with a privacy notice, and a classifier trained on real outcomes.

9 Handing a question to the right person

If a question is about another member's area, give one sentence and hand over. Examiners like teams that know who owns what.

- "Briefly, the bot only answers from that business's text; Abdul Manan can explain how it finds it."
- "The score is half rules and half model; Hamza built the classifier and can go deeper."
- "The embed code is one script that opens our chat in an iframe; Maarij can show how it works on any website."
- "Each business's data is separated on the server; Ali handled the backend, accounts and security."

Never say "I don't know" alone: give what you do know, then hand over or say how you would find out.