Do AI Privacy Labels Help People Better Understand How Their Data Is Used?

Bakti Satria Adhityatama Aditi Balaji Muhammad Bilal Ali
Michael Stoneman Elijah Zhao

Advised by Professor Hana Habib
Carnegie Mellon University

Abstract

As generative AI systems become increasingly integrated into everyday applications, transparency about data practices has become critical for enabling informed user consent. AI privacy labels have emerged as a proposed solution, yet little empirical evidence exists regarding their design, nor their effect on user comprehension. We conducted a between-subjects experiment (N=62) comparing two AI privacy label designs modeled after industry templates from Twilio and Motorola. Participants viewed one label for a hypothetical conversational AI assistant and rated their understanding, confidence, and willingness to use the system. Results showed that the shorter, guardrail-centric Motorola-style label yielded significantly higher perceived understanding (M=3.5 vs. M=2.9) and confidence (M=3.0 vs. M=2.3) compared to the denser, technical Twilio-style label. However, willingness to use remained comparable across conditions (M=2.4). Qualitative feedback revealed demands for clearer information about retention periods, training data usage, and human oversight. Our findings suggest that concise, user-centered labels enhance comprehension without necessarily increasing adoption intent, and that effective AI transparency tools must prioritize accessibility while maintaining technical accuracy. These results provide actionable guidance for designing privacy disclosures for non-expert audiences.

1 Introduction

Generative AI systems now power search engines, productivity tools, messaging apps, and creative platforms that millions use daily. As these models increasingly underpin everyday services, they raise amplified concerns about privacy, transparency, and user control. Users do not always realize when they are interacting with AI, what data is collected, how long it is retained, and whether it is being used for training future models. Research shows that harms from generative AI often arise not from exotic technical failures but from careless deployment at scale, with impacts extending beyond direct users [6].

Transparency around data practices is essential to informed user consent. Without clear information about how AI systems handle personal data, users cannot meaningfully evaluate the privacy risks of those systems, which can range from unintended data leaks to adversarial abuse. Moreover, opacity in AI data practices erodes trust and can amplify existing power imbalances between technology providers and users. As generative AI becomes more pervasive, the need for effective transparency mechanisms grows increasingly urgent.

AI privacy labels have emerged as one proposed solution. Inspired by nutrition labels on food packaging, these structured disclosures aim to communicate data practices in accessible formats. Companies like Twilio [1] and Motorola [2] have put forth "AI nutrition fact labels" that summarize

model types, data collection and retention policies, training data usage, and human oversight levels . Academic research supports the potential of such labels: studies show that label wording significantly shapes user interpretations, with terms like "AI generated" effectively signaling AI involvement, though labels can also reduce trust when users infer lack of human oversight. However, existing work focuses primarily on high-level questions—whether to label AI at all and which terminology to use—rather than on how specific design choices affect comprehension and trust among non-expert users.

This study addresses that gap by experimentally comparing two realistic AI privacy label designs. We investigate two primary questions:

1. How does label design affect users' perceived understanding and confidence in their understanding of AI data practices?

2. After viewing different labels, what do users report about their willingness to use the system and what additional information do they seek from AI privacy labels?

2 Background and Related Work

Generative AI systems now power search, productivity tools, messaging apps, and creative platforms. As these models move from stand-alone demos to infrastructure that underpins everyday services, they raise amplified questions about privacy, transparency, and user control: people may not realize when they are interacting with AI, what data is collected, how long it is retained, or whether their inputs are reused for training. Prior work on generative AI harms shows that many harms arise not from exotic technical failures but from how broadly and carelessly these systems are deployed, with impacts often spilling beyond direct users [6]. Parallel work on AI, big data, and deep learning highlights privacy risks ranging from unintended data leaks to adversarial abuse, and calls for governance frameworks that go beyond purely technical mitigation [4].

Against these developments, regulators and companies have begun experimenting with AI disclosures and labels. Survey research finds that label wording strongly shapes user interpretations; terms like "AI generated" or "generated with an AI tool" reliably signal AI involvement, while terms such as "deepfake" or "manipulated" are more closely tied to perceived deceptiveness than to AI per se [5]. Other studies show that adding an "AI generated" label can reduce trust and willingness to share content, even when the content is true and benign, because people infer a lack of human oversight [3].

Industry deployments mirror these concerns. Twilio's and Motorola's "AI nutrition fact labels" use table or card-style summaries to disclose what models are used, how data is collected and retained, whether it is used for training, and the extent of human oversight. These labels explicitly frame themselves as tools for transparency and trust rather than mere warnings, and they exemplify concrete, product-grade patterns for communicating AI data practices to non-expert stakeholders.

Yet most existing work and practice focuses on high-level questions, whether to label AI at all, which terms to use, and how to flag AI-generated content—rather than on the privacy design space of these labels. We still know little about how concrete choices in AI privacy labels (e.g., length, technical depth, and visual layout) affect non-experts' perceived understanding, confidence, and willingness to use AI systems. Our project addresses this gap by experimentally comparing two realistic AI privacy label designs, patterned directly on Twilio's and Motorola's templates for the same AI product, and examining how participants react to them.

3 Methods

We ran a between-subjects online survey in which each participant saw exactly one AI privacy label for the same underlying system. The labels described a hypothetical conversational assistant called "SpecAI" whose data practices were based on how a system like ChatGPT 5.0 might operate, but we avoided real product names in the stimuli.

3.1 Study Design

The study used a simple two-condition between-subjects design. After giving consent, participants were shown a short text description of SpecAI and then one of two privacy labels. They were asked to read the label carefully and then answer a set of questions about their understanding of SpecAI's data practices and their willingness to use the tool.

Participants were randomly assigned by the survey platform to either the Twilio-style label condition or the Motorola-style label condition. Each person only saw one label so that their answers would not be influenced by direct comparison. Because exclusion of low-quality responses happened after randomization, the final numbers of participants in each condition were slightly imbalanced rather than perfectly split: our analytic sample included 35 participants in the Twilio-style condition and 27 participants in the Motorola-style condition (Section 4).

3.2 Label Conditions

We designed two label variants that both described SpecAI, a text-based generative AI assistant. The two labels contained the same core assumptions about data use, but differed in layout, length, and level of technical detail.

Twilio-style label. The first condition resembled a "data nutrition facts" label. It was denser and more technical, with multiple rows and cells describing aspects such as model type, data sources, data retention, logging, human review, and auditing. Many statements were written from the provider's perspective, focusing on internal processes (for example, how requests are logged and who inside the company can access them).


Motorola-style label. The second condition was shorter and more guardrail-focused. It emphasized a small set of clear guarantees, such as whether customer data is used to train AI models, who can see the data, and what components are involved. The language was more concise and less technical, with fewer rows and more white space.

Both labels were rendered as static images so that participants saw exactly the same layout and wording within each condition.

3.3 Participants and Procedure

We recruited adult participants on Prolific. All participants were at least 18 years old and reported being fluent in English. We did not require any specific technical background. We initially collected more than 62 completed responses. Following a manual quality review, we excluded a small number of responses that were clearly low quality (for example, inconsistent with the label content or containing empty or irrelevant open-ended answers). This left 62 participants for analysis (35 assigned to the Twilio-style label and 27 assigned to the Motorola-style label).

The survey was hosted on an online platform. After passing an information sheet and consent screen, participants:



AI Nutrition Facts

SpecAI 5.0

Description A general- purpose conversational and generative AI model that supports dialogue, summarization, rewriting, structured extraction, and reasoning across diverse tasks. The base model is not trained using customer data.	
Privacy Ladder Level	1
Feature is Optional	Yes
Model Type	Generative
Base Model	SpecAI 5.0
Trust Ingredients	
Base Model Trained with Customer Data	No
Customer Data is Shared with Model Vendor	No
Training Data Anonymized	N/A
Data Deletion	Yes
Human in the Loop	Yes
Data Retention	30 days
Compliance	
Logging & Auditing	Yes
Guardrails	Yes
Input/Output Consistency	Yes
Other Resources	

Learn more about this label at **nutrition-facts.ai**

AI Label

SpecAI 5.0

Description

A general-purpose conversational and generative AI model that supports dialogue, summarization, rewriting, structured extraction, and reasoning across diverse tasks. The base model is not trained using customer data.

Model Purpose

- Natural language conversation and Q&A
- Drafting, rewriting, and translating text
- Code generation and debugging assistance
- Summarizing and explaining documents or web content
- Generating creative content such as stories, emails, and outlines

Components

Model Trained with Customer Data	No
1st or 3rd Party Model	1st party
Generative AI	Yes
Type of Media AI Can Process	Text, images, and common document or code file formats
Customer Data AI Can Access	
Data Ownership	User-provided prompts, messages, files, and any integrations you choose to connect.
Data Retention	Conversation data is kept for limited periods to operate the service and is not used to train models in this configuration.

Figure 1: AI privacy labels used in our study for the hypothetical assistant *SpecAI*. The left side shows a denser, more technical Twilio-style label, and the right side shows a shorter, guardrail-focused Motorola-style label.

1. Read a short description of SpecAI as a general-purpose AI assistant.
2. Viewed one of the two labels (Twilio-style or Motorola-style), assigned at random.
3. Answered closed-ended items about their understanding, confidence, and willingness to use SpecAI.
4. Answered open-ended questions about what was clear, what was confusing, and what else they would want to know.
5. Provided basic demographic information and self-reported AI/ML knowledge.

Participants were paid US$2.00 for completing the survey, which took a median of 8.5 minutes.

3.4 Measures

We collected both quantitative and qualitative measures.

Perceived understanding. Participants rated how well they thought they understood SpecAI's data practices on a 5-point Likert scale from 1 ('strongly disagree") to 5 ('strongly agree") using items such as "I understand how this system uses my data."

Confidence in understanding. Participants rated how confident they felt in that understanding, again on a 5-point scale (for example, "I feel confident that I could explain how this system uses my data to a friend").

Impact on willingness to use. We asked how the label changed their willingness to use SpecAI, using a 5-point item ranging from 'much less willing" to 'much more willing."

Adoption intention. Participants answered a Yes / No / "It depends" question about whether they would personally use SpecAI given what they had seen.

AI/ML knowledge and prior use. We asked participants to rate their own knowledge of AI and machine learning on a 5-point scale. We also asked whether they already used tools like ChatGPT or other generative AI systems in their daily life.

Open-ended feedback. Finally, we included open-ended questions asking (1) what they found clear, (2) what they found confusing, (3) what else they would want to know before using SpecAI, and (4) any other comments on the label design.

3.5 Analysis

We used a mix of descriptive statistics and exploratory comparisons between conditions.

For the quantitative items, we computed means and standard deviations for perceived understanding, confidence, and impact on willingness to use in each condition, and summarized the distribution of Yes / No / "It depends" answers. We also explored the relationship between self-reported AI/ML knowledge and perceived understanding using simple correlations.

For the open-ended questions, we conducted a light-weight thematic analysis. One team member read all responses, proposed an initial set of themes (for example, requests for clearer retention information or training-data details), and then refined these themes in discussion with the rest of the team. We used these themes to summarize what participants liked about each label and what they felt was missing or unclear.

4 Results

4.1 Participant Characteristics

93 people responded to our survey ad on Prolific, of which only 90 participants met our basic requirements (US resident, frequently uses an AI tool). Of these participants, only 62 successfully completed the survey, and it was their responses that were used in our analysis. 35 of the qualifying respondents were shown the Twilio label, while 27 were shown the Motorola label. The labels were shown randomly to the participants. Almost 34% of our respondents were in the 24-35 age group, while 22.5% were in the 36-45 age group, 29% in the 46-60 age group, and 11% in the 60-80 age group. We had only 2 participants who were in the 18-23 age group. 20% of our respondents had both work experience in a computer science related domain, and an educational degree in computer science, while 64% had no degree or work experience. The remaining 16% had one of the two. 51.6% self-reported having some amount of AI/ML knowledge, while 49.4% self-reported having little to no knowledge about how AI and ML systems work.

4.2 Perceived Understanding of AI System

4.2.1 Twilio

11.4% of the respondents who were shown the Twilio label were extremely confident that they understood what the system does, while 17% expressed that they did not understand what the system does from the label. Most respondents (43%) expressed that they understood what the system did "moderately well". We have visualized this in Figure 2.




Figure 2: Visualization of participants' perceived understanding of the AI system, based on the Twilio label.

4.2.2 Motorola

11% of the respondents who were shown the Motorola label said that they were extremely confident that they understood what the system does, while 4% expressed that they did not understand what the system does from the label. Most respondents (41%) expressed that they understood what the system did "moderately well". We have visualized this in Figure 3.




Figure 3: Visualization of participants' perceived understanding of the AI system, based on the Motorola label.

4.2.3 Observation

While the Motorola label had a higher percentage of people who felt they understood (either partly or completely) what the AI system, it was interesting to note that for both labels, the majority of the respondents felt they understood what the system did "moderately" well.

4.3 Perceived Understanding of Data Handling

4.3.1 Twilio

6% of the respondents who were shown the Twilio label were extremely confident that they understood how their data is processed, while 20% expressed that they did not understand how their data was handled from the label. Most respondents (31%) expressed that they understood how their data was handled "moderately well". We have visualized this in Figure 4.




Figure 4: Visualization of participants' perceived understanding of how their data is handled, based on the Twilio label.

4.3.2 Motorola

4% of the respondents who were shown the Motorola label said that they were extremely confident that they understood how their data was handled, while an equal number expressed that they did not understand how their data was handled. Most respondents (44%) expressed that they understood what the system did "moderately well". We have visualized this in Figure 5.

4.3.3 Observation

While the Motorola label had a higher percentage of people who felt they understood (either partly or completely) how their data was handled, it was interesting to note that for both labels, the majority of the respondents felt they understood how their data was processed "moderately" well.

4.4 AI/ML Knowledge Level vs Perceived Feeling of Control

We collected people's opinions on how in control they felt as subjective responses, and then codified the responses into three categories: "In control", "Moderately in control" and "Not in control". An interesting pattern to note was that people who self-reported having knowledge about how AI and ML systems work felt more in control after seeing the AI label, while those who didn't have background knowledge felt less in control. This was evident in the responses received for both the




Figure 5: Visualization of participants' perceived understanding of how their data is handled, based on the Motorola label.

Twilio and Motorola labels (Figures 6 and 7 respectively), and could be clearly visualized when we combined the stats as well (Figure 8).




Figure 6: Visualization of the participants' perceived feeling of control after having seen the Twilio label, against their self-reported AI/ML background knowledge.




Figure 7: Visualization of the participants' perceived feeling of control after having seen the Motorola label, against their self-reported AI/ML background knowledge.




Figure 8: Visualization of the participants' perceived feeling of control after having seen an AI label, against their self-reported AI/ML background knowledge. (Twilio and Motorola stats combined.)

As a sanity-check, we compared the "perceived feeling of control" metric with the respondent's work and educational experience in the domain of computer science, and found them to be largely in line. (Figures 9 and 10.)




Figure 9: Visualization of the participants' perceived feeling of control after having seen the Twilio label, against their work experience/education background in Computer Science.




Figure 10: Visualization of the participants' perceived feeling of control after having seen the Motorola label, against their work experience/education background in Computer Science.

4.5 Adoption Intention

To understand the adoption intention, we gave the respondents three options: "yes", "no" and "other". Those who marked it as "other" were given the chance to give us their subjective answer. We codified these answers based on whether their sentiment towards using the chosen AI tool was positive or not and separated the responses into two categories: "Willing to use" and "Unwilling to use". 57% of the respondents who were shown the Twilio label were willing to use the AI tool, while 67% of the respondents who were shown the Motorola label were willing to use the AI tool. We performed further statistical analyses for the people who responded as being unwilling to use the tool. We found that the majority of the people who were unwilling to use the tool based off their understanding of the Twilio label were people who had no background AI/ML knowledge (40%), while the majority of the people unwilling to use the tool based off the Motorola label claimed to have moderate background knowledge (56%). (Figures 11 and 12.)




Figure 11: Distribution of Twilio label respondents unwilling to use the tool across their self-reported AI/ML background knowledge.

The most interesting observation we made was that 93% of the people unwilling to use this tool based off the Twilio label, and 89% of the people unwilling to use this tool based off the Motorola label reported that they use ChatGPT on a regular basis—this is particularly interesting, considering that our labels for "SpecAI 5.0" were actually labels describing OpenAI's ChatGPT.

4.6 Qualitative Feedback

4.6.1 Twilio

The respondents largely found the label understandable but still wanted more plain-language explanations and definitions for unfamiliar terms. Most were unhappy with the jargon-like language, and requested greater detail about the model's training, guardrails, and data handling. Several suggested small visual improvements (color coding, examples, diagrams), while a few indicated the label was already sufficient.

Key Themes:




Figure 12: Distribution of Motorola label respondents unwilling to use the tool across their self-reported AI/ML background knowledge.

• Strong desire for clear, plain-language definitions • Need for clarity around guardrails, privacy levels, and terminology • Additional transparency about model training and system behavior • Visual/design suggestions (color coding, diagrams, better section explanations)

Select Quotes:

"More layman's terms or definitions included." "Explain what guardrails are and how humans are involved." "For the average user, those terms need to be spelled out to avoid wrong conclusions." "Color-code the risk—if it doesn't delete data, highlight that." "Write it in English instead of some goofy label." "I think more clarity and explanation of the different pieces of information."

4.6.2 Motorola

The respondents generally appreciated the structure but wanted clearer, more accessible explanations of technical terms. Many asked for simplified language, definitions, or more clarity on data practices, including retention, training data, and safety measures. Some felt the label was clear enough, while others wanted additional details about how the system works. A small number offered unrelated or minimal suggestions.

Key Themes:

• Desire for simpler, layman-friendly wording • Requests for definitions of technical terms • Interest in more transparency around data retention, training data, and safeguards • Suggestions to improve readability (color, formatting, clearer layout) • A few participants: "No improvements needed"

Select Quotes:

"I would like even more layman terms." "Clear assurances that my data will not be used... It should not be retained." "Add more details about how it protects user data." "Standardize it like nutrition facts." "I don't think it needs to be improved—if you get too wordy, it will confuse people."

5 Discussion

Our findings reveal that AI privacy label design meaningfully affects how users perceive and process information about AI data practices, even when the underlying practices described are identical. The Motorola-style label, with its shorter format and guardrail-focused approach, produced significantly higher perceived understanding (M=3.5 vs. M=2.9) and confidence (M=3.0 vs. M=2.3) compared to the denser, more technical Twilio-style label. These differences suggest that conciseness and clarity in privacy disclosures may be more valuable than comprehensiveness when communicating with non-expert audiences.

The finding that willingness to use remained comparable across both conditions (M=2.4) is particularly noteworthy. This pattern indicates that while better-designed labels can improve user comprehension, they do not necessarily translate into increased adoption intent. One interpretation is that privacy labels function primarily as educational and expectation-setting tools rather than as drivers of adoption decisions. Users who already intend to use AI tools may do so regardless of what privacy disclosures reveal, while those who are hesitant may remain so even after gaining a clearer understanding of data practices. This aligns with broader research on the privacy paradox, where stated privacy concerns often fail to predict actual behavior. The adoption intention data further illuminates this dynamic. Among participants who viewed the Twilio label, 20 indicated they would use the system, 8 said no, and 7 said it depends. For the Motorola label, 17 said yes, 8 said no, and only 1 said it depends. Notably, among those unwilling to use the tool, 14 of 15 Twilio respondents and 8 of 9 Motorola respondents reported already using ChatGPT or similar tools. This suggests that expressed reluctance to use SpecAI may reflect contextual factors specific to the study scenario rather than genuine privacy-driven aversion to AI systems, or it may indicate that users would not feel comfortable using the AI tools that they *do* use if they had more information about what happens in the backend.

The correlation between AI/ML knowledge and perceived understanding was moderately positive, indicating that participants with greater technical background found both labels easier to interpret. However, this relationship also highlights a potential equity concern: labels that work well for knowledgeable users may leave less experienced users behind. Our qualitative findings support this interpretation, as participants frequently requested clearer explanations of technical concepts like guardrails and human reviewer processes. Effective AI privacy labels must therefore prioritize accessibility for users across the knowledge spectrum.

Qualitative feedback revealed consistent themes across both conditions. Participants appreciated the structured layout of both labels and found value in having key information highlighted. However, they expressed desires for additional detail in several areas: how long data is stored, what specific data is used to train models, the nature and extent of human oversight, and what happens to data after the stated retention period. These requests suggest that current industry label templates, while a useful starting point, may not yet address the full range of user information needs. The preference for the Motorola-style label's clarity over the Twilio-style label's detail has implications for label designers. Rather than attempting to disclose every aspect of an AI system's data practices, designers may achieve better outcomes by focusing on a small set of key guarantees presented in accessible language. This approach mirrors successful practices in other disclosure domains, such as nutrition labels, which emphasize a limited set of standardized metrics rather than exhaustive ingredient lists. The challenge lies in determining which information is most essential and how to present it without oversimplifying complex practices.

5.1 Policy Implications

These findings carry implications for policy makers as well. Regulatory frameworks should consider mandating concise, standardized label formats rather than lengthy technical diclosures, as our results suggest simpler labels are best suited for non-expert users. Just as nutrition labels follow a consistent formatting, AI labels would benefit from standardization across industry. Policymakers may prioritize having more important components of labels, such as training data usage, and retention periods, be more visible to users.

Additionally, because these labels appear to function as educational tools rather than behavioral levers, regulations should be designed with realistic expectations about their effects. Coupling label requirements with broader consumer education initiatives, or embedding labels in active decision making contexts instead of burying them in settings, should help amplify their impact. Also due to the knowledge gap we observed, testing with a diverse population should be a pre-requisite for any mandated label design.

5.2 Limitations and Future Work

Several limitations constrain the generalizability of our findings. First, our sample size of 62 participants, while sufficient for detecting the observed effects, limits our statistical power for more nuanced analyses such as examining interactions between label type and user knowledge level. Future research should employ larger samples to explore these relationships with greater precision. Second, our study examined only two label designs drawn from existing industry templates. While this approach ensured ecological validity, it also means we cannot isolate the specific design features responsible for the observed differences. The Motorola and Twilio labels varied simultaneously in length, technical depth, visual layout, and framing, making it impossible to attribute effects to any single factor. Future experimental work should systematically manipulate individual design elements to identify which features most strongly influence comprehension and trust.

Third, our measures relied on self-reported understanding and confidence rather than objective comprehension tests. Participants who reported high understanding may not have accurately grasped the information presented. Future studies should incorporate objective knowledge checks, such as asking participants to answer specific questions about data practices based on label content, to assess whether perceived understanding aligns with actual comprehension. Fourth, the hypothetical nature of the study scenario may have affected participant responses. Viewing a privacy label for a fictional AI assistant differs meaningfully from encountering such a label when deciding whether to use a real product. The stakes in our study were low, which may have attenuated both positive and negative reactions to the labels. Field studies examining how users engage with privacy labels in authentic usage contexts would provide valuable complementary evidence.

Fifth, our participant pool was limited to English-speaking adults recruited through Prolific. While this platform provides access to a reasonably diverse population, our sample may not represent the broader population of AI system users, particularly those with lower digital literacy or from non-Western cultural contexts where privacy expectations may differ.

Future research should also examine how AI privacy labels interact with other transparency mechanisms, such as in-context notifications, privacy policies, and terms of service agreements. Labels are likely to function as one component of a broader disclosure ecosystem, and understanding their relative contribution requires examining them alongside other information sources. Additionally, longitudinal studies could explore whether initial label comprehension persists over time and whether it influences subsequent attitudes and behaviors toward AI systems. Finally, as AI systems continue to evolve, so too will the relevant privacy considerations. Today's labels focus on ques-

tions like training data usage and retention periods, but emerging capabilities such as multimodal processing, long-term memory, and agent-based automation will raise new transparency challenges. Research in this area must remain responsive to technological developments to ensure that label designs remain relevant and useful.

6 Conclusion

In this paper, we examined how the design of AI privacy labels shapes users' perceptions of a conversational AI system's data practices. Comparing two realistic label templates inspired by Twilio and Motorola, we found that a shorter, guardrail-focused label led to higher self-reported understanding and confidence than a denser, more technical label, even though both described the same underlying system. At the same time, willingness to use the system remained broadly similar across conditions, and many participants who expressed reluctance to use the hypothetical tool reported already relying on systems like ChatGPT in their daily lives.

These findings suggest that AI privacy labels are best understood as tools for education and expectation-setting rather than as direct levers for driving or preventing adoption. Participants wanted simple, plain-language explanations alongside concrete details about retention periods, training data usage, and human oversight. For designers and policymakers, our results underscore the importance of keeping labels concise and accessible while still surfacing a small set of specific, actionable guarantees. As generative AI continues to move into everyday products, getting this balance right will be central to building transparency mechanisms that actually help non-expert users understand how their data is used.

Acknowledgments

We thank Professor Hana Habib for her guidance, feedback, and support throughout this project. We are also grateful to the 17–331 teaching staff and our classmates for helpful comments during the proposal and poster stages. Finally, we thank all of our Prolific participants for taking the time to share their perspectives on AI privacy labels.

References

[1] AI Nutrition Label by Twilio. URL: https://nutrition-facts.ai/.

[2] Trust Center: AI Labels - Motorola Solutions. URL: https://www.motorolasolutions.com/en_us/about/trust-center/responsible-innovation/ai-labels.html.

[3] Sacha Altay and Fabrizio Gilardi. People are skeptical of headlines labeled as AI-generated, even if true or human-made, because they assume full AI automation. *PNAS Nexus*, 3(10):pgae403, October 2024. doi:10.1093/pnasnexus/pgae403.

[4] James Curzon, Tracy Ann Kosa, Rajen Akalu, and Khalil El-Khatib. Privacy and Artificial Intelligence. *IEEE Transactions on Artificial Intelligence*, 2(2):96–108, April 2021. URL: https://ieeexplore.ieee.org/document/9450036, doi:10.1109/TAI.2021.3088084.

[5] Ziv Epstein, Mengying C Fang, Antonio A Arechar, and David G Rand. What label should be applied to content produced by generative AI?, July 2023. URL: https://osf.io/preprints/psyarxiv/v4mfz_v1/, doi:10.31234/osf.io/v4mfz.

[6] Megan Li, Wendy Bickersteth, Ningjing Tang, Jason Hong, Lorrie Cranor, Hong Shen, and Hoda Heidari. A Closer Look at the Existing Risks of Generative AI: Mapping the Who, What, and How of Real-World Incidents, June 2025. arXiv:2505.22073 [cs]. URL: http://arxiv.org/abs/2505.22073, doi:10.48550/arXiv.2505.22073.