

```
1 import { useState } from "react";
2 import "./App.css";
3 import { analyzeMarket } from "../services/api";
4 import type {
5   AgentAnalysis,
6   AnalysisWithSignalResult,
7 } from "../types/analysis";
8
9 function App() {
10   const [result, setResult] = useState<AnalysisWithSignalResult | null>(null);
11   const [loading, setLoading] = useState(false);
12   const [error, setError] = useState<string | null>(null);
13
14   async function handleAnalyze() {
15     setLoading(true);
16     setError(null);
17     try {
18       const data = await analyzeMarket(
19         "11111111-1111-1111-1111-111111111111",
20         "EURUSD",
21         "FifteenMinutes"
22       );
23       console.log("ForexAI analysis response:", data);
24       setResult(data);
25     } catch (err) {
26       console.error("ForexAI analysis error:", err);
27       setError(
28         err instanceof Error ? err.message : "An unexpected error occurred."
29       );
30     } finally {
31       setLoading(false);
32     }
33   }
34
35   const analysis = result?.analysis;
36
37   return (
38     <div className="app">
39       <header className="header">
40         <h1>ForexAI</h1>
41         <p>Multi-Agent Forex Analysis</p>
42       </header>
43
44       <main className="dashboard">
45         {/* MARKET */}
46         <section className="market-card">
47           <h2>Market</h2>
48           <div className="market-info">
49             <span>EUR/USD</span>
50             <span>15 Minutes</span>
```

```
51     </div>
52     <button onClick={handleAnalyze} disabled={loading}>
53       {loading ? "Analysing..." : "Analyse Market"}
54     </button>
55   </section>
56
57   {/* ERROR */}
58   {error && (
59     <section className="error-card">
60       <h2>Analysis failed</h2>
61       <p>{error}</p>
62     </section>
63   )}
64
65   {/* RESULTS */}
66   {analysis && (
67     <>
68       {/* SYMBOL / TIMEFRAME */}
69       <section className="market-card">
70         <h2>Analysis Overview</h2>
71         <div className="market-info">
72           <span>
73             <strong>Symbol:</strong> {analysis.symbol || "N/A"}
74           </span>
75           <span>
76             <strong>Timeframe:</strong> {analysis.timeframe || "N/A"}
77           </span>
78         </div>
79       </section>
80
81       {/* AGENTS */}
82       <section>
83         <h2 className="section-title">Agent Analysis</h2>
84         <div className="analysis-grid">
85           <AgentCard title="Technical" analysis={analysis.technicalAnalysis} />
86           <AgentCard title="Fundamental" analysis={analysis.fundamentalAnalysis} />
87           <AgentCard title="Quant" analysis={analysis.quantPrediction} />
88         </div>
89       </section>
90
91       {/* RISK ASSESSMENT */}
92       {analysis.riskAssessment && (
93         <section className="risk-card">
94           <h2>Risk Assessment</h2>
95           <div className="risk-grid">
96             <div>
97               <span>Risk Level</span>
98               <strong>{analysis.riskAssessment.risk_level || "N/A"}</strong>
99             </div>
100            <div>
```

```

101         <span>Agreement</span>
102         <strong>
103             {formatPercentage(analysis.riskAssessment.agreement)}
104         </strong>
105     </div>
106     <div>
107         <span>Approved</span>
108         <strong>
109             {analysis.riskAssessment.approved ? "YES" : "NO"}
110         </strong>
111     </div>
112     <div>
113         <span>Risk / Reward</span>
114         <strong>
115             {analysis.riskAssessment.risk_reward ?? "N/A"}
116         </strong>
117     </div>
118 </div>
119
120 <div className="trade-levels">
121     <div>
122         <span>Entry Price</span>
123         <strong>
124             {formatPrice(analysis.riskAssessment.entry_price)}
125         </strong>
126     </div>
127     <div>
128         <span>Stop Loss</span>
129         <strong>
130             {formatPrice(analysis.riskAssessment.stop_loss)}
131         </strong>
132     </div>
133     <div>
134         <span>Take Profit</span>
135         <strong>
136             {formatPrice(analysis.riskAssessment.take_profit)}
137         </strong>
138     </div>
139 </div>
140 <p>{analysis.riskAssessment.reason || "No reasoning provided."}</p>
141 </section>
142 )}
143
144 {/* FINAL DECISION */}
145 {analysis.finalDecision && (
146     <section className="decision-card">
147         <h2>Final Decision</h2>
148         <div className="decision">
149             <strong>{analysis.finalDecision.direction || "N/A"}</strong>
150             <span>

```

```

151         Confidence:{" "}
152         {formatPercentage(analysis.finalDecision.confidence)}
153     </span>
154 </div>
155     <p>{analysis.finalDecision.reasoning || ""}</p>
156 </section>
157 }}
158
159 {/* SIGNAL */}
160 {result.signal ? (
161     <section className="signal-card">
162         <h2>Trading Signal</h2>
163         <div className="signal-grid">
164             <div>
165                 <span>Signal ID</span>
166                 <strong>{result.signal.signalId}</strong>
167             </div>
168             <div>
169                 <span>Direction</span>
170                 <strong>{result.signal.direction}</strong>
171             </div>
172             <div>
173                 <span>Status</span>
174                 <strong>{result.signal.status}</strong>
175             </div>
176             <div>
177                 <span>Confidence</span>
178                 <strong>
179                     {formatPercentage(result.signal.confidence)}
180                 </strong>
181             </div>
182         </div>
183     </section>
184 ) : (
185     <section className="signal-card">
186         <h2>Trading Signal</h2>
187         <p>No trading signal was generated from this analysis.</p>
188     </section>
189 )}
190 </>
191 }}
192 </main>
193 </div>
194 );
195 }
196
197 function AgentCard({
198     title,
199     analysis,
200 }): {

```

```
201   title: string;
202   analysis: AgentAnalysis | undefined;
203 }) {
204   if (!analysis) {
205     return (
206       <article className="agent-card">
207         <h2>{title}</h2>
208         <p>Data unavailable</p>
209       </article>
210     );
211   }
212
213   return (
214     <article className="agent-card">
215       <h2>{title}</h2>
216       <div className="direction">{analysis.direction || "N/A"}</div>
217       <div className="confidence">
218         Confidence: {formatPercentage(analysis.confidence)}
219       </div>
220       <p>{analysis.summary || "No summary available."}</p>
221     </article>
222   );
223 }
224
225 function formatPercentage(value: number | null | undefined): string {
226   if (value === null || value === undefined) {
227     return "N/A";
228   }
229   return `${(value * 100).toFixed(0)}%`;
230 }
231
232 function formatPrice(value: number | null | undefined): string {
233   if (value === null || value === undefined) {
234     return "N/A";
235   }
236   return value.toFixed(5);
237 }
238
239 export default App;
```