

# Sleep 3000mg

**Toka CBD**  
3407 Montrose Blvd  
Houston, TX 77006  
954-292-3143

**Sample Type:** Hemp Cannabinoid Product  
**Sample Date:** 2/25/2020  
**Analysis Date:** 2/28/2020  
**Report Date:** 3/3/2020

**Metric Batch ID:**  
**Metric Sample ID:**

**Harvest/Process Date:**  
**Report ID:** LS-200303-23  
**Sample Plan ID:**  
**Sample Procedure:** 160721\_LAB-SOP\_SampleCollection-v007

## Potency

Potency Analysis Date: 2/28/2020  
Potency Batch ID: CAN\_022820C  
Potency Method: JAOAC 2015.1

**117 mg/g** **Total CBD**  
11.7%

**ND** **Total THC**  
ND

Samples: HMX-ZBJ-HGP

Analyte	Description	LOQ	RPD (%)	Min.	Max.	Conc.	Unit: mg/g
<b>Δ9THC</b>	Delta-9 Tetrahydrocannabinol	0.40	-	-	-	ND	
<b>THCA</b>	Tetrahydrocannabinolic acid	0.40	-	-	-	ND	
<b>CBD</b>	Cannabidiol	0.40	-	-	-	117	
<b>CBDA</b>	Cannabidiolic acid	0.40	-	-	-	ND	
<b>Δ8THC</b>	Delta-8 Tetrahydrocannabinol*	0.40	-	-	-	ND	
<b>THCV</b>	Tetrahydrocannabivarin*	0.40	-	-	-	ND	
<b>CBG</b>	Cannabigerol*	0.40	-	-	-	1.36	
<b>CBGA</b>	Cannabigerolic acid*	0.40	-	-	-	ND	
<b>CBC</b>	Cannabichromene*	0.40	-	-	-	0.461	
<b>CBCA</b>	Cannabichromenic acid*	0.40	-	-	-	ND	
<b>CBN</b>	Cannabinol	0.40	-	-	-	ND	
<b>Total THC</b>	Δ9THC + (THCA × 0.877)		-	-	-	ND	
<b>Total CBD</b>	CBD + (CBDA × 0.877)		-	-	-	117	
<b>Total</b>			-	-	-	119	

  
**Bryce Kidd, Ph.D.**  
Lab Director

  
**Aaron Troyer**  
Chief Science Officer

This data cannot be used for OLCC or OHA compliance for usable marijuana or marijuana products and is provided for Research and Development purposes only.



LS - 200303 - 23

# Sleep 3000mg

**Toka CBD**  
3407 Montrose Blvd  
Houston, TX 77006  
954-292-3143

**Sample Type:** Hemp Cannabinoid Product  
**Sample Date:** 2/25/2020  
**Analysis Date:** 2/28/2020  
**Report Date:** 3/3/2020

**Metrc Batch ID:**  
  
**Metrc Sample ID:**

**Harvest/Process Date:**  
**Report ID:** LS-200303-23  
**Sample Plan ID:**  
**Sample Procedure:** 160721\_LAB-  
SOP\_SampleCollection-v007

## Qualifier Flag Descriptions

<b>J</b>	Reported result is an estimate - the value is less than the minimum calibration level but greater than the estimated detection limit (EDL)
<b>U</b>	The analyte was not detected in the sample at the estimated detection limit (EDL)
<b>E</b>	Exceeds calibration range
<b>D</b>	Dilution data - result was obtained from the analysis of a dilution
<b>B</b>	Analyte found in sample and associated blank
<b>C</b>	Co-eluting compound
<b>R</b>	Relative Percent Difference (RPD) outside control limits
<b>NR</b>	Analyte not reported because of problems in sample preparation or analysis
<b>ND</b>	Non-Detect
<b>X</b>	Results from reinjection/repeat/re-column data
<b>EMC</b>	Estimated maximum possible concentration - indicates that a peak is detected but did not meet the method required criteria
<b>M</b>	Manual integration
<b>PS</b>	Peaks split
<b>HB</b>	Control acceptance criteria are exceeded high and the associated sample exceeds the detection limit
<b>LB</b>	Control acceptance criteria are exceeded low and the associated sample is below the regulatory limit
<b>ME</b>	Marginal Exceedance
<b>LR</b>	Low Recovery Analyte
<b>LOQ</b>	Limit of Quantitation