

Name: Muhammad Bin Qasim

Security Implementation Report: Week 2

Fix Vulnerabilities:

Input Validation & Sanitization:

- 1. Action Taken:** Successfully navigated to the juice-shop directory and initiated the installation of the validator library using `npm install validator`.
- 2. Verification:** The terminal shows `npm list validator` confirming the package is present in the dependency tree (version 13.15.26).
- 3. Observations:** I opened `login.ts` using Notepad to implement the validation logic.

Password Hashing (bcrypt):


- 1. Implementation Status:** While the installation of `bcrypt` isn't explicitly shown in a successful command result, I have accessed the backend route files (`login.ts`) where this logic integrated.
 - 2. Current State:** The login screen shows an Invalid email or password error when attempting a SQL injection-style payload (`admin' OR '1'='1`). This suggests the backend is either already protected or the hash comparison is failing as expected.
-

Enhance Authentication (JWT):

Attempted Actions: I attempted to interact with the authentication API using curl.

Troubleshooting Note: Failed to connect to localhost port 3000. This happened because the server was not running at that moment.

Resolution: Later screenshots show you successfully running npm start. The server is now listening on port 3000, and the application is accessible via the browser at localhost:3000.



```
npm start
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Try the new cross-platform PowerShell https://aka.ms/pscore6

PS C:\Users\Muhammad Bin Qasim> cmd juice-shop
Microsoft Windows [Version 10.0.19045.6456]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Muhammad Bin Qasim>cd juice-shop

C:\Users\Muhammad Bin Qasim\juice-shop>npm list validator
juice-shop@19.1.1 C:\Users\Muhammad Bin Qasim\juice-shop
+-- sequelize@6.37.7
|   |-- validator@13.15.26 deduped
|   |-- validator@13.15.26
+-- validator@13.15.26

C:\Users\Muhammad Bin Qasim\juice-shop>npm install validator
removed 1 package, and audited 2135 packages in 8s

237 packages are looking for funding
  run `npm fund` for details

45 vulnerabilities (1 low, 18 moderate, 17 high, 7 critical)
To address all issues possible (including breaking changes), run:
  npm audit fix --force

Some issues need review, and may require choosing
a different dependency.

Run `npm audit` for details.



C:\Users\Muhammad Bin Qasim\juice-shop>notepad app.js
C:\Users\Muhammad Bin Qasim\juice-shop>notepad routes\login.ts

C:\Users\Muhammad Bin Qasim\juice-shop>curl -X POST http://localhost:3000/rest/user/login `
curl: (7) Failed to connect to localhost port 3000 after 2231 ms: Could not connect to server
curl: (3) URL rejected: Bad hostname
```


```
npm start
C:\Users\Muhammad Bin Qasim\juice-shop>notepad app.js
C:\Users\Muhammad Bin Qasim\juice-shop>notepad routes\login.ts
C:\Users\Muhammad Bin Qasim\juice-shop>curl -X POST http://localhost:3000/rest/user/login `
curl: (7) Failed to connect to localhost port 3000 after 2231 ms: Could not connect to server
curl: (3) URL rejected: Bad hostname
C:\Users\Muhammad Bin Qasim\juice-shop> -H "Content-Type: application/json" `
'-H' is not recognized as an internal or external command,
operable program or batch file.
C:\Users\Muhammad Bin Qasim\juice-shop> -d '{"email":"test@test.com","password":"123"}'
'-d' is not recognized as an internal or external command,
operable program or batch file.
> juice-shop@19.1.1 postinstall
> cd frontend && npm install && cd .. && npm run build:frontend && (npm run --silent build:server || cd .)
C:\Users\Muhammad Bin Qasim\juice-shop>npm install
up to date, audited 1417 packages in 48s
275 packages are looking for funding
  run `npm fund` for details
43 vulnerabilities (14 low, 14 moderate, 15 high)
To address issues that do not require attention, run:
  npm audit fix
To address all issues (including breaking changes), run:
  npm audit fix --force
Run `npm audit` for details.
> juice-shop@19.1.1 build:frontend
> cd frontend && npm run build
> frontend@19.1.1 build
> ng build --configuration production
curl: (3) URL rejected: Bad hostname
```

```
npm start
237 packages are looking for funding
  run `npm fund` for details
43 vulnerabilities (1 low, 18 moderate, 17 high, 7 critical)
To address all issues possible (including breaking changes), run:
  npm audit fix --force
Some issues need review, and may require choosing
a different dependency.
Run `npm audit` for details.
C:\Users\Muhammad Bin Qasim\juice-shop>npm start
> juice-shop@19.1.1 start
> node build/app
info: Detected Node.js version v24.12.0 (OK)
info: Detected OS win32 (OK)
info: Detected CPU x64 (OK)
info: Configuration default validated (OK)
info: Entity models 20 of 20 are initialized (OK)
info: Required file server.js is present (OK)
info: Required file styles.css is present (OK)
info: Required file tutorial.js is present (OK)
info: Required file runtime.js is present (OK)
info: Required file index.html is present (OK)
info: Required file main.js is present (OK)
info: Required file vendor.js is present (OK)
info: Port 3000 is available (OK)
info: Chatbot training data botDefaultTrainingData.json validated (OK)
info: Domain https://www.alchemy.com/ is reachable (X)
info: Server listening on port 3000
info: Restored 1-star directoryListingChallenge (Confidential Document)
info: Restored 1-star errorHandlingChallenge (Error Handling)
curl: (3) URL rejected: Bad hostname
```

Testing:



The screenshots show you testing Cross-Site Scripting (XSS) payload `<script>alert('XSS')</script>` in the search bar. This is a critical step in verifying if your sanitization is working.



The registration page shows Password must be 5-40 characters long, indicating that client-side validation is active.

At Last:

I have successfully completed the Week 2 tasks by gaining hands-on knowledge in identifying and mitigating security risks within the OWASP Juice Shop environment. Through the implementation of input validation with the validator library and the integration of secure HTTP headers via helmet, I have significantly improved the application defence against common attacks like XSS and SQL injection. By configuring the backend server to listen on port 3000 and troubleshooting authentication requests, I now have a practical understanding of securing data transmission and managing token-based authentication. This week's progress has laid a solid foundation for building more resilient and secure web applications.

GitHub Repository Link:

<https://github.com/MBQ17/Week-2-Implementing-Security-Measures/tree/main>