

## Supplementary Information

### **Machine learning assisted prediction of biological activity of aromatase inhibitors and data mining to explore similar compounds**

Muhammad Ishfaq<sup>1,\*</sup>, Muhammad Aamir<sup>1,\*</sup>, Farooq Ahmad<sup>2</sup>, Abdelazim M. Mebed<sup>3,4</sup> and Sayed Elshahat<sup>3,5</sup>

<sup>1</sup>College of Computer Science, Huanggang Normal University, Huanggang 438000, China.

<sup>2</sup>Department of Biomedical Engineering, College of Engineering and Applied Sciences, School of Chemistry and Chemical Engineering, Chemistry and Biomedicine Innovation Center (ChemBIC), Nanjing University, China

<sup>3</sup>Physics Department, Faculty of Science, Assiut University, Assiut 71516, Egypt.

<sup>4</sup>Department of Physics, College of Science, Jouf University, Al-Jouf, Sakaka P.O. Box 2014, Saudi Arabia.

<sup>5</sup>Beijing Key Lab of Nanophotonics and Ultrafine Optoelectronic Systems, Center for Micro-Nanotechnology; Key Lab of Advanced Optoelectronic Quantum Design and Measurement, Ministry of Education, School of Physics, Beijing Institute of Technology, Beijing 100081, P. R. China.

\*Contributing corresponding Authors: Dr. Muhammad Ishfaq, Email: [muhammad@hgnu.edu.cn](mailto:muhammad@hgnu.edu.cn), Dr. Muhammad Aamir, Email: [aamirshaikh86@hgnu.edu.cn](mailto:aamirshaikh86@hgnu.edu.cn), College of Computer Science, Huanggang Normal University, Huanggang 438000, China. Phone: 008618580344982

Table S1. Collected data

| No | SMILES                                                                           | pIC <sub>50</sub> | Reference                             |
|----|----------------------------------------------------------------------------------|-------------------|---------------------------------------|
| 1  | <chem>O=C1CCC2C3[C@H](OC(C)=O)C(C4=CC(CCC4(C)C3CCC21C)=O)=O</chem>               | 5.276             | Steroids.<br>1994;59(10):579-85       |
| 2  | <chem>O=C1CCC2C3[C@H](O)C(C4=CC(CCC4(C)C3CCC21C)=O)=O</chem>                     | 4.959             | Steroids.<br>1994;59(10):579-85       |
| 3  | <chem>O=C1CCC2C3CC(C4=CC(C(C)(C)CC4(C)C3CCC21C)=O)=O</chem>                      | 6.523             | Steroids.<br>1994;59(10):579-85       |
| 4  | <chem>O=C1CCC2C3CC(C4=C(OC)C(C(C)(C)CC4(C)C3CCC21C)=O)=O</chem>                  | 5.721             | Steroids.<br>1994;59(10):579-85       |
| 5  | <chem>O=C1CCC2C3CC(C4=C(O)C(C(C)(C)CC4(C)C3CCC21C)=O)=O</chem>                   | 6.357             | Steroids.<br>1994;59(10):579-85       |
| 6  | <chem>O=C1CCC2C3CC(C4=CC(C(O)=CC4(C)C3CCC21C)=O)=O</chem>                        | 5.252             | Steroids.<br>1994;59(10):579-85       |
| 7  | <chem>O=C1CCC2C3CC(C4=CC([C@H](OC(C)=O)CC4(C)C3CCC21C)=O)=O</chem>               | 4.469             | Steroids.<br>1994;59(10):579-85       |
| 8  | <chem>O=C1CCC2C3CC(C4=C(OC)C(CCC4(C)C3CCC21C)=O)=O</chem>                        | 5.699             | Steroids.<br>1994;59(10):579-85       |
| 9  | <chem>O=C1CCC2C3CC(C4=C(OCC)C(CCC4(C)C3CCC21C)=O)=O</chem>                       | 5.347             | Steroids.<br>1994;59(10):579-85       |
| 10 | <chem>O=C1CCC2C3CC(C4=C(O)C(CCC4(C)C3CCC21C)=O)=O</chem>                         | 6.337             | Steroids.<br>1994;59(10):579-85       |
| 11 | <chem>O=C1CCC2C3C(C)C4=CC(CCC4(C)C3CCC21C)=O</chem>                              | 6.562             | Eur J Med Chem.<br>2009;44(10):4121-7 |
| 12 | <chem>CC12C(CCC2=O)C3C(C)C(OC4(C)C3CC1)=CC(CC4)=O</chem>                         | 5.009             | Eur J Med Chem.<br>2009;44(10):4121-7 |
| 13 | <chem>CC(OC1=CC=C(C(/C(CC)=C2SC(C=C/2)=O)CC)C=C1)=O</chem>                       | 4.81              | Eur J Med Chem.<br>2009;44(10):4121-7 |
| 14 | <chem>CC1C(C)(CCC2=CC(OC2)=O)C3CCC=C4C3(COC4=O)CC1O</chem>                       | 3.9               | Eur J Med Chem.<br>2009;44(10):4121-7 |
| 15 | <chem>CC1=C(C#N)C=C(C2=N1)C(NC3=CC=C(Cl)C=C3)OC4=C2C=C([N+])([O-])=O)C=C4</chem> | 6.169             | Eur J Med Chem.<br>2009;44(10):4121-7 |
| 16 | <chem>CCCC(OC1=CC(OC(CCC)=O)=CC2=C1C(C)=CC(O2)=O)=O</chem>                       | 3.754             | Eur J Med Chem.<br>2009;44(10):4121-7 |
| 17 | <chem>O=C1NC(CCC1(CC)C2=CC=NC=C2)=O</chem>                                       | 5                 | J Med Chem.<br>1987;30(9):1550-4      |
| 18 | <chem>O=C1NC(CCC1(CC)C2=CC=C(N)C=C2)=O</chem>                                    | 5.097             | J Med Chem.<br>1987;30(9):1550-4      |
| 19 | <chem>O=C(CCC(C)1C2=CC=NC=C2)NC1=O</chem>                                        | 3.611             | J Med Chem.<br>1987;30(9):1550-4      |
| 20 | <chem>O=C(CCC(CCC)1C2=CC=NC=C2)NC1=O</chem>                                      | 5.222             | J Med Chem.<br>1987;30(9):1550-4      |
| 21 | <chem>O=C(CCC(CCCC)1C2=CC=NC=C2)NC1=O</chem>                                     | 5.398             | J Med Chem.<br>1987;30(9):1550-4      |
| 22 | <chem>O=C(CCC(CCCCC)1C2=CC=NC=C2)NC1=O</chem>                                    | 5.602             | J Med Chem.<br>1987;30(9):1550-4      |
| 23 | <chem>O=C(CCC(CCCCCC)1C2=CC=NC=C2)NC1=O</chem>                                   | 5.444             | J Med Chem.<br>1987;30(9):1550-4      |
| 24 | <chem>O=C(CCC(CCCCCCC)1C2=CC=NC=C2)NC1=O</chem>                                  | 5.495             | J Med Chem.<br>1987;30(9):1550-4      |
| 25 | <chem>O=C(CCC(CCCCCCCC)1C2=CC=NC=C2)NC1=O</chem>                                 | 6.481             | J Med Chem.<br>1987;30(9):1550-4      |
| 26 | <chem>O=C(CCC(CCCCCCCCC)1C2=CC=NC=C2)NC1=O</chem>                                | 5.62              | J Med Chem.<br>1987;30(9):1550-4      |
| 27 | <chem>O=C1N(C(CCC1(C2=CC=NC=C2)CC)=O)C</chem>                                    | 4.523             | J Med Chem.<br>1987;30(9):1550-4      |
| 28 | <chem>O=C1N(CC)C(CCC1(CC)C2=CC=NC=C2)=O</chem>                                   | 3.415             | J Med Chem.<br>1987;30(9):1550-4      |
| 29 | <chem>O=C1N(CCC)C(CCC1(CC)C2=CC=NC=C2)=O</chem>                                  | 4.509             | J Med Chem.<br>1987;30(9):1550-4      |

|    |                                                                    |       |             |
|----|--------------------------------------------------------------------|-------|-------------|
| 30 | <chem>O=C1N(CCCC)C(CCC1(CC)C2=CC=NC=C2)=O</chem>                   | 4.398 | J Med Chem. |
| 31 | <chem>O=C1N(CCCCC)C(CCC1(CC)C2=CC=NC=C2)=O</chem>                  | 4.678 | J Med Chem. |
| 32 | <chem>O=C1N(CCCCCC)C(CCC1(CC)C2=CC=NC=C2)=O</chem>                 | 5.18  | J Med Chem. |
| 33 | <chem>O=C1N(CCCCCC)C(CCC1(CC)C2=CC=NC=C2)=O</chem>                 | 5.824 | J Med Chem. |
| 34 | <chem>O=C1N(CCCCCC)C(CCC1(CC)C2=CC=NC=C2)=O</chem>                 | 6.097 | J Med Chem. |
| 35 | <chem>O=C1N(CCCCCC)C(CCC1(CC)C2=CC=NC=C2)=O</chem>                 | 5.523 | J Med Chem. |
| 36 | <chem>O=C1N(CCCCCC)C(CCC1(CC)C2=CC=NC=C2)=O</chem>                 | 5     | J Med Chem. |
| 37 | <chem>[H]C1=C([H])C=CC(C(OC2=CC([H])=CC([H])=C23)=CC3=O)=C1</chem> | 4.312 | Life Sci.   |
| 38 | <chem>[H]C1=C([H])C=CC(C(OC2=CC(O)=CC([H])=C23)=CC3=O)=C1</chem>   | 6.699 | Life Sci.   |
| 39 | <chem>[H]C1=C(O)C=CC(C(OC2=CC(O)=CC(O)=C23)=CC3=O)=C1</chem>       | 5.538 | Life Sci.   |
| 40 | <chem>OC1=C(O)C=CC(C(OC2=CC(O)=CC(O)=C23)=CC3=O)=C1</chem>         | 5.921 | Life Sci.   |
| 41 | <chem>O=C(C1)C2=C([H])C=C([H])C=C2OC1C3=CC([H])=C([H])C=C3</chem>  | 4.86  | Life Sci.   |
| 42 | <chem>O=C(C1)C2=C([H])C=C(O)C=C2OC1C3=CC([H])=C([H])C=C3</chem>    | 5.62  | Life Sci.   |
| 43 | <chem>O=C(C1)C2=C(O)C=C(O)C=C2OC1C3=CC([H])=C(O)C=C3</chem>        | 5.036 | Life Sci.   |
| 44 | <chem>O=C(C1)C2=C(O)C=C(O)C=C2OC1C3=CC(O)=C(O)C=C3</chem>          | 6.222 | Life Sci.   |
| 45 | <chem>O=C(C1)C2=C(O)C=C(O)C=C2OC1C3=CC(O)=C(OC)C=C3</chem>         | 5.481 | Life Sci.   |
| 46 | <chem>[H]C1=CC(O)=CC([H])=C1C(/C=C/C2=CC([H])=C([H])C=C2)=O</chem> | 4.514 | Life Sci.   |
| 47 | <chem>OC1=CC(OC)=CC(O)=C1C(/C=C/C2=CC([H])=C([H])C=C2)=O</chem>    | 4.845 | Life Sci.   |
| 48 | <chem>[H]C1=CC(O)=CC(O)=C1C(/C=C/C2=CC([H])=C(O)C=C2)=O</chem>     | 4.461 | Life Sci.   |
| 49 | <chem>OC1=CC(O)=CC(O)=C1C(/C=C/C2=CC([H])=C(O)C=C2)=O</chem>       | 5.585 | Life Sci.   |
| 50 | <chem>OC1=CC(O)=CC(O)=C1C(/C=C/C2=CC(O)=C(O)C=C2)=O</chem>         | 5.553 | Life Sci.   |
| 51 | <chem>OC1=CC(O)=CC(O)=C1C(/C=C/C2=CC(O)=C(OC)C=C2)=O</chem>        | 4.616 | Life Sci.   |
| 52 | <chem>O=C(N1)CC[C@@](C2=CC=NC=C2)(C)C1=O</chem>                    | 3.611 | J Med Chem. |
| 53 | <chem>O=C(N1)CC[C@@](C2=CC=NC=C2)(CC)C1=O</chem>                   | 5     | J Med Chem. |
| 54 | <chem>O=C(N1)CC[C@@](C2=CC=NC=C2)(CCC)C1=O</chem>                  | 5.222 | J Med Chem. |
| 55 | <chem>O=C(N1)CC[C@@](C2=CC=NC=C2)(CCCC)C1=O</chem>                 | 5.398 | J Med Chem. |
| 56 | <chem>O=C(N1)CC[C@@](C2=CC=NC=C2)(CCCCC)C1=O</chem>                | 5.602 | J Med Chem. |
| 57 | <chem>O=C(N1)CC[C@@](C2=CC=NC=C2)(CCCCC)C1=O</chem>                | 5.444 | J Med Chem. |
| 58 | <chem>O=C(N1)CC[C@@](C2=CC=NC=C2)(CCCCC)C1=O</chem>                | 5.495 | J Med Chem. |
| 59 | <chem>O=C(N1)CC[C@@](C2=CC=NC=C2)(CCCCC)C1=O</chem>                | 6.481 | J Med Chem. |

|    |                                                                |       |                                            |
|----|----------------------------------------------------------------|-------|--------------------------------------------|
| 60 | <chem>O=C(N1CC[C@@](C2=CC=NC=C2)(CCCCCCCC)C1=O</chem>          | 5.62  | J Med Chem.<br>1990;33(9):2673-9           |
| 61 | <chem>O=C(N1C)CC[C@@](C2=CC=NC=C2)(CC)C1=O</chem>              | 4.523 | J Med Chem.<br>1990;33(9):2673-9           |
| 62 | <chem>O=C(N1CC)CC[C@@](C2=CC=NC=C2)(CC)C1=O</chem>             | 3.415 | J Med Chem.<br>1990;33(9):2673-9           |
| 63 | <chem>O=C(N1CCC)CC[C@@](C2=CC=NC=C2)(CC)C1=O</chem>            | 4.509 | J Med Chem.<br>1990;33(9):2673-9           |
| 64 | <chem>O=C(N1CCCC)CC[C@@](C2=CC=NC=C2)(CC)C1=O</chem>           | 4.398 | J Med Chem.<br>1990;33(9):2673-9           |
| 65 | <chem>O=C(N1CCCCC)CC[C@@](C2=CC=NC=C2)(CC)C1=O</chem>          | 4.678 | J Med Chem.<br>1990;33(9):2673-9           |
| 66 | <chem>O=C(N1CCCCC)CC[C@@](C2=CC=NC=C2)(CC)C1=O</chem>          | 5.18  | J Med Chem.<br>1990;33(9):2673-9           |
| 67 | <chem>O=C(N1CCCCCCC)CC[C@@](C2=CC=NC=C2)(CC)C1=O</chem>        | 5.824 | J Med Chem.<br>1990;33(9):2673-9           |
| 68 | <chem>O=C(N1CCCCCCCC)CC[C@@](C2=CC=NC=C2)(CC)C1=O</chem>       | 6.097 | J Med Chem.<br>1990;33(9):2673-9           |
| 69 | <chem>O=C(N1CCCCCCCCC)CC[C@@](C2=CC=NC=C2)(CC)C1=O</chem>      | 5.523 | J Med Chem.<br>1990;33(9):2673-9           |
| 70 | <chem>O=C(N1CCCCCCCCC)CC[C@@](C2=CC=NC=C2)(CC)C1=O</chem>      | 5     | J Med Chem.<br>1990;33(9):2673-9           |
| 71 | <chem>O=C1C(CC2=CC=NC=C2)=C(N)C3=CC(OC)=CC=C31</chem>          | 5.456 | Bioorg Med Chem Lett.<br>1998;8(9):1041-4  |
| 72 | <chem>O=C(C1=CC=CC=C1C/2C3=CC=CC=C3)C2=C/C4=CC=NC=C4</chem>    | 6.097 | Bioorg Med Chem Lett.<br>1998;8(9):1041-4  |
| 73 | <chem>CC1=NC2=C(C=N1)C(N3C=CN=C3)C4=CC=CC=C42</chem>           | 5.55  | J Med Chem. 2004 Dec<br>30;47(27):6792-803 |
| 74 | <chem>O=C1C2=CC=CC=C2C3=C1C=C(CN4C=CN=C4)N=N3</chem>           | 4.57  | J Med Chem. 2004 Dec<br>30;47(27):6792-803 |
| 75 | <chem>[H]C1(N2C=CN=C2)C3=CC=CC=C3C4=C1C=CC=C4</chem>           | 5.55  | J Med Chem. 2004 Dec<br>30;47(27):6792-803 |
| 76 | <chem>C12=CC=CC=C1C3=C(C=CC=C3)C2(N4C=CN=C4)C5=CC=CC=C5</chem> | 7.13  | J Med Chem. 2004 Dec<br>30;47(27):6792-803 |
| 77 | <chem>C12=CC=CC=C1C3=C(C=CC=C3)C2(N4N=CN=C4)C5=CC=CC=C5</chem> | 5.4   | J Med Chem. 2004 Dec<br>30;47(27):6792-803 |
| 78 | <chem>O=C1OC2=CC(OC)=CC=C2C=C1CN3C=CN=C3</chem>                | 5.55  | J Med Chem. 2004 Dec<br>30;47(27):6792-803 |
| 79 | <chem>O=C1OC2=CC=CC=C2C(CN3C=CN=C3)=C1</chem>                  | 5.68  | J Med Chem. 2004 Dec<br>30;47(27):6792-803 |
| 80 | <chem>O=C1OC2=CC(OC)=CC=C2C(CN3C=CN=C3)=C1</chem>              | 6.55  | J Med Chem. 2004 Dec<br>30;47(27):6792-803 |
| 81 | <chem>O=C1OC2=CC(OC)=CC=C2C(CN3N=CN=C3)=C1</chem>              | 5.44  | J Med Chem. 2004 Dec<br>30;47(27):6792-803 |
| 82 | <chem>O=C1OC2=CC=CC=C2C(OCCN3C=CN=C3)=C1</chem>                | 6.12  | J Med Chem. 2004 Dec<br>30;47(27):6792-803 |
| 83 | <chem>O=C1OC2=CC(OC)=CC=C2C(OCCN3C=CN=C3)=C1</chem>            | 4     | J Med Chem. 2004 Dec<br>30;47(27):6792-803 |
| 84 | <chem>O=C1OC2=CC(OC3=CC=CC=C3)=CC=C2C(CN4C=CN=C4)=C1</chem>    | 7.29  | J Med Chem. 2004 Dec<br>30;47(27):6792-803 |
| 85 | <chem>O=C1OC2=CC(OC)=CC(CN3C=CN=C3)=C2C=C1</chem>              | 6.77  | J Med Chem. 2004 Dec<br>30;47(27):6792-803 |
| 86 | <chem>O=C1OC2=CC=C(CN3C=CN=C3)C=C2C=C1</chem>                  | 6.84  | J Med Chem. 2004 Dec<br>30;47(27):6792-803 |
| 87 | <chem>O=C1OC2=CC(CN3C=CN=C3)=CC=C2C=C1</chem>                  | 6.17  | J Med Chem. 2004 Dec<br>30;47(27):6792-803 |
| 88 | <chem>O=C1OC2=CC(CN3N=CN=C3)=CC=C2C=C1</chem>                  | 4.5   | J Med Chem. 2004 Dec<br>30;47(27):6792-803 |
| 89 | <chem>O=C1OC2=CC(OCN3C=CN=C3)=CC=C2C=C1</chem>                 | 4.5   | J Med Chem. 2004 Dec<br>30;47(27):6792-803 |

|     |                                                                                   |       |                                         |
|-----|-----------------------------------------------------------------------------------|-------|-----------------------------------------|
| 90  | <chem>O=C1OC2=C(CN3C=CN=C3)C(OC)=CC=C2C=C1</chem>                                 | 4.5   | J Med Chem. 2004 Dec 30;47(27):6792-803 |
| 91  | <chem>O=C1OC2=CC=CC=C2C(CN3C=CN=C3)=C1C4=CC=CC=C4</chem>                          | 5.29  | J Med Chem. 2004 Dec 30;47(27):6792-803 |
| 92  | <chem>O=C1OC2=CC=CC(C3=CC=CC=C3)=C2C(CN4C=CN=C4)=C1</chem>                        | 6.97  | J Med Chem. 2004 Dec 30;47(27):6792-803 |
| 93  | <chem>O=C1OC2=CC(OCC3=CC=CC=C3)=CC=C2C(CN4C=CN=C4)=C1</chem>                      | 6.82  | J Med Chem. 2004 Dec 30;47(27):6792-803 |
| 94  | <chem>S=C1OC2=CC=C(CN3C=CN=C3)C=C2C=C1</chem>                                     | 5.95  | J Med Chem. 2004 Dec 30;47(27):6792-803 |
| 95  | <chem>O=S(OC1=CC=C(C(N2N=CN=C2)C3=CC=C(OS(=O)(N)=O)C=C3)C=C1)(N)=O</chem>         | 5.517 | J Med Chem. 2008;51(14):4226-38         |
| 96  | <chem>O=S(OC1=CC=CC(C(N2N=CN=C2)C3=CC=CC(OS(=O)(N)=O)C=C3)=C1)(N)=O</chem>        | 7.004 | J Med Chem. 2008;51(14):4226-38         |
| 97  | <chem>BrC1=C(OS(=O)(N)=O)C=CC(C(N2N=CN=C2)C3=CC=C(OS(=O)(N)=O)C(Br)=C3)=C1</chem> | 7.367 | J Med Chem. 2008;51(14):4226-38         |
| 98  | <chem>O=S(OC1=CC=C(C(N2N=CN=C2)C3=CC=C(C#N)C=C3)C=C1)(N)=O</chem>                 | 7.886 | J Med Chem. 2008;51(14):4226-38         |
| 99  | <chem>ClC1=C(OS(=O)(N)=O)C=CC(C(N2N=CN=C2)C3=CC=C(C#N)C=C3)=C1</chem>             | 7.921 | J Med Chem. 2008;51(14):4226-38         |
| 100 | <chem>BrC1=C(OS(=O)(N)=O)C=CC(C(N2N=CN=C2)C3=CC=C(C#N)C=C3)=C1</chem>             | 8.523 | J Med Chem. 2008;51(14):4226-38         |
| 101 | <chem>OC1=CC=CC(C(N2N=CN=C2)C3=CC=CC(O)=C3)=C1</chem>                             | 5.61  | J Med Chem. 2008;51(14):4226-38         |
| 102 | <chem>OC1=CC=C(C(N2N=CN=C2)C3=CC=C(O)C=C3)C=C1</chem>                             | 6.75  | J Med Chem. 2008;51(14):4226-38         |
| 103 | <chem>OC1=C(Br)C=C(C(N2N=CN=C2)C3=CC=C(O)C(Br)=C3)C=C1</chem>                     | 8     | J Med Chem. 2008;51(14):4226-38         |
| 104 | <chem>OC1=C(OC)C=CC(C(N2N=CN=C2)C3=CC=C(OC)C(O)=C3)=C1</chem>                     | 6.772 | J Med Chem. 2008;51(14):4226-38         |
| 105 | <chem>OC1=C(OC)C=C(C(N2N=CN=C2)C3=CC=C(O)C(OC)=C3)C=C1</chem>                     | 6.668 | J Med Chem. 2008;51(14):4226-38         |
| 106 | <chem>OC1=CC=C(C(N2N=CN=C2)C3=CC=C(C#N)C=C3)C=C1</chem>                           | 8.143 | J Med Chem. 2008;51(14):4226-38         |
| 107 | <chem>OC1=C(Cl)C=C(C(N2N=CN=C2)C3=CC=C(C#N)C=C3)C=C1</chem>                       | 8.26  | J Med Chem. 2008;51(14):4226-38         |
| 108 | <chem>OC1=C(Br)C=C(C(N2N=CN=C2)C3=CC=C(C#N)C=C3)C=C1</chem>                       | 8.745 | J Med Chem. 2008;51(14):4226-38         |
| 109 | <chem>OC(C1=CC=C(F)C=C1)(C2=CC(C=CC(OC)=C3)=C3O2)C4=CN=CC=C4</chem>               | 7.357 | J Med Chem. 2006;49(3):1016-22          |
| 110 | <chem>OC(C1=CC=C(Cl)C=C1)(C2=CC(C=CC(OC)=C3)=C3O2)C4=CN=CC=C4</chem>              | 7.31  | J Med Chem. 2006;49(3):1016-22          |
| 111 | <chem>OC(C1=CC=C(OC)C=C1)(C2=CC(C=CC(OC)=C3)=C3O2)C4=CN=CC=C4</chem>              | 6.796 | J Med Chem. 2006;49(3):1016-22          |
| 112 | <chem>COC1=CC(O2)=C(C=C1)C=C2C(C3=CC=C(OC)C=C3)N4C=NC=C4</chem>                   | 6.886 | J Med Chem. 2006;49(3):1016-22          |
| 113 | <chem>FC(C=C1)=CC=C1C(C2=CC(C=CC(OC)=C3)=C3O2)N4C=NC=N4</chem>                    | 7.31  | J Med Chem. 2006;49(3):1016-22          |
| 114 | <chem>ClC(C=C1)=CC=C1C(C2=CC(C=CC(OC)=C3)=C3O2)N4C=NC=N4</chem>                   | 7.357 | J Med Chem. 2006;49(3):1016-22          |
| 115 | <chem>COC1=CC(O2)=C(C=C1)C=C2C(C3=CC=C(OC)C=C3)N4C=NC=N4</chem>                   | 6.886 | J Med Chem. 2006;49(3):1016-22          |
| 116 | <chem>COC1=CC(O2)=C(C=C1)C=C2C(C3=CC=C(C#N)C=C3)N4C=NC=N4</chem>                  | 8     | J Med Chem. 2006;49(3):1016-22          |
| 117 | <chem>COC1=CC(O2)=C(C=C1)C=C2C(C3=CC=C([N+])([O-])=O)C=C3)N4C=NC=N4</chem>        | 6.222 | J Med Chem. 2006;49(3):1016-22          |
| 118 | <chem>CC(C=C1)=CC=C1C(C2=CC(C=CC(OC)=C3)=C3O2)N4C=NC=N4</chem>                    | 7     | J Med Chem. 2006;49(3):1016-22          |
| 119 | <chem>COC1=CC(O2)=C(C=C1)C=C2C(C3=CC=C(C(F)(F)F)C=C3)N4C=NC=N4</chem>             | 6.886 | J Med Chem. 2006;49(3):1016-22          |

|     |                                                                        |       |             |
|-----|------------------------------------------------------------------------|-------|-------------|
| 120 | <chem>COC1=CC(O2)=C(C=C1)C=C2C(C3=CC=C(CC)C=C3)N4C=NC=N4</chem>        | 5.91  | J Med Chem. |
| 121 | <chem>OC1=CC(O2)=C(C=C1)C=C2C(C3=CC=C(Cl)C=C3)N4C=NC=N4</chem>         | 5.836 | J Med Chem. |
| 122 | <chem>OC1=CC(O2)=C(C=C1)C=C2C(C3=CC=C(C#N)C=C3)N4C=NC=N4</chem>        | 7.699 | J Med Chem. |
| 123 | <chem>OC1=CC(O2)=C(C=C1)C=C2C(C3=CC=C([N+](O-)=O)C=C3)N4C=NC=N4</chem> | 7.222 | J Med Chem. |
| 124 | <chem>CC(C)(C#N)C1=CC(C(C)(C#N)C)=CC(CN2C=NC=N2)=C1</chem>             | 6.222 | J Med Chem. |
| 125 | <chem>O=C1C(C(N2CCCC2)C3=CC=C(C=C3)[N+](O-)=O)=COC4=CC=CC=C41</chem>   | 8.64  | J Med Chem. |
| 126 | <chem>O=C1C(C(N2CCCC2)C3=CC=C(C=C3)Br)=COC4=CC=CC=C41</chem>           | 7.31  | J Med Chem. |
| 127 | <chem>O=C1C(C(N2CCCC2)C3=CC=C(C=C3)C#N)=COC4=CC=CC=C41</chem>          | 6.96  | J Med Chem. |
| 128 | <chem>CC12C(CCC2=O)C3C=CC4=C(C5=CC=CCC5=S)C(CCC4(C)C3CC1)=O</chem>     | 7.602 | Steroids.   |
| 129 | <chem>CC12C(CCC2=O)C3C=CC4=C(C5=CC=CCC5=S)C(C=CC4(C)C3CC1)=O</chem>    | 7.187 | Steroids.   |
| 130 | <chem>CC12C(CCC2=O)C3CCC4=C(C5=CC=CCC5=S)C(C=CC4(C)C3CC1)=O</chem>     | 6.301 | Steroids.   |
| 131 | <chem>CC12C(CCC2=O)C3CCC4=C(C5=CC=CCC5=S)C(CCC4(C)C3CC1)=O</chem>      | 6.745 | Steroids.   |
| 132 | <chem>O=C(C1=CC=CC=C1C/2)C2=C(C3=CC=NC=C3)/[H]</chem>                  | 4.602 | J Med Chem. |
| 133 | <chem>O=C(C1=CC=CC=C1C/2)C2=C([H])/C3=CC=NC=C3</chem>                  | 5.26  | J Med Chem. |
| 134 | <chem>O=C(C1=CC=CC(OC)=C1C/2)C2=C(C3=CC=NC=C3)/[H]</chem>              | 4.638 | J Med Chem. |
| 135 | <chem>O=C(C1=CC=CC(OC)=C1C/2)C2=C([H])/C3=CC=NC=C3</chem>              | 5.432 | J Med Chem. |
| 136 | <chem>O=C(C1=CC=C(OC)C=C1C/2)C2=C(C3=CC=NC=C3)/[H]</chem>              | 5.319 | J Med Chem. |
| 137 | <chem>O=C(C1=CC=C(OC)C=C1C/2)C2=C([H])/C3=CC=NC=C3</chem>              | 5.201 | J Med Chem. |
| 138 | <chem>O=C(C1=CC=CC(O)=C1C/2)C2=C(C3=CC=NC=C3)/[H]</chem>               | 4.658 | J Med Chem. |
| 139 | <chem>O=C1C(CC2=CC=NC=C2)CC3=CC=CC=C31</chem>                          | 4.77  | J Med Chem. |
| 140 | <chem>O=C1C(CC2=CC=NC=C2)CC3=C(OC)C=CC=C31</chem>                      | 4.854 | J Med Chem. |
| 141 | <chem>O=C1C(CC2=CC=NC=C2)CC3=CC(OC)=CC=C31</chem>                      | 5.469 | J Med Chem. |
| 142 | <chem>O=C1C(CC2=CC=NC=C2)CC3=C(O)C=CC=C31</chem>                       | 5.377 | J Med Chem. |
| 143 | <chem>O=C1C(CC2=CC=NC=C2)CC3=CC(O)=CC=C31</chem>                       | 5.032 | J Med Chem. |
| 144 | <chem>C12=CC=CC=C1CC(C3=CC=NC=C3)C2</chem>                             | 5.62  | J Med Chem. |
| 145 | <chem>COC1=C(CC(CC2=CC=NC=C2)C3)C3=CC=C1</chem>                        | 5.194 | J Med Chem. |
| 146 | <chem>COC1=CC=C2C(CC(C3=CC=NC=C3)C2)=C1</chem>                         | 6.62  | J Med Chem. |
| 147 | <chem>OC1=C(CC(CC2=CC=NC=C2)C3)C3=CC=C1</chem>                         | 6     | J Med Chem. |
| 148 | <chem>OC1=CC=C2C(CC(C3=CC=NC=C3)C2)=C1</chem>                          | 5.721 | J Med Chem. |
| 149 | <chem>C12=CC=CC=C1CC(C3=CC=NC=C3)CC2</chem>                            | 5.921 | J Med Chem. |

|     |                                                                |       |                                      |
|-----|----------------------------------------------------------------|-------|--------------------------------------|
| 150 | <chem>COC1=C(CCC(CC2=CC=NC=C2)C3)C3=CC=C1</chem>               | 6.229 | J Med Chem.<br>1994;37(9):1275-81    |
| 151 | <chem>COC1=CC=C2C(CCC(CC3=CC=NC=C3)C2)=C1</chem>               | 6.638 | J Med Chem.<br>1994;37(9):1275-81    |
| 152 | <chem>COC1=CC=C(CCC(CC2=CC=NC=C2)C3)C3=C1</chem>               | 5.367 | J Med Chem.<br>1994;37(9):1275-81    |
| 153 | <chem>OC1=C(CCC(CC2=CC=NC=C2)C3)C3=CC=C1</chem>                | 6.276 | J Med Chem.<br>1994;37(9):1275-81    |
| 154 | <chem>OC1=CC=C2C(CCC(CC3=CC=NC=C3)C2)=C1</chem>                | 6.125 | J Med Chem.<br>1994;37(9):1275-81    |
| 155 | <chem>OC1=CC=C(CCC(CC2=CC=NC=C2)C3)C3=C1</chem>                | 5.886 | J Med Chem.<br>1994;37(9):1275-81    |
| 156 | <chem>[H][C@@]1(C2=CC=C(C#N)C=C2)CCCC3=CN=CN13</chem>          | 8.49  | Bioorg Med Chem.<br>1998;6(4):377-88 |
| 157 | <chem>[H][C@]1(C2=CC=C(C#N)C=C2)CCCC3=CN=CN13</chem>           | 6.17  | Bioorg Med Chem.<br>1998;6(4):377-88 |
| 158 | <chem>C=C(N1C=NC=C1)C2=CC=C(C#N)C=C2</chem>                    | 9.15  | Bioorg Med Chem.<br>1998;6(4):377-88 |
| 159 | <chem>N#CC(C=C1)=CC2=C1C(N3C=NC=C3)=CCC2</chem>                | 8.54  | Bioorg Med Chem.<br>1998;6(4):377-88 |
| 160 | <chem>N#CC(C=C1)=CC=C1C2(C3=CC=C(C#N)C=C3)CCCC4=CN=CN24</chem> | 6.63  | Bioorg Med Chem.<br>1998;6(4):377-88 |
| 161 | <chem>[H]C(C1=CC=C(C#N)C=C1)(N2C=NC=C2)C3=CC=C(C#N)C=C3</chem> | 8.46  | Bioorg Med Chem.<br>1998;6(4):377-88 |
| 162 | <chem>BrC(C=C1)=CC=C1/N=C(N2C=NC=C2)\C3=CC=C(C#N)C=C3</chem>   | 8.11  | Bioorg Med Chem.<br>1998;6(4):377-88 |
| 163 | <chem>N#CC(C=C1)=C2C(C=CC=C2)=C1CN3C=NC=C3</chem>              | 8.7   | Bioorg Med Chem.<br>1998;6(4):377-88 |
| 164 | <chem>CC1=C(C)OC2=C(C#N)C=CC(CN3C=NC=C3)=C21</chem>            | 8.46  | Bioorg Med Chem.<br>1998;6(4):377-88 |
| 165 | <chem>N#CC1=CC=CC=C1CN2C=NC=C2</chem>                          | 6.52  | Bioorg Med Chem.<br>1998;6(4):377-88 |
| 166 | <chem>BrC(C=C1)=CC=C1CN2C=NC=C2</chem>                         | 7.07  | Bioorg Med Chem.<br>1998;6(4):377-88 |
| 167 | <chem>O=C(C(C=C1)=CC=C1CN2C=NC=C2)C3=CC=CC=C3</chem>           | 8     | Bioorg Med Chem.<br>1998;6(4):377-88 |
| 168 | <chem>O=[N+](C(C=C1)=CC=C1CN2C=NC=C2)[O-]</chem>               | 8.26  | Bioorg Med Chem.<br>1998;6(4):377-88 |
| 169 | <chem>N#CC(C=C1)=CC=C1CN2C=NC=C2</chem>                        | 8     | Bioorg Med Chem.<br>1998;6(4):377-88 |
| 170 | <chem>CC(C1=CC=C(C#N)C=C1)(C)N2C=NC=C2</chem>                  | 7.68  | Bioorg Med Chem.<br>1998;6(4):377-88 |
| 171 | <chem>N#CC(C=C1)=CC=C1C2(CCCC2)N3C=NC=C3</chem>                | 8.12  | Bioorg Med Chem.<br>1998;6(4):377-88 |
| 172 | <chem>N#CC(C=C1)=CC=C1C(C2=CC=C(C#N)C=C2)N3C=NC=N3</chem>      | 7.96  | Bioorg Med Chem.<br>1998;6(4):377-88 |
| 173 | <chem>N#CC(C=C1)=CC=C1C(C2=CC=C(C#N)C=C2)N3N=NC=C3</chem>      | 7.92  | Bioorg Med Chem.<br>1998;6(4):377-88 |
| 174 | <chem>N#CC(C=C1)=CC=C1C(C2=CC=C(C#N)C=C2)N3N=NC=N3</chem>      | 9     | Bioorg Med Chem.<br>1998;6(4):377-88 |
| 175 | <chem>N#CC(C=C1)=CC=C1C(C2=CN=CN=C2)C3=CC=C(C#N)C=C3</chem>    | 7.15  | Bioorg Med Chem.<br>1998;6(4):377-88 |
| 176 | <chem>N#CC(C=C1)=CC=C1C(C2=CN=CC=C2)C3=CC=C(C#N)C=C3</chem>    | 7.91  | Bioorg Med Chem.<br>1998;6(4):377-88 |
| 177 | <chem>N#CC(C=C1)=CC=C1/C(N2C=NC=N2)=C3CCCCC/3</chem>           | 7.67  | Bioorg Med Chem.<br>1998;6(4):377-88 |
| 178 | <chem>N#CC(C=C1)=CC=C1C(N2C=NC=N2)(CC)C3=CC=C(C#N)C=C3</chem>  | 7.74  | Bioorg Med Chem.<br>1998;6(4):377-88 |
| 179 | <chem>FC(C1=CC=C(C#N)C=C1)(N2C=NC=N2)C3=CC=C(C#N)C=C3</chem>   | 7.89  | Bioorg Med Chem.<br>1998;6(4):377-88 |

|     |                                                                          |       |                                         |
|-----|--------------------------------------------------------------------------|-------|-----------------------------------------|
| 180 | <chem>FC(C1=CC=C(C#N)C=C1)(N2N=NC=C2)C3=CC=C(C#N)C=C3</chem>             | 7.68  | Bioorg Med Chem.<br>1998;6(4):377-88    |
| 181 | <chem>FC(C1=CC=C(C#N)C=C1)(N2N=NC=N2)C3=CC=C(C#N)C=C3</chem>             | 7.52  | Bioorg Med Chem.<br>1998;6(4):377-88    |
| 182 | <chem>FC(C1=CC=C(C#N)C=C1)(N2C=NC=C2)C3=CC=C(C#N)C=C3</chem>             | 8.24  | Bioorg Med Chem.<br>1998;6(4):377-88    |
| 183 | <chem>O=C1C2=C(C=CC=C2)CC/C1=C\C3=CC=NC=C3</chem>                        | 5.03  | Bioorg Med Chem.<br>1998;6(4):377-88    |
| 184 | <chem>O=C1C2=C(C(OC)=CC=C2)CC/C1=C\C3=CC=NC=C3</chem>                    | 5.2   | Bioorg Med Chem.<br>1998;6(4):377-88    |
| 185 | <chem>O=C1C2=C(C=C(OC)C=C2)CC/C1=C\C3=CC=NC=C3</chem>                    | 5.05  | Bioorg Med Chem.<br>1998;6(4):377-88    |
| 186 | <chem>O=C1C2=C(C(O)=CC=C2)CC/C1=C\C3=CC=NC=C3</chem>                     | 6.16  | Bioorg Med Chem.<br>1998;6(4):377-88    |
| 187 | <chem>O=C1C2=C(C=C(O)C=C2)CC/C1=C\C3=CC=NC=C3</chem>                     | 5.06  | Bioorg Med Chem.<br>1998;6(4):377-88    |
| 188 | <chem>O=C1C2=C(C=CC=C2)CC/C1=C/C3=CC=NC=C3</chem>                        | 4.92  | Bioorg Med Chem.<br>1998;6(4):377-88    |
| 189 | <chem>O=C1C2=C(C(CCCC3)=C3C=C2)CC/C1=C\C4=CC=NC=C4</chem>                | 5     | Bioorg Med Chem.<br>1998;6(4):377-88    |
| 190 | <chem>O=C1C2=C(C=CC(OC)=C2)CC/C1=C\C3=CC=NC=C3</chem>                    | 5.02  | Bioorg Med Chem.<br>1998;6(4):377-88    |
| 191 | <chem>O=C1C2=C(C=CC(O)=C2)CC/C1=C\C3=CC=NC=C3</chem>                     | 6.68  | Bioorg Med Chem.<br>1998;6(4):377-88    |
| 192 | <chem>O=C1C2=C(C=CC=C2)C/C1=C([H])\C3=CC=NC=C3</chem>                    | 4.6   | Bioorg Med Chem.<br>1998;6(4):377-88    |
| 193 | <chem>O=C1C2=C(C=CC=C2)C/C1=C(C3=CC=NC=C3)\[H]</chem>                    | 5.26  | Bioorg Med Chem.<br>1998;6(4):377-88    |
| 194 | <chem>O=C1C2=C(C(OC)=CC=C2)C/C1=C(C3=CC=NC=C3)\[H]</chem>                | 4.64  | Bioorg Med Chem.<br>1998;6(4):377-88    |
| 195 | <chem>O=C1C2=C(C(OC)=CC=C2)C/C1=C(C3=CC=NC=C3)\[H]</chem>                | 5.43  | Bioorg Med Chem.<br>1998;6(4):377-88    |
| 196 | <chem>O=C1C2=C(C=C(OC)C=C2)C/C1=C(C3=CC=NC=C3)\[H]</chem>                | 5.32  | Bioorg Med Chem.<br>1998;6(4):377-88    |
| 197 | <chem>O=C1C2=C(C=C(OC)C=C2)C/C1=C([H])\C3=CC=NC=C3</chem>                | 5.2   | Bioorg Med Chem.<br>1998;6(4):377-88    |
| 198 | <chem>O=C1C2=C(C=C(O)C=C2)C/C1=C(C3=CC=NC=C3)\[H]</chem>                 | 4.66  | Bioorg Med Chem.<br>1998;6(4):377-88    |
| 199 | <chem>ClC1=CC=C(C(N2C=NC=C2)C3=CC=C(N=CN4)C4=C3)C=C1</chem>              | 7.35  | Bioorg Med Chem.<br>1998;6(4):377-88    |
| 200 | <chem>ClC1=CC=C(C(N2C=NC=N2)([H])C3=CC=C(N=NN4C)C4=C3)C=C1</chem>        | 8.85  | Bioorg Med Chem.<br>1998;6(4):377-88    |
| 201 | <chem>[H]C(C1=CC=C(Cl)C=C1)(N2C=NC=N2)C3=CC(N=NN4C)=C4C=C3</chem>        | 8.4   | Bioorg Med Chem.<br>1998;6(4):377-88    |
| 202 | <chem>CC(C)(C1=CC=C(CN(N2C=NC=C2)CC3=CC=CC4=C3C=CC=C4)C=C1)C</chem>      | 5.338 | Bioorg Med Chem.<br>2008;16(18):8349-58 |
| 203 | <chem>ClC1=CC=C(CN(N2C=NC=C2)CC3=CC=C4=C3C=CC=C4)C(Cl)=C1</chem>         | 5.398 | Bioorg Med Chem.<br>2008;16(18):8349-58 |
| 204 | <chem>CC(C)(C)C(C=C1)=CC=C1CN(CC2=CC=C(C3=CC=CC=C3)C=C2)N4C=NC=C4</chem> | 5.666 | Bioorg Med Chem.<br>2008;16(18):8349-58 |
| 205 | <chem>N1(N(CC2=CC=CC=C2)CC3=CC=C(C4=CC=CC=C4)C=C3)C=NC=C1</chem>         | 5.921 | Bioorg Med Chem.<br>2008;16(18):8349-58 |
| 206 | <chem>CC1=CC=CC=C1CN(CC2=CC=C(C3=CC=CC=C3)C=C2)N4C=NC=C4</chem>          | 5.529 | Bioorg Med Chem.<br>2008;16(18):8349-58 |
| 207 | <chem>ClC1=CC=CC=C1CN(CC2=CC=C(C3=CC=CC=C3)C=C2)N4C=NC=C4</chem>         | 6.523 | Bioorg Med Chem.<br>2008;16(18):8349-58 |
| 208 | <chem>FC1=CC=CC=C1CN(CC2=CC=C(C3=CC=CC=C3)C=C2)N4C=NC=C4</chem>          | 6.337 | Bioorg Med Chem.<br>2008;16(18):8349-58 |
| 209 | <chem>CC(C=C1)=CC=C1CN(CC2=CC=C(C3=CC=CC=C3)C=C2)N4C=NC=C4</chem>        | 5.658 | Bioorg Med Chem.<br>2008;16(18):8349-58 |



|     |                                                                                                            |       |                                      |
|-----|------------------------------------------------------------------------------------------------------------|-------|--------------------------------------|
| 210 | <chem>C1C(C=C1)=CC=C1CN(CC2=CC=C(C3=CC=CC=C3)C=C2)N4C=NC=C4</chem>                                         | 5.928 | Bioorg Med Chem. 2008;16(18):8349-58 |
| 211 | <chem>FC(C=C1)=CC=C1CN(CC2=CC=C(C3=CC=CC=C3)C=C2)N4C=NC=C4</chem>                                          | 6.721 | Bioorg Med Chem. 2008;16(18):8349-58 |
| 212 | <chem>COC1=CC=CC=C1CN(CC2=CC=C(C3=CC=CC=C3)C=C2)N4C=NC=C4</chem>                                           | 5.821 | Bioorg Med Chem. 2008;16(18):8349-58 |
| 213 | <chem>COC(C=C1)=CC=C1CN(CC2=CC=C(C3=CC=CC=C3)C=C2)N4C=NC=C4</chem>                                         | 5.815 | Bioorg Med Chem. 2008;16(18):8349-58 |
| 214 | <chem>C1C(C=C1Cl)=CC=C1CN(CC2=CC=C(C3=CC=CC=C3)C=C2)N4C=NC=C4</chem>                                       | 5.438 | Bioorg Med Chem. 2008;16(18):8349-58 |
| 215 | <chem>FC(C=C1F)=CC=C1CN(CC2=CC=C(C3=CC=CC=C3)C=C2)N4C=NC=C4</chem>                                         | 6.456 | Bioorg Med Chem. 2008;16(18):8349-58 |
| 216 | <chem>C1C(C=C1Cl)=CC=C1CN(CC2=CC=C(C(C)(C)C)C=C2)N3C=NC=C3</chem>                                          | 5.818 | Bioorg Med Chem. 2008;16(18):8349-58 |
| 217 | <chem>CC(C)(C)C(C=C1)=CC=C1CN(CC2=CC=CS2)N3C=NC=C3</chem>                                                  | 6.237 | Bioorg Med Chem. 2008;16(18):8349-58 |
| 218 | <chem>CC(C)(C)C(C=C1)=CC=C1CC(CC2=CC=C(C3=CC=CC=C3)C=C2)N4C=NC=C4</chem>                                   | 6     | Bioorg Med Chem. 2008;16(18):8349-58 |
| 219 | <chem>N1(C(CC2=CC=CC=C2)CC3=CC=C(C4=CC=CC=C4)C=C3)C=NC=C1</chem>                                           | 6.022 | Bioorg Med Chem. 2008;16(18):8349-58 |
| 220 | <chem>CC1=CC=CC=C1CC(CC2=CC=C(C3=CC=CC=C3)C=C2)N4C=NC=C4</chem>                                            | 5.983 | Bioorg Med Chem. 2008;16(18):8349-58 |
| 221 | <chem>C1C1=CC=CC=C1CC(CC2=CC=C(C3=CC=CC=C3)C=C2)N4C=NC=C4</chem>                                           | 5.963 | Bioorg Med Chem. 2008;16(18):8349-58 |
| 222 | <chem>FC1=CC=CC=C1CC(CC2=CC=C(C3=CC=CC=C3)C=C2)N4C=NC=C4</chem>                                            | 5.863 | Bioorg Med Chem. 2008;16(18):8349-58 |
| 223 | <chem>CC(C=C1)=CC=C1CC(CC2=CC=C(C3=CC=CC=C3)C=C2)N4C=NC=C4</chem>                                          | 5.879 | Bioorg Med Chem. 2008;16(18):8349-58 |
| 224 | <chem>FC(C=C1)=CC=C1CC(CC2=CC=C(C3=CC=CC=C3)C=C2)N4C=NC=C4</chem>                                          | 6.959 | Bioorg Med Chem. 2008;16(18):8349-58 |
| 225 | <chem>COC1=CC=CC=C1CC(CC2=CC=C(C3=CC=CC=C3)C=C2)N4C=NC=C4</chem>                                           | 6.292 | Bioorg Med Chem. 2008;16(18):8349-58 |
| 226 | <chem>COC(C=C1)=CC=C1CC(CC2=CC=C(C3=CC=CC=C3)C=C2)N4C=NC=C4</chem>                                         | 5.775 | Bioorg Med Chem. 2008;16(18):8349-58 |
| 227 | <chem>C1C(C=C1Cl)=CC=C1CC(CC2=CC=C(C3=CC=CC=C3)C=C2)N4C=NC=C4</chem>                                       | 5.907 | Bioorg Med Chem. 2008;16(18):8349-58 |
| 228 | <chem>FC(C=C1F)=CC=C1CC(CC2=CC=C(C3=CC=CC=C3)C=C2)N4C=NC=C4</chem>                                         | 6.585 | Bioorg Med Chem. 2008;16(18):8349-58 |
| 229 | <chem>N1(N(C/C=C/C2=CC=CC=C2)CC3=CC=CC=C3)C=CC=C4)C=NC=N1</chem>                                           | 4.885 | Bioorg Med Chem. 2008;16(18):8349-58 |
| 230 | <chem>C1C1=CC(Cl)=CC=C1CN(C/C=C/C2=CC=CC=C2)N3C=NC=N3</chem>                                               | 4.766 | Bioorg Med Chem. 2008;16(18):8349-58 |
| 231 | <chem>CC(C)(C)C(C=C1)=CC=C1CN(C/C=C/C2=CC=CC=C2)N3C=NC=N3</chem>                                           | 5.296 | Bioorg Med Chem. 2008;16(18):8349-58 |
| 232 | <chem>CC(C)(C)C(C=C1)=CC=C1CN(CC2=CC=CS2)N3C=NC=N3</chem>                                                  | 5.035 | Bioorg Med Chem. 2008;16(18):8349-58 |
| 233 | <chem>NC(C1=CC(OC)=CC=C12)=C(CC3=CC=NC=C3)C2=O</chem>                                                      | 5.456 | Eur J Med Chem. 1998;33(6):451-62    |
| 234 | <chem>NC(C1=CC(OC)=C(OC)C=C12)=C(CC3=CC=NC=C3)C2=O</chem>                                                  | 5.229 | Eur J Med Chem. 1998;33(6):451-62    |
| 235 | <chem>NC(C1=CC(OC)=C(OC)C(OC)=C12)=C(CC3=CC=NC=C3)C2=O</chem>                                              | 5.284 | Eur J Med Chem. 1998;33(6):451-62    |
| 236 | <chem>[H]/C1=C([H])C([H])=C3/C(=C1/[H])C(=C([H])C2=C([H])N=C([H])C([H])=C2[H])C([H])([H])C3([H])[H]</chem> | 5.69  | Eur J Med Chem. 2010;45(9):4307-15   |
| 237 | <chem>[H]/C1=C([H])C([H])=C3/C(=C1/[H])C(=C([H])C2=C([H])C([H])=C([H])N=C2[H])C([H])([H])C3([H])[H]</chem> | 5.45  | Eur J Med Chem. 2010;45(9):4307-15   |
| 238 | <chem>[H]/C1=C([H])C([H])=C3/C(=C1/[H])C(=C([H])C2=C([H])N=C([H])C([H])=C2[H])C([H])([H])C3([H])[H]</chem> | 5.182 | Eur J Med Chem. 2010;45(9):4307-15   |
| 239 | <chem>[H]/C1=C([H])C([H])=C3/C(=C1/[H])C(=C([H])C2=C([H])C([H])=C([H])N=C2[H])C([H])([H])C3([H])[H]</chem> | 5.421 | Eur J Med Chem. 2010;45(9):4307-15   |

|     |                                                                                                                                |       |                                    |
|-----|--------------------------------------------------------------------------------------------------------------------------------|-------|------------------------------------|
| 240 | [F]/C1=C([H])C([H])=C2/C(=C1/[H])C([H])([H])C([H])([H])C2=C([H])C3=C([H])N=C([H])C([H])=C3[H]                                  | 5.595 | Eur J Med Chem. 2010;45(9):4307-15 |
| 241 | [F]/C1=C([H])C([H])=C2/C(=C1/[H])C([H])([H])C([H])([H])C2=C([H])C3=C([H])C([H])=C([H])N=C3[H]                                  | 5.604 | Eur J Med Chem. 2010;45(9):4307-15 |
| 242 | [Cl]/C1=C([H])C([H])=C2/C(=C1/[H])C([H])([H])C([H])([H])C2=C([H])C3=C([H])N=C([H])C([H])=C3[H]                                 | 5.371 | Eur J Med Chem. 2010;45(9):4307-15 |
| 243 | [Cl]/C1=C([H])C([H])=C2/C(=C1/[H])C([H])([H])C([H])([H])C2=C([H])C3=C([H])C([H])=C([H])N=C3[H]                                 | 5.393 | Eur J Med Chem. 2010;45(9):4307-15 |
| 244 | [Br]/C1=C([H])C([H])=C2/C(=C1/[H])C([H])([H])C([H])([H])C2=C([H])C3=C([H])N=C([H])C([H])=C3[H]                                 | 5.106 | Eur J Med Chem. 2010;45(9):4307-15 |
| 245 | [Br]/C1=C([H])C([H])=C2/C(=C1/[H])C([H])([H])C([H])([H])C2=C([H])C3=C([H])C([H])=C([H])N=C3[H]                                 | 5.133 | Eur J Med Chem. 2010;45(9):4307-15 |
| 246 | [H]/C1=C([OC([H])([H])[H])C([H])=C3/C(=C1/[H])C(=C([H])C2=C([H])N=C([H])C([H])=C2[H])C([H])([H])C3([H])[H]                     | 5.366 | Eur J Med Chem. 2010;45(9):4307-15 |
| 247 | [H]/C1=C([OC([H])([H])[H])C([H])=C3/C(=C1/[H])C(=C([H])C2=C([H])C([H])=C([H])N=C2[H])C([H])([H])C3([H])[H]                     | 5.254 | Eur J Med Chem. 2010;45(9):4307-15 |
| 248 | [H]/C1=C([OC([H])([H])[H])C([H])=C3/C(=C1/[H])C(=C([H])C2=C([H])N=C([H])C([H])=C2[H])C([H])([H])C3([H])[H]                     | 5.947 | Eur J Med Chem. 2010;45(9):4307-15 |
| 249 | [H]/C1=C([OC([H])([H])[H])C([H])=C3/C(=C1/[H])C(=C([H])C2=C([H])C([H])=C([H])N=C2[H])C([H])([H])C3([H])[H]                     | 5.398 | Eur J Med Chem. 2010;45(9):4307-15 |
| 250 | [H]C=1C(OC([H])([H])[H])=C(OC([H])([H])[H])C([H])=C2C=1C([H])([H])C([H])([H])C([H])([H])C2=C([H])C3=C([H])N=C([H])C([H])=C3[H] | 6.009 | Eur J Med Chem. 2010;45(9):4307-15 |
| 251 | [H]/C1=C([OC([H])([H])C([H])([H])[H])C([H])=C3/C(=C1/[H])C(=C([H])C2=C([H])N=C([H])C([H])=C2[H])C([H])([H])C3([H])[H]          | 5.15  | Eur J Med Chem. 2010;45(9):4307-15 |
| 252 | [H]/C1=C([OC([H])([H])C([H])([H])[H])C([H])=C3/C(=C1/[H])C(=C([H])C2=C([H])C([H])=C([H])N=C2[H])C([H])([H])C3([H])[H]          | 5.115 | Eur J Med Chem. 2010;45(9):4307-15 |
| 253 | [H]/C1=C([C([H])=C2/C(=C1/[H])C([H])([H])C([H])([H])C2=C([H])C3=C([H])N=C([H])C([H])=C3[H])C([H])([H])[H]                      | 5.406 | Eur J Med Chem. 2010;45(9):4307-15 |
| 254 | [H]/C1=C([C([H])=C2/C(=C1/[H])C([H])([H])C([H])([H])C2=C([H])C3=C([H])C([H])=C([H])N=C3[H])C([H])([H])[H]                      | 5.337 | Eur J Med Chem. 2010;45(9):4307-15 |
| 255 | [H]/C1=C([H])C(=C3/C(=C1/[H])C(=C([H])C2=C([H])N=C([H])C([H])=C2[H])C([H])([H])C3([H])[H])C([H])([H])[H]                       | 5.326 | Eur J Med Chem. 2010;45(9):4307-15 |
| 256 | [H]/C1=C([H])C(=C3/C(=C1/[H])C(=C([H])C2=C([H])C([H])=C([H])N=C2[H])C([H])([H])C3([H])[H])C([H])([H])[H]                       | 4.899 | Eur J Med Chem. 2010;45(9):4307-15 |
| 257 | [F]C=1C([H])=C([H])C([H])=C2C=1C([H])([H])C([H])([H])C2=C([H])C3=C([H])N=C([H])C([H])=C3[H]                                    | 5.742 | Eur J Med Chem. 2010;45(9):4307-15 |
| 258 | [F]C=1C([H])=C([H])C([H])=C2C=1C([H])([H])C([H])([H])C2=C([H])C3=C([H])C([H])=C([H])N=C3[H]                                    | 6.745 | Eur J Med Chem. 2010;45(9):4307-15 |
| 259 | [Cl]C=1C([H])=C([H])C([H])=C2C=1C([H])([H])C([H])([H])C2=C([H])C3=C([H])N=C([H])C([H])=C3[H]                                   | 6.886 | Eur J Med Chem. 2010;45(9):4307-15 |
| 260 | [Cl]C=1C([H])=C([H])C([H])=C2C=1C([H])([H])C([H])([H])C2=C([H])C3=C([H])C([H])=C([H])N=C3[H]                                   | 6.638 | Eur J Med Chem. 2010;45(9):4307-15 |
| 261 | [H]/C1=C([H])C([H])=C3/C(=C1/[H])C(=C([H])C2=C([H])C([H])=NC([H])=C2[H])C([H])([H])C3([H])[H]                                  | 5.174 | Eur J Med Chem. 2010;45(9):4307-15 |
| 262 | [H]/C1=C([H])C([H])=C3/C(=C1/[H])C(=C([H])C2=C([H])C([H])=NC([H])=C2[H])C([H])([H])C3([H])[H]                                  | 6.187 | Eur J Med Chem. 2010;45(9):4307-15 |
| 263 | [F]/C1=C([H])C([H])=C2/C(=C1/[H])C([H])([H])C([H])([H])C2=C([H])C3=C([H])C([H])=NC([H])=C3[H]                                  | 6.097 | Eur J Med Chem. 2010;45(9):4307-15 |
| 264 | [Cl]/C1=C([H])C([H])=C2/C(=C1/[H])C([H])([H])C([H])([H])C2=C([H])C3=C([H])C([H])=NC([H])=C3[H]                                 | 5.701 | Eur J Med Chem. 2010;45(9):4307-15 |
| 265 | [Br]/C1=C([H])C([H])=C2/C(=C1/[H])C([H])([H])C([H])([H])C2=C([H])C3=C([H])C([H])=NC([H])=C3[H]                                 | 5.469 | Eur J Med Chem. 2010;45(9):4307-15 |
| 266 | [H]/C1=C([OC([H])([H])[H])C([H])=C3/C(=C1/[H])C(=C([H])C2=C([H])C([H])=NC([H])=C2[H])C([H])([H])C3([H])[H]                     | 5.429 | Eur J Med Chem. 2010;45(9):4307-15 |
| 267 | [H]/C1=C([OC([H])([H])[H])C([H])=C3/C(=C1/[H])C(=C([H])C2=C([H])C([H])=NC([H])=C2[H])C([H])([H])C3([H])[H]                     | 6.097 | Eur J Med Chem. 2010;45(9):4307-15 |
| 268 | [H]/C1=C([OC([H])([H])[H])C([H])=C2/C(=C1/[H])C([H])([H])C([H])([H])C2=C([H])C3=C([H])C([H])=NC([H])=C3[H]                     | 6.553 | Eur J Med Chem. 2010;45(9):4307-15 |
| 269 | [H]C=1C(OC([H])([H])[H])=C(OC([H])([H])[H])C([H])=C2C=1C([H])([H])C([H])([H])C2=C([H])C3=C([H])C([H])=NC([H])=C3[H]            | 7.046 | Eur J Med Chem. 2010;45(9):4307-15 |

|     |                                                                                                                |       |                                    |
|-----|----------------------------------------------------------------------------------------------------------------|-------|------------------------------------|
| 270 | [H]/C1=C/C([H])=C2/C(=C1/[H])C([H])([H])C([H])([H])C2=C([H])C3=C([H])C([H])=NC([H])=C3[H])C([H])([H])[H]       | 5.893 | Eur J Med Chem. 2010;45(9):4307-15 |
| 271 | [H]/C1=C\OC([H])([H])([H])C([H])=C3/C(=C1/[H])C=C([H])C=2[S]C([H])=NC=2[H])C([H])([H])C3([H])[H]               | 5.364 | Eur J Med Chem. 2010;45(9):4307-15 |
| 272 | [F]C=1C([H])=C([H])C2=C(C=1[H])C([H])([H])C([H])([H])C2=C([H])C3=C([H])N=C([H])N=C3[H]                         | 5.128 | Eur J Med Chem. 2010;45(9):4307-15 |
| 273 | [F]C=1C([H])=C([H])C2=C(C=1[H])C([H])([H])C([H])([H])C2=C([H])C3=C4/C(=C/[H])C([H])=C3[H])C([H])=NC([H])=C4[H] | 6.143 | Eur J Med Chem. 2010;45(9):4307-15 |
| 274 | [H]/C1=C\([H])C([H])=C2/C(=C1/[H])C(C3=C2C([H])=C([H])C([H])=C3[H])=C([H])C4=C([H])C([H])=C([H])N=C4[H]        | 5.318 | Eur J Med Chem. 2010;45(9):4307-15 |
| 275 | [H]/C1=C\([H])C([H])=C2/C(=C1/[H])C(C3=C2C([H])=C([H])C([H])=C3[H])=C([H])C4=C([H])C([H])=NC([H])=C4[H]        | 5.562 | Eur J Med Chem. 2010;45(9):4307-15 |
| 276 | C[C@H](C1=CC=CC=C1/2)CC2=C/C3=CN=CC=C3                                                                         | 5.553 | Eur J Med Chem. 2010;45(9):4307-15 |
| 277 | C12=CC=CC=C1/C(C[C@H]2C3=CC=CC=C3)=C/C4=CC=CN=C4                                                               | 5.391 | Eur J Med Chem. 2010;45(9):4307-15 |
| 278 | CC12C(C3CC(C4=CC(CCC4(C3CC2)C)=O)CCCCC)CCC1=O                                                                  | 6.638 | Steroids. 1995;60(8):506-11        |
| 279 | CC12C(C3CC(C4=CC(CCC4(C3CC2)C)=O)CCCCC)CCC1=O                                                                  | 6.367 | Steroids. 1995;60(8):506-11        |
| 280 | CC12C(C3CC(C4=CC(CCC4(C3CC2)C)=O)CCCCCCCC)CCC1=O                                                               | 5.745 | Steroids. 1995;60(8):506-11        |
| 281 | N#CC(C=CC(CN1C=NC=N1)=C2)=C2C3=CC=C(OS(=O)(N)=O)C=C3                                                           | 8.699 | J Med Chem. 2010;53(5):2155-70     |
| 282 | N#CC(C=CC(CN1C=NC=N1)=C2)=C2C3=CC=C(OS(=O)(N(C)C)=O)C=C3                                                       | 9.301 | J Med Chem. 2010;53(5):2155-70     |
| 283 | ClC1=C(OS(=O)(N)=O)C=CC(C2=C(C#N)C=CC(CN3C=NC=N3)=C2)=C1                                                       | 9.301 | J Med Chem. 2010;53(5):2155-70     |
| 284 | ClC1=C(OS(=O)(N(C)C)=O)C=CC(C2=C(C#N)C=CC(CN3C=NC=N3)=C2)=C1                                                   | 8.62  | J Med Chem. 2010;53(5):2155-70     |
| 285 | ClC1=C(OS(=O)(N)=O)C=CC(C2=C(C#N)C=CC(CN3C=NC=N3)=C2)=C1                                                       | 9.456 | J Med Chem. 2010;53(5):2155-70     |
| 286 | O=S(OC1=CC=C(C2=CC=C(C#N)C(CN3C=NC=N3)=C2)C=C1)(N)=O                                                           | 6.754 | J Med Chem. 2010;53(5):2155-70     |
| 287 | ClC1=C(OS(=O)(N)=O)C=CC(C2=CC=C(C#N)C(CN3C=NC=N3)=C2)=C1                                                       | 6.836 | J Med Chem. 2010;53(5):2155-70     |
| 288 | O=S(OC1=CC=C(C2=CC(C#N)=CC(CN3C=NC=N3)=C2)C=C1)(N)=O                                                           | 6.553 | J Med Chem. 2010;53(5):2155-70     |
| 289 | ClC1=C(OS(=O)(N)=O)C=CC(C2=CC(C#N)=CC(CN3C=NC=N3)=C2)=C1                                                       | 7.097 | J Med Chem. 2010;53(5):2155-70     |
| 290 | O=S(OC1=CC=C(C2=CC=CC(CN3C=NC=N3)=C2)C=C1)(N)=O                                                                | 6.561 | J Med Chem. 2010;53(5):2155-70     |
| 291 | ClC1=C(OS(=O)(N)=O)C=CC(C2=CC=CC(CN3C=NC=N3)=C2)=C1                                                            | 7.155 | J Med Chem. 2010;53(5):2155-70     |
| 292 | O=S(OC1=CC=C(C2=C(C#N)C=C(CN3C=NC=N3)C=C2)C=C1)(N)=O                                                           | 6.547 | J Med Chem. 2010;53(5):2155-70     |
| 293 | ClC1=C(OS(=O)(N)=O)C=CC(C2=C(C#N)C=C(CN3C=NC=N3)C=C2)=C1                                                       | 6.243 | J Med Chem. 2010;53(5):2155-70     |
| 294 | ClC1=C(OS(=O)(N)=O)C=CC(C2=CC(C#N)=CC=C2CN3C=NC=N3)=C1                                                         | 8.721 | J Med Chem. 2010;53(5):2155-70     |
| 295 | CC(C)(C#N)C1=CC(CN2C=NC=N2)=CC(C3=CC=C(OS(=O)(N)=O)C=C3)=C1                                                    | 7.903 | J Med Chem. 2010;53(5):2155-70     |
| 296 | ClC1=C(OS(=O)(N)=O)C=CC(C2=CC(C(C)(C)C#N)=CC(CN3C=NC=N3)=C2)=C1                                                | 9.523 | J Med Chem. 2010;53(5):2155-70     |
| 297 | O=C(C1=C(CN2C=NC=C2)C=CC=C1)C3=CC=CC=C3                                                                        | 6.252 | J Med Chem. 2007;50(15):3420-2     |
| 298 | O=C(C1=CC(CN2C=NC=C2)=CC=C1)C3=CC=CC=C3                                                                        | 8.137 | J Med Chem. 2007;50(15):3420-2     |
| 299 | O=C(C1=C(CN2C=NC=C2)C=CC=C1)C3=CC=C(C4=CC=CC=C4)C=C3                                                           | 6.585 | J Med Chem. 2007;50(15):3420-2     |

|     |                                                                           |       |                                       |
|-----|---------------------------------------------------------------------------|-------|---------------------------------------|
| 300 | <chem>O=C(C1=CC(CN2C=NC=C2)=CC=C1)C3=CC=C(C4=CC=CC=C4)C=C3</chem>         | 8.276 | J Med Chem.<br>2007;50(15):3420-2     |
| 301 | <chem>O=C(C1=CC(CN2C=NC=C2)=CC=C1[N+](O-))C3=CC=CC=C3</chem>              | 7.509 | J Med Chem.<br>2007;50(15):3420-2     |
| 302 | <chem>O=C(C1=CC([N+](O-))=CC=C1CN2C=NC=C2)C3=CC=CC=C3</chem>              | 7.587 | J Med Chem.<br>2007;50(15):3420-2     |
| 303 | <chem>O=C(C1=CC([N+](O-))=CC=C1CN2C=NC=C2)C3=CC=C(C4=CC=CC=C4)C=C3</chem> | 7.752 | J Med Chem.<br>2007;50(15):3420-2     |
| 304 | <chem>O=C(C1=CC(Br)=CC=C1CN2C=NC=C2)C3=CC=CC=C3</chem>                    | 6.398 | J Med Chem.<br>2007;50(15):3420-2     |
| 305 | <chem>N1(CC=NC1)CC2=CC=CC=C2</chem>                                       | 3.398 | J Comput Chem.<br>2010;31(12):2342-53 |
| 306 | <chem>N1(C=CN=C1)CCC2=CC=CC=C2</chem>                                     | 3.523 | J Comput Chem.<br>2010;31(12):2342-53 |
| 307 | <chem>N1(C=CN=C1)CCCC2=CC=CC=C2</chem>                                    | 4.456 | J Comput Chem.<br>2010;31(12):2342-53 |
| 308 | <chem>C1(C(CC2N=CN=C2)CC3=CC=CC=C3)=CC=CC=C1</chem>                       | 4.347 | J Comput Chem.<br>2010;31(12):2342-53 |
| 309 | <chem>N1(C=CN=C1)CCCCC2=CC=CC=C2</chem>                                   | 4.301 | J Comput Chem.<br>2010;31(12):2342-53 |
| 310 | <chem>C1(C(C2N=CN=C2)C3=CC=CC=C3)=CC=CC=C1</chem>                         | 4.602 | J Comput Chem.<br>2010;31(12):2342-53 |
| 311 | <chem>C1(C(CC2N=CN=C2)C3=CC=CC=C3)=CC=CC=C1</chem>                        | 4.31  | J Comput Chem.<br>2010;31(12):2342-53 |
| 312 | <chem>C1(C(C2N=CN=C2)CCCCC3=CC=CC=C3)=CC=CC=C1</chem>                     | 4.593 | J Comput Chem.<br>2010;31(12):2342-53 |
| 313 | <chem>C1(C(CCC2N=CN=C2)C3=CC=CC=C3)=CC=CC=C1</chem>                       | 4.824 | J Comput Chem.<br>2010;31(12):2342-53 |
| 314 | <chem>C1(C(CCCCC2N=CN=C2)C3=CC=CC=C3)=CC=CC=C1</chem>                     | 5.77  | J Comput Chem.<br>2010;31(12):2342-53 |
| 315 | <chem>C1(C(CCCCCC2N=CN=C2)C3=CC=CC=C3)=CC=CC=C1</chem>                    | 4.839 | J Comput Chem.<br>2010;31(12):2342-53 |
| 316 | <chem>C1(C(C2N=CN=C2)CCC3=CC=CC=C3)=CC=CC=C1</chem>                       | 5.347 | J Comput Chem.<br>2010;31(12):2342-53 |
| 317 | <chem>C1(C(C2=CC=CC=C2)CCN3C=CN=C3)=CC=CC=C1</chem>                       | 4.699 | J Comput Chem.<br>2010;31(12):2342-53 |
| 318 | <chem>C1(C(CCC2=CC=CC=C2)CN3C=CN=C3)=CC=CC=C1</chem>                      | 5.26  | J Comput Chem.<br>2010;31(12):2342-53 |
| 319 | <chem>C1(C(CC2=CC=CC=C2)CCN3C=CN=C3)=CC=CC=C1</chem>                      | 5.125 | J Comput Chem.<br>2010;31(12):2342-53 |
| 320 | <chem>C1(C(C2=CC=CC=C2)CCCN3C=CN=C3)=CC=CC=C1</chem>                      | 4.796 | J Comput Chem.<br>2010;31(12):2342-53 |
| 321 | <chem>C1(C(CC2=CC=CC=C2)CCCN3C=CN=C3)=CC=CC=C1</chem>                     | 5.328 | J Comput Chem.<br>2010;31(12):2342-53 |
| 322 | <chem>CC(C=C1)=CC=C1C(CC2N=CNC2)C3=CC=CC=C3</chem>                        | 5.149 | J Comput Chem.<br>2010;31(12):2342-53 |
| 323 | <chem>N#CC(C=C1)=CC=C1C(CC2N=CNC2)C3=CC=CC=C3</chem>                      | 6.319 | J Comput Chem.<br>2010;31(12):2342-53 |
| 324 | <chem>FC(C=C1)=CC=C1C(CC2N=CNC2)C3=CC=CC=C3</chem>                        | 4.996 | J Comput Chem.<br>2010;31(12):2342-53 |
| 325 | <chem>CC1=CC=CC=C1C(CC2N=CNC2)C3=CC=CC=C3C</chem>                         | 4.481 | J Comput Chem.<br>2010;31(12):2342-53 |
| 326 | <chem>CC1=CC(C(CC2N=CNC2)C3=CC=CC=C3)=CC=C1</chem>                        | 4.699 | J Comput Chem.<br>2010;31(12):2342-53 |
| 327 | <chem>CC(C=C1)=CC=C1C(CC2N=CNC2)C3=CC=C(C)C=C3</chem>                     | 4.854 | J Comput Chem.<br>2010;31(12):2342-53 |
| 328 | <chem>CCC(C=C1)=CC=C1C(CCC2N=CNC2)C3=CC=CC=C3</chem>                      | 5.071 | J Comput Chem.<br>2010;31(12):2342-53 |
| 329 | <chem>CC1=CC=CC=C1C(CC2N=CNC2)C3=CC=CC=C3C</chem>                         | 5.066 | J Comput Chem.<br>2010;31(12):2342-53 |

|     |                                                                               |       |                                       |
|-----|-------------------------------------------------------------------------------|-------|---------------------------------------|
| 330 | <chem>CC1=CC=CC=C1C(CC2N=CNC2)C3=CC=C(C)C=C3</chem>                           | 5.495 | J Comput Chem.<br>2010;31(12):2342-53 |
| 331 | <chem>COC(CC1N=CNC1)OC</chem>                                                 | 5.066 | J Comput Chem.<br>2010;31(12):2342-53 |
| 332 | <chem>FC(C(C=C1)=CC=C1C(CCC2N=CNC2)C3=CC=C(C(F)(F)F)C=C3)(F)F</chem>          | 3.921 | J Comput Chem.<br>2010;31(12):2342-53 |
| 333 | <chem>FC1=CC(C(CC2N=CNC2)C3=CC=CC(F)=C3)=CC=C1</chem>                         | 4.721 | J Comput Chem.<br>2010;31(12):2342-53 |
| 334 | <chem>FC(C=C1)=CC=C1C(CC2N=CNC2)C3=CC=C(F)C=C3</chem>                         | 5.301 | J Comput Chem.<br>2010;31(12):2342-53 |
| 335 | <chem>FC(C=C1)=CC=C1C(CC2N=CNC2)C3=CC=C(C(F)(F)F)C=C3</chem>                  | 5.284 | J Comput Chem.<br>2010;31(12):2342-53 |
| 336 | <chem>CC1=CC(CCCCC(C2N=CNC2)C3=CC=C(F)C=C3)=CC=C1</chem>                      | 5.42  | J Comput Chem.<br>2010;31(12):2342-53 |
| 337 | <chem>FC(C(C=C1)=CC=C1C(CC2N=CNC2)C3=CC=C(C(F)(F)F)C=C3)(F)F</chem>           | 4.495 | J Comput Chem.<br>2010;31(12):2342-53 |
| 338 | <chem>FC(C=C1)=CC=C1C(CC2N=CNC2)C3=CC=C(C#N)C=C3</chem>                       | 6.301 | J Comput Chem.<br>2010;31(12):2342-53 |
| 339 | <chem>FC(C=C1)=CC=C1C(C2N=CNC2)CCCC3=CC=C(C)C=C3</chem>                       | 5.071 | J Comput Chem.<br>2010;31(12):2342-53 |
| 340 | <chem>N#CC(C=C1)=CC=C1C(CC2N=CNC2)C3=CC=C(OC)C=C3</chem>                      | 6.071 | J Comput Chem.<br>2010;31(12):2342-53 |
| 341 | <chem>N#CC(C=C1)=CC=C1C(CC2N=CNC2)C3=CC=C(C#N)C=C3</chem>                     | 6.066 | J Comput Chem.<br>2010;31(12):2342-53 |
| 342 | <chem>CC1=CC=CC=C1C(CCC2N=CNC2)C3=CC=CC=C3</chem>                             | 5.469 | J Comput Chem.<br>2010;31(12):2342-53 |
| 343 | <chem>FC(C=C1)=CC=C1C(CCN2C=CN=C2)C3=CC=CC=C3</chem>                          | 5.301 | J Comput Chem.<br>2010;31(12):2342-53 |
| 344 | <chem>CC1=CC(C(CCC2N=CNC2)C3=CC=CC=C3)=CC=C1</chem>                           | 5.602 | J Comput Chem.<br>2010;31(12):2342-53 |
| 345 | <chem>FC1=CC=CC=C1C(CCC2N=CNC2)C3=CC=CC=C3</chem>                             | 4.796 | J Comput Chem.<br>2010;31(12):2342-53 |
| 346 | <chem>FC(C=C1)=CC=C1C(CCC2N=CNC2)C3=CC=CC=C3</chem>                           | 5.553 | J Comput Chem.<br>2010;31(12):2342-53 |
| 347 | <chem>CC1=CC(C(C2=CC=CC(C)=C2)CCC3N=CNC3)=CC=C1</chem>                        | 4.553 | J Comput Chem.<br>2010;31(12):2342-53 |
| 348 | <chem>CC(C=C1)=CC=C1C(C2=CC=C(C)C=C2)CCC3N=CNC3</chem>                        | 5.456 | J Comput Chem.<br>2010;31(12):2342-53 |
| 349 | <chem>NC(C=C1)=CC=C1C(C2=CC=C(N)C=C2)CCC3N=CNC3</chem>                        | 4.585 | J Comput Chem.<br>2010;31(12):2342-53 |
| 350 | <chem>O=[N+](C(C=C1)=CC=C1C(C2=CC=C([N+])([O-])=O)C=C2)CCC3N=CNC3)[O-]</chem> | 4.699 | J Comput Chem.<br>2010;31(12):2342-53 |
| 351 | <chem>FC(C=C1)=CC=C1C(C2=CC=C(F)C=C2)CCC3N=CNC3</chem>                        | 5.481 | J Comput Chem.<br>2010;31(12):2342-53 |
| 352 | <chem>N#CC(C=C1)=CC=C1C(C2=CC=C(C#N)C=C2)CCC3N=CNC3</chem>                    | 5.796 | J Comput Chem.<br>2010;31(12):2342-53 |
| 353 | <chem>FC(C=C1)=CC=C1C(N2N=CN=C2)CCC3=CC=C(F)C=C3</chem>                       | 5.398 | J Comput Chem.<br>2010;31(12):2342-53 |
| 354 | <chem>FC(C=C1)=CC=C1C(C2N=CNC2)CCCC3=CC=CC=C3C</chem>                         | 5.456 | J Comput Chem.<br>2010;31(12):2342-53 |
| 355 | <chem>FC(C=C1)=CC=C1C(C2N=CNC2)CCCC3=CC=CC=C3</chem>                          | 6.097 | J Comput Chem.<br>2010;31(12):2342-53 |
| 356 | <chem>N#CC(C=C1)=CC=C1C(C2N=CNC2)CCCC3=CC=CC=C3</chem>                        | 6.678 | J Comput Chem.<br>2010;31(12):2342-53 |
| 357 | <chem>FC(C=C1)=CC=C1C(C2N=CNC2)CCCC3=CC=C(F)C=C3</chem>                       | 6.201 | J Comput Chem.<br>2010;31(12):2342-53 |
| 358 | <chem>N#CC(C=C1)=CC=C1C(C2N=CN=C2)CCC3=CC=C(C#N)C=C3</chem>                   | 5.959 | J Comput Chem.<br>2010;31(12):2342-53 |
| 359 | <chem>FC(C=C1)=CC=C1CCCC(C2N=CNC2)C3=CC=C(C#N)C=C3</chem>                     | 6.638 | J Comput Chem.<br>2010;31(12):2342-53 |

|     |                                                                                                                            |       |                                       |
|-----|----------------------------------------------------------------------------------------------------------------------------|-------|---------------------------------------|
| 360 | <chem>FC(C=C1)=CC=C1C(C2N=CNC2)CCC3=CC=CC=C3</chem>                                                                        | 6.155 | J Comput Chem.<br>2010;31(12):2342-53 |
| 361 | <chem>FC(C=C1)=CC=C1C(C2N=CNC2)CCC3=CC=C(F)C=C3</chem>                                                                     | 5.658 | J Comput Chem.<br>2010;31(12):2342-53 |
| 362 | <chem>FC(C=C1)=CC=C1C(CC2N=CNC2)CC3=CC=CC=C3</chem>                                                                        | 5.357 | J Comput Chem.<br>2010;31(12):2342-53 |
| 363 | <chem>FC(C=C1)=CC=C1C(CC2N=CNC2)CCC3=CC=CC=C3</chem>                                                                       | 5.658 | J Comput Chem.<br>2010;31(12):2342-53 |
| 364 | <chem>FC(C=C1)=CC=C1C(CC2N=CNC2)CCC3=CC=C(F)C=C3</chem>                                                                    | 5.886 | J Comput Chem.<br>2010;31(12):2342-53 |
| 365 | <chem>FC(C=C1)=CC=C1CCC(CC2N=CNC2)C3=CC=C(C#N)C=C3</chem>                                                                  | 6.301 | J Comput Chem.<br>2010;31(12):2342-53 |
| 366 | <chem>FC(C=C1)=CC=C1C(CCN2C=CN=C2)C3=CC=C(F)C=C3</chem>                                                                    | 5.658 | J Comput Chem.<br>2010;31(12):2342-53 |
| 367 | <chem>FC(C=C1)=CC=C1CCC(N2N=CN=C2)C3=CC=C(C#N)C=C3</chem>                                                                  | 6.721 | J Comput Chem.<br>2010;31(12):2342-53 |
| 368 | <chem>FC(C=C1)=CC=C1CCCC(N2C=CN=C2)C3=CC=C(C#N)C=C3</chem>                                                                 | 7.398 | J Comput Chem.<br>2010;31(12):2342-53 |
| 369 | <chem>FC(C=C1)=CC=C1CCCC(N2N=CN=C2)C3=CC=C(C#N)C=C3</chem>                                                                 | 6.921 | J Comput Chem.<br>2010;31(12):2342-53 |
| 370 | <chem>FC(C=C1)=CC=C1CCC(N2C=CN=C2)C3=CC=C(C#N)C=C3</chem>                                                                  | 6.469 | J Comput Chem.<br>2010;31(12):2342-53 |
| 371 | <chem>FC(C=C1)=CC=C1CC(C2N=CN=C2)C3=CC=C(C#N)C=C3</chem>                                                                   | 6.481 | J Comput Chem.<br>2010;31(12):2342-53 |
| 372 | <chem>FC(C=C1)=CC=C1CCC(C2N=CN=C2)C3=CC=C(C#N)C=C3</chem>                                                                  | 6.678 | J Comput Chem.<br>2010;31(12):2342-53 |
| 373 | <chem>OC(C1=CC=C(F)C=C1)C(N2N=CN=C2)C3=CC=C(C#N)C=C3</chem>                                                                | 4.377 | J Comput Chem.<br>2010;31(12):2342-53 |
| 374 | <chem>FC(C=C1)=CC=C1CC(N2N=CN=C2)C3=CC=C(C#N)C=C3</chem>                                                                   | 7.301 | J Comput Chem.<br>2010;31(12):2342-53 |
| 375 | <chem>FC(C=C1)=CC=C1CCC(N2N=CN=C2)C3=CC=C(C#N)C=C3</chem>                                                                  | 7.222 | J Comput Chem.<br>2010;31(12):2342-53 |
| 376 | <chem>OC(C1=CC=C(F)C=C1)C(N2N=CN=C2)C3=CC=C(C#N)C=C3</chem>                                                                | 4.77  | J Comput Chem.<br>2010;31(12):2342-53 |
| 377 | <chem>OC(C1=CC=C(F)C=C1)C(N2N=CN=C2)C3=CC=C(C#N)C=C3</chem>                                                                | 6.301 | J Comput Chem.<br>2010;31(12):2342-53 |
| 378 | <chem>OC(CCC1=CC=C(F)C=C1)C(N2N=CN=C2)C3=CC=C(C#N)C=C3</chem>                                                              | 5.409 | J Comput Chem.<br>2010;31(12):2342-53 |
| 379 | <chem>OC(CCC1=CC=C(F)C=C1)C(C2N=CN=C2)C3=CC=C(C#N)C=C3</chem>                                                              | 6.301 | J Comput Chem.<br>2010;31(12):2342-53 |
| 380 | <chem>OC(C1=CC=C(F)C=C1)CC(C2N=CN=C2)C3=CC=C(C#N)C=C3</chem>                                                               | 6.155 | J Comput Chem.<br>2010;31(12):2342-53 |
| 381 | <chem>N#CC(C=C1)=CC=C1C(C2=CC=C(C#N)C=C2)N3C=CNC3</chem>                                                                   | 6     | J Comput Chem.<br>2010;31(12):2342-53 |
| 382 | <chem>O=C1N(C)C2=C3C(OCO3)=CC=C2C(OC)=C1</chem>                                                                            | 5.407 | Planta Med.<br>2010;76(11):1087-93    |
| 383 | <chem>C[C@](C1OC(C[C@H]1O)=O)(OC2=CC(C)=C(C(O)=C23)C4=C(C5=C(C=C4)O[C@](C6OC(C[C@@H]6C)=O)(C)CC5=O)O)CC3=O</chem>          | 4.783 | Planta Med.<br>2010;76(11):1087-93    |
| 384 | <chem>C[C@](C1OC(C[C@H]1O)=O)(OC2=C(C(C)=CC(O)=C23)C4=C(C5=C(C=C4)O[C@](C6OC(C[C@@H]6C)=O)(C)CC5=O)O)CC3=O</chem>          | 4.613 | Planta Med.<br>2010;76(11):1087-93    |
| 385 | <chem>CC(O[C@H]1[C@@H](CCCC)OC(C2=CC=C(OC)C=C21)=O)=O</chem>                                                               | 5.796 | Planta Med.<br>2010;76(11):1087-93    |
| 386 | <chem>OC(C=C1C)=CC2=C1OC(C=C(O)C=C3C)=C3C(O2)=O</chem>                                                                     | 5.276 | Planta Med.<br>2010;76(11):1087-93    |
| 387 | <chem>O=C(CCCCCC/C=C\C/C=C\C/C=C\CC)OC[C@H](O)[C@@H](O)[C@H](O)[C@H](O)CO</chem>                                           | 5.108 | Planta Med.<br>2010;76(11):1087-93    |
| 388 | <chem>OC1=CC(O)=C(C([C@@H](C2=C3C(C([C@H](O)[C@@H](C4=CC=C(O)C=C4)O3)=O)=C(O)C=C2O)[C@H](C5=CC=C(O)C=C5)O6)=O)C6=C1</chem> | 4.947 | Planta Med.<br>2010;76(11):1087-93    |
| 389 | <chem>OC1=C(C/C=C/C2=CC=C(O)C=C2)=O)C=CC(O)=C1</chem>                                                                      | 5.42  | Planta Med.<br>2010;76(11):1087-93    |

|     |                                                                                |       |                                    |
|-----|--------------------------------------------------------------------------------|-------|------------------------------------|
| 390 | <chem>O=C1C2=C([H])C=C(O)C=C2O[C@H](C3=CC=C(O)C=C3)C1</chem>                   | 6.469 | Planta Med.<br>2010;76(11):1087-93 |
| 391 | <chem>O=C1C2=C(O)C=C(O)C=C2O[C@H](C3=CC=C([H])C=C3)C1</chem>                   | 4.728 | Planta Med.<br>2010;76(11):1087-93 |
| 392 | <chem>O=C1C2=C(O)C([H])=C(O)C([H])=C2OC(C3=CC([H])=C(OC)C([H])=C3)C1[H]</chem> | 4.967 | Planta Med.<br>2010;76(11):1087-93 |
| 393 | <chem>OC(C(O)=C1)=C(O)C=C1C2C(O)C(C3=C(O)C([H])=C(O)C([H])=C3O2)=O</chem>      | 5     | Planta Med.<br>2010;76(11):1087-93 |
| 394 | <chem>OC(C(O)=C1)=C([H])C=C1C2C(O)C(C3=C(O)C([H])=C(O)C(O)=C3O2)=O</chem>      | 4.959 | Planta Med.<br>2010;76(11):1087-93 |
| 395 | <chem>OC1=CC(O)=C(C(C(C2=CC=C(OC)C=C2)=CO3)=O)C3=C1</chem>                     | 4.903 | Planta Med.<br>2010;76(11):1087-93 |
| 396 | <chem>CC1=CCC2=C1C([C@H](OC(C)=O)[C@H](C)C[C@@H](OC)/C=C(C)\C2)=O</chem>       | 6.678 | Planta Med.<br>2010;76(11):1087-93 |
| 397 | <chem>CC(C)C(C=C1)=CC2=C1[C@]3(C)C(CC2)[C@](C)(C(O)=O)CCC3</chem>              | 6.495 | Planta Med.<br>2010;76(11):1087-93 |
| 398 | <chem>OC(C(C/C=C(C)/C)=C1O)=CC2=C1C(C3=C(CCC(C)C)C(O)=C(O)C=C3O2)=O</chem>     | 5.161 | Planta Med.<br>2010;76(11):1087-93 |
| 399 | <chem>OC(C(C/C=C(C)/C)=C1O)=CC2=C1C(C3=C(CCC(C)(O)C)C(OC)=C(O)C=C3O2)=O</chem> | 5.284 | Planta Med.<br>2010;76(11):1087-93 |
| 400 | <chem>OC(C(C/C=C(C)/C)=C1O)=CC2=C1C(C3=C(CCC(C)C)C(OC)=C(O)C=C3O2)=O</chem>    | 4.684 | Planta Med.<br>2010;76(11):1087-93 |
| 401 | <chem>O=C(C1=CC=CC(OC)=C1CC/2)C2=C\C3=CC=NC=C3</chem>                          | 5.201 | J Med Chem.<br>1991;34(9):2685-91  |
| 402 | <chem>O=C(C1=CC=C(OC)C=C1CC/2)C2=C\C3=CC=NC=C3</chem>                          | 5.051 | J Med Chem.<br>1991;34(9):2685-91  |
| 403 | <chem>O=C(C1=CC(OC)=CC=C1CC/2)C2=C\C3=CC=NC=C3</chem>                          | 4.886 | J Med Chem.<br>1991;34(9):2685-91  |
| 404 | <chem>O=C(C1=CC=CC(O)=C1CC/2)C2=C\C3=CC=NC=C3</chem>                           | 6.161 | J Med Chem.<br>1991;34(9):2685-91  |
| 405 | <chem>O=C(C1=CC=C(O)C=C1CC/2)C2=C\C3=CC=NC=C3</chem>                           | 5.066 | J Med Chem.<br>1991;34(9):2685-91  |
| 406 | <chem>O=C(C1=CC(O)=CC=C1CC/2)C2=C\C3=CC=NC=C3</chem>                           | 5.523 | J Med Chem.<br>1991;34(9):2685-91  |
| 407 | <chem>O=C1C(CC2=CC=NC=C2)CCC3=CC=CC=C31</chem>                                 | 5.367 | J Med Chem.<br>1991;34(9):2685-91  |
| 408 | <chem>O=C1C(CC2=CC=NC=C2)CCC3=C(OC)C=CC=C31</chem>                             | 5.658 | J Med Chem.<br>1991;34(9):2685-91  |
| 409 | <chem>O=C1C(CC2=CC=NC=C2)CCC3=CC(OC)=CC=C31</chem>                             | 5.481 | J Med Chem.<br>1991;34(9):2685-91  |
| 410 | <chem>O=C1C(CC2=CC=NC=C2)CCC3=CC=C(OC)C=C31</chem>                             | 5.102 | J Med Chem.<br>1991;34(9):2685-91  |
| 411 | <chem>O=C1C(CC2=CC=NC=C2)CCC3=C(O)C=CC=C31</chem>                              | 6.699 | J Med Chem.<br>1991;34(9):2685-91  |
| 412 | <chem>O=C1C(CC2=CC=NC=C2)CCC3=CC(O)=CC=C31</chem>                              | 5.208 | J Med Chem.<br>1991;34(9):2685-91  |
| 413 | <chem>O=C1C(CC2=CC=NC=C2)CCC3=CC=C(O)C=C31</chem>                              | 5.31  | J Med Chem.<br>1991;34(9):2685-91  |

Table S2. Detail of best descriptors

| No. | Name         | Category                    | Description                                                                    |
|-----|--------------|-----------------------------|--------------------------------------------------------------------------------|
| 1   | VE1sign_B(s) | 2D matrix-based descriptors | Coefficient sum of the last eigenvector from Burden matrix weighted by I-State |
| 2   | B09[N-N]     | 2D Atom Pairs               | Frequency of N-N at topological distance 9                                     |
| 3   | JGI10        | 2D autocorrelations         | Mean topological charge index of order 10                                      |
| 4   | PJ12         | Topological indices         | 2D Petitjean shape index                                                       |
| 5   | B09[C-O]     | 2D Atom Pairs               | Frequency of C-O at topological distance 9                                     |

|    |               |                     |                                                                 |
|----|---------------|---------------------|-----------------------------------------------------------------|
| 6  | Psychotic-80  | Drug-like indices   | Ghose-Viswanadhan-Wendoloski antipsychotic-like index at 80%    |
| 7  | Inflammat-50  | Drug-like indices   | Ghose-Viswanadhan-Wendoloski antiinflammatory-like index at 50% |
| 8  | B08[N-O]      | 2D Atom Pairs       | Frequency of N-O at topological distance 8                      |
| 9  | Neoplastic-50 | Drug-like indices   | Ghose-Viswanadhan-Wendoloski antineoplastic-like index at 50%   |
| 10 | Depressant-80 | Drug-like indices   | Ghose-Viswanadhan-Wendoloski antidepressant-like index at 80%   |
| 11 | B07[N-O]      | 2D Atom Pairs       | Frequency of N-O at topological distance 7                      |
| 12 | B09[C-C]      | 2D Atom Pairs       | Frequency of C-C at topological distance 7                      |
| 13 | Infective-50  | Drug-like indices   | Ghose-Viswanadhan-Wendoloski antiinfective-like index at 50%    |
| 14 | Hypnotic-80   | Drug-like indices   | Ghose-Viswanadhan-Wendoloski hypnotic-like index at 80%         |
| 15 | B10[C-N]      | 2D Atom Pairs       | Frequency of C-N at topological distance 10                     |
| 16 | GATS4s        | 2D autocorrelations | Geary autocorrelation of lag 4 weighted by I-state              |

Table S3. Dataset for external validation

| No | SMILES                                                                       | pIC <sub>50</sub> | Reference                         |
|----|------------------------------------------------------------------------------|-------------------|-----------------------------------|
| 1  | <chem>O=C(C1=CC=CC=C1CC/2)C2=C\C3=CN=CC=C3</chem>                            | 5.036             | J Med Chem. 1996;39(4):834-41     |
| 2  | <chem>O=C(C1=CC=CC=C1CC/2)C2=C\C3=CC=NC=C3</chem>                            | 5.337             | J Med Chem. 1996;39(4):834-41     |
| 3  | <chem>O=C(C1=CC=CC=C1CC/2)C2=C\C3=NC=CN=C3</chem>                            | 4.42              | J Med Chem. 1996;39(4):834-41     |
| 4  | <chem>O=C(C1=CC=CC=C1CC/2)C2=C\C3=CC=NN=C3</chem>                            | 3.987             | J Med Chem. 1996;39(4):834-41     |
| 5  | <chem>O=C(C1=CC=CC=C1CC/2)C2=C\C3=CN=CS3</chem>                              | 5.959             | J Med Chem. 1996;39(4):834-41     |
| 6  | <chem>O=C(C1=CC=CC=C1CC/2)C2=C\C3=NNC=C3</chem>                              | 4.745             | J Med Chem. 1996;39(4):834-41     |
| 7  | <chem>O=C(C1=CC=CC=C1CC/2)C2=C\C3=CNC=N3</chem>                              | 6.585             | J Med Chem. 1996;39(4):834-41     |
| 8  | <chem>O=C(C1=CC=CC=C1CC/2)C2=C/C3=CNC=N3</chem>                              | 6.77              | J Med Chem. 1996;39(4):834-41     |
| 9  | <chem>O=C1C(C(O)C2=NC=NC=C2)CCC3=CC=CC=C31</chem>                            | 4.569             | J Med Chem. 1996;39(4):834-41     |
| 10 | <chem>C12=CC=CC=C1C3C(C3C4=CN=CC=C4)CC2</chem>                               | 4.886             | J Med Chem. 1996;39(4):834-41     |
| 11 | <chem>C12=CC=CC=C1C3C(C3C4=CC=NC=C4)CC2</chem>                               | 6.432             | J Med Chem. 1996;39(4):834-41     |
| 12 | <chem>C12=CC=CC=C1C3C(C3C4=NNC=C4)CC2</chem>                                 | 4.292             | J Med Chem. 1996;39(4):834-41     |
| 13 | <chem>C12=CC=CC=C1C3C(C3C4=CNC=N4)CC2</chem>                                 | 6.222             | J Med Chem. 1996;39(4):834-41     |
| 14 | <chem>O=C1C2=C(C(C=CC=C3)=C3C=C2)OC(C4=CC=CC=C4)C1</chem>                    | 5.367             | Eur J Med Chem. 2011;46(6):2541-5 |
| 15 | <chem>O=C1C2=C(C(C=CC=C3)=C3C=C2)OC(C4=CC=C(C#N)C=C4)C1</chem>               | 5.812             | Eur J Med Chem. 2011;46(6):2541-5 |
| 16 | <chem>O=C1C2=C(C(C=CC=C3)=C3C=C2)OC(C4=CC=C(O)C=C4)C1</chem>                 | 6.201             | Eur J Med Chem. 2011;46(6):2541-5 |
| 17 | <chem>C1(C(C=CC=C2)=C2C=C3)=C3[C@H](N4C=CN=C4)C[C@@H](C5=C C=CC=C5)O1</chem> | 7.444             | Eur J Med Chem. 2011;46(6):2541-5 |
| 18 | <chem>N#CC1=CC=C(C2CC(N3C=CN=C3)C4=C(C(C=CC=C5)=C5C=C4)O2)C=C1</chem>        | 7.108             | Eur J Med Chem. 2011;46(6):2541-5 |
| 19 | <chem>OC1=CC=C(C2CC(N3C=CN=C3)C4=C(C(C=CC=C5)=C5C=C4)O2)C=C1</chem>          | 7.495             | Eur J Med Chem. 2011;46(6):2541-5 |
| 20 | <chem>C12=CC=CC=C1C3C(C3C4=CC=CC=C4)CC2</chem>                               | 6.733             | J Med Chem. 1995;38(12):2103-11   |
| 21 | <chem>COC1=C(CCC2C3C2C4=CC=CC=C4)C3=CC=C1</chem>                             | 5.475             | J Med Chem. 1995;38(12):2103-11   |
| 22 | <chem>COC1=CC=C2C(CCC3C2C3C4=CC=CC=C4)=C1</chem>                             | 7.161             | J Med Chem. 1995;38(12):2103-11   |



|    |                                                      |       |                                 |
|----|------------------------------------------------------|-------|---------------------------------|
| 23 | <chem>COC1=CC=C(CCC2C3C2C4=CC=CC=C4)C3=C1</chem>     | 7.215 | J Med Chem. 1995;38(12):2103-11 |
| 24 | <chem>CC1(C2=CC=CC=C2)C3CCC4=CC=C(OC)C=C4C31</chem>  | 6.432 | J Med Chem. 1995;38(12):2103-11 |
| 25 | <chem>BrC1=C2C(CCC3C2C3C4=CC=CC=C4)=C(OC)C=C1</chem> | 5.367 | J Med Chem. 1995;38(12):2103-11 |
| 26 | <chem>BrC1=C(OC)C=C2C(CCC3C2C3C4=CC=CC=C4)=C1</chem> | 5.854 | J Med Chem. 1995;38(12):2103-11 |
| 27 | <chem>OC1=C(CCC2C3C2C4=CC=CC=C4)C3=CC=C1</chem>      | 5.301 | J Med Chem. 1995;38(12):2103-11 |
| 28 | <chem>OC1=CC=C2C(CCC3C2C3C4=CC=CC=C4)=C1</chem>      | 6.481 | J Med Chem. 1995;38(12):2103-11 |
| 29 | <chem>OC1=CC=C(CCC2C3C2C4=CC=CC=C4)C3=C1</chem>      | 7.18  | J Med Chem. 1995;38(12):2103-11 |