
A Screen effect on Paneth cells vs. in-silico score in the cycling stem pools
one point per compound; KPT-330 (XPO1) in blue; positive repSSMD = more Paneth cells
stem II
stem III
DCC-2036 (Rebastinib)
Trospium chloride
Rolipram
Bosutinib (SKI-606)
Veliparib (ABT-888)
KPT-330
rho = -0.00 (p = 0.99, n = 106)
rho = -0.06 (p = 0.59, n = 93)
Screen: best repSSMD (LYZ.NS)
Target's residual log10 score in that identity
B Agreement by identity
n = 88-110 compounds per identity
enterocyte
early enterocyte
enteroendocrine
Paneth
early Paneth
early secretory
stem III
stem II
stem I
+0.29
-0.06
+0.02
-0.08
+0.10
-0.17
-0.06
-0.00
-0.01
Spearman: screen score vs. residual score
n.s.
p < 0.05
C The 20 strongest screen hits that map to a scored target
ordered by screen score, strongest at the top
DCC-2036 (Rebastinib)
Bosutinib (SKI-606)
Trospium chloride
Rolipram
Veliparib (ABT-888)
Formoterol Hemifumarate
Safinamide Mesylate
LY2157299
Crenolanib (CP-868596)
Dapagliflozin
Esomeprazole Sodium
Ridaforolimus (Deforolimus, MK-8669)
Linagliptin
Enzastaurin (LY317615)
KPT-330
PF-04217903
Tolazoline HCl
Triamterene
Residual log10 score
stem II
stem III