Introduction to Modern Controls

Discretization of Continuous-time Transfer-function Models



Overview

- consider the discrete-time controller implementation scheme

where $u[k]$ and $y[k]$ have the same sampling time

Overview

- consider the discrete-time controller implementation scheme

  where $u[k]$ and $y[k]$ have the same sampling time
- for this note, we use $[k]$ to distinguish DT signals from their CT counter parts

Overview

- consider the discrete-time controller implementation scheme



where $u[k]$ and $y[k]$ have the same sampling time

- for this note, we use $[k]$ to distinguish DT signals from their CT counter parts
- goal: to derive the transfer function from $u[k]$ to $y[k]$

Overview

- consider the discrete-time controller implementation scheme



  where $u[k]$ and $y[k]$ have the same sampling time
- for this note, we use $[k]$ to distinguish DT signals from their CT counter parts
- goal: to derive the transfer function from $u[k]$ to $y[k]$
- solution concept: let $u[k]$ be a discrete-time unit impulse

Overview

- consider the discrete-time controller implementation scheme

  where $u[k]$ and $y[k]$ have the same sampling time
- for this note, we use $[k]$ to distinguish DT signals from their CT counter parts
- goal: to derive the transfer function from $u[k]$ to $y[k]$
- solution concept: let $u[k]$ be a discrete-time unit impulse

Overview

- consider the discrete-time controller implementation scheme



  where $u[k]$ and $y[k]$ have the same sampling time
- for this note, we use $[k]$ to distinguish DT signals from their CT counter parts
- goal: to derive the transfer function from $u[k]$ to $y[k]$
- solution concept: let $u[k]$ be a discrete-time unit impulse (whose Z transform is 1)

Overview

- consider the discrete-time controller implementation scheme



  where $u[k]$ and $y[k]$ have the same sampling time
- for this note, we use $[k]$ to distinguish DT signals from their CT counter parts
- goal: to derive the transfer function from $u[k]$ to $y[k]$
- solution concept: let $u[k]$ be a discrete-time unit impulse (whose Z transform is 1) and obtain the Z transform of $y[k]$

Solution



- $u[k]$ is a DT impulse $\Rightarrow$ after ZOH

$$u(t) =$$

Solution

- $u[k]$ is a DT impulse $\Rightarrow$ after ZOH

$$u(t) = \begin{cases} 1, & 0 \le t < \Delta T \\ 0, & \text{otherwise} \end{cases}$$

Solution

- $u[k]$ is a DT impulse $\Rightarrow$ after ZOH

$$u(t) = \begin{cases} 1, & 0 \le t < \Delta T \\ 0, & \text{otherwise} \end{cases} = 1(t) - 1(t - \Delta T)$$

Solution

- $u[k]$ is a DT impulse $\Rightarrow$ after ZOH

$$u(t) = \begin{cases} 1, & 0 \leq t < \Delta T \\ 0, & \text{otherwise} \end{cases} = 1(t) - 1(t - \Delta T) \Longrightarrow U(s) = \frac{1 - e^{-s\Delta T}}{s}$$

Solution

- $u[k]$ is a DT impulse $\Rightarrow$ after ZOH

$$u(t) = \begin{cases} 1, & 0 \le t < \Delta T \\ 0, & \text{otherwise} \end{cases} = 1(t) - 1(t - \Delta T) \Longrightarrow U(s) = \frac{1 - e^{-s\Delta T}}{s}$$

- hence

$$y(t) = \mathcal{L}^{-1}\left[G(s)\frac{1 - e^{-s\Delta T}}{s}\right]$$

Solution

- $u[k]$ is a DT impulse $\Rightarrow$ after ZOH

$$u(t) = \begin{cases} 1, & 0 \leq t < \Delta T \\ 0, & \text{otherwise} \end{cases} = 1(t) - 1(t - \Delta T) \Longrightarrow U(s) = \frac{1 - e^{-s\Delta T}}{s}$$

- hence

$$y(t) = \mathcal{L}^{-1}\left[G(s)\frac{1 - e^{-s\Delta T}}{s}\right] = \mathcal{L}^{-1}\left[G(s)\frac{1}{s}\right] - \mathcal{L}^{-1}\left[G(s)\frac{e^{-s\Delta T}}{s}\right]$$

Solution



$$y(t) = \mathcal{L}^{-1}\left[G(s)\frac{1}{s}\right] - \mathcal{L}^{-1}\left[G(s)\frac{e^{-s\Delta T}}{s}\right]$$

Solution

$$y(t) = \mathcal{L}^{-1}\left[G(s)\frac{1}{s}\right] - \mathcal{L}^{-1}\left[G(s)\frac{e^{-s\Delta T}}{s}\right]$$

- sampling $y(t)$ at ΔT and performing Z transform give:

$$\underbrace{Y(z)}_{=G(z)\times 1} = \mathcal{Z}\left\{ \underbrace{\overbrace{\mathcal{L}^{-1}\left[G(s)\frac{1}{s}\right]}^{\tilde{y}(t)}\Bigg|_{t=k\Delta T}}_{\triangleq \tilde{y}[k]} - \right.$$

Solution

$$y(t) = \mathcal{L}^{-1}\left[G(s)\frac{1}{s}\right] - \mathcal{L}^{-1}\left[G(s)\frac{e^{-s\Delta T}}{s}\right]$$

- sampling $y(t)$ at ΔT and performing Z transform give:

$$\underbrace{Y(z)}_{=G(z)\times 1} = \mathcal{Z}\left\{ \underbrace{\left.\overbrace{\mathcal{L}^{-1}\left[G(s)\frac{1}{s}\right]}^{\tilde{y}(t)}\right|_{t=k\Delta T}}_{\triangleq \tilde{y}[k]} - \underbrace{\left.\overbrace{\mathcal{L}^{-1}\left[G(s)\frac{e^{-s\Delta T}}{s}\right]}^{\tilde{y}(t-\Delta T)}\right|_{t=k\Delta T}} \right.$$

$$u[k] \longrightarrow \boxed{\text{ZOH}} \xrightarrow{u(t)} \boxed{G(s)} \xrightarrow{y(t)} \circ \xrightarrow{\Delta T} y[k]$$

$$y(t) = \mathcal{L}^{-1}\left[G(s)\frac{1}{s}\right] - \mathcal{L}^{-1}\left[G(s)\frac{e^{-s\Delta T}}{s}\right]$$

- sampling $y(t)$ at ΔT and performing Z transform give:

$$\underbrace{Y(z)}_{=G(z)\times 1} = \mathcal{Z}\left\{ \underbrace{\overbrace{\mathcal{L}^{-1}\left[G(s)\frac{1}{s}\right]}^{\tilde{y}(t)}\Bigg|_{t=k\Delta T}}_{\triangleq \tilde{y}[k]} - \underbrace{\overbrace{\mathcal{L}^{-1}\left[G(s)\frac{e^{-s\Delta T}}{s}\right]}^{\tilde{y}(t-\Delta T)}\Bigg|_{t=k\Delta T}}_{=\tilde{y}[k-1]!!!} \right\}$$

Solution

$$u[k] \longrightarrow \boxed{\text{ZOH}} \xrightarrow{u(t)} \boxed{G(s)} \xrightarrow{y(t)} \overset{\Delta T}{\circ\!\diagup} \longrightarrow y[k]$$

$$y(t) = \mathcal{L}^{-1}\left[G(s)\frac{1}{s}\right] - \mathcal{L}^{-1}\left[G(s)\frac{e^{-s\Delta T}}{s}\right]$$

- sampling $y(t)$ at ΔT and performing Z transform give:

$$\underbrace{Y(z)}_{=G(z)\times 1} = \mathcal{Z}\left\{\underbrace{\overbrace{\mathcal{L}^{-1}\left[G(s)\frac{1}{s}\right]}^{\tilde{y}(t)}\Bigg|_{t=k\Delta T}}_{\triangleq\tilde{y}[k]} - \underbrace{\overbrace{\mathcal{L}^{-1}\left[G(s)\frac{e^{-s\Delta T}}{s}\right]}^{\tilde{y}(t-\Delta T)}\Bigg|_{t=k\Delta T}}_{=\tilde{y}[k-1]!!!}\right\}$$

$$= \mathcal{Z}\left\{\mathcal{L}^{-1}\left[G(s)\frac{1}{s}\right]\Bigg|_{t=k\Delta T}\right\} -$$

Solution

$$y(t) = \mathcal{L}^{-1}\left[G(s)\frac{1}{s}\right] - \mathcal{L}^{-1}\left[G(s)\frac{e^{-s\Delta T}}{s}\right]$$

- sampling $y(t)$ at ΔT and performing Z transform give:

$$\begin{aligned}
\underbrace{Y(z)}_{=G(z)\times 1} &= \mathcal{Z}\left\{ \underbrace{\overbrace{\mathcal{L}^{-1}\left[G(s)\frac{1}{s}\right]}^{\tilde{y}(t)}\Bigg|_{t=k\Delta T}}_{\triangleq \tilde{y}[k]} - \underbrace{\overbrace{\mathcal{L}^{-1}\left[G(s)\frac{e^{-s\Delta T}}{s}\right]}^{\tilde{y}(t-\Delta T)}\Bigg|_{t=k\Delta T}}_{=\tilde{y}[k-1]!!!} \right\} \\
&= \mathcal{Z}\left\{ \mathcal{L}^{-1}\left[G(s)\frac{1}{s}\right]\Bigg|_{t=k\Delta T} \right\} - z^{-1}\mathcal{Z}\left\{ \mathcal{L}^{-1}\left[G(s)\frac{1}{s}\right]\Bigg|_{t=k\Delta T} \right\}
\end{aligned}$$

Solution



Solution



- $u[k] = \delta[k]$ $(U(z) = 1)$

Solution

- $u[k] = \delta[k]\ (U(z) = 1)$
- $Y(z) = \mathcal{Z}\left\{ \mathcal{L}^{-1}\left[G(s)\frac{1}{s} \right]\Big|_{t=k\Delta T} \right\} - z^{-1}\mathcal{Z}\left\{ \mathcal{L}^{-1}\left[G(s)\frac{1}{s} \right]\Big|_{t=k\Delta T} \right\}$

$$u[k] \longrightarrow \boxed{ZOH} \xrightarrow{u(t)} \boxed{G(s)} \xrightarrow{y(t)} \circ \xrightarrow{\Delta T} y[k]$$

- $u[k] = \delta[k]$ $(U(z) = 1)$
- $Y(z) = \mathcal{Z}\left\{ \mathcal{L}^{-1}\left[G(s)\frac{1}{s}\right]\Big|_{t=k\Delta T}\right\} - z^{-1}\mathcal{Z}\left\{ \mathcal{L}^{-1}\left[G(s)\frac{1}{s}\right]\Big|_{t=k\Delta T}\right\}$
- $\Rightarrow$the zero order hold equivalent of $G(s)$ is

$$G(z) = (1 - z^{-1})\mathcal{Z}\left\{ \mathcal{L}^{-1}\left[G(s)\frac{1}{s}\right]\Big|_{t=k\Delta T}\right\}$$

where ΔT is the sampling time

Example: obtain the ZOH equivalent of

$$G(s) = \frac{a}{s + a}$$

- $\frac{G(s)}{s} = \frac{a}{s(s+a)} = \frac{1}{s} - \frac{1}{s+a}$

Example: obtain the ZOH equivalent of

$$G(s) = \frac{a}{s + a}$$

- $\frac{G(s)}{s} = \frac{a}{s(s+a)} = \frac{1}{s} - \frac{1}{s+a}$
- hence

$$\mathcal{L}^{-1}\left\{\frac{G(s)}{s}\right\} = 1(t) - e^{-at}1(t)$$

Example: obtain the ZOH equivalent of

$$G(s) = \frac{a}{s+a}$$

- $\frac{G(s)}{s} = \frac{a}{s(s+a)} = \frac{1}{s} - \frac{1}{s+a}$
- hence

$$\mathcal{L}^{-1}\left\{\frac{G(s)}{s}\right\} = 1(t) - e^{-at}1(t)$$

- sampling at ΔT gives $1[k] - e^{-ak\Delta T}1[k]$

Example: obtain the ZOH equivalent of

$$G(s) = \frac{a}{s+a}$$

- $\frac{G(s)}{s} = \frac{a}{s(s+a)} = \frac{1}{s} - \frac{1}{s+a}$
- hence

$$\mathcal{L}^{-1}\left\{\frac{G(s)}{s}\right\} = 1(t) - e^{-at}1(t)$$

- sampling at ΔT gives $1[k] - e^{-ak\Delta T}1[k]$, whose Z transform is

$$\frac{z}{z-1} - \frac{z}{z-e^{-a\Delta T}} = \frac{z(1-e^{-a\Delta T})}{(z-1)(z-e^{-a\Delta T})}$$

- hence the ZOH equivalent is

$$(1-z^{-1})\frac{z(1-e^{-a\Delta T})}{(z-1)(z-e^{-a\Delta T})}$$

Example: obtain the ZOH equivalent of

$$G(s) = \frac{a}{s+a}$$

- $\frac{G(s)}{s} = \frac{a}{s(s+a)} = \frac{1}{s} - \frac{1}{s+a}$
- hence

$$\mathcal{L}^{-1}\left\{\frac{G(s)}{s}\right\} = 1(t) - e^{-at}1(t)$$

- sampling at ΔT gives $1[k] - e^{-ak\Delta T}1[k]$, whose Z transform is

$$\frac{z}{z-1} - \frac{z}{z-e^{-a\Delta T}} = \frac{z(1-e^{-a\Delta T})}{(z-1)(z-e^{-a\Delta T})}$$

- hence the ZOH equivalent is

$$(1-z^{-1})\frac{z(1-e^{-a\Delta T})}{(z-1)(z-e^{-a\Delta T})} = \frac{1-e^{-a\Delta T}}{z-e^{-a\Delta T}}$$

Matlab and Python commands

- *c2d(G,dt,'zoh')*
- e.g., $G(s) = \frac{1}{s^2}$ and $\Delta T = 1$

```matlab
% matlab
dt = 1;
num = 1;
den = [1,0,0];
G = tf(num,den);
Gd = c2d(G,dt,'zoh');
```

```python
#Python
import control as ct
dt = 1
num = [1]
den = [1,0,0]
G = ct.tf(num,den)
Gd = ct.c2d(G,dt,'zoh')
print(Gd)
```

```
% MATLAB code to generate a single-stage HDD model
num_sector=420;                    % Number of sector
num_rpm=7200;                      % Number of RPM
Ts = 1/(num_rpm/60*num_sector);    % Sampling time

Kp_vcm=3.7976e+07;                 % VCM gain
omega_vcm=[0, 5300 ,6100 ,6500 ,8050 ,9600 ,14800 ,17400 ,21000 ,26000
↪  ,26600 ,29000 ,32200 ,38300 ,43300 ,44800]*2*pi;
kappa_vcm=[1, -1.0 ,+0.1 ,-0.1 ,0.04 ,-0.7 ,-0.2  ,-1.0  ,+3.0  ,-3.2
↪  ,2.1   ,-1.5  ,+2.0  ,-0.2  ,+0.3  ,-0.5 ];
zeta_vcm =[0, 0.02 ,0.04 ,0.02 ,0.01 ,0.03 ,0.01  ,0.02  ,0.02  ,0.012
↪  ,0.007 ,0.01  ,0.03  ,0.01  ,0.01  ,0.01 ];

Sys_Pc_vcm_c1=0;
for i=1:length(omega_vcm)
        Sys_Pc_vcm_c1=Sys_Pc_vcm_c1+tf([0,0,kappa_vcm(i)]*Kp_vcm,[1,
        ↪  2*zeta_vcm(i)*omega_vcm(i), (omega_vcm(i))^2]);
end

Sys_Pd_vcm_c1 = c2d(Sys_Pc_vcm_c1,Ts,'zoh')
Sys_Pd1_vcm_c1 = c2d(Sys_Pc_vcm_c1,Ts*2,'zoh')
Sys_Pd2_vcm_c1 = c2d(Sys_Pc_vcm_c1,Ts/2,'zoh')
```

```
figure, bodeplot(Sys_Pc_vcm_c1)
figure, bodeplot(Sys_Pc_vcm_c1,Sys_Pd2_vcm_c1)
figure, bodeplot(Sys_Pc_vcm_c1,Sys_Pd2_vcm_c1,Sys_Pd_vcm_c1)
figure,
↪ bodeplot(Sys_Pc_vcm_c1,Sys_Pd2_vcm_c1,Sys_Pd_vcm_c1,Sys_Pd1_vcm_c1)
```




Bode Diagram
Magnitude (dB)
50
0
-50
-100
-150
Phase (deg)
1800
1440
1080
720
360
0
-360
-720
10^3
10^4
10^5
10^6
10^7
Frequency (rad/s)



Bode Diagram
50
0
-50
-100
-150
Magnitude (dB)
1800
1440
1080
720
360
0
-360
-720
Phase (deg)
10^3
10^4
10^5
10^6
10^7
Frequency (rad/s)



Bode Diagram
Magnitude (dB)
100
50
0
-50
-100
-150
Phase (deg)
1800
1440
1080
720
360
0
-360
-720
10^2
10^3
10^4
10^5
10^6
10^7
Frequency (rad/s)

Exercise

Find the zero order hold equivalent of $G(s) = e^{-Ls}$, $2\Delta T < L < 3\Delta T$, where ΔT is the sampling time.