

Low Level Design

Stores Sales Prediction

Writte	n By	M C Shravan, Ashok Kumar S
Docum	ent Version	0.1
Last Re	evised Date	03 – September -2021



Document Control

Change Record:

Version	Date	Author	Comments
0.1	03 –September - 2021	M C Shravan, Ashok Kumar S	Introduction & Architecture

Reviews:

I	Version	Date	Reviewer	Comments
I				
ı				

Approval Status:

Version	Review Date	Reviewed By	Approved By	Comments



Contents

1.	Int	troduction	1
	1.1.	What is Low-Level design document?	
	1.2.	Scope	
2.	Ar	chitecture	
3.		chitecture Description	
	3.1.	Data Description	
	3.2.	Data Insertion into Database	3
	3.3.	Data Pre-processing	3
	3.4.	Feature Selection	3
	3.5	Maching Learning Techniques	4
	3.6	Model Building	4
	3.7	Evaluation	4
	3.8	Cloud Setup	4
	3.9	Pushing to Cloud	4
	3.10.	Application Start	4
	3.11.	Data from User	4
	3.12.	Data Validation	4
	2 12	Result Prediction	5



1. Introduction

1.1. What is Low-Level design document?


The goal of LLD or a low-level design document (LLDD) is to give the internal logical design of the actual program code for Food Recommendation System. LLD describes the class diagrams with the methods and relations between classes and program specs. It describes the modules so that the programmer can directly code the program from the document.

1.2. Scope

Low-level design (LLD) is a component-level design process that follows a step-bystep refinement process. This process can be used for designing data structures, required software architecture, source code and ultimately, performance algorithms. Overall, the data organization may be defined during requirement analysis and then refined during data design work



2. Architecture





3. Architecture Description

3.1. Data Description

The dataset used in this project is collected from Kaggle. The dataset is divided into two sets of data. One is the test (5681) data and the other is the train (8523) data. The train dataset has both input and output variables.

3.2. Data Insertion into Database

- a. Database Creation and connection Create a database with name passed. If the database is already created, open the connection to the database.
- b. Table creation in the database.
- c. Insertion of files in the table

3.3. Data Pre-processing

Data Pre-processing steps we could use are data cleaning, data integration, data reduction and data transformation.

3.4. Feature Selection

Feature Selection helps us to find the best set of features that allows us to build the necessary model for the project. This helps in selecting a subset of features from an initially large volume of features.

3.5. Machine Learning Techniques

Based on the problem statement and requirements we can use supervised or unsupervised technique which fits the project.

3.6. Model Building

Depending on the data type of the target variable we are either going to be building a classification or regression model. The main aspect of machine learning model building is to obtain actionable insights and in order to achieve that it is important to be able to select a subset of important features from the vast number.

3.7. Evaluation

The Evaluation of accuracy can be done using the test data. Mean Absolute error can be found using test data and prediction data.



3.8. Cloud Setup

Using Heroku as the cloud deployment platform, the platform is setup for deploying the virtual app.

3.9. Pushing to Cloud

Once the cloud is setup, the virtual app created will be pushed to the cloud and will finally be deployed into the cloud

3.10. Application Start

Once the virtual app is deployed in to the cloud we can open the web application using any web browser.

3.11. Data from user

Using a web browser we open the web application and provide the necessary information as the input for prediction.

3.12. Data Validation

Once the input is provided and we click on the submit button, the system will provide the output based on its requirements.

3.13. Result Prediction

Once the data validation is completed the prediction will be done for the type of product in Stores and Big Marts provided in the input.

