

Connecting GitHub, Supabase, Vercel and Stripe to Claude


A practical companion to *Build Your Own Online Shop*

Claude connectors are integrations that give Claude a controlled way to reach external tools, databases and SaaS applications. They are the “reach” that lets Claude work with project context beyond the chat itself.

For the e-commerce project, connectors can link Claude to:

- **GitHub** - code, files and repository history
- **Supabase** - database structure and project data
- **Vercel** - deployment and hosting workflows
- **Stripe** - payment and product configuration

The exact connector list and labels can change. Treat the service's permission screen as the source of truth.



The screenshot shows the 'Connectors' section of the Claude interface. On the left is a sidebar with navigation links: Billing, Usage, Capabilities, Memory, Design systems, Reflect, Time and focus, Claude Code, Cowork, and Claude in Chrome. The main area is titled 'Connectors' and has tabs for 'Yours' and 'Discover'. A search bar 'Search connectors' is present. Below the search bar is a table with columns 'Connector', 'Type', and 'Status'. The table lists the following connectors:

Connector	Type	Status
Claude in Chrome	Desktop Included	✓
github	Web Custom	✓
GitHub Integration	Web	✓
Stripe	Web	✓
Supabase	Web	✓
Vercel	Web	✓

Claude Settings > Connectors showing GitHub, Stripe, Supabase and Vercel.

What a connector can do

A connector is not simply a shortcut or a search tool. It determines what data Claude can access and, depending on the connector, what actions it may be able to take. Some connectors are read-only; others may allow changes after you approve them.

Use connectors to ask Claude to explain a codebase, inspect a database schema, review deployment configuration or help reason about payment flows. Continue to review its plan and test the result yourself.

Before connecting anything

1. Use a personal account only where this is allowed by your university and the service terms.
2. Work with a development repository, development database and Stripe test mode.
3. Choose the narrowest repository, project or team scope available.

4. Never paste passwords, API keys, webhook secrets or database credentials into chat.
5. Read the requested permissions before you authorise the connection.

Finding and adding connectors

In Claude, open **Settings** and choose **Connectors**. The screenshot above shows the **Yours** and **Discover** views, a connector search field and an **Add** button.

The general pattern is:

1. Open Settings → Connectors.
2. Search for GitHub, Supabase, Vercel or Stripe.
3. Select the connector and choose Add or Connect.
4. Sign in to the external service if prompted.
5. Select the specific repository, project, team or account.
6. Review permissions and approve only what you understand.
7. Start with a small, read-only request.

GitHub

Claude's GitHub integration can provide context from selected repositories, files and folders. Start with a small part of the repository so you can see what Claude is using. If a private repository is unavailable, you may need GitHub administrator approval or to grant access to selected repositories.

Try:

> Review the selected shop repository and explain how the product, cart and checkout code fit together. Do not change any files.

Good practice: ask Claude to sync or refresh the selected files before relying on its explanation, and review any proposed code changes before applying them.

Supabase

The Supabase connector can help Claude understand the database behind the shop: products, stock, customers and orders. Use a development project and be especially cautious with requests that could modify or delete rows, tables, policies or migrations.

Try:

> Inspect the development Supabase project and explain the relationship between products, stock and orders. Do not alter the schema or data.

Vercel

Vercel connects the coding work to deployment. Claude can help interpret deployment settings, identify likely configuration issues and guide you through publishing a project.

Try:

> Review the Vercel deployment configuration for this shop and list possible risks. Do not redeploy, change environment variables or modify production settings.

Stripe

Stripe is the payment layer in the lesson. Use Stripe test mode while learning. A connector may help explain products, prices, payment flows or integration settings, but payment and webhook changes can have real consequences if you leave test mode.

Try:

> Explain how this shop's Stripe test-mode checkout should work, including the product, payment and webhook steps. Do not create charges or change live-mode settings.

Permissions and safety

Before you approve a connector, ask:

- Which account, organisation, team or project is selected?
- Is the connection read-only or can it write, deploy or delete?
- Am I using development or test data?
- Does the task actually require write access?
- Can I limit access to one repository or project?

Use the routine **explain** → **inspect** → **plan** → **approve** → **verify**. This matches the AI-tool habits in the e-commerce lesson: brief clearly, work in small steps, test the result, keep secrets out of chat and ask for explanations when something is unclear.

If you use a university account

University-managed Claude for Education accounts may have connectors restricted or disabled by administrators. If a connector is missing, unavailable or cannot be added, follow the step-by-step route in the lesson or ask your university's IT service what is permitted. Do not attempt to bypass an administrator restriction.

Official resources

- [Claude GitHub integration](<https://support.claude.com/en/articles/10167454-use-the-github-integration>)
- [Supabase is now an official Claude connector](<https://supabase.com/blog/supabase-is-now-an-official-claude-connector>)
- [Deploy a Claude Design project to Vercel](<https://vercel.com/kb/guide/claude-design>)
- [Stripe MCP Claude app](<https://marketplace.stripe.com/apps/mcp-claude>)

Checklist

- ☐ I selected the intended connector and account.
- ☐ I limited access to the smallest useful scope.
- ☐ I am using development or test data.
- ☐ I reviewed the permissions.
- ☐ I have not shared secrets in chat.
- ☐ I asked Claude to explain or plan before making changes.
- ☐ I tested and verified the result in the connected service.