

Connecting GitHub, Supabase and Vercel to ChatGPT Codex

Why connect these tools?

Codex is most useful when it can work with the services your project already uses. Connecting tools such as GitHub, Supabase and Vercel can help you:

- inspect and improve code in a real repository;
- understand or query a project database;
- build, test and deploy a web app;
- ask questions in plain language while keeping the work connected to the right project;
- move more quickly from an idea to a working prototype.

The connection does not make Codex “magically” understand everything. You still need to choose the right project, explain your goal, review the proposed changes and approve actions that affect your accounts or deployments.

Important: university accounts

If you are signed in with a university-managed ChatGPT account, these integrations may be disabled by your administrator. You may see a label such as **Disabled by admin** rather than an option to install or connect the tool.



A university-managed account may show “Disabled by admin”.

If this happens, the steps in this guide will not enable the tools on that account. Use a private ChatGPT account for this workflow, subject to your institution’s policies and the terms of the services you connect.

Before you begin

Have these ready:

1. A private ChatGPT account with access to Codex.
2. A GitHub account and a repository you are allowed to use.
3. A Supabase account and a project you are allowed to access.


4. A Vercel account if you want to deploy a web app.
5. A clear understanding of what information you are granting each connection permission to read or change.

Never paste passwords, API keys, database secrets or private tokens into a chat. Use the service's own sign-in and permission screens.

The common connection pattern

The three services use a similar process:

1. Open Codex and locate the **Plugins** or connected-tools area.
2. Search for the service, such as GitHub, Supabase or Vercel.
3. Open the service listing and review what it does.
4. Select **Install plugin** or **Add**.
5. Sign in to the service when prompted.
6. Read the requested permissions carefully and approve only when they make sense.
7. Return to ChatGPT and confirm that the plugin is available in a new chat or project.



Start in Codex, where you can choose a project or work on this computer.

Connecting GitHub

GitHub gives Codex access to the code, documentation and version history in repositories you authorise. This is useful for explaining an unfamiliar codebase, identifying bugs, proposing changes and preparing a small, reviewable commit or pull request.

1. Search for **GitHub** in the Plugins area.
2. Open the GitHub listing and choose **Install** or **Connect**.
3. Sign in to GitHub and choose the account or organisation that owns the repository.

4. Grant the narrowest repository access that supports your task. If GitHub offers a choice between all repositories and selected repositories, prefer selected repositories.
5. In Codex, start a project or chat and name the repository explicitly in your request.

Example prompt:

> Inspect the my-project repository. First explain its folder structure, then identify the smallest change needed to fix the login error. Do not modify files until I approve the plan.

Connecting Supabase

Supabase can provide database, authentication and backend services for a student project. Connecting it can help Codex understand table structure, review queries, diagnose integration problems and suggest changes to application code.

1. Search for **Supabase** in the Plugins area.
2. Open the Supabase listing and choose **Install** or **Connect**.
3. Sign in to Supabase.
4. Select the specific organisation or project you want to use.
5. Review whether the connection is read-only or can make changes. Use a development project while learning.
6. Ask Codex to inspect the schema or explain a problem before asking it to change anything.

Example prompt:


> Review the schema for my development Supabase project and explain how the products table should connect to this app. Do not delete, migrate or rewrite data.

Connecting Vercel


Vercel is commonly used to build and deploy web applications. Its Codex connection can help review deployment settings, identify deployment risks and guide you through the steps needed to publish an app.

The supplied recording shows the following flow:

1. Search for vercel in the Plugins area.
2. Select the Vercel result.
3. Review the listing and choose **Install plugin**.



Search for Vercel in the Plugins area.



Review the Vercel listing before installing it.

4. Review the requested permissions. The example screen includes account information and team-level read/write and read-only permissions.
5. Continue only if you understand and accept the access being requested.

ChatGPT by Vercel MCP requires the following permissions:

Account

- 👤 Confirm your identity and sign you in.
- @ View your primary email address.
- 👁 Read your Vercel user data.


Team

- ✍ Read and write permissions 20 >
- 👁 Read-only permissions 6 >

Search teams

Review the permissions requested by the Vercel connection.

6. After authorisation, check for the confirmation that the plugin has been installed.



Confirmation that the Vercel plugin is installed.

7. Try a low-risk request first, such as asking Codex to explain a deployment or identify likely configuration issues.

Example prompt:

> Review this project's Vercel deployment configuration and list any likely risks. Do not redeploy or change environment variables.

A safe working routine

Use this sequence whenever a connected tool can affect a real project:

Explain → inspect → plan → approve → verify.

Ask Codex to explain what it found, inspect the relevant files or settings, propose a plan, wait for your approval, and then verify the result in GitHub, Supabase or Vercel.

For coursework, keep a development repository and development database separate from anything containing real or sensitive data. Treat permissions as part of your project design, not as a box to click through quickly.

Troubleshooting

The tool is missing or marked "Disabled by admin". You are probably using a managed university account, or the administrator has restricted that integration. Try the workflow with a private account if permitted.

The connection succeeds but Codex cannot see the repository or project. Check that you authorised the correct GitHub organisation, Supabase project or Vercel team, and that the account has access to it.

Codex proposes an unsafe action. Stop and ask for an explanation. Do not approve deletion, production deployment, database migration or environment-variable changes until you understand the impact.

The interface looks different. Plugin names, labels and permission screens can change. Look for the same concepts: search, install/connect, sign in, review permissions and confirm the connection.

Checklist

- ☐ I am using an account that is allowed to connect these tools.
- ☐ I selected the intended GitHub repository, Supabase project or Vercel team.
- ☐ I reviewed the requested permissions.
- ☐ I am working in a development environment.
- ☐ I have not shared passwords, API keys or secrets in chat.
- ☐ I will review Codex's plan before approving changes.
- ☐ I will verify the result in the connected service.