

20 Weapon release
Pickle: release weapon

Mini-stick

RX ↔ Left / right
TDC left/right (axis) ×2

RY ↔ Up / down
TDC up/down (axis) ×2

26 Press
TDC press: designate / lock ×2

4 Trigger · first detent

5 Trigger · second detent
Trigger: fire

6 Side button
Undesignate / nose wheel steering

8 Paddle
Paddle: autopilot off

S1 ↔ Lever
Both brakes, one axis

RZ ↔ Twist

H1↖ View Up Left slow ×2

H1↙ Trim left wing down

H1↘ View Down Left slow ×2

H1⬆ Trim nose down

H1⬇ Trim nose up

H1↗ View Up Right slow ×2

H1↘ Trim right wing down

H1↘ View Down Right slow ×2

TRIM hat

37 ⬆ Sensor select: HUD

40 ⬅ Sensor select: left display

38 ⬅ Sensor select: right display

39 ⬇ Sensor select: bottom display (AMPCD)

13 ⬆ Weapon select: Sparrow

12 ⬅ Weapon select: Sidewinder

4-way 37-40

4-way 10-13

10 ⬅ Weapon select: AMRAAM

11 ⬇ Weapon select: gun

Stick

X ↔ Roll
Roll (stick left and right) ×2

Y ↔ Pitch
Pitch (stick forward and back) ×2

Other grip and base buttons

1	2	3	7	9	14	15	16
17	18	19 Centre the view ×2	21	22	23	24	25
27	28	29	30	31	32 Radar elevation up ×2	33	34 Radar elevation down ×2
35	36 Centre the view ×2	41	42				


Flight controls


Weapons

Sensors & targeting

Gear, flaps & airframe

View





Buttons 1-12

1

2
Eject (press three times)

3
FCS RESET

4
OBOGS: ON/OFF

5
ALR-67 POWER: ON/OFF

6

7
Master mode: air-to-air

8

9

10
Master mode: air-to-ground

11

12

13 · 14

13
Master Arm: SAFE

14
Master Arm: ARM

15 · 16

15
Ejection Seat SAFE/ARMED: SAFE

16
Ejection Seat SAFE/ARMED: ARMED

17 · 18

17
DISPENSER: BYPASS

18
DISPENSER: ON

19 · 20

19

20

21 · 22

21
Canopy: CLOSE

22
Canopy: OPEN

23 · 24

23

24

25 · 26

25
LTD/R: SAFE

26
LTD/R: ARM

27 · 28

27

28

29 · 30

29

30
Toggle goggles

31 · 32

31
LST/NFLR: OFF

32
LST/NFLR: ON

ENCODER 1

34 ◀ turn
RADAR: CCW
LCtrl+LWin: ALR-67 DIS
TYPE: CCW

33 Push

35 Turn ▶
RADAR: CW

ENCODER 2

37 ◀ turn
INS: CCW

36 Push

38 Turn ▶
INS: CW

ENCODER 3

40 ◀ turn
ALQ-165 ECM
Mode: CCW

39 Push

41 Turn ▶
ALQ-165 ECM
Mode: CW

Knobs

S1 ↔
HMD OFF/BRT

S2 ↔

1 TEST A
Fire and Bleed Air Test: TEST A

2 OFF

3 TEST B
Fire and Bleed Air Test: TEST B

4 A ON
Ground Power 1: A ON

5 AUTO
Ground Power 1: AUTO

6 B ON
Ground Power 1: B ON

9 A ON
Ground Power 2: A ON

10 AUTO
Ground Power 2: AUTO

11 B ON
Ground Power 2: B ON

15 A ON
Ground Power 3: A ON

16 AUTO
Ground Power 3: AUTO

17 B ON
Ground Power 3: B ON

18 A ON
Ground Power 4: A ON

19 AUTO
Ground Power 4: AUTO

20 B ON
Ground Power 4: B ON

23 RESET
External Power: RESET

24 NORM
External Power: NORM

25 OFF
External Power: OFF

12 ON
Battery: ON

13 OFF
Battery: OFF

14 ORIDE
Battery: ORIDE

7 NORM
Left Generator: NORM

8 OFF
Left Generator: OFF

21 NORM
Right Generator: NORM

22 OFF
Right Generator: OFF

34 NORM
Generator TIE: NORM/RESET

35 RESET

28 ON
Engine Anti-Ice: ON

29 OFF
Engine Anti-Ice: OFF

30 TEST
Engine Anti-Ice: TEST

26 ON
Pitot Heater: ON/AUTO

27 AUTO

40 L
Engine Crank: Cycle Left

41 OFF

42 R
Engine Crank: Cycle Right

38 ON
APU Sw (special): ON/OFF

39 OFF

54 OFF
Bleed Air: OFF

55 L OFF
Bleed Air: L OFF

56 NORM
Bleed Air: NORM

57 R OFF
Bleed Air: R OFF

43 EXTEND
Probe: EXTEND ×2

44 RETRACT
Probe: RETRACT ×2

45 EMERG
Probe: EMERG EXT ×2

52 ON
Fuel Dump: ON/OFF

53 OFF

31 BRT
STROBE Lights: BRT

32 OFF
STROBE Lights: OFF

33 DIM
STROBE Lights: DIM

46 ORIDE
External Wing Tanks Fuel: ORIDE

47 NORM
External Wing Tanks Fuel: NORM

48 STOP
External Wing Tanks Fuel: STOP

49 ORIDE
External Centerline Tank Fuel: ORIDE

50 NORM
External Centerline Tank Fuel: NORM

51 STOP
External Centerline Tank Fuel: STOP

36 INHIBIT
Internal Wing Tank Fuel: INHIBIT

37 NORM
Internal Wing Tank Fuel: INHIBIT/NORM

RX ↔ Formation
FORMATION Lights Dimmer

RY ↔ Position
POSITION Lights Dimmer

Engines & fuel

Aircraft systems

EMERG JETT

1 Push
Emergency Jettison

MASTER CAUTION

2 Push
Master caution reset

LAUNCH BAR

4 EXTEND
Launch bar down

3 RETRACT
Launch bar up

FLAP

5 AUTO
Flaps AUTO (up)

6 HALF
Flaps HALF

7 FULL
Flaps FULL

LDG / TAXI LIGHT

8 ON
Landing light on

9 OFF
Landing light off

ANTI SKID

10 ON
Anti-skid on

11 OFF
Anti-skid off

HOOK BYPASS

12 FIELD
HOOK BYPASS: FIELD

13 CARRIER
HOOK BYPASS: CARRIER

SEL JETT

17 L FUS MSL
Selective Jettison: L FUS MSL

18 SAFE
Selective Jettison: SAFE

19 R FUS MSL
Selective Jettison: R FUS MSL

20 RACK/LCHR
Selective Jettison: RACK/LCHR

21 STORES
Selective Jettison: STORES

STATION JETT

23 CTR
Station Jettison Select CENTER: ON/OFF

24 LI
Station Jettison Select LEFT IN: ON/OFF

25 RI
Station Jettison Select RIGHT IN: ON/OFF

26 LO
Station Jettison Select LEFT OUT: ON/OFF

27 RO
Station Jettison Select RIGHT OUT: ON/OFF

WING FOLD

28 FOLD
Wing Fold: FOLD

29 HOLD
Wing Fold: HOLD

30 SPREAD
Wing Fold: SPREAD

31 PULL
Wing Fold: PULL/STOW

PARK BRAKE

38 STOW
Emergency/Parking Brake: STOW

39 PULL
Emergency/Parking Brake: PULL

40 CCW
Emergency/Parking Brake: CCW

41 CW
Emergency/Parking Brake: CW

HOOK

32 UP
Hook up

33

34 DOWN
Hook down

JETT

22 Push
Selective Jettison

LDG GEAR

35 UP
Gear up

36

37 DOWN
Gear down

3-WAY 14-16

14 Probe: EXTEND ×2

15 Probe: RETRACT ×2

16 Probe: EMERG EXT D ×2

Other buttons

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

Engines & fuel

Weapons

Gear, flaps & airframe

Aircraft systems

43 GAIN ▲
AMPCD Night/Day
Brightness: DAY

44 GAIN ▼
AMPCD Night/Day
Brightness: NGT

1 OSB 20
AMPCD PB 5

3 OSB 19
AMPCD PB 4

5 OSB 18
AMPCD PB 3

7 OSB 17
AMPCD PB 2

9 OSB 16
AMPCD PB 1

10 BRT ▲
AMPCD Gain: UP

11 BRT ▼
AMPCD Gain: DOWN

42 OSB 1
AMPCD PB 6

40 OSB 2
AMPCD PB 7

38 OSB 3
AMPCD PB 8

36 OSB 4
AMPCD PB 9

34 OSB 5
AMPCD PB 10

33 SYM ▲
AMPCD Symbology: UP

32 SYM ▼
AMPCD Symbology:
DOWN

31 OSB 6
AMPCD PB 11

29 OSB 7
AMPCD PB 12

27 OSB 8
AMPCD PB 13

25 OSB 9
AMPCD PB 14

23 OSB 10
AMPCD PB 15

22 CON ▲
AMPCD Contrast: UP

21 CON ▼
AMPCD Contrast:
DOWN

12 OSB 15
AMPCD PB 20

14 OSB 14
AMPCD PB 19

16 OSB 13
AMPCD PB 18

18 OSB 12
AMPCD PB 17

20 OSB 11
AMPCD PB 16

MFD

S1 ↔ Knob

49 Knob ◀
AMPCD Off/Brightness:
CCW/Decrease

50 Knob ▶
AMPCD Off/Brightness:
CW/Increase

43 GAIN ▲

44 GAIN ▼

42 OSB 1
Left MDI PB 6

40 OSB 2
Left MDI PB 7

38 OSB 3
Left MDI PB 8

36 OSB 4
Left MDI PB 9

34 OSB 5
Left MDI PB 10

33 SYM ▲

32 SYM ▼

1 OSB 20
Left MDI PB 5

3 OSB 19
Left MDI PB 4

5 OSB 18
Left MDI PB 3

7 OSB 17
Left MDI PB 2

9 OSB 16
Left MDI PB 1

10 BRT ▲
Left MDI Brightness:
CW/Increase

11 BRT ▼
Left MDI Brightness:
CCW/Decrease

MFD

S1 ↔ Knob

49 Knob ◀
Left MDI Brightness:
CCW/Left

50 Knob ▶
Left MDI Brightness:
CW/Right

31 OSB 6
Left MDI PB 11

29 OSB 7
Left MDI PB 12

27 OSB 8
Left MDI PB 13

25 OSB 9
Left MDI PB 14

23 OSB 10
Left MDI PB 15

22 CON ▲
Left MDI Contrast:
CW/Increase

21 CON ▼
Left MDI Contrast:
CCW/Decrease

12 OSB 15
Left MDI PB 20

14 OSB 14
Left MDI PB 19

16 OSB 13
Left MDI PB 18

18 OSB 12
Left MDI PB 17

20 OSB 11
Left MDI PB 16

43 GAIN ▲

44 GAIN ▼

42 OSB 1
Right MDI PB 6

40 OSB 2
Right MDI PB 7

38 OSB 3
Right MDI PB 8

36 OSB 4
Right MDI PB 9

34 OSB 5
Right MDI PB 10

33 SYM ▲

32 SYM ▼

1 OSB 20
Right MDI PB 5

3 OSB 19
Right MDI PB 4

5 OSB 18
Right MDI PB 3

7 OSB 17
Right MDI PB 2

9 OSB 16
Right MDI PB 1

10 BRT ▲
Right MDI Brightness:
CW/Increase

11 BRT ▼
Right MDI Brightness:
CCW/Decrease

MFD

S1 ↔ Knob

49 Knob ◀
Right MDI Brightness:
CCW/Left

50 Knob ▶
Right MDI Brightness:
CW/Right

31 OSB 6
Right MDI PB 11

29 OSB 7
Right MDI PB 12

27 OSB 8
Right MDI PB 13

25 OSB 9
Right MDI PB 14

23 OSB 10
Right MDI PB 15

22 CON ▲
Right MDI Contrast:
CW/Increase

21 CON ▼
Right MDI Contrast:
CCW/Decrease

12 OSB 15
Right MDI PB 20

14 OSB 14
Right MDI PB 19

16 OSB 13
Right MDI PB 18

18 OSB 12
Right MDI PB 17

20 OSB 11
Right MDI PB 16

2 1
UFC
Keyboard: 1

5 4
UFC
Keyboard: 4

8 7
UFC
Keyboard: 7

11 CLR
UFC Keyboard:
CLR

3 2
UFC
Keyboard: 2

6 5
UFC
Keyboard: 5

9 8
UFC
Keyboard: 8

12 0
UFC
Keyboard: 0

4 3
UFC
Keyboard: 3

7 6
UFC
Keyboard: 6

10 9
UFC
Keyboard: 9

13 ENT
UFC Keyboard:
ENT

1 I/P
UFC I/P

19 EMCON
UFC Emission

ADF

39 1
UFC ADF
Function Select:
1

40 OFF
UFC ADF
Function Select:
OFF

41 2
UFC ADF
Function Select:
2

14 OPTION 1
UFC Option Select 1

15 OPTION 2
UFC Option Select 2

16 OPTION 3
UFC Option Select 3

17 OPTION 4
UFC Option Select 4

18 OPTION 5
UFC Option Select 5

20 A/P
UFC Function: A/P

21 IFF
UFC Function: IFF

22 TCN
UFC Function:
TCN

23 ILS
UFC Function: ILS

24 D/L
UFC Function: D/L

25 BCN
UFC Function:
BCN

26 ON/OFF
UFC Function:
ON/OFF

COMM 1

RX ↔ Volume
UFC COMM 1 Volume

27 ← CH
UFC COMM 1
Channel:
CCW/Decrease

29 PULL
UFC COMM 1
Channel: PULL

28 CH →
UFC COMM 1
Channel:
CW/Increase

UFC

RZ ↔ Brightness
UFC Brightness

COMM 2

RY ↔ Volume
UFC COMM 2 Volume

30 ← CH
UFC COMM 2
Channel:
CCW/Decrease

32 PULL
UFC COMM 2
Channel: PULL

31 CH →
UFC COMM 2
Channel:
CW/Increase

SYM REJECT

65 NORM
HUD Symbology
Reject: NORM

66 REJ 1
HUD Symbology
Reject: REJ 1

67 REJ 2
HUD Symbology
Reject: REJ 2

SYM BRT

68 DAY
HUD Symbology
Brightness: DAY

69 NIGHT
HUD Symbology
Brightness: NIGHT

VIDEO

70 W/B
HUD Video: W/B

71 VID
HUD Video: VID

72 OFF
HUD Video: OFF

ALT

73 BARO
Altitude: BARO

74 RDR
Altitude: RDR

ATT

75 INS
Attitude: INS

76 AUTO
Attitude: AUTO

77 STBY
Attitude: STBY

HUD knobs

X ↔ HUD brightness
HUD Symbology Brightness

Z ↔ Balance
Balance

Y ↔ Black level
Black Level

S2 ↔ AOA indexer
AOA Indexer

HDG

80 ←
Heading Set: Left

78 →
Heading Set: Right

CRS

83 ←
Course Set: Left

81 →
Course Set: Right

Radio & comms

Displays & UFC

Aircraft systems

X ↔ Steering
Roll (stick left and right)
x2

Left side

6 Paddle

1

2

3

4

H1↖ x2
View Up Left
slow

H1↑
View Up slow

H1↗ x2
View Up Right
slow

H1←
View Left
slow

D-pad

H1→
View Right
slow

H1↙ x2
View Down Left
slow

H1↓
View Down
slow

H1↘ x2
View Down Right
slow

Right side

5 Paddle

7

8

9

10

11

12

Shifter

13

14

15

16

17

18

19

20

Axes: pedals, handbrake

Z ↔ Throttle pedal
Throttle, both engines

RZ ↔ Brake pedal
Rudder (pedals or stick twist)
x2

Y ↔ Clutch pedal
Pitch (stick forward and back)
x2

S1 ↔ Handbrake

RX ↔

RY ↔

S2 ↔

Flight controls

Engines & fuel

View

WEAPONS

Cage / uncage	Throttle · Button 16
Emergency Jettison Button	WinWing F18 TAKEOFF PANEL 2 · EMERG JETT Push (Button 1)
Master Arm: ARM	R-VPC Panel #1 · 13 · 14 (Button 14)
Master Arm: SAFE	R-VPC Panel #1 · 13 · 14 (Button 13)
Master mode: air-to-air	R-VPC Panel #1 · Button 7
Master mode: air-to-ground	R-VPC Panel #1 · Button 10
Pickle: release weapon	Stick · Weapon release (Button 20)
Selective Jettison Knob - L FUS MSL	WinWing F18 TAKEOFF PANEL 2 · SEL JETT L FUS MSL (Button 17)
Selective Jettison Knob - R FUS MSL	WinWing F18 TAKEOFF PANEL 2 · SEL JETT R FUS MSL (Button 19)
Selective Jettison Knob - RACK/LCHR	WinWing F18 TAKEOFF PANEL 2 · SEL JETT RACK/LCHR (Button 20)
Selective Jettison Knob - SAFE	WinWing F18 TAKEOFF PANEL 2 · SEL JETT SAFE (Button 18)
Selective Jettison Knob - STORES	WinWing F18 TAKEOFF PANEL 2 · SEL JETT STORES (Button 21)
Selective Jettison Pushbutton	WinWing F18 TAKEOFF PANEL 2 · JETT Push (Button 22)
Station Jettison Select Button CENTER - ON/OFF	WinWing F18 TAKEOFF PANEL 2 · STATION JETT CTR (Button 23)
Station Jettison Select Button LEFT IN - ON/OFF	WinWing F18 TAKEOFF PANEL 2 · STATION JETT LI (Button 24)
Station Jettison Select Button LEFT OUT - ON/OFF	WinWing F18 TAKEOFF PANEL 2 · STATION JETT LO (Button 26)
Station Jettison Select Button RIGHT IN - ON/OFF	WinWing F18 TAKEOFF PANEL 2 · STATION JETT RI (Button 25)
Station Jettison Select Button RIGHT OUT - ON/OFF	WinWing F18 TAKEOFF PANEL 2 · STATION JETT RO (Button 27)
Trigger: fire	Stick · Trigger · second detent (Button 5)
Weapon select: AMRAAM	Stick · 4-way 10–13 → (Button 10)
Weapon select: gun	Stick · 4-way 10–13 ↓ (Button 11)
Weapon select: Sidewinder	Stick · 4-way 10–13 ← (Button 12)
Weapon select: Sparrow	Stick · 4-way 10–13 ↑ (Button 13)

SENSORS & TARGETING

HMD OFF/BRT Knob	R-VPC Panel #1 · Knobs (Slider 1)
INS Switch - CCW	R-VPC Panel #1 · ENCODER 2 ◀ turn (Button 37)
INS Switch - CW	R-VPC Panel #1 · ENCODER 2 Turn ▶ (Button 38)
LST/NFLR Switch - OFF	R-VPC Panel #1 · 31 · 32 (Button 31)
LST/NFLR Switch - ON	R-VPC Panel #1 · 31 · 32 (Button 32)
LTD/R Switch - ARM	R-VPC Panel #1 · 25 · 26 (Button 26)
LTD/R Switch - SAFE	R-VPC Panel #1 · 25 · 26 (Button 25)
Radar elevation down	Stick · Button 34 Throttle · Button 27 Throttle · Button 32
Radar elevation up	Stick · Button 32 Throttle · Button 25 Throttle · Button 28
RADAR Switch - CCW	R-VPC Panel #1 · ENCODER 1 ◀ turn (Button 34)
RADAR Switch - CW	R-VPC Panel #1 · ENCODER 1 Turn ▶ (Button 35)
RAID / field of view	Throttle · Button 53 Throttle · Button 56
Sensor select: bottom display (AMPCD)	Stick · 4-way 37–40 ↓ (Button 39)
Sensor select: HUD	Stick · 4-way 37–40 ↑ (Button 37)
Sensor select: left display	Stick · 4-way 37–40 ← (Button 40)
Sensor select: right display	Stick · 4-way 37–40 → (Button 38)
TDC left/right (axis)	Stick · Mini-stick Left / right (X rotation) Throttle · Mini-stick Left / right (X axis)
TDC press: designate / lock	Stick · Mini-stick Press (Button 26) Throttle · Mini-stick Press (Button 35)
TDC up/down (axis)	Stick · Mini-stick Up / down (Y rotation) Throttle · Mini-stick Up / down (Y axis)
Toggle goggles	R-VPC Panel #1 · 29 · 30 (Button 30)
Undesignate / nose wheel steering	Stick · Side button (Button 6)

COUNTERMEASURES

ALQ-165 ECM Mode Switch - CCW	R-VPC Panel #1 · ENCODER 3 ◀ turn (Button 40)
ALQ-165 ECM Mode Switch - CW	R-VPC Panel #1 · ENCODER 3 Turn ▶ (Button 41)
Dispense chaff	Throttle · 3-WAY 22–24 (Button 22)
Dispense flares	Throttle · 3-WAY 22–24 (Button 24)