
F/A-18C

Stick

WINWING Orion Joystick Base 2 + JGRIP-F16 · 30 of 56 controls bound



Red button · 20
- Pickle: release weapon

Top left hat · 21–25
- ↑ —
- → —
- ↓ —
- ← —
- press —

Centre hat (TMS) · 31–35
- ↑ Radar elevation up
- → —
- ↓ Radar elevation down
- ← —
- press —

Mini-stick · RX, RY, 26–30
- ↔ TDC left/right (axis)
- ↕ TDC up/down (axis)
- press TDC press: designate / lock
- ↑ as button —
- → as button —
- ↓ as button —
- ← as button —

Left side hat (CMS) · 9–13
- ↑ Weapon select: AMRAAM
- forward Weapon select: Sparrow
- ↓ Weapon select: Sidewinder
- back Weapon select: gun
- press —

Top front lever · RZ, 1–3, 41–42
- travel —
- 1 at rest —
- 2 off rest —
- 41 part way —
- 42 further —
- 3 full pull —

Pinky button · 6
- Undesignate / nose wheel steering

TRIM hat · H1, 19
- ↑ Trim nose down
- → Trim right wing down
- ↓ Trim nose up
- ← Trim left wing down
- ↗ View Up Right slow
- ↘ View Down Right slow
- ↙ View Down Left slow
- ↖ View Up Left slow
- press Centre the view

Right hat (DMS) · 36–40
- ↑ Sensor select: HUD
- → Sensor select: right display
- ↓ Sensor select: bottom display (AMPCD)
- ← Sensor select: left display
- press Centre the view

Right side hat · 14–18 ?
- ↑ —
- forward —
- ↓ —
- back —
- press —

Trigger · 4–5
- 1st —
- 2nd Trigger: fire

Paddle lever · S1, 7–8
- travel Both brakes, one axis
- 7 at rest —
- 8 pulled Paddle: autopilot off

Stick · X, Y
- ↔ Roll (stick left and right)
- ↕ Pitch (stick forward and back)

Flight controls · Weapons · Sensors & targeting · Gear, flaps & airframe · View

F/A-18C Throttle

WINWING THROTTLE BASE1 + F15EX HANDLE L + F15EX HANDLE R · 28 of 69 controls bound

RigReady cheat sheet
2026-11-12


Left handle hat · 51–55 ?
↑ —
→ —
↓ RAID / field of view
← —
press —

Left outer button · 56
RAID / field of view

Left inner button · 50
Auto-throttle on/off


Left handle knob · RZ, 60–62
turn —
60 one end —
61 centre —
62 other end —

LEFT HANDLE, FROM THE FRONT



Left handle switch · 57–59
↑ —
middle —
↓ Exterior lights: toggle

BASE, FROM ABOVE




Left throttle · RY, 2, 31
travel Throttle, left engine
IDLE Left throttle to IDLE
OFF Throttle (Left): OFF

Right throttle · RX, 1, 30
travel Throttle, right engine
IDLE Right throttle to IDLE
OFF Throttle (Right): OFF

Friction lever · S1
—

RIGHT HANDLE, THUMB SIDE



Upper thumb switch · 22–24
forward Dispense chaff
middle —
back Dispense flares

Front thumb hat · 17–21
↑ —
forward —
↓ —
back —
press Pilot Salute

Rear thumb hat · 12–16
↑ —
forward —
↓ —
back —
press Cage / uncage

Lower thumb hat · 6–10
↑ Talk on radio 1 / radio menu
forward —
↓ Talk on radio 2 / radio menu
back —
press —

Thumb button · 11
—

RIGHT HANDLE, FROM THE FRONT



Lower thumb switch · 3–5
forward Speed brake out
middle Speed brake in (two-position switch)
back Speed brake in

Wheel · 25–27, 43–44
↑ Radar elevation up
↑ further —
↓ Radar elevation down
↓ further —
press —


Finger lever · Z, 40–42
travel —
↑ **end** Zoom out
centre —
↓ **end** Zoom in

Mini-stick · X, Y, 35–39
↔ TDC left/right (axis)
↕ TDC up/down (axis)
press TDC press: designate / lock
↑ as button —
→ as button —
↓ as button —
← as button —

Front hat · 28–29, 32–34 ?
↑ Radar elevation up
→ —
↓ Radar elevation down
← —
press —

MORE CONTROLS · not on the drawing
45 46 47 48 49

Flight controls · Engines & fuel · Weapons · Sensors & targeting · Countermeasures · Radio & comms · Gear, flaps & airframe · View



LEFT
Y ↔ Left toe brake
Left toe brake
RIGHT
X ↔ Right toe brake
Right toe brake
Z ↔ Rudder
×2
Rudder (pedals or stick twist)

F/A-18C

R-VPC Panel #1

26 of 43 controls bound

RigReady cheat sheet
2026-11-12



Flight controls · Weapons · Sensors & targeting · Countermeasures · Gear, flaps & airframe · Aircraft systems

F/A-18C WinWing F18 STARTUP PANEL

53 of 59 controls bound

RigReady cheat sheet
2026-11-12

GND PWR 2 switch · 9–11
- **A ON** Ground Power 2: A ON
- **AUTO** Ground Power 2: AUTO
- **B ON** Ground Power 2: B ON

GND PWR 1 switch · 4–6
- **A ON** Ground Power 1: A ON
- **AUTO** Ground Power 1: AUTO
- **B ON** Ground Power 1: B ON

FIRE test switch · 1–3
- **TEST A** Fire and Bleed Air Test: TEST A
- NORM —
- **TEST B** Fire and Bleed Air Test: TEST B

L GEN switch · 7–8
- **NORM** Left Generator: NORM
- **OFF** Left Generator: OFF

BATTERY switch · 12–14
- **ON** Battery: ON
- **OFF** Battery: OFF
- **ORIDE** Battery: ORIDE

R GEN switch · 21–22
- **NORM** Right Generator: NORM
- **OFF** Right Generator: OFF

PITOT switch · 26–27
- **ON** Pitot Heater: ON/AUTO
- AUTO —


ENG anti-ice switch · 28–30
- **ON** Engine Anti-Ice: ON
- **OFF** Engine Anti-Ice: OFF
- **TEST** Engine Anti-Ice: TEST

BLEED AIR knob · 54–57
- **OFF** Bleed Air: OFF
- **L OFF** Bleed Air: L OFF
- **NORM** Bleed Air: NORM
- **R OFF** Bleed Air: R OFF

GEN TIE switch · 34–35
- ▲ Generator TIE: NORM/RESET
- ▼ —

APU switch · 38–39
- **ON** APU Sw (special): ON/OFF
- OFF —

ENG CRANK switch · 40–42
- **L** Engine Crank: Cycle Left
- OFF —
- **R** Engine Crank: Cycle Right



GND PWR 3 switch · 15–17
- **A ON** Ground Power 3: A ON
- **AUTO** Ground Power 3: AUTO
- **B ON** Ground Power 3: B ON

GND PWR 4 switch · 18–20
- **A ON** Ground Power 4: A ON
- **AUTO** Ground Power 4: AUTO
- **B ON** Ground Power 4: B ON

EXT PWR switch · 23–25
- **RESET** External Power: RESET
- **NORM** External Power: NORM
- **OFF** External Power: OFF

FORMATION knob · RX
- FORMATION Lights Dimmer

POSITION knob · RY
- POSITION Lights Dimmer

STROBE switch · 31–33
- **BRT** STROBE Lights: BRT
- **OFF** STROBE Lights: OFF
- **DIM** STROBE Lights: DIM

INTR WING switch · 36–37
- **INHIBIT** Internal Wing Tank Fuel: INHIBIT
- **NORM** Internal Wing Tank Fuel: INHIBIT/NORM

PROBE switch · 43–45
- **EXTEND** Probe: EXTEND
- **RETRACT** Probe: RETRACT
- **EMERG EXTD** Probe: EMERG EXTD

EXT TANKS WING · 46–48
- **ORIDE** External Wing Tanks Fuel: ORIDE
- **NORM** External Wing Tanks Fuel: NORM
- **STOP** External Wing Tanks Fuel: STOP

EXT TANKS CTR · 49–51
- **ORIDE** External Centerline Tank Fuel: ORIDE
- **NORM** External Centerline Tank Fuel: NORM
- **STOP** External Centerline Tank Fuel: STOP

FUEL DUMP switch · 52–53
- **ON** Fuel Dump: ON/OFF
- OFF —

Engines & fuel · Aircraft systems

SELECT JETT knob · 17–22
- **L FUS MSL** Selective Jettison: L FUS MSL
- **SAFE** Selective Jettison: SAFE
- **R FUS MSL** Selective Jettison: R FUS MSL
- **RACK/LCHR** Selective Jettison: RACK/LCHR
- **STORES** Selective Jettison: STORES
- **JETT push** Selective Jettison

LAUNCH BAR switch · 3–4
- **RETRACT** Launch bar up
- **EXTEND** Launch bar down


FLAP switch · 5–7
- **AUTO** Flaps AUTO (up)
- **HALF** Flaps HALF
- **FULL** Flaps FULL

LDG GEAR lever · 35–37
- **UP** Gear up
- middle —
- **DOWN** Gear down

LDG/TAXI LIGHT switch · 8–9
- **ON** Landing light on
- **OFF** Landing light off

MASTER CAUTION · 2
- Master caution reset

Push to jettison · 1
- Emergency Jettison



HOOK lever · 32–34
- **UP** Hook up
- middle —
- **DOWN** Hook down

Station buttons · 23–27
- **CTR** Station Jettison Select CENTER: ON/OFF
- **LI** Station Jettison Select LEFT IN: ON/OFF
- **RI** Station Jettison Select RIGHT IN: ON/OFF
- **LO** Station Jettison Select LEFT OUT: ON/OFF
- **RO** Station Jettison Select RIGHT OUT: ON/OFF

WING FOLD handle · 28–31
- **FOLD** Wing Fold: FOLD
- **HOLD** Wing Fold: HOLD
- **SPREAD** Wing Fold: SPREAD
- **pull** Wing Fold: PULL/STOW

HOOK BYPASS switch · 12–13
- **FIELD** HOOK BYPASS: FIELD
- **CARRIER** HOOK BYPASS: CARRIER


PROBE switch · 14–16
- **EXTEND** Probe: EXTEND
- **RETRACT** Probe: RETRACT
- **EMERG EXTD** Probe: EMERG EXTD


ANTI SKID switch · 10–11
- **ON** Anti-skid on
- **OFF** Anti-skid off


EMERG / PARK BRK handle · 38–41 ?
- **38** Emergency/Parking Brake: STOW
- **39** Emergency/Parking Brake: PULL
- **40** Emergency/Parking Brake: CCW
- **41** Emergency/Parking Brake: CW

MORE CONTROLS · not on the drawing

42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64


Knob · S1, 48–50
turn —
◄ AMPCD Off/Brightness: CCW/Decrease
► AMPCD Off/Brightness: CW/Increase
press —
OSB 1 · 42
AMPCD PB 6
OSB 2 · 40
AMPCD PB 7
OSB 3 · 38
AMPCD PB 8
OSB 4 · 36
AMPCD PB 9
OSB 5 · 34
AMPCD PB 10
DAY / NGT rocker · 43–44
DAY AMPCD Night/Day Brightness: DAY
NGT AMPCD Night/Day Brightness: NGT
SYM rocker · 32–33
▲ AMPCD Symbology: UP
▼ AMPCD Symbology: DOWN
Side switch · 45–47
up —
middle —
down —
OSB 20 · 1
AMPCD PB 5
OSB 19 · 3
AMPCD PB 4
OSB 18 · 5
AMPCD PB 3
OSB 17 · 7
AMPCD PB 2
OSB 16 · 9
AMPCD PB 1
GAIN rocker · 10–11
▲ AMPCD Gain: UP
▼ AMPCD Gain: DOWN
OSB 6 · 31
AMPCD PB 11
OSB 7 · 29
AMPCD PB 12
OSB 8 · 27
AMPCD PB 13
OSB 9 · 25
AMPCD PB 14
OSB 10 · 23
AMPCD PB 15
CONT rocker · 21–22
▲ AMPCD Contrast: UP
▼ AMPCD Contrast: DOWN
DAY
OFF
BRT
SYM
NGT
GAIN
CONT
OSB 15 · 12
AMPCD PB 20
OSB 14 · 14
AMPCD PB 19
OSB 13 · 16
AMPCD PB 18
OSB 12 · 18
AMPCD PB 17
OSB 11 · 20
AMPCD PB 16
MORE CONTROLS · not on the drawing
2 4 6 8 13 15 17 19 24 26 28 30 35 37 39 41



Knob · S1, 48–50
turn —
◄ Left MDI Brightness: CCW/Left
► Left MDI Brightness: CW/Right
press —
OSB 1 · 42
Left MDI PB 6
OSB 2 · 40
Left MDI PB 7
OSB 3 · 38
Left MDI PB 8
OSB 4 · 36
Left MDI PB 9
OSB 5 · 34
Left MDI PB 10
DAY / NGT rocker · 43–44
DAY —
NGT —
SYM rocker · 32–33
▲ —
▼ —
DAY
OFF
BRT
SYM
NGT
OSB 20 · 1
Left MDI PB 5
OSB 19 · 3
Left MDI PB 4
OSB 18 · 5
Left MDI PB 3
OSB 17 · 7
Left MDI PB 2
OSB 16 · 9
Left MDI PB 1
GAIN rocker · 10–11
▲ Left MDI Brightness: CW/Increase
▼ Left MDI Brightness: CCW/Decrease
Side switch · 45–47
up —
middle —
down —
OSB 6 · 31
Left MDI PB 11
OSB 7 · 29
Left MDI PB 12
OSB 8 · 27
Left MDI PB 13
OSB 9 · 25
Left MDI PB 14
OSB 10 · 23
Left MDI PB 15
CONT rocker · 21–22
▲ Left MDI Contrast: CW/Increase
▼ Left MDI Contrast: CCW/Decrease
GAIN
CONT
OSB 15 · 12
Left MDI PB 20
OSB 14 · 14
Left MDI PB 19
OSB 13 · 16
Left MDI PB 18
OSB 12 · 18
Left MDI PB 17
OSB 11 · 20
Left MDI PB 16
MORE CONTROLS · not on the drawing
2 4 6 8 13 15 17 19 24 26 28 30 35 37 39 41


Knob · S1, 48–50
turn —
◄ Right MDI Brightness: CCW/Left
► Right MDI Brightness: CW/Right
press —
OSB 1 · 42
Right MDI PB 6
OSB 2 · 40
Right MDI PB 7
OSB 3 · 38
Right MDI PB 8
OSB 4 · 36
Right MDI PB 9
OSB 5 · 34
Right MDI PB 10
DAY / NGT rocker · 43–44
DAY —
NGT —
SYM rocker · 32–33
▲ —
▼ —
Side switch · 45–47
up —
middle —
down —
OSB 20 · 1
Right MDI PB 5
OSB 19 · 3
Right MDI PB 4
OSB 18 · 5
Right MDI PB 3
OSB 17 · 7
Right MDI PB 2
OSB 16 · 9
Right MDI PB 1
GAIN rocker · 10–11
▲ Right MDI Brightness: CW/Increase
▼ Right MDI Brightness: CCW/Decrease
OSB 6 · 31
Right MDI PB 11
OSB 7 · 29
Right MDI PB 12
OSB 8 · 27
Right MDI PB 13
OSB 9 · 25
Right MDI PB 14
OSB 10 · 23
Right MDI PB 15
CONT rocker · 21–22
▲ Right MDI Contrast: CW/Increase
▼ Right MDI Contrast: CCW/Decrease
DAY
OFF
BRT
SYM
NGT
GAIN
CONT
OSB 15 · 12
Right MDI PB 20
OSB 14 · 14
Right MDI PB 19
OSB 13 · 16
Right MDI PB 18
OSB 12 · 18
Right MDI PB 17
OSB 11 · 20
Right MDI PB 16
MORE CONTROLS · not on the drawing
2 4 6 8 13 15 17 19 24 26 28 30 35 37 39 41

F/A-18C WinWing UFC1 + HUD1

59 of 59 controls bound

RigReady cheat sheet
2026-11-12



HUD BRT knob · X
- HUD Symbology Brightness

HUD day / night switch · 68–69
- **DAY** HUD Symbology Brightness: DAY
- **NIGHT** HUD Symbology Brightness: NIGHT

HUD BLK LVL knob · Y
- Black Level

HUD video switch · 70–72
- **W/B** HUD Video: W/B
- **VID** HUD Video: VID
- **OFF** HUD Video: OFF

HUD reject switch · 65–67
- **NORM** HUD Symbology Reject: NORM
- **REJ 1** HUD Symbology Reject: REJ 1
- **REJ 2** HUD Symbology Reject: REJ 2

HUD BAL knob · Z
- Balance

HUD ATT switch · 75–77
- **INS** Attitude: INS
- **AUTO** Attitude: AUTO
- **STBY** Attitude: STBY

HUD AOA knob · S2
- AOA Indexer

CRS switch · 81–83
- ← Course Set: Left
- centre —
- → Course Set: Right

HDG switch · 78–80
- ← Heading Set: Left
- centre —
- → Heading Set: Right

UFC BRT knob · RZ
- UFC Brightness

HUD ALT switch · 73–74
- **BARO** Altitude: BARO
- **RDR** Altitude: RDR

EMCON button · 19
- UFC Emission

I/P button · 1
- UFC I/P

Option buttons · 14–18
- **1** UFC Option Select 1
- **2** UFC Option Select 2
- **3** UFC Option Select 3
- **4** UFC Option Select 4
- **5** UFC Option Select 5

ADF switch · 39–41
- **1** UFC ADF Function Select: 1
- **OFF** UFC ADF Function Select: OFF
- **2** UFC ADF Function Select: 2

COMM 2 volume · RY
- UFC COMM 2 Volume

COMM 1 volume · RX
- UFC COMM 1 Volume

COMM 2 knob · 30–32
- ◄ UFC COMM 2 Channel: CCW/Decrease
- ► UFC COMM 2 Channel: CW/Increase
- **pull** UFC COMM 2 Channel: PULL

COMM 1 knob · 27–29
- ◄ UFC COMM 1 Channel: CCW/Decrease
- ► UFC COMM 1 Channel: CW/Increase
- **pull** UFC COMM 1 Channel: PULL

Left rocker · 33–34
- ◄ —
- ► —

Keypad · 2–13
- **1** UFC Keyboard: 1
- **2** UFC Keyboard: 2
- **3** UFC Keyboard: 3
- **4** UFC Keyboard: 4
- **5** UFC Keyboard: 5
- **6** UFC Keyboard: 6
- **7** UFC Keyboard: 7
- **8** UFC Keyboard: 8
- **9** UFC Keyboard: 9
- **CLR** UFC Keyboard: CLR
- **0** UFC Keyboard: 0
- **ENT** UFC Keyboard: ENT

Middle rocker · 35–36
- ▲ —
- ▼ —

Function buttons · 20–26
- **A/P** UFC Function: A/P
- **IFF** UFC Function: IFF
- **TCN** UFC Function: TCN
- **ILS** UFC Function: ILS
- **D/L** UFC Function: D/L
- **BCN** UFC Function: BCN
- **ON/OFF** UFC Function: ON/OFF

Right rocker · 37–38
- ◄ —
- ► —

MORE CONTROLS · not on the drawing

S1 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 84 85
86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111
112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128

Radio & comms · Displays & UFC · Aircraft systems

F/A-18C

FANATEC Podium Wheel Base DD2

12 of 36 controls bound

RigReady cheat sheet
2026-11-12

X ↔ Steering ×2
Roll (stick left and right)

Left side


6 Paddle

1

2

3

4



Right side

5 Paddle

7

8

9

10

11

12

Shifter

13

14

15

16

17

18

19

20

Axes: pedals, handbrake

Z ↔ Throttle pedal
Throttle, both engines

RZ ↔ Brake pedal ×2
Rudder (pedals or stick twist)

Y ↔ Clutch pedal ×2
Pitch (stick forward and back)

S1 ↔ Handbrake

RX ↔

RY ↔

S2 ↔

Flight controls · Engines & fuel · View

F/A-18C

Most important actions

Your own bindings, hands-on controls first

RigReady cheat sheet
2026-11-12

WEAPONS

Cage / uncage	Throttle · **Rear thumb hat press (Button 16)**
Emergency Jettison Button	WinWing F18 TAKEOFF PANEL 2 · **Push to jettison (Button 1)**
Master Arm: ARM	R-VPC Panel #1 · **13 · 14 (Button 14)**
Master Arm: SAFE	R-VPC Panel #1 · **13 · 14 (Button 13)**
Master mode: air-to-air	R-VPC Panel #1 · **Button 7**
Master mode: air-to-ground	R-VPC Panel #1 · **Button 10**
Pickle: release weapon	Stick · **Red button (Button 20)**
Selective Jettison Knob - L FUS MSL	WinWing F18 TAKEOFF PANEL 2 · **SELECT JETT knob L FUS MSL (Button 17)**
Selective Jettison Knob - R FUS MSL	WinWing F18 TAKEOFF PANEL 2 · **SELECT JETT knob R FUS MSL (Button 19)**
Selective Jettison Knob - RACK/LCHR	WinWing F18 TAKEOFF PANEL 2 · **SELECT JETT knob RACK/LCHR (Button 20)**
Selective Jettison Knob - SAFE	WinWing F18 TAKEOFF PANEL 2 · **SELECT JETT knob SAFE (Button 18)**
Selective Jettison Knob - STORES	WinWing F18 TAKEOFF PANEL 2 · **SELECT JETT knob STORES (Button 21)**
Selective Jettison Pushbutton	WinWing F18 TAKEOFF PANEL 2 · **SELECT JETT knob JETT push (Button 22)**
Station Jettison Select Button CENTER - ON/OFF	WinWing F18 TAKEOFF PANEL 2 · **Station buttons CTR (Button 23)**
Station Jettison Select Button LEFT IN - ON/OFF	WinWing F18 TAKEOFF PANEL 2 · **Station buttons LI (Button 24)**
Station Jettison Select Button LEFT OUT - ON/OFF	WinWing F18 TAKEOFF PANEL 2 · **Station buttons LO (Button 26)**
Station Jettison Select Button RIGHT IN - ON/OFF	WinWing F18 TAKEOFF PANEL 2 · **Station buttons RI (Button 25)**
Station Jettison Select Button RIGHT OUT - ON/OFF	WinWing F18 TAKEOFF PANEL 2 · **Station buttons RO (Button 27)**
Trigger: fire	Stick · **Trigger 2nd (Button 5)**
Weapon select: AMRAAM	Stick · **Left side hat (CMS) ↑ (Button 10)**
Weapon select: gun	Stick · **Left side hat (CMS) back (Button 11)**
Weapon select: Sidewinder	Stick · **Left side hat (CMS) ↓ (Button 12)**
Weapon select: Sparrow	Stick · **Left side hat (CMS) forward (Button 13)**

SENSORS & TARGETING

HMD OFF/BRT Knob	R-VPC Panel #1 · **Knobs (Slider 1)**
INS Switch - CCW	R-VPC Panel #1 · **ENCODER 2 ◄ turn (Button 37)**
INS Switch - CW	R-VPC Panel #1 · **ENCODER 2 Turn ► (Button 38)**
LST/NFLR Switch - OFF	R-VPC Panel #1 · **31 · 32 (Button 31)**
LST/NFLR Switch - ON	R-VPC Panel #1 · **31 · 32 (Button 32)**
LTD/R Switch - ARM	R-VPC Panel #1 · **25 · 26 (Button 26)**
LTD/R Switch - SAFE	R-VPC Panel #1 · **25 · 26 (Button 25)**
Radar elevation down	Stick · **Centre hat (TMS) ↓ (Button 34)** Throttle · **Wheel ↓ (Button 27)** Throttle · **Front hat ↓ (Button 32)**
Radar elevation up	Stick · **Centre hat (TMS) ↑ (Button 32)** Throttle · **Wheel ↑ (Button 25)** Throttle · **Front hat ↑ (Button 28)**
RADAR Switch - CCW	R-VPC Panel #1 · **ENCODER 1 ◄ turn (Button 34)**
RADAR Switch - CW	R-VPC Panel #1 · **ENCODER 1 Turn ► (Button 35)**
RAID / field of view	Throttle · **Left handle hat ↓ (Button 53)** Throttle · **Left outer button (Button 56)**
Sensor select: bottom display (AMPCD)	Stick · **Right hat (DMS) ↓ (Button 39)**
Sensor select: HUD	Stick · **Right hat (DMS) ↑ (Button 37)**
Sensor select: left display	Stick · **Right hat (DMS) ← (Button 40)**
Sensor select: right display	Stick · **Right hat (DMS) → (Button 38)**
TDC left/right (axis)	Stick · **Mini-stick ↔ (X rotation)** Throttle · **Mini-stick ↔ (X axis)**
TDC press: designate / lock	Stick · **Mini-stick press (Button 26)** Throttle · **Mini-stick press (Button 35)**
TDC up/down (axis)	Stick · **Mini-stick ↕ (Y rotation)** Throttle · **Mini-stick ↕ (Y axis)**
Toggle goggles	R-VPC Panel #1 · **29 · 30 (Button 30)**
Undesignate / nose wheel steering	Stick · **Pinky button (Button 6)**

COUNTERMEASURES

ALQ-165 ECM Mode Switch - CCW	R-VPC Panel #1 · **ENCODER 3 ◄ turn (Button 40)**
ALQ-165 ECM Mode Switch - CW	R-VPC Panel #1 · **ENCODER 3 Turn ► (Button 41)**
Dispense chaff	Throttle · **Upper thumb switch forward (Button 22)**
Dispense flares	Throttle · **Upper thumb switch back (Button 24)**